

Package Diagram of the Proposed System

RLCP packages call policies, services and models directly. Dashed arrows denote queued work; solid arrows denote synchronous calls or requests.

A · Requests and domain operations




B · Registration, review and messaging



Source: inventory.md AUTH / REG / ACC rules; routes, controllers, Livewire settings, services, jobs and mail. The two panels expand the same application.

Use Case Diagram of the Proposed System


Human actors are outside the boundary. Beneficiaries are managed records, never login accounts. Staff access requires verified email and approval for Caseworkers.



Director: organization scope. Caseworker: current assignment + nonarchived beneficiaries; active status required for attendance / assistance.
All staff may use own permitted settings and notifications. Pending / rejected accounts remain restricted. Source: inventory.md AUTH / REG / ACC; policies.

Class Diagram of the Proposed System

Current caseworker assignment governs access. Historical creator / recorder fields preserve who performed an action. Multiplicities appear at both ends of every association.




? = nullable; 0..* = any number. Recorder / creator links are historical, independent of current assignment. User references marked ? become null on deletion.
Beneficiary soft deletion preserves history. Only key fields shown; no credential values. Source: app/Models and migration declarations; inventory.md §5.

Sequence Diagram of the Proposed System


Four independent scenarios; time runs downward within each panel. Solid arrows: synchronous messages. Dashed arrows: queued dispatch or return, as labeled.

A · Staff registration, verification and Director decision




Invalid / expired / used link or session fails. Approval enables access; rejection keeps it restricted.

B · NFC attendance and duplicate tap




USB keystrokes are a documented input assumption. Current endpoint records source=nfc_test.

C · Assistance release and repeated submission



Each replay repeats authorization. No attendance prerequisite; this records a release, not payment.


D · CSV / PDF report export



Bad dates / unauthorized requests fail. Separate activity CSV uses activity + optional search.

Deployment Diagram of the Proposed System

Documented Windows LAN topology. This diagram describes the setup; current devices, processes, configuration and service availability were not inspected.




Evidence: docs/local-lan-mail-queue.md, documented LAN setup and inventory.md. Separate web and queue PHP processes share local persistence.
Database-queued verification and after-commit decision mail use SMTP. USB keyboard input is an assumption; hardware was not tested. No LAN addresses shown.

Process Flow of the Proposed System


Lanes identify responsibility. Staff onboarding is separate from beneficiary records. Attendance, assistance and reporting are independent choices; none requires another.

A · Staff onboarding and approval



Invalid / expired links or sessions fail. Both decisions store notifications and queue mail after commit. A repeated review returns conflict.

B · Beneficiary registration, assignment and program operations



Activities may be created / edited by either staff role. Profile editing and NFC linking require access to that beneficiary. Director alone archives / restores.
No beneficiary screening step is implemented. Reporting may include empty results. Source: inventory.md AUTH / ASSIGN / ATT / AST / REP and current controllers.