

## February 6 – February 10, 2017 Kentucky Waterfowl Ground Counts

This will be the last report for the season. I hope everyone has enjoyed their time afield. Goose season will remain open until February 15<sup>th</sup>. The Conservation Order Snow Goose Season will not start in KY this year until Feb. 16<sup>th</sup>. Enjoy the last remaining days of your season, and as always... stay safe out there.

| Location                                    | Number       | Species Composition                                                                                                                                                                                               | Comments                                                                         |
|---------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Ballard WMA                                 |              |                                                                                                                                                                                                                   |                                                                                  |
| Boatwright WMA                              |              |                                                                                                                                                                                                                   |                                                                                  |
| Birdsville Island                           | Not surveyed |                                                                                                                                                                                                                   |                                                                                  |
| Kentucky/Barkley Lakes                      | Not Surveyed |                                                                                                                                                                                                                   |                                                                                  |
| Duck Island                                 | Not surveyed |                                                                                                                                                                                                                   |                                                                                  |
| Barren River Lake                           | Not Surveyed |                                                                                                                                                                                                                   |                                                                                  |
| Doug Travis WMA                             | 38,500 ducks | 60% Mallard, 15% GW teal, 10% Pintail, & 100% ring-neck ducks, wigeon, gadwalls, wood ducks, pintails.<br><br>At the time the count was made, no geese were seen. Both WF and Snow geese had rooted there though. | All units are at 100% flood capacity. River is out on the south end of the area. |
| Cave Run Lake                               |              |                                                                                                                                                                                                                   |                                                                                  |
| Peabody WMA                                 |              |                                                                                                                                                                                                                   |                                                                                  |
| Sloughs WMA                                 |              |                                                                                                                                                                                                                   |                                                                                  |
| Yellowbank WMA                              | 355 Ducks    | 65% Mallard, 15% Gadwall, 10% Black Duck, & 10% Misc. divers & dabblers.                                                                                                                                          | All wetland units are at maximum water capacity.                                 |
| Blue Grass Army Depot (all lakes and ponds) |              |                                                                                                                                                                                                                   |                                                                                  |
| Herrington Lake                             |              |                                                                                                                                                                                                                   |                                                                                  |
| Taylorsville Lake                           |              |                                                                                                                                                                                                                   |                                                                                  |

|                      |              |  |  |
|----------------------|--------------|--|--|
| Cedar Cr./Dix R. WMA | Not surveyed |  |  |
| Green River WMA      |              |  |  |
|                      |              |  |  |

## January 30 – February 3, 2017 Kentucky Waterfowl Ground Counts

Duck season is over now, and while normally a lot of us are putting gear away and starting to count down the days until we can shoot at them again... this year we still have a couple more weeks to chase geese. Weather patterns have not really changed much, but that seems to be the theme for this year's season. We did have several reports of hunters finishing out duck season with some pretty good hunting, so I am hopeful the remaining days of goose season are productive as well. Don't forget the Western Zone Youth Waterfowl hunt is this weekend, Feb. 4-5, so get out and try to take a kid hunting. Goose season will remain open until February 15<sup>th</sup>. The Conservation Order Snow Goose Season will not start in KY this year until Feb. 16<sup>th</sup>. Enjoy the last remaining days of your season, and as always... stay safe out there.

| Location               | Number                                         | Species Composition                                                                                                                                                                                                                                     | Comments                                                                                                                                                           |
|------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 39,040 ducks<br>480 CA Geese<br>5,600 WF geese | 85% Mallard, 7% Ring-necks,<br>4% Gadwall, and the remaining<br>4% is GW Teal, Wigeon,<br>Shoveler, Goldeneye, Black<br>Duck, & Pintail.                                                                                                                | With rising water levels<br>on the Ohio River, ducks<br>are spreading out in<br>backwater. Moist soil<br>units are in great shape<br>and holding lots of<br>ducks. |
| Boatwright WMA         | 3,200 ducks<br>40 WF Geese<br>7 CA Geese       | Survey was completed where<br>possible. Waterfowl are<br>spreading out into the woods<br>and are very hard to count.                                                                                                                                    | Boatwright is flooding<br>as of right now.                                                                                                                         |
| Birdsville Island      | Not surveyed                                   |                                                                                                                                                                                                                                                         |                                                                                                                                                                    |
| Kentucky/Barkley Lakes | Not Surveyed                                   |                                                                                                                                                                                                                                                         |                                                                                                                                                                    |
| Duck Island            | Not surveyed                                   |                                                                                                                                                                                                                                                         |                                                                                                                                                                    |
| Barren River Lake      | Not Surveyed                                   | 90% Hooded Mergansers, 10%<br>Mallard                                                                                                                                                                                                                   | Peters Creek MSU 90%<br>full, Long Creek- Calvert<br>Springs all units 80-<br>100%                                                                                 |
| Doug Travis WMA        | 39,000 ducks<br>8,000 WF Geese<br>80,000 Snows | 60% Mallard, 20% GW teal,<br>20% ring-neck ducks, wigeon,<br>gadwalls, wood ducks, pintails.<br><br>This count represents what was<br>observed on the north end of<br>area. The south end is not<br>accessible to do a ground<br>count due to flooding. | All units are at 100%<br>flood capacity. River is<br>out on the south end of<br>the area.                                                                          |
| Cave Run Lake          |                                                |                                                                                                                                                                                                                                                         |                                                                                                                                                                    |

|                                                |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Peabody WMA                                    |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
| Sloughs WMA                                    | 8,775 Ducks<br>4,200 WF geese<br>194 CA Geese<br>2,000 Snows<br>44 Swans | 75% Mallard, 25% Black duck,<br>Green-wing teal, Shoveler,<br>Pintail, Gadwall, Ring-neck. | The Ohio River began to<br>fall rapidly starting<br>Sunday. However,<br>there are still pockets of<br>floodwater throughout<br>lower areas of the<br>WMA within the<br>Highland Creek and<br>Grassy Pond/Powell's<br>Lake unit. With the<br>recession of the river,<br>water levels within<br>Pond Creek have fallen<br>in the past week as<br>well. |
| Yellowbank WMA                                 | 145 Ducks                                                                | 80% Mallard, 10% Gadwall, 5%<br>Black Duck, & 5% Misc.<br>dabblers.                        | All wetland units are at<br>maximum water<br>capacity.                                                                                                                                                                                                                                                                                               |
| Blue Grass Army Depot<br>(all lakes and ponds) |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
| Herrington Lake                                | 30 Mallards, 10<br>GW Teal, &<br>50 CA Geese                             |                                                                                            | One adult bald eagle on<br>the lake.                                                                                                                                                                                                                                                                                                                 |
| Taylorsville Lake                              |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
| Cedar Cr./Dix R. WMA                           | Not surveyed                                                             |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
| Green River WMA                                |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |
|                                                |                                                                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                      |

## January 23-27, 2017

### Kentucky Waterfowl Ground Counts

We are still experiencing unseasonable weather across KY this week, and are getting low counts of waterfowl on our WMA's. From travelling the state on a daily basis, I do believe that there are a lot more birds in the state than this report will show. Wet conditions have all the wetland habitats and ponded areas full of water and ducks and geese are scattered throughout the state. Some areas along the rivers are starting to see some flooding, which will scatter birds as well. Hopefully the cold weather coming in will get birds stirring around to finish out the weekend. Don't forget that Sunday, January 29<sup>th</sup> is the last day of duck season. Goose season will remain open until February 15<sup>th</sup>. Enjoy the last remaining days of duck season, and as always... stay safe out there.

| Location               | Number                                                        | Species Composition                                                                                                                      | Comments                                                                                                                                                           |
|------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 39,040 ducks<br>480 CA Geese<br>5,600 WF geese                | 85% Mallard, 7% Ring-necks,<br>4% Gadwall, and the remaining<br>4% is GW Teal, Wigeon,<br>Shoveler, Goldeneye, Black<br>Duck, & Pintail. | With rising water levels<br>on the Ohio River, ducks<br>are spreading out in<br>backwater. Moist soil<br>units are in great shape<br>and holding lots of<br>ducks. |
| Boatwright WMA         | 3,200 ducks<br>40 WF Geese<br>7 CA Geese                      | Survey was completed where<br>possible. Waterfowl are<br>spreading out into the woods<br>and are very hard to count.                     | Boatwright is flooding<br>as of right now.                                                                                                                         |
| Birdsville Island      | Not surveyed                                                  |                                                                                                                                          |                                                                                                                                                                    |
| Kentucky/Barkley Lakes | Not Surveyed                                                  |                                                                                                                                          |                                                                                                                                                                    |
| Duck Island            | Not surveyed                                                  |                                                                                                                                          |                                                                                                                                                                    |
| Barren River Lake      | 33 Ducks<br>74 CA Geese                                       | 90% Hooded Mergansers, 10%<br>Mallard                                                                                                    | Peters Creek MSU 90%<br>full, Long Creek- Calvert<br>Springs all units 80-<br>100%                                                                                 |
| Doug Travis WMA        | 9,700 ducks<br>75 WF Geese<br>1 Swan                          | 60% Mallard, 15% GW teal,<br>15% ring-neck ducks, 10%<br>wigeon, gadwalls, wood ducks,<br>pintails                                       | All 3 wells are running<br>and 85% of area is<br>flooded.                                                                                                          |
| Cave Run Lake          |                                                               |                                                                                                                                          |                                                                                                                                                                    |
| Peabody WMA            |                                                               |                                                                                                                                          |                                                                                                                                                                    |
| Sloughs WMA            | 10,850 Ducks<br>7,000 WF geese<br>965 CA Geese<br>1,200 Snows | 95% Mallard, 5% Black duck,<br>Shoveler, Pintail, Gadwall,<br>Ring-neck.                                                                 | Most of the birds were<br>on natural sloughs, and<br>were much more<br>spread out than earlier<br>this season. Weather                                             |

|                                                |                           |                                                               |                                                                                                                                                                                                                               |
|------------------------------------------------|---------------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |                           |                                                               | forecasts for this weekend look favorable for waterfowl hunting. Temperatures are going to get to the mid-30s for highs and mid 20s for lows, which should make the birds move a little more than they have in the last week. |
| Yellowbank WMA                                 | 387 Ducks                 | 80% Mallard, 10% Gadwall, 5% Black Duck, & 5% Misc. dabblers. | All wetland units are at maximum water capacity.                                                                                                                                                                              |
| Blue Grass Army Depot<br>(all lakes and ponds) |                           |                                                               |                                                                                                                                                                                                                               |
| Herrington Lake                                | 2 Mallards<br>50 CA Geese |                                                               |                                                                                                                                                                                                                               |
| Taylorsville Lake                              |                           |                                                               |                                                                                                                                                                                                                               |
| Cedar Cr./Dix R. WMA                           | Not surveyed              |                                                               |                                                                                                                                                                                                                               |
| Green River WMA                                |                           |                                                               |                                                                                                                                                                                                                               |
|                                                |                           |                                                               |                                                                                                                                                                                                                               |

## January 17-20, 2017

### Kentucky Waterfowl Ground Counts

We are still experiencing unseasonable weather across KY this week, and are getting low counts of waterfowl on our WMA's. From travelling the state on a daily basis, I do believe that there are a lot more birds in the state than this report will show. Wet conditions have all the wetland habitats and ponded areas full of water and ducks and geese are scattered throughout the state. Some areas along the rivers are starting to see some flooding, which will scatter birds as well. Hopefully the cold weather coming in will get birds stirring around to finish out the weekend. Don't forget that Sunday, January 29<sup>th</sup> is the last day of duck season. Goose season will remain open until February 15<sup>th</sup>. Enjoy the last remaining days of duck season, and as always... stay safe out there.

| Location               | Number                                                        | Species Composition                                                                                                                      | Comments                                                                                                                                                                                         |
|------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 39,040 ducks<br>480 CA Geese<br>5,600 WF geese                | 85% Mallard, 7% Ring-necks,<br>4% Gadwall, and the remaining<br>4% is GW Teal, Wigeon,<br>Shoveler, Goldeneye, Black<br>Duck, & Pintail. | With rising water levels<br>on the Ohio River, ducks<br>are spreading out in<br>backwater. Moist soil<br>units are in great shape<br>and holding lots of<br>ducks.                               |
| Boatwright WMA         | 3,200 ducks<br>40 WF Geese<br>7 CA Geese                      | Survey was completed where<br>possible. Waterfowl are<br>spreading out into the woods<br>and are very hard to count.                     | Boatwright is flooding<br>as of right now.                                                                                                                                                       |
| Birdsville Island      | Not surveyed                                                  |                                                                                                                                          |                                                                                                                                                                                                  |
| Kentucky/Barkley Lakes | Not Surveyed                                                  |                                                                                                                                          |                                                                                                                                                                                                  |
| Duck Island            | Not surveyed                                                  |                                                                                                                                          |                                                                                                                                                                                                  |
| Barren River Lake      |                                                               |                                                                                                                                          |                                                                                                                                                                                                  |
| Doug Travis WMA        | 5,300 ducks<br>15 WF Geese<br>1 Swan                          | 85% Mallard, 10% mixed<br>dabblers, & 5% Ring-necks                                                                                      | All 3 wells are running<br>and 85% of area is<br>flooded.                                                                                                                                        |
| Cave Run Lake          |                                                               |                                                                                                                                          |                                                                                                                                                                                                  |
| Peabody WMA            |                                                               |                                                                                                                                          |                                                                                                                                                                                                  |
| Sloughs WMA            | 10,850 Ducks<br>7,000 WF geese<br>965 CA Geese<br>1,200 Snows | 95% Mallard, 5% Black duck,<br>Shoveler, Pintail, Gadwall,<br>Ring-neck.                                                                 | Most of the birds were<br>on natural sloughs, and<br>were much more<br>spread out than earlier<br>this season. Weather<br>forecasts for this<br>weekend look favorable<br>for waterfowl hunting. |

|                                                |                           |                                                               |                                                                                                                                                              |
|------------------------------------------------|---------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |                           |                                                               | Temperatures are going to get to the mid-30s for highs and mid 20s for lows, which should make the birds move a little more than they have in the last week. |
| Yellowbank WMA                                 | 387 Ducks                 | 80% Mallard, 10% Gadwall, 5% Black Duck, & 5% Misc. dabblers. | All wetland units are at maximum water capacity.                                                                                                             |
| Blue Grass Army Depot<br>(all lakes and ponds) |                           |                                                               |                                                                                                                                                              |
| Herrington Lake                                | 2 Mallards<br>50 CA Geese |                                                               |                                                                                                                                                              |
| Taylorsville Lake                              |                           |                                                               |                                                                                                                                                              |
| Cedar Cr./Dix R. WMA                           | Not surveyed              |                                                               |                                                                                                                                                              |
| Green River WMA                                |                           |                                                               |                                                                                                                                                              |
|                                                |                           |                                                               |                                                                                                                                                              |



# KENTUCKY PERIODIC WATERFOWL INVENTORY

## Conducted January 4-9 2017

The Mid-Winter Waterfowl survey has been delayed this year due to poor flight conditions last week. This year's surveys found similar conditions to last winter. The record high fall and early winter temperatures experienced throughout the Mississippi Flyway states this year seems to have delayed migration this season, and left high hopes for good waterfowl numbers during this survey. Unfortunately, the recent rain events we have experienced in KY left birds scattered across the landscape for all but one of the flights. Moist soil units, beaver impoundments and ponded depressions in crop fields provided excellent habitat for ducks and geese on the days the surveys were flown. Listed below is the survey data obtained during our Mid-Winter Waterfowl Survey across the state. As always... stay safe and happy hunting!

### Mid-Winter Survey Report for Western Kentucky - Purchase Region

*Flown by: Pat Hahs on January 4, 2017*

| Site                              | Dabblers      | Divers       | Total Ducks   | Canada geese | Snows/Blues | WF Geese     | Coots    | Eagles   | Sandhill Crane |
|-----------------------------------|---------------|--------------|---------------|--------------|-------------|--------------|----------|----------|----------------|
| Bayou De Chien                    | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| Obion Creek                       | 50            | 0            | 50            | 0            | 0           | 0            | 0        | 0        | 0              |
| Mississippi River                 | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| Mayfield Creek                    | 190           | 0            | 190           | 0            | 0           | 0            | 0        | 0        | 0              |
| Reelfoot NWR                      | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| Ballard                           | 22,300        | 150          | 22,450        | 120          | 140         | 2,200        | 0        | 0        | 0              |
| Boatwright WMA                    | 4,270         | 300          | 4,570         | 0            | 0           | 0            | 0        | 0        | 0              |
| Ohio R. (Wickliffe-Paducah)       | 150           | 325          | 475           | 0            | 75          | 0            | 0        | 0        | 0              |
| Ohio R. (Paducah-Golconda)        | 4,711         | 370          | 5,081         | 0            | 0           | 0            | 0        | 0        | 0              |
| Barkley Lake (N of 68)            | 915           | 360          | 1,295         | 150          | 0           | 0            | 0        | 0        | 0              |
| Barkley Lake (S of 68)            | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| duck Island                       | 2,055         | 0            | 2,055         | 0            | 0           | 0            | 0        | 0        | 0              |
| Kentucky Lake                     | 98            | 370          | 468           | 0            | 0           | 0            | 0        | 0        | 0              |
| Kaler Bottoms                     | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| Birdsville Islands                | 3,888         | 0            | 3,888         | 0            | 0           | 0            | 0        | 0        | 0              |
| Doug Travis WMA                   | 195           | 25           | 220           | 0            | 0           | 0            | 0        | 0        | 0              |
| Obion Creek (Travis Slough tract) | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
| Obion Creek (L.E. Schaaf tract)   | 0             | 0            | 0             | 0            | 0           | 0            | 0        | 0        | 0              |
|                                   |               |              |               |              |             |              |          |          |                |
| <b>Totals</b>                     | <b>38,822</b> | <b>1,900</b> | <b>40,722</b> | <b>270</b>   | <b>215</b>  | <b>2,200</b> | <b>0</b> | <b>0</b> | <b>0</b>       |

**Notes from Pat...** Waterfowl observations were generally normal for this time of year. We have experienced some very odd weather prior to the survey date. Temperatures were normal for the season on survey day, but we have experienced temperatures both 15-20 degrees above normal and 15-20 degrees below normal for extended periods this winter. Habitat conditions were pretty good, although we have had minimal major rain events leaving the big rivers and tributaries in moderate flow at most. No flood conditions were noted during the survey and the majority of water holes likely have been pumped. Species distribution is roughly consistent with early January other than an unusually high percentage of green-winged teal that be using duck island for several weeks. Some species such as goldeneye and canvasback normally associated with colder, mid-Winter weather were not observed in significant numbers.

### **Lower Ohio River & Western Coalfield**

*Flown by: Thomas Young on January 9, 2017*

| Site                                             | Dabblers      | Divers       | Total Ducks   | Canada geese | Snows/Blues | WF Geese     | Coots      | Eagles    | Sandhill Crane |
|--------------------------------------------------|---------------|--------------|---------------|--------------|-------------|--------------|------------|-----------|----------------|
| Ohio R. (Owensboro-Green River)                  | 270           | 5            | 275           | 175          | 0           | 0            | 0          | 0         | 0              |
| Ohio R. (Green River-Henderson)                  | 12            | 0            | 12            | 0            | 0           | 0            | 0          | 0         | 0              |
| Ohio R. (Henderson-Sloughs WMA)                  | 0             | 0            | 0             | 0            | 0           | 0            | 0          | 0         | 0              |
| Sloughs WMA                                      | 14,410        | 525          | 14,935        | 1,851        | 400         | 8,123        | 200        | 3         | 0              |
| Ohio R. (GPPL & JHHC)                            | 27            | 39           | 66            | 50           | 0           | 0            | 0          | 3         | 0              |
| Ohio R. (Uniontown-Shawneetown)                  | 25            | 0            | 25            | 0            | 0           | 0            | 0          | 1         | 0              |
| Ohio R. (Shawneetown-Tradewater R.)              | 0             | 0            | 0             | 25           | 0           | 0            | 0          | 0         | 0              |
| Ohio R. (Tradewater R.-E. end of Hurricane Isl.) | 0             | 0            | 0             | 0            | 0           | 0            | 0          | 0         | 0              |
| Ohio R. (Hurricane Isl.-Golconda)                | 70            | 25           | 95            | 24           | 0           | 0            | 0          | 4         | 0              |
| Hovey Lake WMA (Indiana)                         | 1,006         | 25           | 1,031         | 12           | 0           | 0            | 0          | 0         | 0              |
| Pond River-White City WMA                        | 483           | 0            | 483           | 0            | 0           | 0            | 200        | 4         | 0              |
| Tradewater River                                 | 511           | 120          | 631           | 50           | 0           | 0            | 0          | 0         | 0              |
| Peabody Coal Property                            | 3,840         | 673          | 4,513         | 1,143        | 0           | 0            | 50         | 1         | 0              |
|                                                  |               |              |               |              |             |              |            |           |                |
| <b>Totals</b>                                    | <b>20,654</b> | <b>1,412</b> | <b>22,066</b> | <b>3,330</b> | <b>400</b>  | <b>8,123</b> | <b>450</b> | <b>16</b> | <b>0</b>       |

### **Rough River – Yellowbank WMA**

*Flown by: Thomas Young on January 5, 2016*

| Site                              | Dabblers   | Divers    | Total Ducks | Canada geese | Snows/Blues | WF Geese | Coots    | Eagles   | Sandhill Crane |
|-----------------------------------|------------|-----------|-------------|--------------|-------------|----------|----------|----------|----------------|
| Rough River                       | 25         | 40        | 65          | 45           | 0           | 0        | 0        | 2        | 0              |
| Yellowbank WMA                    | 59         | 0         | 59          | 0            | 0           | 0        | 0        | 0        | 0              |
| Ohio R. (Brandenburg - Owensboro) | 469        | 0         | 469         | 36           | 0           | 0        | 0        | 2        | 0              |
|                                   |            |           |             |              |             |          |          |          |                |
| <b>Totals</b>                     | <b>553</b> | <b>40</b> | <b>593</b>  | <b>81</b>    | <b>0</b>    | <b>0</b> | <b>0</b> | <b>4</b> | <b>0</b>       |

**Notes from Thomas...** The Ohio River was at normal pool. Below freezing conditions were present over the region for several consecutive days before the survey. All shallow water impoundments were covered in ice except a couple holes kept open by waterfowl on Hovey Lake, Slough's Refuge and Peabody Refuge.

### **Mid-Winter Survey Report for Central and Eastern KY**

*Flown by: Josh Lilpop & Wes Little on January 4, 2017*

| Site                               | Dabblers | Divers | Total Ducks | Canada geese | Snows Blues | WF Geese | Coots | Eagles | Sandhill Crane |
|------------------------------------|----------|--------|-------------|--------------|-------------|----------|-------|--------|----------------|
| Herrington Lake                    | 50       | 0      | 50          | 50           | 0           | 0        | 0     | 0      | 0              |
| Cedar Creek Lake                   | 760      | 0      | 760         | 0            | 0           | 0        | 0     | 3      | 0              |
| Lake Cumberland                    | 114      | 0      | 114         | 85           | 0           | 0        | 0     | 0      | 0              |
| Dale Hollow Lake                   | 1,493    | 101    | 1,594       | 0            | 0           | 0        | 0     | 0      | 0              |
| Barren River Lake                  | 0        | 0      | 0           | 0            | 0           | 0        | 0     | 0      | 250            |
| Green River Lake                   | 4        | 0      | 0           | 0            | 0           | 0        | 0     | 0      | 0              |
| Taylorsville Lake                  | 7        | 0      | 0           | 0            | 0           | 0        | 0     | 1      | 0              |
| Central Ohio River                 | 422      | 0      | 422         | 708          | 0           | 0        | 0     | 0      | 0              |
| Blue Grass Army Depot              | 210      | 52     | 262         | 130          | 0           | 0        | 50    | 0      | 0              |
| Licking River (Southern)           | 62       | 0      | 62          | 33           | 0           | 0        | 0     | 1      | 0              |
| Cave Run Lake                      | 0        | 6      | 6           | 35           | 0           | 0        | 0     | 2      | 0              |
| Grayson Lake                       | 36       | 0      | 36          | 33           | 0           | 0        | 0     | 0      | 0              |
| Yatesville Lake                    | 0        | 0      | 0           | 46           | 0           | 0        | 0     | 0      | 0              |
| Ohio River- (Ashland to Scioto R.) | 14       | 0      | 14          | 12           | 0           | 0        | 0     | 0      | 0              |
| Scioto River                       | 77       | 14     | 91          | 0            | 0           | 0        | 0     | 0      | 0              |

| Site                                 | Dabblers     | Divers     | Total Ducks  | Canada geese | Snows Blues | WF Geese | Coots     | Eagles   | Sandhill Crane |
|--------------------------------------|--------------|------------|--------------|--------------|-------------|----------|-----------|----------|----------------|
| Ohio River (Scioto R. to Licking R.) | 733          | 32         | 765          | 1088         | 0           | 0        | 0         | 1        | 0              |
| Licking River (Northern)             | 9            | 0          | 9            | 171          | 0           | 0        | 0         | 0        | 0              |
| Campbell County Lake                 | 0            | 0          | 0            | 0            | 0           | 0        | 0         | 0        | 0              |
| Kincade Lake                         | 0            | 0          | 0            | 86           | 0           | 0        | 0         | 0        | 0              |
| <b>Totals</b>                        | <b>3,991</b> | <b>205</b> | <b>4,185</b> | <b>2,477</b> | <b>0</b>    | <b>0</b> | <b>50</b> | <b>8</b> | <b>250</b>     |

**Notes from Terri...** The Central survey was conducted with clear sunny skies and mild winds <10 mph, daytime temperatures ranged from 30 degrees at start to mid to lower 40's by mid-day. Standing water in low lying fields indicated recent rainfall however most reservoirs appeared to be lower than normal winter pool levels. Barren and Green River Lake, which typically have low winter pool depths, appeared to have more exposed mud flats and dried up coves or oxbows than normal. No frozen water was observed on any reservoirs and even small ponds and lakes which showed signs of low water levels appeared to be unfrozen at time of the survey. The Ohio River appeared to be slightly above normal level but remained within banks. In the central region the most abundant dabbling ducks were Black ducks (1520) followed by Mallards (1286) and Gadwall (32). Black ducks were only observed on Dale Hollow Lake and Cedar Creek Lake while Mallards were easily the most wide spread dabbling duck in the central region occurring throughout the region in varying group sizes. Diver numbers were low and only observed on Dale Hollow Lake, Canvasback (46) and Ring-neck (55). Canada Geese (843) observations were lower than expected with majority of observations coming from the Ohio River.

**Notes from Wes....** The Eastern flight was conducted in mostly clear to partly cloudy skies, with 5-20 mph west winds, mostly in the 10-15 mph range. Temperatures were in the low to mid throughout the day. Temperatures have been mild this hunting season. The season's rainfall has been lower than average, but late rains have provided water across the landscape during the survey. No ice was noted during the survey. Most reservoirs were either at or lower than winter pool. Cave Run Lake had some water covering the shallow flats, but vegetation seemed a little sparse. The Ohio River was above normal levels, with high current from the recent rains, but was within the banks. The Northern Licking river was also above normal levels with high current. Most fields with low areas and oxbows around the rivers showed good moist soil habitat, and were full of water. With the lack of ice and abundant moist soil habitat throughout the state, waterfowl are scattered across the state, making this year's count seem low. The most abundant dabbling duck was Mallards (859). Black duck (194) was the second most abundant puddle duck followed by Gadwall (76) and Green-winged Teal (27), with no other dabbling ducks being observed in large numbers. There were no dabbling ducks present on Cave Run Lake, and fewer geese than normal. Very few divers were seen this year. Ring-necks were the most abundant diver (35) followed by Bufflehead (31), Goldeneye (13), Scaup (13), and Canvasback (12). There were 1,634 Canada geese counted total. I hope everyone had a great holiday season, and enjoy the remainder of your duck and goose season!

## January 2-6, 2017 Kentucky Waterfowl Ground Counts

Happy New Year! This week's report is coming in off the tail end of more unseasonably warm weather. Tuesday felt more like spring than winter, but the rest of the week is much more seasonal. Our Mid-Winter Waterfowl flights are flown this week, so be sure to check the website for that data when it becomes available. Overall, we may have lost some birds, but with the strong cold front moving in, that could change overnight. Good luck hunting this week, and as always... be safe.

| Location               | Number                                                        | Species Composition                                            | Comments                                                                                                                  |
|------------------------|---------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 22,305 ducks<br>188 CA Geese<br>3,300 WF geese<br>3,000 Snows | 97% Mallard, 2% Gadwall, 1% Ringnecks.                         | Moist soil units are looking great and there is lots of food available. Wells are still running where needed.             |
| Boatwright WMA         | 6,200 ducks                                                   | 99% Mallard, 1% Ringneck                                       | Habitat conditions are looking good. We are still having issues with several wells, but are pumping water where possible. |
| Birdsville Island      | Not surveyed                                                  |                                                                |                                                                                                                           |
| Kentucky/Barkley Lakes | Not Surveyed                                                  |                                                                |                                                                                                                           |
| Duck Island            | Not surveyed                                                  |                                                                |                                                                                                                           |
| Barren River Lake      |                                                               |                                                                |                                                                                                                           |
| Doug Travis WMA        | 4,300 ducks                                                   | 75% Mallards, 20% Ringnecks, and 5% mixed dabblers.            | All 3 wells running and area is 70% flooded, and habitat is looking excellent.                                            |
| Cave Run Lake          | 20 Ducks<br>30 CA Geese                                       | 50% Mallards and Black Ducks,<br>50% Bufflehead and Mergansers |                                                                                                                           |
| Peabody WMA            | 1,034 Ducks<br>355 CA Geese                                   | 85% Mallard, 10% Gadwall, and 5% mixed divers.                 | Moist soil units are at optimum capacity. Pond river is at flood stage providing timber hunting opportunities as well.    |
| Sloughs WMA            | 15,622 Ducks<br>4,230 WF Geese<br>1,266 CA Geese<br>87 Swans  | 90% Mallard, 10% GW Teal, Pintail, & Black Duck.               | Recent heavy rains and unseasonably warm temperatures have waterfowl scattered                                            |

|                                                |                                                                                   |                                                                         |                                                                                                                                                                                            |
|------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |                                                                                   |                                                                         | across the WMA. With the recent precipitation, the Pond Creek wetland complex is now roughly 80% flooded, and ducks are capitalizing on large areas of newly inundated natural vegetation. |
| Yellowbank WMA                                 | 945 Ducks<br>23 CA geese<br>1 Snow Goose                                          | 85% Mallard, 5% Black Duck,<br>5% Gadwall, & 5% Pintail/Wigeon/Shoveler | All wetland units are at maximum water capacity.                                                                                                                                           |
| Blue Grass Army Depot<br>(all lakes and ponds) | 29 Mallards, 19 Black Ducks, 30 Gadwall, 20 Ringnecks, 2 Mergansers and 22 Coots. |                                                                         |                                                                                                                                                                                            |
| Herrington Lake                                | 220 CA geese and 4 Ruddy Ducks                                                    |                                                                         |                                                                                                                                                                                            |
| Taylorsville Lake                              |                                                                                   |                                                                         |                                                                                                                                                                                            |
| Cedar Cr./Dix R. WMA                           | Not surveyed                                                                      |                                                                         |                                                                                                                                                                                            |
| Green River WMA                                | Not surveyed                                                                      |                                                                         |                                                                                                                                                                                            |
|                                                |                                                                                   |                                                                         |                                                                                                                                                                                            |

## December 27-29, 2016 Kentucky Waterfowl Ground Counts

(Survey data is not available for all locations. Updates will be posted when possible)

Due to the holidays, some areas do not have staff available to get survey data. Winter weather has given way to another warm front that brought some much needed rain.

| Location               | Number                                         | Species Composition                                                                                                             | Comments                                                                                                                                                                                                                                                        |
|------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 54,385 ducks<br>350 CA Geese<br>8,530 WF geese | 93% Mallard, 7% Ringnecks,<br>Gadwall, GW Teal, Wigeon,<br>Wood Duck, Black Ducks,<br>Shoveler & Scaup.                         | Heavy rains over the<br>Christmas weekend and<br>into Monday helped fill<br>several spots that were<br>dry or very<br>shallow. Habitat<br>conditions are great,<br>plenty of Moist Soil<br>food available, as we<br>are getting water into<br>new spots weekly. |
| Boatwright WMA         | 13,500 ducks                                   | 96% Mallard, 4% GW Teal                                                                                                         |                                                                                                                                                                                                                                                                 |
| Birdsville Island      | Not surveyed                                   |                                                                                                                                 |                                                                                                                                                                                                                                                                 |
| Kentucky/Barkley Lakes | Not Surveyed                                   |                                                                                                                                 |                                                                                                                                                                                                                                                                 |
| Duck Island            | 3,800 Ducks<br>180 CA Geese                    | 60% Mallard, 30% GW Teal, 5%<br>Gadwall & 5% Canvasback with<br>small numbers of Pintail,<br>Shoveler, Wigeon and<br>Ringnecks. | Moist soil habitat is<br>looking great.                                                                                                                                                                                                                         |
| Barren River Lake      |                                                |                                                                                                                                 |                                                                                                                                                                                                                                                                 |
| Doug Travis WMA        | 3,250 ducks                                    | 95% Mallards, 5% mixed<br>dabblers.                                                                                             | All 3 wells running and<br>area is 60% flooded.<br>Still need more river to<br>allow impoundments to<br>hold.                                                                                                                                                   |
| Cave Run Lake          | Not Surveyed                                   |                                                                                                                                 |                                                                                                                                                                                                                                                                 |
| Peabody WMA            | 1,104 Ducks<br>282 CA Geese                    | 85% Mallard, 10% Gadwall,<br>and 5% mixed divers.                                                                               | Moist soil units are at<br>optimum capacity.<br>Pond river is at flood<br>stage providing timber<br>hunting opportunities<br>as well.                                                                                                                           |

|                                             |                                                                                   |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sloughs WMA                                 | 7,185 Ducks<br>3,500 WF Geese<br>250 Snows<br>500 CA Geese<br>50 Swans            | 95% Mallard, 5% Pintail, Black Duck, Gadwall and Shoveler.           | Rains this week resulted in a substantial amount of runoff which allowed many of the natural sloughs that had been dry previously to have shallow water (3-12"). These new areas of water are a new food source and the birds have been using these areas. Most of the birds were observed in the newly flooded areas. With the warmer temps and melting ice, hunting has been very good. The warmer temperatures continuing into this week and beyond should have birds on the move a little more, and hunting opportunities may get better in the coming days. |
| Yellowbank WMA                              | 885 Ducks                                                                         | 80% Mallard, 5% Black Duck, 5% Gadwall, & 5% Pintail/Wigeon/Shoveler | All wetland units are at maximum water capacity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Blue Grass Army Depot (all lakes and ponds) | 29 Mallards, 19 Black Ducks, 30 Gadwall, 20 Ringnecks, 2 Mergansers and 22 Coots. |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Herrington Lake                             | 12 bufflehead<br>12 CA Geese<br>Several mergansers                                |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Taylorsville Lake                           |                                                                                   |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Cedar Cr./Dix R. WMA                        | Not surveyed                                                                      |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Green River WMA                             | Not surveyed                                                                      |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                             |                                                                                   |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



## December 19 - 23, 2016 Kentucky Waterfowl Ground Counts

(Survey data is not available for all locations. Updates will be posted when possible)

Due to the holidays, some areas do not have staff available to get survey data. Winter weather swept the state this week and most areas experienced significant ice. Luckily, we also had a nice push of birds that came with the weather and so far, we have held most of them. As temps rise over the weekend, birds that have been holding tight to the only available open water should disperse and provide opportunity. Merry Christmas, and stay safe out there!

| Location               | Number                                                                  | Species Composition                                        | Comments                                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 64,122 ducks<br>564 CA Geese<br>7,000 WF geese<br>2,000 Snows           | 94% Mallard, 2% Gadwall, 1% Wigeon & 1% Ring-neck          | Monday and Tuesday temps stayed well below freezing, most everything is frozen solid except where birds are keeping water open. We are still pumping where we can. |
| Boatwright WMA         | 40,052 ducks                                                            | 99% Mallard, 1% Hooded Merganser, Gadwall & Pintail        | Pumping water where possible.                                                                                                                                      |
| Birdsville Island      | Not surveyed                                                            |                                                            |                                                                                                                                                                    |
| Kentucky/Barkley Lakes | Not Surveyed                                                            |                                                            |                                                                                                                                                                    |
| Duck Island            | Not Surveyed                                                            |                                                            |                                                                                                                                                                    |
| Barren River Lake      |                                                                         |                                                            |                                                                                                                                                                    |
| Doug Travis WMA        | 3,250 ducks                                                             | 95% Mallards, 5% mixed dabblers.                           | All 3 wells running and area is 60% flooded. Still need more river to allow impoundments to hold.                                                                  |
| Cave Run Lake          | Not Surveyed                                                            |                                                            |                                                                                                                                                                    |
| Peabody WMA            | 1,091 Ducks<br>121 CA Geese                                             | 80% Mallard, 15% Gadwall                                   | Rainfall filled many of the moist soil units, but cold weather now has them frozen.                                                                                |
| Sloughs WMA            | 23,700 Ducks<br>7,700 WF Geese<br>50 Snows<br>352 CA Geese<br>105 Swans | 95% Mallard, 5% Pintail, Black Duck, Gadwall and Shoveler. | The birds have been staying on areas that they have been able to keep the water open. The rest of the week should have some                                        |

|                                             |                                                           |  |                                                                                                                                    |
|---------------------------------------------|-----------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------|
|                                             |                                                           |  | warmer weather and the ice should start to melt. With the melting ice birds should start to move around looking for areas to feed. |
| Yellowbank WMA                              | Zero ducks or geese observed                              |  | MSU's are ice covered.                                                                                                             |
| Blue Grass Army Depot (all lakes and ponds) | Not suveyed                                               |  |                                                                                                                                    |
| Herrington Lake                             | 200 Mallards<br>100 Shovelers<br>50 CA Geese<br>50 Coots. |  |                                                                                                                                    |
| Taylorsville Lake                           |                                                           |  |                                                                                                                                    |
| Cedar Cr./Dix R. WMA                        | Not surveyed                                              |  |                                                                                                                                    |
| Green River WMA                             | Not surveyed                                              |  |                                                                                                                                    |
|                                             |                                                           |  |                                                                                                                                    |

## December 12 - 16, 2016 Kentucky Waterfowl Ground Counts

(Survey data not available for all locations. Updates will be posted when possible)

Here is a map showing the average temps nationwide from September to November. This freakish weather event has attributed to the low numbers we have experienced so far:




Figure 2. Statewide rankings for average temperature during September–November 2016, as compared to each September–November period since 1895. Darker shades of orange indicate higher rankings for warmth, with 1 denoting the coldest month on record and 122 the warmest.

We are still dry on several of our management areas, but with a little luck, the rain will continue to fall. The cold weather has finally brought in some birds and most counts have increased from last week. There are still plenty of ducks and geese being reported in states north of here, so hopefully they will be making their way south. Good luck to all and remember to be safe.

| Location    | Number                                         | Species Composition                                                                                                 | Comments                                                                                                                                                                             |
|-------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA | 60,672 ducks<br>120 CA Geese<br>5,020 WF geese | 86% Mallard, 5% GW Teal, 4% Gadwall, 3% Ring-neck, the remaining mix are wood duck, Shoveler, Wigeon, & black duck. | Habitat is looking great and we are getting water into spots that have previously had none. Birds are grouped up in very large numbers. The River is predicted to drop out on Sunday |

|                        |                                                                           |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                                                                           |                                                                                                 | evening, which will cause issues with getting water.                                                                                                                                                                                                                                                                                                                                                              |
| Boatwright WMA         | 2,000 ducks<br>16 CA geese                                                |                                                                                                 | Pumping water where possible. Habitat conditions are great, but we are still lacking water in several spots.                                                                                                                                                                                                                                                                                                      |
| Birdsville Island      | Not surveyed                                                              |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Kentucky/Barkley Lakes | Not Surveyed                                                              |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Duck Island            | Not Surveyed                                                              |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Barren River Lake      | 90 Ducks<br>55 CA geese                                                   | 90% Divers (45% ringnecks, 45% bufflehead, 10% redhead)<br>10% Dabblers (Mallards and Shoveler) | Peters Creek MSU 10% full, Long Creek- Calvert Springs and units adjacent to CS are 60% full, other units 0%                                                                                                                                                                                                                                                                                                      |
| Doug Travis WMA        | 3,250 ducks                                                               | 95% Mallards, 5% mixed dabblers.                                                                | All 3 wells running and area is 60% flooded. Still need more river to allow impoundments to hold.                                                                                                                                                                                                                                                                                                                 |
| Cave Run Lake          | Not Surveyed                                                              |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Peabody WMA            | 411 Ducks<br>31 CA Geese                                                  | 85% Mallard, 15% Gadwall                                                                        | Rainfall totals have been insufficient to fill moist soil units.                                                                                                                                                                                                                                                                                                                                                  |
| Sloughs WMA            | 22,000 Ducks<br>8,750 WF Geese<br>3,650 Snows<br>210 CA Geese<br>22 Swans | 90% Mallard, 10% GW teal, pintail, & black ducks.                                               | The area remains unseasonably dry with the majority of the Pond Creek wetland complex still without water. Except where the birds have kept it open, shallow water has been frozen for the past two days. Ducks are concentrated in moist soil impoundments and natural sloughs, where they are keeping large pockets of water ice-free. Snow geese have been roosting on the refuge; feeding on winter wheat and |

|                                             |                                                              |                                                                                                      |                                                                                                                                                                                    |
|---------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |                                                              |                                                                                                      | standing corn throughout the night. At dawn, large numbers of geese have been observed heading north across the Ohio River, likely loafing on warm-water ponds throughout the day. |
| Yellowbank WMA                              | 380 Ducks                                                    | 80% Mallards, 5% Gadwall & Black ducks, 5% Shoveler, 5% Wood Duck, & 5% various divers.              | MSU's flooded by pumps are at 50% water capacity, and are ice covered. All other units have little water and need rain.                                                            |
| Blue Grass Army Depot (all lakes and ponds) | Not suveyed                                                  |                                                                                                      |                                                                                                                                                                                    |
| Herrington Lake                             | No birds sited at survey locations.                          | Some mallards are in the area, but not seen on the survey locations. Raccoons were safe this week... |                                                                                                                                                                                    |
| Taylorsville Lake                           | No ducks or geese observed while conducting waterfowl survey |                                                                                                      | Pump is repaired and in place, but the river is still too low to pump from. Lake is a little below winter pool.                                                                    |
| Cedar Cr./Dix R. WMA                        | Not surveyed                                                 |                                                                                                      |                                                                                                                                                                                    |
| Green River WMA                             | Not surveyed                                                 |                                                                                                      |                                                                                                                                                                                    |
|                                             |                                                              |                                                                                                      |                                                                                                                                                                                    |

## December 5 - 9, 2016 Kentucky Waterfowl Ground Counts

(Survey data not available for all locations. Updates will be posted when possible)

Winter conditions have finally arrived and waterfowl numbers are increasing daily on our WMA's. We are still dry on several of our management areas, but with a little luck, the rain will continue to fall. We are into our second segment of the waterfowl season, and there are still loads of ducks and geese being reported north of us. Get out and scout for areas with adequate water and keep an eye on the coming north winds! Good luck to all and remember to be safe.

| Location               | Number                                        | Species Composition                                                                                                                      | Comments                                                                                                                                                                                                                                                                                                                                      |
|------------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 35,900 ducks<br>50 CA Geese<br>6,500 WF geese | 86% Mallard, 5% Gadwall, 4% GW teal, 2% Ring-neck, the remaining 3% is mix bag of wood duck, shoveler, wigeon, black duck and merganser. | We are pumping with wells where we can, have a pto-driven pump set up and pumping water from unit to unit where possible. Ohio River is finally high enough to pump from.                                                                                                                                                                     |
| Boatwright WMA         | 2,000 ducks<br>15 CA geese                    | 99% Mallard, 1% Wood Duck                                                                                                                | Pumping water where possible. Habitat conditions are great minus water.                                                                                                                                                                                                                                                                       |
| Birdsville Island      | Not surveyed                                  |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                               |
| Kentucky/Barkley Lakes |                                               |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                               |
| Duck Island            | 5,500 ducks                                   | 85% Mallard, 10% GW Teal, 5% pintail, gadwall and ringnecks.                                                                             | Seeing good waterfowl use of the island with ideal water conditions. Overall use is generally similar to last year at this time. The central impoundment will continue to be monitored and we may raise the level a few tenths of a foot within the next 7 days. The lake level rise may be enough to allow pumping of the south impoundment. |

|                                             |                                                                                    |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |
|---------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Barren River Lake                           | 760 Ducks                                                                          | 75% Divers (50% Scaup, 25% Ringnecks, 25% bufflehead, redhead, canvasback and ruddys)<br>25% Dabblers (Mallards, gadwall, black ducks, wood ducks, and pintails. Listed in order of abundance) | Peters Creek MSU 10% full, Long Creek- Calvert Springs and units adjacent to CS are 60% full, other units 0%                                                                                                                            |
| Doug Travis WMA                             | 2,200 ducks                                                                        | 95% Mallards, 5% wood ducks & mixed dabblers.                                                                                                                                                  | All 3 wells running and area is 60% flooded and increasing slowly.                                                                                                                                                                      |
| Cave Run Lake                               | No ducks sited at survey locations.                                                |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |
| Peabody WMA                                 | 186 Ducks<br>15 CA Geese                                                           | 50% Mallard, 25% Gadwall and Wigeon, 25% mixed divers.                                                                                                                                         | Rainfall totals have been insufficient to fill moist soil units.                                                                                                                                                                        |
| Sloughs WMA                                 | 8,705 Ducks<br>7,250 WF Geese<br>9,250 Snows<br>97 CA Geese<br>63 Swans            | 75% Mallard, 25% gadwall, GW teal, pintail, Shoveler, and ringnecks.                                                                                                                           | Conditions remain relatively dry across the WMA. Around 90% of the Pond Creek wetland complex is still without water, with only small pockets now being inundated with recent rains. Similarly, around 25% of Muddy Slough also is dry. |
| Yellowbank WMA                              | 365 Ducks                                                                          | 80% Mallards, 10% Wood Ducks, 5% Gadwall & 5% Black ducks.                                                                                                                                     | MSU's flooded by pumps are at 50% water capacity. All other units are at 25% water capacity with rain events.                                                                                                                           |
| Blue Grass Army Depot (all lakes and ponds) | 152 ducks<br>28 CA geese                                                           | 77 Mallards, 31 Gadwall, 14 Black Ducks and 30 ringnecks.                                                                                                                                      |                                                                                                                                                                                                                                         |
| Herrington Lake                             | No birds sited at survey locations.                                                |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |
| Taylorsville Lake                           | No ducks or geese observed while conducting waterfowl survey on the lake via boat. | Pump is still down, water level in lake has risen some but still 8" below winter pool.                                                                                                         | MSUs units have not been pumped yet and a significant rain event is needed to allow us to pump from the salt river.                                                                                                                     |
| Cedar Cr./Dix R. WMA                        | Not surveyed                                                                       |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |
| Green River WMA                             | Not surveyed                                                                       |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |
|                                             |                                                                                    |                                                                                                                                                                                                |                                                                                                                                                                                                                                         |

## November 28 - December 2, 2016

### Kentucky Waterfowl Ground Counts

We are into our first split. Many good hunts were reported over the Thanksgiving season, but duck numbers are still lower than normal.

The lack of rain in last 2 months is making impacts to waterfowl habitat across the state. Scouting will be critical until rain gets here to replenish our states wet areas that we love to hunt so much.

The second segment of duck and goose season will open December 5<sup>th</sup> and the duck season will remain open until Sunday, January 29<sup>th</sup>. The second segment of the goose season will remain open until Wednesday, February 15, 2017. Good luck to all waterfowl hunters and remember to be safe whenever you are out pursuing the resource this hunting season.

| Location               | Number                                       | Species Composition                                                                                                                         | Comments                                                                                                                                                                                                                                                                                                  |
|------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 36,422 ducks<br>45 CA Geese<br>4000 WF geese | 85% Mallard, 5% GW Teal, 4% Gadwall, 2% Shoveler, 1% Ring-neck, the remaining 3% is mix bag of Wigeon, Wood Duck, Merganser and Black Duck. | We are pumping with wells where we can, have a pto-driven pump set up and pumping water from unit to unit where possible. Still not able to pump from the river. Where we do have water, waterfowl are using it. Birds are staging in moist soil units. Habitat looks great... just need some more water. |
| Boatwright WMA         | 4,535 ducks<br>250 CA geese                  | 99% Mallard, 1% Wood Duck, Merganser and Black Duck.                                                                                        | Pumping water where possible. Habitat conditions are great minus water.                                                                                                                                                                                                                                   |
| Birdsville Island      | Not surveyed                                 |                                                                                                                                             |                                                                                                                                                                                                                                                                                                           |
| Kentucky/Barkley Lakes | Accurate counts not available                | Staff observed good numbers of Ring Necks and Scaup, but a specific ground count was not conducted.                                         | Overall, the lake level is up a bit. The forecast is for the lake to rise another foot (above 356.0) or so, which is well above the planned curve of 354.0-354.5. This rise may be enough to allow pumping of the south impoundment.                                                                      |



|                   |                                                          |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                               |
|-------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Duck Island       | 5,500 ducks                                              | 85% Mallard, 10% GW Teal, 5% pintail, gadwall and ringnecks.                                                                                                                                        | Seeing good waterfowl use of the island with ideal water conditions. Overall use is generally similar to last year at this time. The central impoundment will continue to be monitored and we may raise the level a few tenths of a foot within the next 7 days. The lake level rise may be enough to allow pumping of the south impoundment. |
| Barren River Lake | Didn't see any waterfowl on the lake or MSUs             |                                                                                                                                                                                                     | Peters Creek MSU 0% full, Long Creek- Calvert Springs and units adjacent to CS are 60% full, other units 0%                                                                                                                                                                                                                                   |
| Doug Travis WMA   | 1,550 ducks<br>25 CA geese                               | 85% Mallards, 10% wood ducks & 5% mixed dabblers.                                                                                                                                                   | All 3 wells are running and the area is about 50% flooded.                                                                                                                                                                                                                                                                                    |
| Cave Run Lake     | No ducks sited at survey locations.                      |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                               |
| Peabody WMA       | 129 Ducks<br>25 CA Geese                                 | 60% Mallard, 40% Gadwall and Teal.                                                                                                                                                                  | Rainfall totals have been insufficient to fill moist soil units.                                                                                                                                                                                                                                                                              |
| Sloughs WMA       | 3,905 Ducks<br>8,000 WF Geese<br>2,500 Snows<br>24 Swans | 80% Mallard, 20% gadwall, GW teal, pintail, Shoveler, and ringnecks.<br><br>It is suspected that duck estimates are likely low, as assessing duck numbers within natural sloughs is very difficult. | Despite receiving nearly 2 inches of yesterday, the area remains very dry. he majority of the Pond Creek wetland complex remains dry, with only small pockets of standing water that have emerged with the recent rains.                                                                                                                      |
| Yellowbank WMA    | 245 Ducks                                                | 85% Mallards, 10% Wood Ducks, 5% Gadwall.                                                                                                                                                           | MSU's flooded by pumps are at 40% water capacity                                                                                                                                                                                                                                                                                              |

|                                                |                                                                                                   |                                                                                              |                                                                                                                                    |
|------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Blue Grass Army Depot<br>(all lakes and ponds) | 220 ducks                                                                                         | 56 Mallards, 44 Gadwall, 31<br>Black Ducks, 9 teal. Divers are<br>mostly ring necks.         |                                                                                                                                    |
| Herrington Lake                                | No birds sited at<br>survey locations.                                                            |                                                                                              |                                                                                                                                    |
| Taylorsville Lake                              | No ducks or<br>geese observed<br>while conducting<br>waterfowl<br>survey on the<br>lake via boat. | Pump is still down, water level<br>in lake has risen some but still<br>8" below winter pool. | MSUs units have not<br>been pumped yet and a<br>significant rain event is<br>needed to allow us to<br>pump from the salt<br>river. |
| Cedar Cr./Dix R. WMA                           | Not surveyed                                                                                      |                                                                                              |                                                                                                                                    |
| Green River WMA                                | Not surveyed                                                                                      |                                                                                              |                                                                                                                                    |
|                                                |                                                                                                   |                                                                                              |                                                                                                                                    |

**November 21-23, 2016**  
**Kentucky Waterfowl Ground Counts**

Due to the Thanksgiving Holiday and staff being on leave, some areas were not surveyed this week.

Duck numbers are still lower than normal, but we have picked up new birds since last week. The cold weather has finally started and the ducks are starting to trickle in.

Overall, most of the states wetlands are still in relatively good shape, considering the lack of rain in last 2 months

Kentucky's 2016-17 duck and goose seasons open Thursday, November 24. The first duck and goose season segment will close on Sunday, November 27<sup>th</sup>. The second segment of duck and season will open December 5<sup>th</sup> and the duck season will remain open until Sunday, January 29<sup>th</sup>. The second segment of the goose season will remain open until Wednesday, February 15, 2017. Good luck to all waterfowl hunters and remember to be safe whenever you are out pursuing the resource this hunting season.

| Location               | Number                                                           | Species Composition                                                                                                                        | Comments                                                                                                                                                                                                                                                                                                                         |
|------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            |                                                                  |                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                  |
| Barren River Lake      | Not surveyed                                                     |                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                  |
| Birdsville Island      | Not surveyed                                                     |                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                  |
| Kentucky/Barkley Lakes | 3,000 ducks per lake at survey points.<br>25 CA geese on Barkley | 50/50 mix of dabblers and Divers. Dabblers are 90% Gadwall and GW Teal. 10% Mallards and Shoveler. Divers are mostly Scaup and Bufflehead. | Water levels at winter pool. Most islands and mud flats are exposed. No aquatic vegetation seen.                                                                                                                                                                                                                                 |
| Duck Island            | 3,800 ducks<br>75 Canada Geese                                   | 95% Mallards, GW Teal, Gadwall. 5% Wigeon, Pintail and Shoveler.                                                                           | Current water levels on the island are ideal. We have a good source of water stockpiled in the north impoundment and will gravity flow into the central as needed. The central level will be brought up slowly to maximize availability of foraging resources for the waterfowl moving through. The lakes have been staying very |

|                                             |                                                                     |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |                                                                     |                                                                              | near winter pool, resulting in large areas of exposed mudflats... especially on Lake Barkley.                                                                                                                                                                                                                                                                                    |
| Boatwright WMA                              |                                                                     |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
| Doug Travis WMA                             | 250 ducks                                                           | 70% Mallards, 30% wood ducks.                                                | All wells are running, but river levels are dropping.                                                                                                                                                                                                                                                                                                                            |
| Cave Run Lake                               |                                                                     |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
| Clear Creek WMA                             | Not surveyed                                                        |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
| Peabody WMA                                 | 135 Ducks<br>242 Canada Geese                                       | 65% Gadwall, 25% Mallard, 10% Teal.                                          | Due to lack of rainfall, most moist soil units are dry.                                                                                                                                                                                                                                                                                                                          |
| Sloughs WMA                                 | 7000 Ducks<br>6000 WF Geese<br>350 Snows<br>85 CA Geese<br>23 Swans | 85% Mallard, 15% Teal, Shoveler, Black Duck, Gadwall, Wigeon and Wood Ducks. | Most of our Shallow water areas that can be mechanically pumped are where we would like them or close to where they need to be. Most natural sloughs where we do not have the ability to mechanically flood are very low, if not dry. There is rain in the forecast for tomorrow, but the inch of rain that is predicted will not do much to help fill up these natural sloughs. |
| Yellowbank WMA                              | 210 Ducks                                                           | 80% Mallards, 10% Wood Ducks, 10% Gadwall.                                   | MSU's flooded by pumps are at 35% water capacity                                                                                                                                                                                                                                                                                                                                 |
| Blue Grass Army Depot (all lakes and ponds) | 129 ducks                                                           | 55 Mallards, 47 Gadwall, 14 Black Ducks, 13 misc. Divers and Mergansers.     | Moist Soil Unit is still dry.                                                                                                                                                                                                                                                                                                                                                    |
| Herrington Lake                             | 2 road-killed raccoons                                              |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                  |
| Taylorsville Lake                           | No birds sited at survey locations.                                 |                                                                              | MSUs units have not been pumped yet and a significant rain event is needed to allow us to pump from the salt river.                                                                                                                                                                                                                                                              |

|                      |              |  |  |
|----------------------|--------------|--|--|
| Cedar Cr./Dix R. WMA | Not surveyed |  |  |
| Green River WMA      | Not surveyed |  |  |

## November 14-18, 2016 Kentucky Waterfowl Ground Counts

In general, low numbers of ducks are around, but we have picked up new birds since last week. There is cold weather predicted for the North and Midwest so keep your fingers crossed.

Overall, most of the states wetlands are still in relatively good shape, considering the lack of rain in last 2 months

Kentucky's 2016-17 duck and goose seasons open Thursday, November 24. The first duck and goose season segment will close on Sunday, November 27<sup>th</sup>. The second segment of duck and season will open December 5<sup>th</sup> and the duck season will remain open until Sunday, January 29<sup>th</sup>. The second segment of the goose season will remain open until Wednesday, February 15, 2017. Good luck to all waterfowl hunters and remember to be safe whenever you are out pursuing the resource this hunting season.

| Location               | Number                                                           | Species Composition                                                                                                                        | Comments                                                                                                                                                                                                                                                                                                  |
|------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 17,325 Ducks                                                     | 79% Mallards. 9% Gadwalls, 9% Green wing teal, and 3% Wood duck, Shoveler, Wigeon and Black Ducks.                                         | Pumping water everywhere we can. Ohio River is still too low to pump from. Plenty of food on Area for waterfowl.                                                                                                                                                                                          |
| Barren River Lake      | Not surveyed                                                     |                                                                                                                                            |                                                                                                                                                                                                                                                                                                           |
| Birdsville Island      | Not surveyed                                                     |                                                                                                                                            |                                                                                                                                                                                                                                                                                                           |
| Kentucky/Barkley Lakes | 3,000 ducks per lake at survey points.<br>25 CA geese on Barkley | 50/50 mix of dabblers and Divers. Dabblers are 90% Gadwall and GW Teal. 10% Mallards and Shoveler. Divers are mostly Scaup and Bufflehead. | Water levels at winter pool. Most islands and mud flats are exposed. No aquatic vegetation seen.                                                                                                                                                                                                          |
| Duck Island            | 3,800 ducks<br>75 Canada Geese                                   | 95% Mallards, GW Teal, Gadwall. 5% Wigeon, Pintail and Shoveler.                                                                           | Current water levels on the island are ideal. We have a good source of water stockpiled in the north impoundment and will gravity flow into the central as needed. The central level will be brought up slowly to maximize availability of foraging resources for the waterfowl moving through. The lakes |

|                                             |                                                     |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
|---------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |                                                     |                                                                                                                                                                                                                                                                   | have been staying very near winter pool, resulting in large areas of exposed mudflats... especially on Lake Barkley.                                  |
| Boatwright WMA                              | 895 Ducks                                           | 92% Mallards, 6% Gadwall and 2% GW Teal and Black Ducks                                                                                                                                                                                                           | Wells are pumping where possible to have water by season opener.                                                                                      |
| Doug Travis WMA                             | 250 ducks                                           | 70% Mallards, 30% wood ducks.                                                                                                                                                                                                                                     | All wells are running, but river levels are dropping.                                                                                                 |
| Cave Run Lake                               | 100 ducks                                           | 90% Bufflehead and GW teal.<br>10 % Mallard                                                                                                                                                                                                                       |                                                                                                                                                       |
| Clear Creek WMA                             | Not surveyed                                        |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
| Peabody WMA                                 | 86 Ducks<br>107 Geese                               | 55% Gadwall, 35% Mallard, 10% Teal and Wood Ducks.                                                                                                                                                                                                                | Water in Moist Soil Units is dropping fast with lack of rainfall.                                                                                     |
| Sloughs WMA                                 | 920 Ducks<br>400 WF Geese<br>40 Snows<br>2 CA Geese | Waterfowl numbers during the count is not an accurate representation of what is on the area. As many as 5000 ducks could be using the area, but most are hiding in dense shaded sloughs during the day, and feeding in the moist soil units under the super moon. | The water on the area is very low in natural sloughs. We currently have most of our wells running and expect to be where we want them by opening day. |
| Yellowbank WMA                              | Not surveyed                                        |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
| Blue Grass Army Depot (all lakes and ponds) | 90 ducks<br>2 CA geese                              | 40 Mallards, 26 Black Ducks, 24 GW teal                                                                                                                                                                                                                           |                                                                                                                                                       |
| Herrington Lake                             | No ducks on survey points                           |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
| Taylorsville Lake                           | Not surveyed                                        |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
| Cedar Cr./Dix R. WMA                        | Not surveyed                                        |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |
| Green River WMA                             | Not surveyed                                        |                                                                                                                                                                                                                                                                   |                                                                                                                                                       |

## November 10, 2016 Kentucky Waterfowl Ground Counts

This is the first waterfowl ground count of the 2016-17 wintering period. Many areas did not have the opportunity to survey this week as this is a week earlier than we traditionally conduct the survey. In general, low numbers of ducks are around. Warm weather in Kentucky and in northern areas has the mass of duck migration still well north of Kentucky. Look for improvements in the coming weeks with cold fronts hitting the US and Canada. This breeding season had the highest number of ducks ever recorded (again) on breeding ground surveys. Look for above average numbers of ducks to eventually make it to Kentucky.

Overall, most of the states wetlands are in relatively good shape. In some regions local agricultural plantings were impacted by the summer rains and/or flooding and yields may be reduced. Moist soil plants look great across the state. Wetland conditions are still good considering the lack of rain this fall, and should only improve with additional precipitation.

Kentucky's 2016-17 duck and goose seasons open Thursday, November 24. The first duck and goose season segment will close on Sunday, November 27<sup>th</sup>. The second segment of duck and season will open December 5<sup>th</sup> and the duck season will remain open until Sunday, January 29<sup>th</sup>. The second segment of the goose season will remain open until Wednesday, February 15, 2017. Good luck to all waterfowl hunters and remember to be safe whenever you are out pursuing the resource this hunting season.

| Location               | Number                         | Species Composition                                                                        | Comments                                                                                                                                                                                                                                                         |
|------------------------|--------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ballard WMA            | 11,218 Ducks                   | 73%% Mallards. 16% Gadwalls, 8% Green wing teal, and 3% Wood duck, Wigeon and Black Ducks. | With unseasonably warm temps over the last few weeks, our duck numbers are very weak. We have had a small cold front push down over the last couple of nights. Ohio River is too low to pump from, but wells are pumping where possible to have water by opener. |
| Barren River Lake      | Not surveyed                   |                                                                                            |                                                                                                                                                                                                                                                                  |
| Birdsville Island      | Not surveyed                   |                                                                                            |                                                                                                                                                                                                                                                                  |
| Kentucky/Barkley Lakes | Not surveyed                   |                                                                                            |                                                                                                                                                                                                                                                                  |
| Duck Island            | 1,200 ducks<br>75 Canada Geese | 90% Mallards, GW Teal, Gadwall and Pintail. 10% Wigeon and Shoveler.                       | Current water levels on the island are ideal. We have a good source of water stockpiled in the north impoundment and will gravity flow                                                                                                                           |



|                                                |              |                             |                                                                                                                                                                                                                                                                                         |
|------------------------------------------------|--------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                |              |                             | into the central as needed. The central level will be brought up slowly to maximize availability of foraging resources for the waterfowl moving through. The lakes have been staying very near winter pool, resulting in large areas of exposed mudflats... especially on Lake Barkley. |
| Boatwright WMA                                 | 1,010 Ducks  | 99% Mallards, 1% wood ducks | Wells are pumping where possible to have water by season opener.                                                                                                                                                                                                                        |
| Doug Travis WMA                                | Not Surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Cave Run Lake                                  | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Clear Creek WMA                                | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Peabody WMA                                    | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Sloughs WMA                                    | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Yellowbank WMA                                 | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Blue Grass Army Depot<br>(all lakes and ponds) | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Herrington Lake                                | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Taylorsville Lake                              | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Cedar Cr./Dix R. WMA                           | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |
| Green River WMA                                | Not surveyed |                             |                                                                                                                                                                                                                                                                                         |