

Scan Report

May 15, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Coordinated Universal Time”, which is abbreviated “UTC”. The task was “Windows7-Scan”. The scan started at Tue May 12 22:54:08 2026 UTC and ended at Wed May 13 00:39:35 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
2	Results per Host	2
2.1	10.0.2.5	2
2.1.1	Critical general/tcp	2
2.1.2	Medium 135/tcp	3
2.1.3	Low general/tcp	5

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
10.0.2.5	1	0	1	1	0	0
Total: 1	1	0	1	1	0	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 3 results selected by the filtering described above. Before filtering there were 25 results.

2 Results per Host

2.1 10.0.2.5

Host scan start Tue May 12 22:54:39 2026 UTC

Host scan end Wed May 13 00:39:31 2026 UTC

Service (Port)	Threat Level
general/tcp	Critical
135/tcp	Medium
general/tcp	Low

2.1.1 Critical [general/tcp](#)

Critical (CVSS: 10.0)

NVT: Operating System (OS) End of Life (EOL) Detection

Product detection result

cpe:/o:microsoft:windows_7::-:sp1

Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0 ↪.105937)

... continues on next page ...

...continued from previous page ...
Summary The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Windows 7" Operating System on the remote host has reached the end of life. CPE: <code>cpe:/o:microsoft:windows_7:-:sp1</code> Installed version, build or SP: <code>sp1</code> EOL date: <code>2020-01-14</code> EOL info: <code>https://learn.microsoft.com/en-us/lifecycle/products/windows-7</code>
Impact An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: Mitigation Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor. Note / Important: Please create an override for this result if the target host is a: - Windows system with Extended Security Updates (ESU) - System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar
Vulnerability Detection Method Checks if an EOL version of an OS is present on the target host. Details: Operating System (OS) End of Life (EOL) Detection OID:1.3.6.1.4.1.25623.1.0.103674 Version used: 2025-05-21T05:40:19Z
Product Detection Result Product: <code>cpe:/o:microsoft:windows_7:-:sp1</code> Method: OS Detection Consolidation and Reporting OID: 1.3.6.1.4.1.25623.1.0.105937)

[\[return to 10.0.2.5 \]](#)

2.1.2 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

Port: 49152/tcp

UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49152]

Port: 49153/tcp

UUID: 06bba54a-be05-49f9-b0a0-30f790261023, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49153]

Annotation: Security Center

UUID: 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49153]

Annotation: NRP server endpoint

UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49153]

Annotation: DHCP Client LRPC Endpoint

UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49153]

Annotation: DHCPv6 Client LRPC Endpoint

UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49153]

Annotation: Event log TCPIP

Port: 49154/tcp

UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49154]

Annotation: IP Transition Configuration endpoint

UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49154]

UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49154]

Annotation: XactSrv service

Port: 49155/tcp

UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2
Endpoint: ncacn_ip_tcp:10.0.2.5[49155]

Port: 49161/tcp

UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
Endpoint: ncacn_ip_tcp:10.0.2.5[49161]

Named pipe : lsass

Win32 service or process : lsass.exe

... continues on next page ...

...continued from previous page...	
Description : SAM access UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 1 Endpoint: ncacn_ip_tcp:10.0.2.5[49161] Annotation: KeyIso Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.	
Solution: Solution type: Mitigation Filter incoming traffic to this ports.	
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.	
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.	
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T05:40:08Z	

[\[return to 10.0.2.5 \]](#)

2.1.3 Low general/tcp

Low (CVSS: 2.6) NVT: TCP Timestamps Information Disclosure
Summary ... continues on next page ...

...continued from previous page...
The remote host implements TCP timestamps and therefore allows to compute the uptime.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was detected that the host implements RFC1323/RFC7323. The following timestamps were retrieved with a delay of 1 seconds in-between: Packet 1: 432523 Packet 2: 432724
Impact A side effect of this feature is that the uptime of the remote host can sometimes be computed.
Solution: Solution type: Mitigation To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime. To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment. See the references for more information.
Affected Software/OS TCP implementations that implement RFC1323/RFC7323.
Vulnerability Insight The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.
Vulnerability Detection Method Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported. Details: TCP Timestamps Information Disclosure OID:1.3.6.1.4.1.25623.1.0.80091 Version used: 2023-12-15T16:10:08Z
References url: https://datatracker.ietf.org/doc/html/rfc1323 url: https://datatracker.ietf.org/doc/html/rfc7323 url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/download/details.aspx?id=9152 url: https://www.fortiguard.com/psirt/FG-IR-16-090

[\[return to 10.0.2.5 \]](#)

This file was automatically generated.