```cpp
1  #include <iostream>
2  #include <fstream>
3  #include <string>
4  using namespace std;
5
6  int main()
7  {
8      ofstream fout;
9      ofstream fout2;
10     ofstream fsent2;
11     ofstream fsent3;
12     ofstream fsent4;
13     ofstream fsent5;
14     ofstream fsent6;
15     ofstream fsent7;
16     fout.open("palindrome_input_file.txt");
17     fout2.open("palindrome_input_filearray.txt");
18     fsent2.open("palindrome_sentence2.txt");
19     fsent3.open("palindrome_sentence3.txt");
20     fsent4.open("palindrome_sentence4.txt");
21     fsent5.open("palindrome_sentence5.txt");
22     fsent6.open("palindrome_sentence6.txt");
23     fsent7.open("palindrome_sentence7.txt");
24     string str1 = "Sore Was I ere I Saw Eros";
25     string str2 = "Too hot to hoot";
26     string str3 = "This is a palindrome program";
27     string str4 = "Tuna nut";
28     string str5 = "Anne I stay a day at Sienna";
29     string str6 = "I love to code";
30     string str7 = "Noel sees Leon";
31     char ctr1[] = "SoreWasIereISawEros";
32     char ctr2[] = "Toohottohoot";
33     char ctr3[] = "Thisisapalindromeprogram";
34     char ctr4[] = "Tunanut";
35     char ctr5[] = "AnneIstayadayatSienna";
36     char ctr6[] = "Ilovetocode";
37     char ctr7[] = "NoelseesLeon";
38
39
40     fout << str1 << endl;
41     fout << str2 << endl;
42     fout << str3 << endl;
43     fout << str4 << endl;
44     fout << str5 << endl;
45     fout << str6 << endl;
46     fout << str7 << endl;
47     fout2 << ctr1 << endl;
48     fsent2 << ctr2 << endl;
49     fsent3 << ctr3 << endl;
```

```
50        fsent4 << ctr4 << endl;
51        fsent5 << ctr5 << endl;
52        fsent6 << ctr6 << endl;
53        fsent7 << ctr7 << endl;
54        return 0;
55  }
```