

- [Send feedback](#)
- [Forums](#)
- [Help](#)
- [Blog](#)
- [Account](#)
- [Log out](#)

[Toggle navigation](#)  pythonanywhere

- [Dashboard](#)
- [Consoles](#)
- [Files](#)
- **[Web](#)**
- [Tasks](#)
- [Databases](#)
- [Send feedback](#)
- [Forums](#)
- [Help](#)
- [Blog](#)
- [Account](#)
- [Log out](#)

- jplusplus.pythonanywhere.com
- [Add a new web app](#)

Configuration for jplusplus.pythonanywhere.com



Rename web app jplusplus.pythonanywhere.com

Rename your web app

[Cancel](#) [Rename web app](#)

Reload:

[Reload jplusplus.pythonanywhere.com](#)

Best before date:

We're happy to host your free website -- and keep it free -- for as long as you want to keep it running, but you'll need to log in at least once every three months and click the "Run until 3 months from today" button below. We'll send you an email a week before the site is disabled so that you don't forget to do that. [See here for more details.](#)

This site will be disabled on **Tuesday 08 October 2019**

Run until 3 months from today

[Paying users](#)' sites stay up forever without any need to log in to keep them running.

Traffic:

How busy is your site?

This month (previous month) 65 (0)

Today (yesterday) 51 (0)

Hour (previous hour) 51 (0)

Want some more data? [Paying accounts](#) get pretty charts ;-)

Code:

What your site is running.

Source code:

</home/jplusplus/N2TApp/server>

[Go to directory](#)

Working directory:

</home/jplusplus/>

[Go to directory](#)

WSGI configuration file:

/var/www/jplusplus-pythonanywhere.com_wsgi.py

Python version:

3.7

Virtualenv:

Use a virtualenv to get different versions of flask, django etc from our default system ones. [More info here](#). You need to **Reload your web app** to activate it; NB - will do nothing if the virtualenv does not exist.

</home/jplusplus/.virtualenvs/myvirtualenv>

[Start a console in this virtualenv](#)

Log files:

The first place to look if something goes wrong.

Access log:

[jplusplus.pythonanywhere.com.access.log](https://www.pythonanywhere.com/user/jplusplus/webapps/#tab_id_jplusplus-pythonanywhere_com_access.log)

Error log:

[jplusplus.pythonanywhere.com.error.log](https://www.pythonanywhere.com/user/jplusplus/webapps/#tab_id_jplusplus-pythonanywhere_com_error.log)

Server log:

[jplusplus.pythonanywhere.com.server.log](https://jplusplus.pythonanywhere.com/server.log)

Log files are periodically rotated. You can find old logs here: [/var/log](#)

Static files:

Files that aren't dynamically generated by your code, like CSS, JavaScript or uploaded files, can be served much faster straight off the disk if you specify them here. You need to **Reload your web app** to activate any changes you make to the mappings below.

URL	Directory	Delete
/public	/home/jplusplus/N2TApp/client/build	_
Enter URL	/home/jplusplus/N2TApp/client/build	_
Enter URL	Enter path	

Security:

An HTTPS certificate is needed so that people can access your site securely. We automatically provide a certificate for `jplusplus.pythonanywhere.com`.

HTTPS certificate:

Automatically provided for this hostname

You need to **Reload your web app** to activate any changes made below.

Forcing HTTPS means that anyone who goes to your site using the insecure `http` URL will immediately be redirected to the secure `https` one. [More information here](#).

Force HTTPS:

Enabled Disabled ☐

Password protection is ideal for sites that are under development when you don't want anyone to see them yet.

Password protection:

Enabled Disabled ☐

Username:

[Enter a username](#)

Password:

[Enter a password](#)

Delete:

Deleting this web app will remove your web app from the Internet, but will not remove your code. The WSGI configuration file will be backed up.

Delete `jplusplus.pythonanywhere.com`

x

Upgrade to add a new web app

On the Beginner plan, you can only have one web app at `jplusplus.pythonanywhere.com`.

[Upgrade here to add more web apps](#)

Copyright © 2011-2019 [PythonAnywhere LLP](#) — [Terms](#) — [Privacy & Cookies](#)