```
jordan_strickland@DESKTOP-CJ4FLOU:~$ ls
LunchSizedFavorites.txt  hello.txt  hello2.txt  last-modified.txt  practice
jordan_strickland@DESKTOP-CJ4FLOU:~$ cat LunchSizedFavorites.txt
Lunch sized favorites

Lasagna Classico
$13.99
cal 500




Chicken Parmigiana
$13.99
630 cal



Fettuccine Alfredo
$12.99
 650 cal


Shrimp Scampi
$13.99
460 cal

Spaghetti
 $12.99
290 cal]



Cheese Ravioli
$12.99
500 cal


Five Cheese Ziti al Forno
$12.99
630 cal


Soup, Salad and Breadsticks
$11.99Soup, Salad & Breadstick
 400 cal
```

```
jordan_strickland@DESKTOP-CJ4FLOU:~$ cat LunchSizedFavorites.txt | tr "[:lower:]" "[:upper:]"
LUNCH SIZED FAVORITES

LASAGNA CLASSICO
$13.99
CAL 500




CHICKEN PARMIGIANA
$13.99
630 CAL



FETTUCCINE ALFREDO
$12.99
 650 CAL


SHRIMP SCAMPI
$13.99
460 CAL

SPAGHETTI
 $12.99
290 CAL]



CHEESE RAVIOLI
$12.99
500 CAL


FIVE CHEESE ZITI AL FORNO
$12.99
630 CAL


SOUP, SALAD AND BREADSTICKS
$11.99SOUP, SALAD & BREADSTICK
 400 CAL
```

```
jordan_strickland@DESKTOP-CJ4FLOU:~$ cat LunchSizedFavorites.txt | sed "s/^ *//"
Lunch sized favorites

Lasagna Classico
$13.99
cal 500



Chicken Parmigiana
$13.99
630 cal



Fettuccine Alfredo
$12.99
650 cal


Shrimp Scampi
$13.99
460 cal

Spaghetti
$12.99
290 cal]



Cheese Ravioli
$12.99
500 cal


Five Cheese Ziti al Forno
$12.99
630 cal


Soup, Salad and Breadsticks
$11.99Soup, Salad & Breadstick
400 cal
```

```
jordan_strickland@DESKTOP-CJ4FLOU:~$ cat LunchSizedFavorites.txt | awk '{ print $3 }'
favorites
Ziti
and
&
jordan_strickland@DESKTOP-CJ4FLOU:~$
```

To normalize my Olive Garden menu data into a structured format, I would separate each menu item into three fields, item name, description, and price. I would remove blank lines, whitespace, amd amy extra symbols to make each record the same. The meaningful data are the lines that contain food names, descriptions, and prices, while blank lines or headers can be ignored.