Cucumber Report

| Start : ago 13, 8:02:45.625 p. m.	End : ago 13, 8:03:05.208 p. m.	Duration : 19.583 s
Features	Scenarios	Steps

PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 2

Steps: 8

Features Pass %: 0 %

Scenarios Pass %: 50 %

Steps Pass %: 87 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Feature: Login on OWASP juice-shop	19.583 s	2	1	1	0	8	7	1	0

#	*Feature Name*	*Scenario Name*
1	*Feature: Login on OWASP juice-shop*	*Scenario: Login with user correct credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@HU002	2	1	1	0	1	0	1	0
@allure.label.owner=JaimeT	2	1	1	0	1	0	1	0
@Login	2	1	1	0	1	0	1	0
@critical	2	1	1	0	1	0	1	0
@ui	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Feature: Login on OWASP juice-shop	2	1	1	0	19.583 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Feature: Login on OWASP juice-shop	Scenario: Login with user correct credentials	4	3	1	0	10.713 s
2		Scenario: Login with Failed login	4	4	0	0	8.729 s

Feature: Login on OWASP juice-shop

FAILED	DURATION - 19.583 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 8:02:45.625 p. m. // 8:03:05.208 p. m. /		Pass - 1	**2**	Pass - 7	**8**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Scenario: Login with user correct credentials

FAILED	DURATION - 10.713 s		Steps	
/ 8:02:45.630 p. m. // 8:02:56.343 p. m. /			Total - 4	
Feature: Login on OWASP juice-shop			Pass - 3	**4**
@HU002 @allure.label.owner=JaimeT @Login @critical @ui			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is on the login page "https://juice-shop.herokuapp.com/#/login"	PASSED	4.497 s
2	When user fill out form with credentials ok	PASSED	0.558 s
	jtc@gmail.com Pass123*/.		
3	And user clicks on Log In	PASSED	0.247 s
4	Then user logs into his account	FAILED	0.147 s
	java.lang.AssertionError: expected [All Products FAII] but found [All Products] at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertEqualsImpl(Assert.java:137) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:453) at org.testng.Assert.assertEquals(Assert.java:463) at com.juice.steps.LoginSteps.user_logs_into_his_account(LoginSteps.java:66) at ?.user logs into his account(file:///D:/Curso%20QA%20SOFTWARE%20AUTOMATION%20TESTER/SELENIUM%20AND%20CUCUMBER%20BDD/ProjectOWASPJuice/src/test/resources/features/login.feature:16) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER - com.juice.utils.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.142 s
	Scenario: Login with user correct credentials		

Scenario: Login with Failed login

PASSED	DURATION - 8.729 s
/ 8:02:56.479 p. m. // 8:03:05.208 p. m. /	
Feature: Login on OWASP juice-shop	
@HU002 @allure.label.owner=JaimeT @Login @critical @ui	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the login page "https://juice-shop.herokuapp.com/#/login"	PASSED	3.271 s
2	When user fill out form with credentials fails	PASSED	0.995 s
	jtc123@gmail.com Pass123*/.Fail		
3	And user clicks on Log In	PASSED	0.281 s
4	Then user see Invalid email or password	PASSED	0.038 s