
Cucumber Report



Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
Feature: Login on OWASP juice-shop and add Shipping Address	26.558 s	1	1	0	0	6	6	0	0


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@trivial	1	1	0	0	1	1	0	0
@HU003	1	1	0	0	1	1	0	0
@allure.label.owner=JaimeT	1	1	0	0	1	1	0	0
@AddAddress	1	1	0	0	1	1	0	0
@ui	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Feature: Login on OWASP juice-shop and add Shipping Address	1	1	0	0	26.558 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Feature: Login on OWASP juice-shop and add Shipping Address	Scenario: Login with user correct credentials and add Shipping Address	6	6	0	0	26.554 s

DETAILED SECTION -- 6 --

Feature: Login on OWASP juice-shop and add Shipping Address

Scenarios		Steps	
Total - 1		Total - 6	
Pass - 1	1	Pass - 6	6
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Fail - 0	Fail - 0	Pass - 1 Fail - 0 Pass - 6 Fail - 0

Scenario: Login with user correct credentials and add Shipping Address



#	Step / Hook Details	Status	Duration
1	Given user enter log in page "https://juice-shop.herokuapp.com/#/login"	PASSED	4.145 s
2	When user log in with credentials	PASSED	0.848 s
	jtc@gmail.com Pass123*/.		
3	And user goes to Add New Address "https://juice-shop.herokuapp.com/#/address/saved"	PASSED	0.106 s
4	When user fill out form to New Address	PASSED	9.238 s
	Colombia Matias 3124567777 30567 Calle falsa 123 Bucaramanga Santander		
5	And user fill out form twice	PASSED	6.448 s
	Colombia Yeri 3132423535 53455 Calle 99 31 - 1 Piedecuesta Santander		
6	Then the addresses are saved	PASSED	0.215 s