LATEX table for fdt objects

Authors: José C. Faria e Ivan B. Allaman

Customization in LATEX: José C. Faria Examples of references: See Tables 1 and 2.

ass limits	f	rf	$\mathrm{rf}(\%)$	cf	$\mathrm{cf}(\%)$
$9 \vdash 5.13$	8	0.01	0.8	8	0.8
$3 \vdash 6.37$	24	0.02	2.4	32	3.2
$37 \vdash 7.61$	84	0.08	8.4	116	11.6
$61 \vdash 8.85$	164	0.16	16.4	280	28
$85 \vdash 10.10$	224	0.22	22.4	504	50.4
$10 \vdash 11.30$	249	0.25	24.9	753	75.3
$.30 \vdash 12.60$	144	0.14	14.4	897	89.7
$.60 \vdash 13.80$	68	0.07	6.8	965	96.5
$.80 \vdash 15.00$	31	0.03	3.1	996	99.6
$.00 \vdash 16.30$	3	0	0.3	999	99.9
$.30 \vdash 17.50$	1	0	0.1	1000	100
$3 \vdash 6.37$ $37 \vdash 7.61$ $31 \vdash 8.85$ $35 \vdash 10.10$ $10 \vdash 11.30$ $30 \vdash 12.60$ $60 \vdash 13.80$ $80 \vdash 15.00$ $00 \vdash 16.30$	24 84 164 224 249 144 68 31	0.02 0.08 0.16 0.22 0.25 0.14 0.07 0.03	2.4 8.4 16.4 22.4 24.9 14.4 6.8 3.1 0.3	32 116 280 504 753 897 965 996	3.5 11.0 28 50.4 75.5 89.7 96.8 99.0

Class limits	f	rf(%)	cf(%)
[3.89, 5.13)	8	0.8	0.8
[5.13, 6.37)	24	2.4	3.2
[6.37, 7.61)	84	8.4	11.6
[7.61, 8.85)	164	16.4	28
[8.85, 10.10)	224	22.4	50.4
[10.10, 11.30)	249	24.9	75.3
[11.30, 12.60)	144	14.4	89.7
[12.60, 13.80)	68	6.8	96.5
[13.80, 15.00)	31	3.1	99.6
[15.00, 16.30)	3	0.3	99.9
[16.30, 17.50)	1	0.1	100

Tabela 1: Frequency distribution table 2

rabela 1. Trequency distribution table 2						
Class limits	f	rf	$\mathrm{rf}(\%)$	cf	$\operatorname{cf}(\%)$	
$4.6 \dashv 5.7$	15	0.02	1.5	15	1.5	
$5.7 \dashv 6.7$	28	0.03	2.8	43	4.3	
$6.7 \dashv 7.7$	81	0.08	8.1	124	12.4	
$7.7 \dashv 8.8$	156	0.16	15.6	280	28	
$8.8 \dashv 9.8$	184	0.18	18.4	464	46.4	
$9.8 \dashv 10.8$	209	0.21	20.9	673	67.3	
$10.8 \dashv 11.8$	160	0.16	16	833	83.3	
$11.8 \dashv 12.9$	103	0.1	10.3	936	93.6	
$12.9 \dashv 13.9$	42	0.04	4.2	978	97.8	
$13.9 \dashv 14.9$	17	0.02	1.7	995	99.5	
$14.9 \dashv 16.0$	5	0	0.5	1000	100	

Tabela 2: Frequency distribution table 3

Class limits	f	rf	rf(%)	cf	cf(%)
$4.3e+00 \vdash 5.4e+00$	12	0.01	1.2	12	1.2
$5.4e+00 \vdash 6.5e+00$	31	0.03	3.1	43	4.3
$6.5e+00 \vdash 7.6e+00$	73	0.07	7.3	116	11.6
$7.6e+00 \vdash 8.7e+00$	137	0.14	13.7	253	25.3
$8.7e+00 \vdash 9.8e+00$	186	0.19	18.6	439	43.9
$9.8e+00 \vdash 1.1e+01$	202	0.2	20.2	641	64.1
$1.1e+01 \vdash 1.2e+01$	192	0.19	19.2	833	83.3
$1.2e+01 \vdash 1.3e+01$	94	0.09	9.4	927	92.7
$1.3e+01 \vdash 1.4e+01$	53	0.05	5.3	980	98
$1.4e+01 \vdash 1.5e+01$	13	0.01	1.3	993	99.3
$1.5e+01 \vdash 1.6e+01$	7	0.01	0.7	1000	100