Script started on Sun, Oct 12, 2014 9:17:23 AM justin@Justin ~/cs333/p2 \$ make kpl Main -unsafe asm Main.s lddd System.o List.o Thread.o Switch.o Synch.o Main.o Runtime.o -o os justin@Justin ~/cs333/p2 \$ blitz -g os Beginning execution... ========= KPL PROGRAM STARTING =========== Example Thread-based Programs... Initializing Thread Scheduler... Plato Sartre Kant Nietzsche Aristotle . E

. E

. E E . E Ε Ε \mathbf{E} Ε E Ε Ε Ε E Ε Ε Ε Ε Ε Ε Ε Ε . E Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε Ε

Ε

Ε

E

E .

. E . E

. E E

E E

. E

Ε . Ε

E . .

E . E .

E E .

E E

. E

E . E

E . .

E . E .

E E .

E E

. E

. E E

. . E

. E . E

E . E

E E

E .

E E .

. E .

E . E . E

Ε .

E E .

. E .

. E . E

. E E

E E

. E

E . E

E . .

E . E .

E E .

E E

. E

E . E

E . .

E . E .

E E .

E E

. E

. E E

. . E

Ε \mathbf{E} Ε Ε Ε Ε Ε Ε Ε Ε E Ε

E

Ε

. . . E .

.

**** A 'wait' instruction was executed and no more interrupts are scheduled... halting emulation! *****

Done! The next instruction to execute will be:

000EC8: 09000000 ret

Number of Disk Reads = 0Number of Disk Writes = 0

Instructions Executed = 463881

Time Spent Sleeping = 0

Total Elapsed Time = 463881

justin@Justin ~/cs333/p2

\$ exit

Script done on Sun, Oct 12, 2014 9:17:32 AM