Script started on Sun, Oct 19, 2014 9:03:08 AM

justin@Justin ~/cs333/p3

\$ make

kpl Main -unsafe

asm Main.s

lddd System.o List.o Thread.o Switch.o Synch.o Main.o Runtime.o -o os

justin@Justin ~/cs333/p3

\$ blitz -g os

Beginning execution...

========= KPL PROGRAM STARTING ===========

Initializing Thread Scheduler...

Barber 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

---- E

X---- S

X---- E

XX--- S

XX--- E

XXX-- S

XXX-- E

XXXX- S

XXXX- E

XXXXX

XXXX- E

XXXXX

XXXXX		E								
XXXXX		L								
XXXXX				Ε						
XXXXX				L						
XXXXX					Ε					
XXXXX					L					
XXXXX						E				
XXXXX						L				
XXXXX			E							
XXXXX			L							
XXXXX							Ε			
XXXXX							L			
XXXXX								E		
XXXXX								L		
XXXXX									E	
XXXXX									L	
XXXXX										Ε
XXXXX										L
XXXXX start										
XXXXX end										
XXXXX	В									
XXXXX	F									
XXXXX	L									

XXXX- start

XXXX- end XXXX-В XXXX-XXXX-L XXX-- start XXX-- end XXX--В XXX--F XXX--L XX--- start XX--- end XX---В XX---F XX---L X---- start X---- end X----В X----F X----L ---- start ---- end В ----F

L

**** A 'wait' instruction was executed and no more interrupts are scheduled... halting emulation! *****

Done! The next instruction to execute will be:

000EC8: 09000000 ret Number of Disk Reads = 0 Number of Disk Writes = 0

Instructions Executed = 1755708

Time Spent Sleeping = 0

Total Elapsed Time = 1755708

justin@Justin ~/cs333/p3
\$ exit

Script done on Sun, Oct 19, 2014 9:03:20 AM