
■ HackerRank | Prepare Certify Compete Apply Q Search □ □ □ □ □

All Contests > utp-open-2018 > Tobby and Tanks II

Tobby and Tanks II

Problem Submissions Leaderboard Discussions

Tobby is a curious dog and he is always thinking about new and revolutionary ideas. Now he imagined N tanks placed in a row (staggered - See the figure). Every tank has a capacity of W liters of water. The cute and curious dog is asked himself, if you have K liters of water, which is the i-th tank (where i is the maximum possible), such that if we drop the water there, the water will reach the first tank. As you know Tobby is not a complicated dog, so he does not want completely fill the first tank, he will be happy if the first tank have at least 1 liter of water.



You are given n tanks with capacity w_i , and q queries, each query contains one integer k, the amount of water.

Input Format

For every test case, the first line contains two integers n $(1 \le n \le 10^5)$ and q $(1 \le q \le 10^4)$, the number of tanks and the number of queries respectively, the next line contains n integers w_i $(1 \le w \le 10^4)$. The next q lines contains a single integer k $(1 \le k \le 10^9)$, the amount of water. (Read until EOF).

Constraints

- $(1 \le q \le 10^4)$
- $(1 \leq w_i \leq 10^4)$
- $(1 \le k \le 10^9)$

Output Format

For every query you must print a single integer, the maximum i $(1 \le i \le n)$

Sample Input 0

```
5 2
5 1 10 3 12
16 1
```

Sample Output 0

4 1

```
f in
Submissions: 83
Max Score: 100
Difficulty: Medium

Rate This Challenge:
なかかかか
```

Run Code

```
#include <stdio.h>
#include <string.h>
#include <math.h>
#include <stdlib.h>

int main() {

/* Enter your code here. Read input from STDIN. Print output to STDOUT */
return 0;
}

Line: 1 Col: 1
```

♣ Upload Code as File Test against custom input

Submit Code

Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy |