There's a newer version of Bootstrap!

Search docs...   Ctrl + /   v5.1 ⌄

Overflow

Use these shorthand utilities for quickly configuring how content overflows an element.

Adjust the `overflow` property on the fly with four default values and classes. These classes are not responsive by default.

This is an example of using `.overflow-auto` on an element with set width and height dimensions. By design

This is an example of using `.overflow-hidden` on an element with set width and height dimensions.

This is an example of using `.overflow-visible` on an element with set width and height dimensions.

This is an example of using
`.overflow-scroll` on an
element with set width and

```
<div class="overflow-auto">...</div>
<div class="overflow-hidden">...</div>
<div class="overflow-visible">...</div>
<div class="overflow-scroll">...</div>
```

Using Sass variables, you may customize the overflow utilities by changing the `$overflows` variable in `_variables.scss`.

Sass

Utilities API

Overflow utilities are declared in our utilities API in `scss/_utilities.scss`. Learn how to use the utilities API.

```
"overflow": (
  property: overflow,
  values: auto hidden visible scroll,
),
```

B Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.1.3.

Analytics by Fathom.

Links

Home

Docs

Examples

Themes

Blog

Swag Store

Guides

Getting started

Starter template

Webpack

Parcel

Projects

Bootstrap 5

Bootstrap 4

Icons

RFS

npm starter

Community

Issues

Discussions

Corporate sponsors

Open Collective

Stack Overflow