

There's a newer version of Bootstrap!

[Ctrl + /](#)

v5.1 ▾

[View on GitHub](#)

Button group

Group a series of buttons together on a single line or stack them in a vertical column.



Design and Development
tips in your inbox. Every
weekday.

ads via Carbon

On this page

[Basic example](#)[Mixed styles](#)[Outlined styles](#)[Checkbox and radio button groups](#)[Button toolbar](#)[Sizing](#)[Nesting](#)[Vertical variation](#)

Basic example

Wrap a series of buttons with `.btn` in `.btn-group`.

[Left](#)[Middle](#)[Right](#)

```
<div class="btn-group" role="group" aria-label="Basic example">
  <button type="button" class="btn btn-primary">Left</button>
  <button type="button" class="btn btn-primary">Middle</button>
  <button type="button" class="btn btn-primary">Right</button>
</div>
```

Ensure correct `role` and provide a label

In order for assistive technologies (such as screen readers) to convey that a series of buttons is grouped, an appropriate `role` attribute needs to be provided. For button groups, this would be `role="group"`, while toolbars should have a `role="toolbar"`.

In addition, groups and toolbars should be given an explicit label, as most assistive technologies will otherwise not announce them, despite the presence of the correct role attribute. In the examples provided here, we use `aria-label`, but alternatives such as `aria-labelledby` can also be used.

These classes can also be added to groups of links, as an alternative to the [.nav navigation components](#).



```
<div class="btn-group">
  <a href="#" class="btn btn-primary active" aria-current="page">Active link</a>
  <a href="#" class="btn btn-primary">Link</a>
  <a href="#" class="btn btn-primary">Link</a>
</div>
```

Mixed styles



```
<div class="btn-group" role="group" aria-label="Basic mixed styles example">
  <button type="button" class="btn btn-danger">Left</button>
```

```
<button type="button" class="btn btn-warning">Middle</button>
<button type="button" class="btn btn-success">Right</button>
</div>
```

Outlined styles



```
<div class="btn-group" role="group" aria-label="Basic outlined example">
  <button type="button" class="btn btn-outline-primary">Left</button>
  <button type="button" class="btn btn-outline-primary">Middle</button>
  <button type="button" class="btn btn-outline-primary">Right</button>
</div>
```

Checkbox and radio button groups

Combine button-like checkbox and radio [toggle buttons](#) into a seamless looking button group.



```
<div class="btn-group" role="group" aria-label="Basic checkbox toggle button group">
  <input type="checkbox" class="btn-check" id="btncheck1" autocomplete="off">
  <label class="btn btn-outline-primary" for="btncheck1">Checkbox 1</label>

  <input type="checkbox" class="btn-check" id="btncheck2" autocomplete="off">
  <label class="btn btn-outline-primary" for="btncheck2">Checkbox 2</label>

  <input type="checkbox" class="btn-check" id="btncheck3" autocomplete="off">
  <label class="btn btn-outline-primary" for="btncheck3">Checkbox 3</label>
</div>
```



```
<div class="btn-group" role="group" aria-label="Basic radio toggle button group">
  <input type="radio" class="btn-check" name="btnradio" id="btnradio1" autocomplete=
  <label class="btn btn-outline-primary" for="btnradio1">Radio 1</label>

  <input type="radio" class="btn-check" name="btnradio" id="btnradio2" autocomplete=
  <label class="btn btn-outline-primary" for="btnradio2">Radio 2</label>

  <input type="radio" class="btn-check" name="btnradio" id="btnradio3" autocomplete=
  <label class="btn btn-outline-primary" for="btnradio3">Radio 3</label>
</div>
```



Button toolbar

Combine sets of button groups into button toolbars for more complex components. Use utility classes as needed to space out groups, buttons, and more.



```
<div class="btn-toolbar" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group me-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-primary">1</button>
    <button type="button" class="btn btn-primary">2</button>
    <button type="button" class="btn btn-primary">3</button>
    <button type="button" class="btn btn-primary">4</button>
  </div>
  <div class="btn-group me-2" role="group" aria-label="Second group">
    <button type="button" class="btn btn-secondary">5</button>
    <button type="button" class="btn btn-secondary">6</button>
    <button type="button" class="btn btn-secondary">7</button>
  </div>
  <div class="btn-group" role="group" aria-label="Third group">
    <button type="button" class="btn btn-info">8</button>
  </div>
</div>
```

Feel free to mix input groups with button groups in your toolbars. Similar to the example above, you'll likely need some utilities though to space things properly.

1	2	3	4
---	---	---	---

@	Input group example
---	---------------------

1	2	3	4
---	---	---	---

@	Input group example
---	---------------------

```
<div class="btn-toolbar mb-3" role="toolbar" aria-label="Toolbar with button groups">
  <div class="btn-group me-2" role="group" aria-label="First group">
    <button type="button" class="btn btn-outline-secondary">1</button>
    <button type="button" class="btn btn-outline-secondary">2</button>
    <button type="button" class="btn btn-outline-secondary">3</button>
    <button type="button" class="btn btn-outline-secondary">4</button>
  </div>
  <div class="input-group">
    <div class="input-group-text" id="btnGroupAddon">@</div>
    <input type="text" class="form-control" placeholder="Input group example" aria-l
  </div>
</div>

<div class="btn-toolbar justify-content-between" role="toolbar" aria-label="Toolbar"
  <div class="btn-group" role="group" aria-label="First group">
    <button type="button" class="btn btn-outline-secondary">1</button>
    <button type="button" class="btn btn-outline-secondary">2</button>
    <button type="button" class="btn btn-outline-secondary">3</button>
    <button type="button" class="btn btn-outline-secondary">4</button>
  </div>
  <div class="input-group">
    <div class="input-group-text" id="btnGroupAddon2">@</div>
    <input type="text" class="form-control" placeholder="Input group example" aria-l
  </div>
</div>
```

Sizing

Instead of applying button sizing classes to every button in a group, just add `.btn-group-*` to each `.btn-group`, including each one when nesting multiple groups.

Left	Middle	Right
------	--------	-------


Left	Middle	Right
------	--------	-------



```
<div class="btn-group btn-group-lg" role="group" aria-label="...">...</div>
<div class="btn-group" role="group" aria-label="...">...</div>
<div class="btn-group btn-group-sm" role="group" aria-label="...">...</div>
```

Nesting

Place a `.btn-group` within another `.btn-group` when you want dropdown menus mixed with a series of buttons.



```
<div class="btn-group" role="group" aria-label="Button group with nested dropdown">
  <button type="button" class="btn btn-primary">1</button>
  <button type="button" class="btn btn-primary">2</button>

  <div class="btn-group" role="group">
    <button id="btnGroupDrop1" type="button" class="btn btn-primary dropdown-toggle">
      Dropdown
    </button>
    <ul class="dropdown-menu" aria-labelledby="btnGroupDrop1">
      <li><a class="dropdown-item" href="#">Dropdown link</a></li>
      <li><a class="dropdown-item" href="#">Dropdown link</a></li>
    </ul>
  </div>
</div>
```



Vertical variation

Make a set of buttons appear vertically stacked rather than horizontally. **Split button dropdowns are not supported here.**

Button

Button

Button

Button

Button

Button

Button

Button

Dropdown

Button

Button

Dropdown

Dropdown


Dropdown

Radio 1

Radio 2

Radio 3

```
<div class="btn-group-vertical">
  ...
</div>
```



Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.1.3.

Analytics by Fathom.

Links

[Home](#)

[Docs](#)

[Examples](#)

[Themes](#)

[Blog](#)

[Swag Store](#)

Guides

[Getting started](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

[npm starter](#)

Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)

[Stack Overflow](#)