
MODULO 4

Gestionar el diseño y desarrollo de aplicaciones móviles, por medio del lenguaje de programación Flutter


Presentado Por: Juan Carlos Reyes


1. Ruta Entrega Módulo 4

https://github.com/JuanCarlosReyesGuerrero/Uninorte/tree/main/Modulo%204



2. Correr el proyecto





3. Version instalada de Flutter

```
PS C:\Users\quind> flutter --version
Flutter 3.13.3 • channel stable • https://github.com/flutter/flutter.git
Framework • revision 2524052335 (6 days ago) • 2023-09-06 14:32:31 -0700
Engine • revision b8d35810e9
Tools • Dart 3.1.1 • DevTools 2.25.0
PS C:\Users\quind>
```

4. Configuración del Proyecto

```
EXPLORER
                                  nain.dart

✓ LISTA USUARIO

                    pubspec.lock
                                    1 # Generated by pub
 > a .dart_tool
                                        # See https://dart.dev/tools/pub/glossary#lockfile
 > 🐚 .idea
 > 🐚 android
 > 🛅 build
                                           dependency: transitive
 > los ios
                                           description:
                                              sha256: "947bfcf187f74dbc5e146c9eb9c0f10c9f8b3
    db_helper.dart
                                              url: "https://pub.dev"
    nome_screen.dart
                                            source: hosted
    nain.dart
                                            version: "2.11.0"
 > linux
                                          boolean selector:
 > macos
                                            dependency: transitive
 > 📑 test
                                            description:
                                              name: boolean selector
 > to web
                                              sha256: "6cfb5af12253eaf2b368f07bacc5a80d1301a
 > windows
                                              url: "https://pub.dev"
   flutter-plugins
                                            source: hosted
   flutter-plugins-dependencies
                                            version: "2.1.1"
   .gitignore
                                          characters:
   🖺 .metadata
                                           dependency: transitive
   analysis_options.yaml
                                           description:
                                            name: characters
   lista_usuario.iml
                                              sha256: "04a925763edad70e8443c99234dc3328f442e
   pubspec.lock
                                              url: "https://pub.dev"
   pubspec.yaml
                                            source: hosted
   README.md
                                            version: "1.3.0"
```