

HTML5

IT'S ONLY

HTML5

...BUT I LIKE IT.

Temas

- Progressive Enhancement, ¿qué es? y ¿por qué nos interesa?
- HTML5
 - Involucra muchas tecnologías.
 - Primera Parte: es sólo HTML.
 - Estructura básica de nuestra aplicación.
 - HTML semántico.
 - Accesibilidad en aplicaciones web.
 - WAI-ARIA
- Ejemplo práctico.

Progressive Enhancement

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes accessibility, semantic HTML markup, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

-[wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes **accessibility**, semantic HTML markup, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

- [wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes **accessibility**, **semantic HTML markup**, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

- [wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes accessibility, semantic HTML markup, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

- [wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes accessibility, semantic HTML markup, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

- [wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

Progressive Enhancement



Progressive enhancement is a strategy for web design that emphasizes accessibility, semantic HTML markup, and external stylesheet and scripting technologies. Progressive enhancement uses web technologies in a layered fashion that allows everyone to access the basic content and functionality of a web page, using any browser or Internet connection, while also providing an enhanced version of the page to those with more advanced browser software or greater bandwidth.

- [wikipedia](https://en.wikipedia.org/wiki/Progressive_Enhancement)

HTML5

HTML5



HTML5 is not a single thing or a monolithic technology. It is a collection of features, technologies, and APIs that brings the power of the desktop and the vibrancy of multimedia experience to the web—while amplifying the web's core strengths of interactivity and connectivity. HTML5 includes the fifth revision of the HTML markup language, CSS3, and a series of JavaScript APIs. Together, these technologies enable you to create complex applications that previously could be created only for desktop platforms.

-[HTML5ROCKS](#)

HTML5

”

HTML5 is not a single thing or a monolithic technology. It is a collection of features, technologies, and APIs that brings the power of the desktop and the vibrancy of multimedia experience to the web—while amplifying the web’s core strengths of interactivity and connectivity. HTML5 includes the fifth revision of the HTML markup language, CSS3, and a series of JavaScript APIs. Together, these technologies enable you to create complex applications that previously could be created only for desktop platforms.

-[HTML5ROCKS](#)

HTML5

”

HTML5 is not a single thing or a monolithic technology. It is a collection of features, technologies, and APIs that brings the power of the desktop and the vibrancy of multimedia experience to the web—while amplifying the web’s core strengths of interactivity and connectivity. HTML5 includes the fifth revision of the HTML markup language, CSS3, and a series of JavaScript APIs. Together, these technologies enable you to create complex applications that previously could be created only for desktop platforms.

-[HTML5ROCKS](#)

HTML5

”

HTML5 is not a single thing or a monolithic technology. It is a collection of features, technologies, and APIs that brings the power of the desktop and the vibrancy of multimedia experience to the web—while amplifying the web’s core strengths of interactivity and connectivity. HTML5 includes the fifth revision of the HTML markup language, CSS3, and a series of JavaScript APIs. Together, these technologies enable you to create complex applications that previously could be created only for desktop platforms.

-[HTML5ROCKS](#)

HTML5

”

HTML5 is not a single thing or a monolithic technology. It is a collection of features, technologies, and APIs that brings the power of the desktop and the vibrancy of multimedia experience to the web—while amplifying the web’s core strengths of interactivity and connectivity. HTML5 includes the fifth revision of the HTML markup language, CSS3, and a series of JavaScript APIs. Together, these technologies enable you to create complex applications that previously could be created only for desktop platforms.

-[HTML5ROCKS](#)

HTML5 - ¿Qué hay de nuevo?

- Sintaxis simplificada.
- HTML 4: algunos elementos fueron redefinidos.
- Nuevos valores/atributos para elementos existentes.
- Nuevos elementos para crear secciones (section elements).
- Nuevos elementos en línea (inline elements).
- Nuevos elementos interactivos.
- Nuevas API's javascript.

-[html5 it goes to eleven](#)

HTML5 - ¿Qué hay de nuevo?

Sintaxis Simplificada

- Definir [Doctype](#):
`<!doctype html>`
- Definir [character encoding](#) del documento:
`<meta charset="utf-8">`
- Atributos que definen tipos ahora son inferidos:
`<link rel="stylesheet" href="style.css">`
`<style>...</style>`
`<script>...</script>`
- Slash (`"/>"`) de cierre opcional.

-[html5 it goes to eleven](#)

HTML5 - Poder Semántico

- `<section>` *A section is a thematic grouping of content, typically with a heading.*
- `<nav>` *Represents a section of a page that links to other pages or to parts within the page: a section with navigation links.*
- `<article>` *Represents a self-contained composition in a document which is intended to be independently distributable or reusable.*
- `<aside>` *Content that is tangentially related to the content around the aside element.*
- `<hgroup>` *Represents the heading of a section. Its used to group a set of h1–h6 elements when the heading has multiple levels.*
- `<header>` *Represents a group of introductory or navigational aids.*
- `<footer>` *Typically contains information about its section such as who wrote it, links to related documents, copyright data, etc.*
- `<mark>` *Like a span element, highlights text.*
- `<time>` *Like a span element, represents time.*

HTML5 - Poder Semántico

[Dive into HTML5 / Semantics](#)

<section>

<nav>

<article>

<aside>



<hgroup>

<header>

<footer>

<mark>

<time>



Alternativas
semánticas a
<div>

Alternativas semánticas a

HTML5 - Poder Semántico



Soportados directamente en navegadores modernos, para IE ≤ 8 (& old safari, firefox), es necesario usar ayuda de js. HTML5shiv's: [the history of the html5 shiv](#)

WAI-ARIA

HTML5 - Accesibilidad



WAI-ARIA (Web Accessibility Initiative - Accessible Rich Internet Applications) is a technical specification published by the World Wide Web Consortium that specifies how to increase the accessibility of web pages, in particular, dynamic content and user interface components developed with Ajax, HTML, JavaScript and related technologies. As of January 2011, it was a Candidate Recommendation.

-[wikipedia](http://en.wikipedia.org/wiki/WAI-ARIA)

HTML5 - Accesibilidad



WAI-ARIA (Web Accessibility Initiative - Accessible Rich Internet Applications) is a technical specification published by the World Wide Web Consortium that specifies how to increase the accessibility of web pages, in particular, dynamic content and user interface components developed with Ajax, HTML, JavaScript and related technologies. As of January 2011, it was a Candidate Recommendation.

-[wikipedia](http://en.wikipedia.org/wiki/WAI-ARIA)

HTML5 - Accesibilidad

The four three rules of the ARIA CLUB

1. *You don't talk about ARIA Club.*
2. **If you can use a native HTML element or attribute with the semantics and behaviour you require already built in**, instead of re-purposing an element and adding an ARIA role, state or property to make it accessible, **then do so.**
3. Do not change native semantics, unless you really have to.
4. All interactive ARIA controls must be usable with the keyboard.

- [W3C | Using WAI-ARIA in HTML](#)

HTML5 - Accesibilidad

It's all about: **Roles,
States & Properties.**

- A WAI-ARIA role is set on an element using a role attribute. This semantic association allows tools to present and support interaction with the object in a manner that is consistent with user expectations about other objects of that type.
- [List of roles](#)

HTML5 - Accesibilidad

- WAI-ARIA provides a collection of accessibility states and properties which are used to support platform accessibility APIs on various operating system platforms. Changes in states or properties will result in a notification to assistive technologies, which could alert the user that a change has occurred.
- States VS. Properties: States values changes more often than Properties values.
- [Classification](#).

- [W3C | ARIA, States and Properties](#)

HTML5 - Accesibilidad

- Simple slider

```
<div role="slider"  
aria-valuenow="1"  
aria-valuemin="1" aria-valuemax="7"  
aria-valuetext="Sunday"></div>
```

- [Roles in action](#)
- [Using Landmark Roles](#)
- [More examples!](#)