

Practica 1

```
See 'docker stop --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm practical
Error response from daemon: cannot remove container "practical": container is running: stop the container before removing or force remove

C:\Users\USUARIO\taller-docker-git>docker stop practical
practical

C:\Users\USUARIO\taller-docker-git>docker rm practical
practical

C:\Users\USUARIO\taller-docker-git>docker search mysql
NAME                DESCRIPTION                STARS     OFFICIAL
mysql               MySQL is a widely used, open-source relation... 16178     [OK]
circleci/mysql      MySQL is a widely used, open-source relation... 33
bitnamicharts/mysql Bitnami Helm chart for MySQL 1
cimg/mysql          MySQL open source fast, stable, multi-thread... 5
ubuntu/mysql        MySQL server for Google Compute Engine 74
google/mysql        MySQL, verified and packaged by Elestio 26
elestio/mysql       A Mysql container, brought to you by LinuxSe... 4
linuxserver/mysql   mysql client 49
alpine/mysql        MySQL service images for Docksal - https://d... 8
docksal/mysql       Secure by Design, Built for Speed, Hardened ... 0
cleanstart/mysql    Mysql 5.7, curl, rsync 3
eclipse/mysql       Mysql configured for running Ilios 1
ilios/mysql         MySQL image pre-configured to work smoothly ... 2
datajoint/mysql     ARM64 base images for ddev-dbserver-mysql-8... 2
ddev/mysql          This repository hosts MySQL database images ... 0
mirantis/mysql      https://github.com/corpusops/docker-images/ 1
mysql/mysql-server  Lightweight image to run MySQL with Vitess 29
cbioportal/mysql    MySQL Router provides transparent routing be... 1
corpusops/mysql     Experimental MySQL Cluster Docker images. Cr... 101
vulhub/mysql        openeuler/mysql 0
vitess/mysql
mysql/mysql-router
nasqueron/mysql
mysql/mysql-cluster
openeuler/mysql

C:\Users\USUARIO\taller-docker-git>
```

```
C:\Windows\System32\cmd.exe x + v
Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker run -d --name practical -p 8082:80 nginx

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name "/practical" is already in use by container "0f80d6ffb7a465ad1a2e3334147f239b7a3548e7b4845272d7b7a05095b9d1ce". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm practical
practical

C:\Users\USUARIO\taller-docker-git>docker run -d --name practical -p 8082:80 nginx
a169c1dac59247e09c0531edb32d6ad2110673dc8f2b037148b6b621251958a6

C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE                COMMAND                  CREATED        STATUS        PORTS                                                                                                     NAMES
a169c1dac592   nginx               "/docker-entrypoint..." 5 seconds ago  Up 4 seconds  0.0.0.0:8082->80/tcp, [::]:8082->80/tcp                       practical
6d99e791f367   wordpress:latest    "docker-entrypoint.s..." 13 days ago   Up 38 minutes  0.0.0.0:8080->80/tcp, [::]:8080->80/tcp                       wordpress_a
pp            phpmyadmin/phpmyadmin:latest  "/docker-entrypoint..." 13 days ago   Up 38 minutes  0.0.0.0:8081->80/tcp, [::]:8081->80/tcp                       wordpress_p
13726c7fc76c  phpmyadmin/phpmyadmin:latest  "/docker-entrypoint..." 13 days ago   Up 38 minutes  0.0.0.0:8081->80/tcp, [::]:8081->80/tcp                       wordpress_p
hpmadmin

C:\Users\USUARIO\taller-docker-git>docker stop
docker: 'docker stop' requires at least 1 argument

Usage:  docker stop [OPTIONS] CONTAINER [CONTAINER...]

See 'docker stop --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm practical
Error response from daemon: cannot remove container "practical": container is running: stop the container before removing or force remove

C:\Users\USUARIO\taller-docker-git>docker stop practical
practical

C:\Users\USUARIO\taller-docker-git>docker rm practical
practical
```

```
C:\Users\USUARIO\taller-docker-git>docker docker --version
Docker version 29.6.2, build dfc4efb

C:\Users\USUARIO\taller-docker-git>docker run -d --name practical -p 8081:80 nginx
Unable to find image 'nginx:latest' locally
latest: Pulling from library/nginx
a44b5c8be616: Pull complete
c12f39fdea35: Pull complete
956faab5efb3: Pull complete
6310eb16bf42: Pull complete
f340c1b7c1d6: Pull complete
02fc02c4ab8d: Pull complete
07db7bf2649b: Pull complete
76f27c02d218: Download complete
25202a7045eb: Download complete
Digest: sha256:05b8cb60c354a44ab824ea6e7dc69b46d58762cbe728a347a5b656e6fb3d7c4
Status: Downloaded newer image for nginx:latest
0f80d6ffb7a465ad1a2e3334147f239b7a3548e7b4845272d7b7a05095b9d1ce

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint practical (c3d024e3da
fa0eb263d32f58ef30552b7d2cf434ee4802cd6d7828ea0a50d154): Bind for 0.0.0.0:8081 failed: port is already allocated


Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker run -d --name practical -p 8082:80 nginx

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name "/practical" is already in use by container "0f80d6ffb7a465ad1a2e3334147f239b7a3548e7b48452
72d7b7a05095b9d1ce". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm practical
practical
```



Practica 2

```
C:\Windows\System32\cmd.exe x + v
nasqueron/mysql 1
mysql/mysql-cluster Experimental MySQL Cluster Docker images. Cr... 101
openeuler/mysql 0

C:\Users\USUARIO\taller-docker-git>docker run -it --name consolal ubuntu:24.04 bash
Unable to find image 'ubuntu:24.04' locally
24.04: Pulling from library/ubuntu
0926a8eb0e60: Pull complete
989d374f715e: Download complete
Digest: sha256:33ceb71981b602c1a7443a53469e4dba065f7503eab3078a2d7a57a2ab987517
Status: Downloaded newer image for ubuntu:24.04
root@094911df87d2:/# pwd
/
root@094911df87d2:/# ls
bin  dev  home  lib64  mnt  proc  run  srv  var
boot  etc  lib  media  opt  root  sbin  sys  usr
root@094911df87d2:/# exit
exit

C:\Users\USUARIO\taller-docker-git>docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        NAMES        PORTS
094911df87d2   ubuntu:24.04   "bash"                  31 seconds ago Exited (0) 4 seconds ago          console1
90f1bce13a24   kicbase/stable:v0.0.50   "/usr/local/bin/entr..." 7 days ago    Exited (255) 47 minutes ago        minikube
69->2376/tcp, 127.0.0.1:32770->5000/tcp, 127.0.0.1:32771->8443/tcp, 127.0.0.1:32772->32443/tcp
8ccea142883   ejercicio-api   "uvicorn src.main:ap..." 13 days ago   Exited (0) 6 days ago          cicd-fastapi
6d99e791f367   wordpress:latest   "docker-entrypoint.s..." 13 days ago   Up 47 minutes    wordpress_app  0.0.0.0:8080->80/tcp, [::]:8080->80/tc
p
13726c7fc76c   phpmyadmin/phpmyadmin:latest   "/docker-entrypoint..." 13 days ago   Up 47 minutes    wordpress_phpmyadmin  0.0.0.0:8081->80/tcp, [::]:8081->80/tc
p
7ff33115df37   fastapi-api     "uvicorn main:app --..." 3 weeks ago   Exited (0) 3 weeks ago          fastapi-container
97a703145130   php-api        "docker-php-entrypoi..." 3 weeks ago   Exited (0) 3 weeks ago          php-container
c3634320ebe0   node-api       "docker-entrypoint.s..." 3 weeks ago   Exited (137) 3 weeks ago        node-container
a7fb81a3988e   mi-app:1.0     "python app.py"         4 weeks ago   Exited (255) 4 weeks ago        app
1334fa28d24a   nginx:1.25     "/docker-entrypoint..." 4 weeks ago   Exited (255) 4 weeks ago        80/tcp
```

```
C:\Windows\System32\cmd.exe  +  v

consola1
98f1bc13a24 kicbase/stable:v0.0.50 "/usr/local/bin/entr..." 7 days ago Exited (255) 47 minutes ago 127.0.0.1:32768->22/tcp, 127.0.0.1:32769->2376/tcp, 127.0.0.1:32770->5
800/tcp, 127.0.0.1:32771->8043/tcp, 127.0.0.1:32772->32443/tcp minikube
8ccea142883 ejercicio-api "uvicorn src.main:ap..." 13 days ago Exited (0) 6 days ago
6d99e791f367 wordpress:latest "docker-entrypoint.s..." 13 days ago Up 47 minutes 0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
13726c7fc76c phpmyadmin/phpmyadmin:latest "docker-entrypoint..." 13 days ago Up 47 minutes 0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
7ff33115df37 fastapi-api "uvicorn main:app --..." 3 weeks ago Exited (0) 3 weeks ago
97a703145130 php-api "docker-php-entrypoi..." 3 weeks ago Exited (0) 3 weeks ago
c3634320ebe0 node-api "docker-entrypoint.s..." 3 weeks ago Exited (137) 3 weeks ago
a7fb81a3988e mi-app:1.0 "python app.py" 4 weeks ago Exited (255) 4 weeks ago 0.0.0.0:5000->5000/tcp
3134fa28d24a nginx:1.25 "docker-entrypoint..." 4 weeks ago Exited (255) 4 weeks ago 80/tcp
a799168cc91c nginx:1.25 "docker-entrypoint..." 4 weeks ago Exited (255) 4 weeks ago 0.0.0.0:8080->80/tcp
4ef673699997 nginx:1.25 "docker-entrypoint..." 4 weeks ago Exited (0) 3 weeks ago
3903c5029f62 postgres:16.9 "docker-entrypoint.s..." 4 weeks ago Exited (1) 4 weeks ago
4fe21696687d postgres:16.9 "docker-entrypoint.s..." 4 weeks ago Exited (0) 4 weeks ago
d51b9b779754 mi-app:v1 "docker-entrypoint.s..." 4 weeks ago Exited (255) 4 weeks ago 0.0.0.0:3000->3000/tcp
d22b08f51fba busybox:1.36 "sh" 4 weeks ago Exited (255) 4 weeks ago
0fb4e8dbfffc nginx:1.25 "docker-entrypoint..." 4 weeks ago Exited (255) 4 weeks ago 80/tcp
9c2c46f02283 busybox:1.36 "sh" 4 weeks ago Exited (255) 4 weeks ago
30a4d00025a nginx:1.25 "docker-entrypoint..." 4 weeks ago Exited (255) 4 weeks ago 80/tcp
2385f732a426 busybox:1.36 "sh" 4 weeks ago Exited (255) 4 weeks ago
c0e4afbd408e busybox:1.36 "sh" 4 weeks ago Exited (255) 4 weeks ago
2c32bc391dc7 ejercicio4 "docker-entrypoint.s..." 4 weeks ago Exited (0) 4 weeks ago
011490fb1a47 c3belcclaa5 "/hello" 5 weeks ago Exited (0) 4 weeks ago charming_heyrovsky

C:\Users\USUARIO\taller-docker-git>
```

```
C:\Windows\System32\cmd.exe  +  v

011490fb1a47 c3belcclaa5 "/hello" 5 weeks ago Exited (0) 4 weeks ago charming_heyrovsky

C:\Users\USUARIO\taller-docker-git>docker run -d --name web -p 8080:80 nginx
cde4e4df05b351f7b75eb3e689d24ae53c8f7d9d908d018498c5fe420d53fc9d7

What's next:
  Debug this container error with Gordon + docker ai "help me fix this container error"
docker: Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint web (50be9981dcbc2c0fd299cb8e22be3b2ca8c5802526c47fd6
d7346484feb08f50): Bind for 0.0.0.0:8080 failed: port is already allocated

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm web
web

C:\Users\USUARIO\taller-docker-git>docker run -d --name web -p 8083:80 nginx
3c4644b1ff74be13ea65edcae94b0a236eb07dfc7318dcf5c4c6abba792974ba


C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS                               NAMES
3c4644b1ff74   nginx     "/docker-entrypoint..." 6 seconds ago Up 5 seconds  0.0.0.0:8083->80/tcp, [::]:8083->80/tcp   web
6d99e791f367   wordpress:latest "docker-entrypoint.s..." 13 days ago   Up 49 minutes  0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest "docker-entrypoint..." 13 days ago   Up 49 minutes  0.0.0.0:8081->80/tcp, [::]:8081->80/tcp   wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>docker logs -f web
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers.envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/03 17:55:21 [notice] 1#1: using the "poll" event method
2026/09/03 17:55:21 [notice] 1#1: nginx/1.31.5
2026/09/03 17:55:21 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/09/03 17:55:21 [notice] 1#1: OS: Linux 6.18.33.2-microsoft-standard-WSL2
2026/09/03 17:55:21 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2026/09/03 17:55:21 [notice] 1#1: start worker processes
2026/09/03 17:55:21 [notice] 1#1: start worker process 29
2026/09/03 17:55:21 [notice] 1#1: start worker process 30
2026/09/03 17:55:21 [notice] 1#1: start worker process 31
2026/09/03 17:55:21 [notice] 1#1: start worker process 32
2026/09/03 17:55:21 [notice] 1#1: start worker process 33
2026/09/03 17:55:21 [notice] 1#1: start worker process 34
2026/09/03 17:55:21 [notice] 1#1: start worker process 35
2026/09/03 17:55:21 [notice] 1#1: start worker process 36
2026/09/03 17:55:21 [notice] 1#1: start worker process 37
```

```
C:\Windows\System32\cmd.exe
C:\Users\USUARIO\taller-docker-git-docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS                               NAMES
3c4644b1ff74   nginx     "/docker-entrypoint..." 6 seconds ago  Up 5 seconds  0.0.0.0:8083->80/tcp, [::]:8083->80/tcp  web
6d99e791f367   wordpress:latest  "/docker-entrypoint.s..." 13 days ago   Up 49 minutes  0.0.0.0:8080->80/tcp, [::]:8080->80/tcp  wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest  "/docker-entrypoint..." 13 days ago   Up 49 minutes  0.0.0.0:8081->80/tcp, [::]:8081->80/tcp  wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git-docker logs -f web
/docker-entrypoint.sh: /docker-entrypoint.d/ is not empty, will attempt to perform configuration
/docker-entrypoint.sh: Looking for shell scripts in /docker-entrypoint.d/
/docker-entrypoint.sh: Launching /docker-entrypoint.d/10-listen-on-ipv6-by-default.sh
10-listen-on-ipv6-by-default.sh: info: Getting the checksum of /etc/nginx/conf.d/default.conf
10-listen-on-ipv6-by-default.sh: info: Enabled listen on IPv6 in /etc/nginx/conf.d/default.conf
/docker-entrypoint.sh: Sourcing /docker-entrypoint.d/15-local-resolvers envsh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/20-envsubst-on-templates.sh
/docker-entrypoint.sh: Launching /docker-entrypoint.d/30-tune-worker-processes.sh
/docker-entrypoint.sh: Configuration complete; ready for start up
2026/09/03 17:55:21 [notice] 1#1: using the "epoll" event method
2026/09/03 17:55:21 [notice] 1#1: nginx/1.31.5
2026/09/03 17:55:21 [notice] 1#1: built by gcc 14.2.0 (Debian 14.2.0-19)
2026/09/03 17:55:21 [notice] 1#1: OS: Linux 6.18.33.2-microsoft-standard-WSL2
2026/09/03 17:55:21 [notice] 1#1: getrlimit(RLIMIT_NOFILE): 1048576:1048576
2026/09/03 17:55:21 [notice] 1#1: start worker processes
2026/09/03 17:55:21 [notice] 1#1: start worker process 29
2026/09/03 17:55:21 [notice] 1#1: start worker process 30
2026/09/03 17:55:21 [notice] 1#1: start worker process 31
2026/09/03 17:55:21 [notice] 1#1: start worker process 32
2026/09/03 17:55:21 [notice] 1#1: start worker process 33
2026/09/03 17:55:21 [notice] 1#1: start worker process 34
2026/09/03 17:55:21 [notice] 1#1: start worker process 35
2026/09/03 17:55:21 [notice] 1#1: start worker process 36
2026/09/03 17:55:21 [notice] 1#1: start worker process 37
2026/09/03 17:55:21 [notice] 1#1: start worker process 38
2026/09/03 17:55:21 [notice] 1#1: start worker process 39
2026/09/03 17:55:21 [notice] 1#1: start worker process 40
172.17.0.1 -- [03/Sep/2026:17:55:32 +0000] "GET / HTTP/1.1" 200 896 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/152.0.0.0 Safari/537.36"
2026/09/03 17:55:32 [error] 29#29: *1 open() "/usr/share/nginx/html/favicon.ico" failed (2: No such file or directory), client: 172.17.0.1, server: localhost, request: "GET /favicon.ico HTTP/1.1", host: "localhost:8083", referer: "http://localhost:8083/"
172.17.0.1 -- [03/Sep/2026:17:55:32 +0000] "GET /favicon.ico HTTP/1.1" 404 555 "http://localhost:8083/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/152.0.0.0 Safari/537.36" "-"

C:\Users\USUARIO\taller-docker-git>
```



Práctica 3

```
C:\Users\USUARIO\taller-docker-git-docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS                               NAMES
3c4644b1ff74   nginx     "/docker-entrypoint..." 8 minutes ago  Up 8 minutes  0.0.0.0:8083->80/tcp, [::]:8083->80/tcp  web
6d99e791f367   wordpress:latest  "/docker-entrypoint.s..." 13 days ago   Up 57 minutes  0.0.0.0:8080->80/tcp, [::]:8080->80/tcp  wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest  "/docker-entrypoint..." 13 days ago   Up 57 minutes  0.0.0.0:8081->80/tcp, [::]:8081->80/tcp  wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git-docker exec -it web bash
root@3c4644b1ff74:/# ls /usr/share/nginx/html
50x.html  index.html
root@3c4644b1ff74:/# exit
exit

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug web
  Learn more at https://docs.docker.com/go/debug-cli/

C:\Users\USUARIO\taller-docker-git>
```

```

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug web
  Learn more at https://docs.docker.com/go/debug-cli/

C:\Users\USUARIO\taller-docker-git>docker exec web nginx -v
nginx version: nginx/1.31.5

C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
3c4644b1f474   nginx         "/docker-entrypoint...."  9 minutes ago Up 9 minutes   0.0.0.0:8083->80/tcp, [::]:8083->80/tcp   web
6d99e791f367   wordpress:latest "/docker-entrypoint.s..."  13 days ago   Up 58 minutes   0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest "/docker-entrypoint...."  13 days ago   Up 58 minutes   0.0.0.0:8081->80/tcp, [::]:8081->80/tcp   wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>docker exec -it web bash
root@3c4644b1f474:/# exit
exit

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug web
  Learn more at https://docs.docker.com/go/debug-cli/

C:\Users\USUARIO\taller-docker-git>docker exec basedatos psql -U admin -c "SELECT 1;"
Error response from daemon: No such container: basedatos

C:\Users\USUARIO\taller-docker-git>

```

Práctica 4

```

C:\Users\USUARIO\taller-docker-git>docker run -d --name db -e POSTGRES_USER=admin -e POSTGRES_PASSWORD=secreto -e POSTGRES_DB=tienda postgres:16
Unable to find image 'postgres:16' locally
16: Pulling from library/postgres
af7708f26521: Pull complete
5322d81b9b21: Pull complete
988d57697ad2: Pull complete
9bd242f28e75: Pull complete
3fa541d8cac9: Pull complete
4d710b756578: Pull complete
8a082189cfef1: Pull complete
f122bc3261fc: Pull complete
40d0761b6bfe: Pull complete
b3ffe1fd6e79: Pull complete
00034b17b963: Pull complete
9d1e9c1e61f4: Pull complete
9f809ec5ff35: Pull complete
266e5ab4e0e8: Download complete
344d251825bb: Download complete
Digest: sha256:f1c3376c26f2609ab9f29f71f824103fe2fcd8ee0346485cb6122a4f93df6f94
Status: Downloaded newer image for postgres:16
86fc804068ab2f967716e7f15743413ded41bae6b60b606b6c60ac51685612e1

C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
86fc804068ab   postgres:16   "/docker-entrypoint.s..."  10 seconds ago Up 8 seconds   5432/tcp                               db
3c4644b1f474   nginx         "/docker-entrypoint...."  17 minutes ago Up 17 minutes   0.0.0.0:8083->80/tcp, [::]:8083->80/tcp   web
6d99e791f367   wordpress:latest "/docker-entrypoint.s..."  13 days ago   Up About an hour   0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest "/docker-entrypoint...."  13 days ago   Up About an hour   0.0.0.0:8081->80/tcp, [::]:8081->80/tcp   wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>docker exec db psql -U admin -d tienda -c "SELECT 1;"
?column?
      1
(1 row)

C:\Users\USUARIO\taller-docker-git>

```

```
C:\Windows\System32\cmd.exe
C:\Users\USUARIO\taller-docker-git>docker rm mi-api
Error response from daemon: No such container: mi-api

C:\Users\USUARIO\taller-docker-git>docker run -d --name api --memory=512m --cpus=1.5 -p 3000:3000 node:20-alpine
Unable to find image 'node:20-alpine' locally
20-alpine: Pulling from library/node
Digest: sha256:fb4ed12c05ee93686fa5362a0b8d56d58c58a04632ec0fb8363f609372293
Status: Downloaded newer image for node:20-alpine
0cf287add0668f82fac46fb0a984aaacd545930581c8db40228ad0b6562d7a9

C:\Users\USUARIO\taller-docker-git>docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED              STATUS              PORTS
0cf287add066   node:20-alpine  "docker-entrypoint.s..." 11 seconds ago      Exited (0) 10 seconds ago
86fc808068ab   postgres:16     "docker-entrypoint.s..." 10 minutes ago      Up 10 minutes       5432/tcp
3c4644b1ff74   nginx           "/docker-entrypoint..." 27 minutes ago      Up 27 minutes       0.0.0.0:8083->80/tcp, [::]:8083->80/tcp
094911df87d2   ubuntu:24.04    "bash"                    29 minutes ago      Exited (0) 29 minutes ago
90f1bce12a24   kichase/stable:v0.0.50 "/usr/local/bin/entr..." 7 days ago          Exited (255) About an hour ago 127.0.0.1:32768->22/tcp, 127.0.0.1:32769->2376/tcp, 127.0.0.1:32770->5000/tcp, 127.0.0.1:32771->8443/tcp, 127.0.0.1:32772->32443/tcp
8cceaa142883   ejercicio-api    "uvicorn src.main:ap..." 13 days ago         Exited (0) 6 days ago
6d99e791f367   wordpress:latest "docker-entrypoint.s..." 13 days ago         Up About an hour      0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
13726c7fc76c   phpmysadmin/phpmysadmin:latest "/docker-entrypoint..." 13 days ago         Up About an hour      0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
7ff33115df37   fastapi-api      "uvicorn main:app --..." 3 weeks ago         Exited (0) 3 weeks ago
97a703145130   php-api         "docker-php-entrypoi..." 3 weeks ago         Exited (0) 3 weeks ago
c3634320ebe0   node-api        "docker-entrypoint.s..." 3 weeks ago         Exited (137) 3 weeks ago
a7fb81a3988e   mi-app:1.0      "python app.py"          4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:5000->5000/tcp
3134fa28d24a   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 80/tcp
a799168cc91c   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:8080->80/tcp
4ef673699997   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (0) 3 weeks ago
3903c5029f62   postgres:16.9   "docker-entrypoint.s..." 4 weeks ago         Exited (1) 4 weeks ago
4fe21696687d   postgres:16.9   "docker-entrypoint.s..." 4 weeks ago         Exited (0) 4 weeks ago
d51b9b779754   mi-app:v1       "docker-entrypoint.s..." 4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:3000->3000/tcp
d22b80f51fba   busybox:1.36    "sh"                     4 weeks ago         Exited (255) 4 weeks ago
```

```
C:\Windows\System32\cmd.exe
13726c7fc76c   phpmysadmin/phpmysadmin:latest "/docker-entrypoint..." 13 days ago         Up About an hour      0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
7ff33115df37   fastapi-api      "uvicorn main:app --..." 3 weeks ago         Exited (0) 3 weeks ago
97a703145130   php-api         "docker-php-entrypoi..." 3 weeks ago         Exited (0) 3 weeks ago
c3634320ebe0   node-api        "docker-entrypoint.s..." 3 weeks ago         Exited (137) 3 weeks ago
a7fb81a3988e   mi-app:1.0      "python app.py"          4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:5000->5000/tcp
3134fa28d24a   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 80/tcp
a799168cc91c   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:8080->80/tcp
4ef673699997   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (0) 3 weeks ago
3903c5029f62   postgres:16.9   "docker-entrypoint.s..." 4 weeks ago         Exited (1) 4 weeks ago
4fe21696687d   postgres:16.9   "docker-entrypoint.s..." 4 weeks ago         Exited (0) 4 weeks ago
d51b9b779754   mi-app:v1       "docker-entrypoint.s..." 4 weeks ago         Exited (255) 4 weeks ago 0.0.0.0:3000->3000/tcp
d22b80f51fba   busybox:1.36    "sh"                     4 weeks ago         Exited (255) 4 weeks ago
0fb4e8d7bffc   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 80/tcp
9c2c46f02283   busybox:1.36    "sh"                     4 weeks ago         Exited (255) 4 weeks ago
30a4d600025a   nginx:1.25      "/docker-entrypoint..." 4 weeks ago         Exited (255) 4 weeks ago 80/tcp
2385f732a426   busybox:1.36    "sh"                     4 weeks ago         Exited (255) 4 weeks ago
c0e4afbd408e   busybox:1.36    "sh"                     4 weeks ago         Exited (255) 4 weeks ago
2c32bc391dc7   ejercicio04     "docker-entrypoint.s..." 4 weeks ago         Exited (0) 4 weeks ago
011490fb1a47   c3belcc1aa5    "/hello"                 5 weeks ago         Exited (0) 4 weeks ago
charming_heyrovsky


C:\Users\USUARIO\taller-docker-git>
```

```
C:\Users\USUARIO\taller-docker-git>docker rm api
api

C:\Users\USUARIO\taller-docker-git>docker run -d --name api --memory=512m --cpus=1.5 -p 3000:80 nginx:alpine
d5283637bf0616563d642e2e88fef06f789ef0117c575fe40f4a9bb2f5dbb8

C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED              STATUS              PORTS              NAMES
d5283637bf06   nginx:alpine  "docker-entrypoint.s..." 6 seconds ago       Up 5 seconds       0.0.0.0:3000->80/tcp, [::]:3000->80/tcp  api
86fc808068ab   postgres:16     "docker-entrypoint.s..." 11 minutes ago      Up 11 minutes       5432/tcp           db
3c4644b1ff74   nginx         "/docker-entrypoint..." 28 minutes ago      Up 28 minutes       0.0.0.0:8083->80/tcp, [::]:8083->80/tcp  web
6d99e791f367   wordpress:latest "docker-entrypoint.s..." 13 days ago         Up About an hour    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp  wordpress_app
13726c7fc76c   phpmysadmin/phpmysadmin:latest "/docker-entrypoint..." 13 days ago         Up About an hour    0.0.0.0:8081->80/tcp, [::]:8081->80/tcp  wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>
```



Práctica 5

```
C:\Users\USUARIO\taller-docker-git>docker run -d --name db -p 5432:5432 -e POSTGRES_PASSWORD=secreto postgres:16

What's next:
  Debug this container error with Gordon + docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name "/db" is already in use by container "86fc804068ab2f967716e7f15743413ded41bae6b60b606b6c60ac51685612e1". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>
```

```
Run 'docker run --help' for more information
docker run -d --name db2 -p 5432:5432 -e POSTGRES_PASSWORD=secreto postgres:16
cefa4b0755276fa9ea638c0708ec139733a5ba8c78ff2f74b7d5267643e1c5c7

C:\Users\USUARIO\taller-docker-git>
```

```
C:\Users\USUARIO\taller-docker-git>docker images
"docker" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\Users\USUARIO\taller-docker-git>docker images
```

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
busybox:1.36	72aaf090f3d0	6.70MB	2.21MB	
dpkg/pgadmin4:latest	2f4ice946ddf8	778MB	182MB	
ejercicio-api:latest	2ef764fc8114	238MB	55.1MB	
ejercicio-app:latest	08769d55231d	251MB	68.8MB	
ejercicio4:latest	4ccc7e9aad4ca	193MB	48.4MB	
escenario3-redis-cache-app:latest	737971cc0217	251MB	66.8MB	
fastapi-api:latest	c9de7fa5b5a2	226MB	54.8MB	
hello-world:latest	7f4da0fc94bc	25.9kB	9.49kB	
micbase/stable-v0.0.50	097074509ae9	1.94GB	545MB	
micbase/stable@sha256:eb4fec08e8ad70adf8e6436f195cc429825ffb85f95afcdb5d8d9deb576f3e93	eb4fec08e8ad	1.94GB	545MB	
mysql:10.11	8020e05c4c49	458MB	109MB	
mi-app:1.0	c7aa8e04a9aa	197MB	48.2MB	
mi-app:latest	cde4890d02f1	92.7MB	26.1MB	
mi-app:v1	0e7e9599d11f	208MB	50.8MB	
mi-nginx:v1	516475cc129d	75.4MB	21.7MB	
nginx:1.25	a484819eb082	276MB	73.9MB	
nginx:alpine	4a79073bd557	93.6MB	27MB	
nginx:latest	05b8cb60c354	253MB	69.2MB	
node-api:latest	6db04d6d5a30	196MB	47.2MB	
node:20-alpine	f04cd12c85ee	194MB	48.8MB	
php-api:latest	ad566cccc32e	707MB	176MB	
phpmyadmin/phpmyadmin:latest	42a200db07b4	1.09GB	221MB	
postgres:15-alpine	fe0737ba566a	417MB	116MB	
postgres:16	f1c3376c26f2	642MB	166MB	
postgres:16.9	d6d63e0715e3	643MB	166MB	
python:3.11-slim	9c900dea9e8f	189MB	47.7MB	
redis:7	71da9275c5f3	170MB	46MB	
redis:7-alpine	f402058f971e	57.8MB	16.8MB	
ubuntu:24.04	33ceb71581b6	119MB	31.7MB	
wordpress:latest	2b6ff600ec43	1.13GB	286MB	

```
C:\Users\USUARIO\taller-docker-git>
```

Practica 6

```
What's next:
  Debug this container error with Gordon + docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name "/db" is already in use by container "86fc804068ab2f967716e7f15743413ded41bae6b60b606b6c60ac51685612e1". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker run -d --name dbv -v datos_db:/var/lib/postgresql/data -e POSTGRES_PASSWORD=secreto postgres:16
386a5de33166daac8163e7ad2f137ca5f405db32b78196248b7821d8f644497b

C:\Users\USUARIO\taller-docker-git>
```

```
C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID        IMAGE               COMMAND             CREATED             STATUS              PORTS              NAMES
386a5de33166       postgres:16        "docker-entrypoint.s..." About a minute ago Up About a minute 5432/tcp           dbv
cefa4b075527       postgres:16        "docker-entrypoint.s..." 9 minutes ago      Up 9 minutes       0.0.0.0:5432->5432/tcp, [::]:5432->5432/tcp db2
d5283c37b6f66     nginx:alpine       "/docker-entrypoint..." 16 minutes ago     Up 16 minutes      0.0.0.0:3000->80/tcp, [::]:3000->80/tcp api
86fe884085bab     postgres:16        "docker-entrypoint.s..." 28 minutes ago     Up 28 minutes      5432/tcp           db
3c4644b1ff74      nginx              "/docker-entrypoint..." 45 minutes ago     Up 45 minutes      0.0.0.0:8083->80/tcp, [::]:8083->80/tcp web
6d99e791f367      wordpress:latest   "docker-entrypoint.s..." 13 days ago        Up 2 hours         0.0.0.0:8080->80/tcp, [::]:8080->80/tcp wordpress_app
13726c7fc76c      phpmyadmin/phpmyadmin:latest "docker-entrypoint..." 13 days ago        Up 2 hours         0.0.0.0:8081->80/tcp, [::]:8081->80/tcp wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>docker volume ls
DRIVER              VOLUME NAME
local               3c8c8821c626a5658d99615d70a2182da628596864088f17bb838db7e8887947
local               5e8c36e370d09e88af8fb34f194e7f6d98218223347e6266eala9a635aae8c68
local               94ce7fc74f27338f9add5cf6281166830813d5571844bf28da7ae007f7234184
local               c7a2ea93752f976861628b484ae6b4aaef85f789ef7d2c1b7fa9f411d73c73c8
local               cdb3a9d137cf19188d31f97bbe08540185f26e3d2417427b2eae168b79f6c8c
local               d278326af8efca85e437a688c3da64e9bd89ab481a8d19860b79f2438c7936fdd
local               datos
local               datos_db
local               datos_web
local               ejercicio9_datos_postgres
local               ejercicio_db_data
local               ejercicio_mi_wordpress_data
local               ejercicio_pg_data
local               ejercicio_redis_data
local               escenario3_pg_data
local               escenario3_redis_data
local               f07ae943dc75a16583586a595b75fc83c6913779bdeeca96b9aca403db424977
local               mi_wordpress_data
local               minikube
```

```
C:\Users\USUARIO\taller-docker-git>docker run -d --name web -v $(pwd)/sitio:/usr/share/nginx/html -p 8080:80 nginx

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name '/web' is already in use by container "3c4644b1ff74bel3ea65edcae94b8a236eb07dfc7310dcf5c4c6abba792974ba". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>
```

Practica 7

```
C:\Users\USUARIO\taller-docker-git>docker run -d --name servidor --network mired nginx

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
docker: Error response from daemon: Conflict. The container name '/servidor' is already in use by container "3134fa28d24a76f8c9162cd8a6dda44e8ca79a387b7adacd9f64fed30a32b948". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

C:\Users\USUARIO\taller-docker-git>docker rm -f servidor
servidor

C:\Users\USUARIO\taller-docker-git>docker run -d --name servidor --network mired nginx
4ff97d14f781e8c28577a01a9288fe9e952b5c2af077e8f4714f146aid15ae9e

C:\Users\USUARIO\taller-docker-git>docker run --rm -it --network mired busybox ping -c 2 servidor
Unable to find image 'busybox:latest' locally
latest: Pulling from library/busybox
b05893807bb0: Pull complete
7278b3e1866c: Download complete
Digest: sha256:dc274028e4cf8984fa52af1f39bc7c3d9c73760b41a74d629f5d11blab28616
Status: Downloaded newer image for busybox:latest
PING servidor (172.24.0.2): 56 data bytes
64 bytes from 172.24.0.2: seq=0 ttl=64 time=1.394 ms
64 bytes from 172.24.0.2: seq=1 ttl=64 time=0.883 ms

--- servidor ping statistics ---
2 packets transmitted, 2 packets received, 0% packet loss
round-trip min/avg/max = 0.883/0.738/1.394 ms

C:\Users\USUARIO\taller-docker-git>
```

Practica 8


```
C:\Users\USUARIO\taller-docker-git>docker rm -f db
db

C:\Users\USUARIO\taller-docker-git>docker network create red_demo
b8187aad4edfaa3a14d2f873f3e5ce6a938b4b1d8e85d2a598d23f1967de7e3c

C:\Users\USUARIO\taller-docker-git>docker volume create vol_demo
vol_demo

C:\Users\USUARIO\taller-docker-git>docker run -d --name db --network red_demo -v vol_demo:/var/lib/postgresql/data -e POSTGRES_PASSWORD=demo postgres:16
79c689a195e45ad9c914c91089853b9384f246ef2c96c75d8bd28a4fc106cf8928

C:\Users\USUARIO\taller-docker-git>docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS                               NAMES
79c689a195e4   postgres:16  "docker-entrypoint.s..." 5 seconds ago  Up 5 seconds  5432/tcp                            db
4ff97d14f781   nginx       "/docker-entrypoint..." 3 minutes ago  Up 3 minutes  80/tcp                             servidor
36da5de39166   postgres:16  "docker-entrypoint.s..." 12 minutes ago  Up 12 minutes  5432/tcp                            dbv
cefa4b075527   postgres:16  "docker-entrypoint.s..." 20 minutes ago  Up 20 minutes  0.0.0.0:5432->5432/tcp, [::]:5432->5432/tcp  db2
d5283e37bf86   nginx:alpine  "/docker-entrypoint..." 27 minutes ago  Up 27 minutes  0.0.0.0:3000->80/tcp, [::]:3000->80/tcp  api
3c4644b1ff74   nginx       "/docker-entrypoint..." 56 minutes ago  Up 56 minutes  0.0.0.0:8083->80/tcp, [::]:8083->80/tcp  web
6d99e791f367   wordpress:latest  "docker-entrypoint.s..." 13 days ago    Up 2 hours    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp  wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest  "docker-entrypoint..." 13 days ago    Up 2 hours    0.0.0.0:8081->80/tcp, [::]:8081->80/tcp  wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git>docker exec -it db psql -U postgres
psql (16.15 (Debian 16.15-1.pgdg13+2))
Type "help" for help.

postgres=# CREATE TABLE notas(t text);
CREATE TABLE
postgres=# INSERT INTO notas VALUES ('sobrevivi');
INSERT 0 1
postgres=# SELECT * FROM notas;
      t
-----
sobrevivi
(1 row)

postgres=# \q

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug db
  Learn more at https://docs.docker.com/go/debug-cli/

C:\Users\USUARIO\taller-docker-git>docker rm -f db
db
```

```
C:\Windows\System32\cmd.exe x  +  v

postgres=# \q

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug db
  Learn more at https://docs.docker.com/go/debug-cli/

C:\Users\USUARIO\taller-docker-git>docker rm -f db
db

C:\Users\USUARIO\taller-docker-git>docker volume ls
DRIVER      VOLUME NAME
local      3c8c8921e626a5858490615d70a2102da620596064080f17eb838db7e8887947
local      5e0c36e320d09ae88af0fb34f194e7f6d98210223347e6206eala9a635aae8c68
local      94ce7fc74f27338f9add5cf6281166030813d5571844bf28da7ae087f7234184
local      c/a2ea9375f976861628b484ae6b4aaef85f789ef7d2c157fa94f11d73c73c8
local      cdb2a49d137cf29108e31f970bce085401e5f26e3d2417427b2aae168b79f6e8e
local      d278326af8efce85e437a68e3da64e9bd89ab401a8d19860b79f2438c7936fdd
local      datos
local      datos_db
local      datos_web
local      ejercicio9_datos_postgres
local      ejercicio_db_data
local      ejercicio_mi_wordpress_data
local      ejercicio_pg_data
local      ejercicio_redis_data
local      escenario3_pg_data
local      escenario3_redis_data
local      fb7ee943dc75a16583506a595b75fc83c6913779bdeeca96b9aca403db424977
local      mi_wordpress_data
local      minikube
local      vol_demo

C:\Users\USUARIO\taller-docker-git>docker run -d --name db --network red_demo -v vol_demo:/var/lib/postgresql/data -e POSTGRES_PASSWORD=demo postgres:16
3a33f188083a067d17e9ed12710f92a5e87f3342e9df52d1d324bb2dc526b94f

C:\Users\USUARIO\taller-docker-git>docker exec -it db psql -U postgres
psql (16.15 (Debian 16.15-1.pgdg13+2))
Type "help" for help.

postgres=# SELECT * FROM notas;
      t
-----
sobrevivi
(1 row)
```

Practica 9

```

C:\Windows\System32\cmd.exe
Microsoft Windows [Versión 10.0.26200.8246]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\USUARIO\taller-docker-git\03-09-2026>code .

C:\Users\USUARIO\taller-docker-git\03-09-2026>cd ..

C:\Users\USUARIO\taller-docker-git>code .

C:\Users\USUARIO\taller-docker-git>RUN pip install flask
"RUN" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\Users\USUARIO\taller-docker-git>cd 03-09-2026

C:\Users\USUARIO\taller-docker-git\03-09-2026>dir
El volumen de la unidad C es WINDOWS
El número de serie del volumen es: 0219-0537

Directorio de C:\Users\USUARIO\taller-docker-git\03-09-2026

03/09/2026  15:05    <DIR>        .
03/09/2026  15:01    <DIR>        ..
03/09/2026  15:05                157 app.py
03/09/2026  15:02                158 Dockerfile
                2 archivos             315 bytes
                2 dirs 101.769.478.144 bytes libres

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker build -t mi-app:1.0 .
[+] Building 1.6s (8/10)   docker:desktop-linux
=> [internal] load build definition from Dockerfile   0.0s
=> => transferring dockerfile: 197B   0.0s
=> [internal] load metadata for docker.io/library/python:3.12-slim 1.5s
=> [auth] library/python:pull token for registry-1.docker.io   0.0s
=> [internal] load .dockerignore   0.0s
=> => transferring context: 2B   0.0s
=> CANCELED [1/5] FROM docker.io/library/python:3.12-slim@sha256:783 0.0s
=> => resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b 0.0s
=> [internal] load build context   0.0s
=> => transferring context: 391B   0.0s
=> CACHED [2/5] WORKDIR /app   0.0s

```

```

=> CANCELED [1/5] FROM docker.io/library/python:3.12-slim@sha256:783 0.0s
=> => resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b 0.0s
=> [internal] load build context   0.0s
=> => transferring context: 391B   0.0s
=> CACHED [2/5] WORKDIR /app   0.0s
=> ERROR [3/5] COPY requirements.txt . 0.0s

> [3/5] COPY requirements.txt .:
-----
Dockerfile:5
-----
3 |     WORKDIR /app
4 |
5 |     >>> COPY requirements.txt .
6 |
7 |     RUN pip install -r requirements.txt
-----
ERROR: failed to build: failed to solve: failed to compute cache key: failed to calculate checksum of ref mjk0ey39iii7m4f4tcgaw4leb::kez4mnvt8o0ysweile6mljf
tt: "/requirements.txt": not found

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/yt5izk9ao2k6d5269k6d3g4wf

What's next:
  Debug this build failure with Gordon → docker ai "help me fix this build failure"

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker build -t mi-app:1.0 .
[+] Building 8.3s (9/9) FINISHED   docker:desktop-linux
=> [internal] load build definition from Dockerfile   0.0s
=> => transferring dockerfile: 159B   0.0s
=> [internal] load metadata for docker.io/library/python:3.12-slim 0.4s
=> [internal] load .dockerignore   0.0s
=> => transferring context: 2B   0.0s
=> [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b 4.0s
=> => resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b 0.0s
=> => sha256:56235e4245636e401a28cf88944d543b29ee928ae3b 249B / 249B 0.1s
=> => sha256:1560cfed01dc4c72c07f789d860078d74466a 12.12MB / 12.12MB 3.4s
=> => sha256:dbd0b7849a6c06b61e1fa6b7ffe053f246ce007 4.27MB / 4.27MB 3.4s
=> => extracting sha256:dbd0b7849a6c06b61e1fa6b7ffe053f246ce00758906 0.2s
=> => extracting sha256:1560cfed01dc4c72c07f789d860078d74466a1f9a26b 0.4s
=> => extracting sha256:56235e4245636e401a28cf88944d543b29ee928ae3b6 0.0s
=> [internal] load build context   0.0s

```


```
C:\Windows\System32\cmd.exe +
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/yt5izk9ao2k6d5269k8d3g4wf

What's next:
  Debug this build failure with Gordon → docker ai "help me fix this build failure"

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker build -t mi-app:1.0 .
[+] Building 8.3s (9/9) FINISHED    docker:desktop-linux
=> [internal] load build definition from Dockerfile                                0.0s
=> => transferring dockerfile: 159B                                              0.0s
=> [internal] load metadata for docker.io/library/python:3.12-slim              0.4s
=> [internal] load .dockerignore                                                 0.0s
=> => transferring context: 28                                                    0.0s
=> [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b          4.0s
=> resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b            0.0s
=> sha256:56235e4245636e401a28cf88944d543b29ae028ae3b 249B / 249B          0.1s
=> sha256:1568cfed01dc4c72ce07f789d860078d74466a 12.12MB / 12.12MB         3.4s
=> sha256:dbd0b7849a6c06b61efa6b7ffe053f246ce087 4.27MB / 4.27MB           3.4s
=> extracting sha256:dbd0b7849a6c06b61efa6b7ffe053f246ce08758906            0.2s
=> extracting sha256:1568cfed01dc4c72ce07f789d860078d74466a1f9a26b         0.4s
=> extracting sha256:56235e4245636e401a28cf88944d543b29ae028ae3b6          0.0s
=> [internal] load build context                                                0.0s
=> => transferring context: 192B                                                 0.0s
=> [2/4] WORKDIR /app                                                          0.1s
=> [3/4] RUN pip install flask                                                 2.8s
=> [4/4] COPY app.py .                                                         0.0s
=> exporting to image                                                          0.8s
=> => exporting layers                                                            0.5s
=> exporting manifest sha256:8e0b706bd368372c41029aec5b05a6c84727          0.0s
=> exporting config sha256:b1cd82291dbb69e4bf6acc658b3ad120d4fc28          0.0s
=> exporting attestation manifest sha256:bec2ab57e910c4041e70ec8e          0.0s
=> exporting manifest list sha256:7381cb42f87e87af8b297dc8383169          0.0s
=> naming to docker.io/library/mi-app:1.0                                    0.0s
=> unpacking to docker.io/library/mi-app:1.0                                  0.2s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/uz7pxvte7lsr698qe1481tmg9

C:\Users\USUARIO\taller-docker-git\03-09-2026>
```



Practica 10

```
View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/uz7pxvte7lsr698qe1481tmg9

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker run -d --name app1 -p 5000:5000 mi-app:1.0
fa44ced4de3c9cd696cc4af5fa11009576f8f0ecffe7c06aeb8dc31c3cfc071

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS
NAMES
fa44ced4de3c   mi-app:1.0     "python app.py"         4 seconds ago Up 4 seconds  0.0.0.0:5000->5000/tcp, [::]:5000->5000/tcp
app1
3a33f188093a   postgres:16    "docker-entrypoint.s..." About an hour ago Up About an hour 5432/tcp
db
4ff97d14f701   nginx          "/docker-entrypoint..." About an hour ago Up About an hour 80/tcp
servidor
386a5de33166   postgres:16    "docker-entrypoint.s..." 2 hours ago   Up 2 hours    5432/tcp
dbv
cefa4b075527   postgres:16    "docker-entrypoint.s..." 2 hours ago   Up 2 hours    0.0.0.0:5432->5432/tcp, [::]:5432->5432/tcp
db2
d5283e37bf06   nginx:alpine   "/docker-entrypoint..." 2 hours ago   Up 2 hours    0.0.0.0:3000->80/tcp, [::]:3000->80/tcp
api
3c4644b1ff74   nginx          "/docker-entrypoint..." 2 hours ago   Up 2 hours    0.0.0.0:8083->80/tcp, [::]:8083->80/tcp
web
6d99e791f367   wordpress:latest "docker-entrypoint.s..." 2 weeks ago   Up 3 hours    0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
wordpress_app
13726c7fc76c   phpmyadmin/phpmyadmin:latest "/docker-entrypoint..." 2 weeks ago   Up 3 hours    0.0.0.0:8081->80/tcp, [::]:8081->80/tcp
wordpress_phpmyadmin

C:\Users\USUARIO\taller-docker-git\03-09-2026>curl localhost:5000
Hola desde mi contenedor

C:\Users\USUARIO\taller-docker-git\03-09-2026>
```

```
← → ↺ localhost:5000
★ 🌐 ⋮

Hola desde mi contenedor
```

Practica 11

```
C:\Windows\System32\cmd.exe x + v
C:\Users\USUARIO\taller-docker-git\03-09-2026>curl localhost:5000
Hola desde mi contenedor
C:\Users\USUARIO\taller-docker-git\03-09-2026>docker compose up -d
#1 [internal] load local bake definitions
#1 reading from stdin 545B 0.0s done
#1 DONE 0.0s

#2 [internal] load build definition from Dockerfile
#2 transferring dockerfile: 159B done
#2 DONE 0.0s

#3 [internal] load metadata for docker.io/library/python:3.12-slim
#3 ...

#4 [auth] library/python:pull token for registry-1.docker.io
#4 DONE 0.0s

#3 [internal] load metadata for docker.io/library/python:3.12-slim
#3 DONE 0.8s

#5 [internal] load .dockerignore
#5 transferring context: 2B done
#5 DONE 0.0s

#6 [internal] load build context
#6 transferring context: 28B done
#6 DONE 0.0s

#7 [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565a61ac9b536e184ea
#7 resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565a61ac9b536e184ea 0.0s done
#7 DONE 0.0s

#8 [2/4] WORKDIR /app
#8 CACHED

#9 [3/4] RUN pip install flask
#9 CACHED

#10 [4/4] COPY app.py .
#10 CACHED
```

```
C:\Windows\System32\cmd.exe

#7 [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565ae1ac9b536e184ea
#7 resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565ae1ac9b536e184ea 0.0s done
#7 DONE 0.0s

#8 [2/4] WORKDIR /app
#8 CACHED

#9 [3/4] RUN pip install flask
#9 CACHED

#10 [4/4] COPY app.py .
#10 CACHED

#11 exporting to image
#11 exporting layers done
#11 exporting manifest sha256:047c177604f53d7dd57e7fc042bdf6836a95c1819ca94908e832a223310a51de 0.0s done
#11 exporting config sha256:7f5fe507fb9de5736890e9528510c84feb2caa6064d3af1ca6dc529af9f37b4c
#11 exporting config sha256:7f5fe507fb9de5736890e9528510c84feb2caa6064d3af1ca6dc529af9f37b4c 0.0s done
#11 exporting attestation manifest sha256:378d2822b3f9db86b50d43f0eda6e9401860806f371b677e62667635b8007bcbf 0.0s done
#11 exporting manifest list sha256:c7d79504f0017ef49fed8ec58ad9bc18008838cbe961aad4ea3060455c28a88b 0.0s done
#11 naming to docker.io/library/03-09-2026-web:latest done
#11 unpacking to docker.io/library/03-09-2026-web:latest 0.0s done
#11 DONE 0.2s

#12 resolving provenance for metadata file
#12 DONE 0.0s
[+] up 4/5
✔Image 03-09-2026-web Built 1.8s
✔Network 03-09-2026_default Created 0.1s
✔Volume 03-09-2026_datos Created 0.0s
✔Container 03-09-2026-db-1 Started 0.7s
- Container 03-09-2026-web-1 Starting 0.8s
Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint 03-09-2026-web-1 (f6a7288ea546407a2d2e8d45cebeaaf56586f07681ae87c6b904e95fe678b2f5): Bind for 0.0.0.0:8080 failed: port is already allocated

What's next:
  Debug this Compose error with Gordon → docker ai "help me fix this compose error"

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker compose up -d
[+] up 2/2
```

```
C:\Windows\System32\cmd.exe

#10 CACHED

#11 exporting to image
#11 exporting layers done
#11 exporting manifest sha256:047c177604f53d7dd57e7fc042bdf6836a95c1819ca94908e832a223310a51de 0.0s done
#11 exporting config sha256:7f5fe507fb9de5736890e9528510c84feb2caa6064d3af1ca6dc529af9f37b4c
#11 exporting config sha256:7f5fe507fb9de5736890e9528510c84feb2caa6064d3af1ca6dc529af9f37b4c 0.0s done
#11 exporting attestation manifest sha256:378d2822b3f9db86b50d43f0eda6e9401860806f371b677e62667635b8007bcbf 0.0s done
#11 exporting manifest list sha256:c7d79504f0017ef49fed8ec58ad9bc18008838cbe961aad4ea3060455c28a88b 0.0s done
#11 naming to docker.io/library/03-09-2026-web:latest done
#11 unpacking to docker.io/library/03-09-2026-web:latest 0.0s done
#11 DONE 0.2s


#12 resolving provenance for metadata file
#12 DONE 0.0s
[+] up 4/5
✔Image 03-09-2026-web Built 1.8s
✔Network 03-09-2026_default Created 0.1s
✔Volume 03-09-2026_datos Created 0.0s
✔Container 03-09-2026-db-1 Started 0.7s
- Container 03-09-2026-web-1 Starting 0.8s
Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint 03-09-2026-web-1 (f6a7288ea546407a2d2e8d45cebeaaf56586f07681ae87c6b904e95fe678b2f5): Bind for 0.0.0.0:8080 failed: port is already allocated

What's next:
  Debug this Compose error with Gordon → docker ai "help me fix this compose error"

C:\Users\USUARIO\taller-docker-git\03-09-2026>docker compose up -d
[+] up 2/2
✔Container 03-09-2026-db-1 Running 0.0s
✔Container 03-09-2026-web-1 Started 0.5s

C:\Users\USUARIO\taller-docker-git\03-09-2026>
```

Práctica 12



```
03-09-2026 > miniblog > Dockerfile
1 FROM python:3.12-slim
2
3 WORKDIR /app
4
5 RUN pip install flask psycopg2-binary
6
7 COPY app.py .
8
9 EXPOSE 5000
10
11 CMD ["python", "app.py"]
```

```
03-09-2026 > miniblog > app.py > ...
1 import os
2 from flask import Flask
3 import psycopg2
4
5 app = Flask(__name__)
6
7 @app.route("/")
8 def inicio():
9     db_host = os.getenv("DB_HOST", "db")
10
11     conexion = psycopg2.connect(
12         host=db_host,
13         database="postgres",
14         user="postgres",
15         password="secreto"
16     )
17
18     cursor = conexion.cursor()
19     cursor.execute("SELECT 1;")
20     cursor.close()
21     conexion.close()
22
23     return "MiniBlog funcionando y conectado a PostgreSQL"
24
25 app.run(host="0.0.0.0", port=5000)
```

```
C:\Windows\System32\cmd.exe
C:\Users\USUARIO\taller-docker-git\03-09-2026\miniblog>
C:\Users\USUARIO\taller-docker-git\03-09-2026\miniblog>docker compose up -d --build
#1 [internal] load local bake definitions
#1 reading from stdin 561B 0.0s done
#1 DONE 0.0s

#2 [internal] load build definition from Dockerfile
#2 transferring dockerfile: 177B 0.0s done
#2 DONE 0.0s

#3 [internal] load metadata for docker.io/library/python:3.12-slim
#3 DONE 0.5s

#4 [internal] load .dockerignore
#4 transferring context: 2B done
#4 DONE 0.0s

#5 [internal] load build context
#5 transferring context: 546B done
#5 DONE 0.0s

#6 [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565ae1ac9b536e184ea
#6 resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565ae1ac9b536e184ea 0.0s done
#6 DONE 0.0s

#7 [2/4] WORKDIR /app
#7 CACHED

#8 [3/4] RUN pip install flask psycopg2-binary
#8 CACHED

#9 [4/4] COPY app.py .
#9 DONE 0.0s

#10 exporting to image
#10 exporting layers 0.1s done
#10 exporting manifest sha256:a0c3480ce92076f67d2d7c82c11c3b5adcb773a3f08c65ced486f6e338b5b4589 0.0s done
#10 exporting config sha256:0578d872bca24b66d3e0a48e39b6edea796b815f80fbff25f4b4a2c863366b7f 0.0s done
#10 exporting attestation manifest sha256:6923bfb8e7efbda2f1025158b2e86f84614a321f07becf6fa4a96f023b24299f 0.0s done
#10 exporting manifest list sha256:0fc57dba2580588f999a4d9221d66884b9b0fa0c175a45bc559dca5969a76f86 0.0s done
```

```
C:\Windows\System32\cmd.exe
#5 [internal] load build context
#5 transferring context: 546B done
#5 DONE 0.0s

#6 [1/4] FROM docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565a1ac9b536e184ea
#6 resolve docker.io/library/python:3.12-slim@sha256:78387bc3881b8273120a12ebe6c1ab22b018ccc2c9adf565a1ac9b536e184ea 0.0s done
#6 DONE 0.0s

#7 [2/4] WORKDIR /app
#7 CACHED

#8 [3/4] RUN pip install flask psycpg2-binary
#8 CACHED

#9 [4/4] COPY app.py .
#9 DONE 0.0s

#10 exporting to image
#10 exporting layers 0.1s done
#10 exporting manifest sha256:a0c3480ce92076f67d2d7c82c11c3b5adcb773a3f08c65ec486f6e338b5b4589 0.0s done
#10 exporting config sha256:0578d872bca24b66d3e0a48e39b6edea796b815f80fbff25f4b4a2c863366b7f 0.0s done
#10 exporting attestation manifest sha256:6923bfb8e7efbda2f1025158b2e86f84614a321f07becf6fa4a96f023b24299f 0.0s done
#10 exporting manifest list sha256:0fc57dba2580588f999a4d9221d66884b9b0fa0c175a45bc559dca5969a76f86 0.0s done
#10 naming to docker.io/library/miniblog-web:latest
#10 naming to docker.io/library/miniblog-web:latest done
#10 unpacking to docker.io/library/miniblog-web:latest 0.0s done
#10 DONE 0.3s

#11 resolving provenance for metadata file
#11 DONE 0.1s
[+] up 3/3
✔Image miniblog-web Built 2.0s
✔Container miniblog-db-1 Running 0.0s
✔Container miniblog-web-1 Started 11.1s

C:\Users\USUARIO\taller-docker-git\03-09-2026\miniblog>curl localhost:8086
MiniBlog funcionando y conectado a PostgreSQL
C:\Users\USUARIO\taller-docker-git\03-09-2026\miniblog>
```

localhost:8086

MiniBlog funcionando y conectado a PostgreSQL

Práctica 13

github.com/JuanEstebanLT/taller-docker-git/actions/runs/33904078191

Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

CI/CD FastAPI Docker

fix: agregar PostgreSQL al workflow CI del MiniBlog #9

Re-run all jobs

Summary

All jobs

Ejecutar pruebas

Build y análisis de seguridad

Publicar imagen Docker

Run details

Usage

Workflow file

Triggered via push 1 minute ago

JuanEstebanLT pushed • cce9dc v1.0.1

Status Success

Total duration 1m 53s

Artifacts 1

ci-cd.yml

on: push

Ejecutar pruebas 11s

Build y análisis de seguridad 42s

Publicar imagen Docker 47s

Publicar imagen Docker summary

Docker Build summary

For a detailed look at the build, download the following build record archive and import it into Docker Desktop's Builds view. Build records include details such as timing, dependencies, results, logs, traces, and other information about a build. [Learn more](#)

JuanEstebanLT-taller-docker-git-N95L3Z-dockerbuild (70.14 KB - includes 1 build record)

Find this useful? [Let us know](#)

ID	Name	Status	Cached	Duration
----	------	--------	--------	----------

This screenshot shows the Visual Studio Code editor with the 'ci-miniblog.yml' file open. The file is a GitHub Actions workflow for building and testing a miniblog. The workflow is triggered on a push to the 'docs/kubernetes-minikube' branch. It includes a job named 'probar' (test) that runs on 'ubuntu-latest' and uses a PostgreSQL service. The workflow also includes a 'defaults' section with a 'run' step that sets the working directory to '03-09-2026/miniblog'.

```
1 .github > workflows > ci-miniblog.yml > {} jobs > {} probar > {} steps > {} 3 > run
2 You, hace 7 minutos | 1 author (You) | GitHub Workflow - YAML, GitHub Workflow (github-workflow.json)
3 name: CI Miniblog
4
5 on:
6   push:
7     branches:
8       - docs/kubernetes-minikube
9
10 workflow_dispatch:
11
12 jobs:
13   probar:
14     runs-on: ubuntu-latest
15
16     services:
17       postgres:
18         image: postgres:16
19         env:
20           POSTGRES_PASSWORD: secreto
21         ports:
22           - 5432:5432
23         options: >-
24           --health-cmd="pg_isready -U postgres"
25           --health-interval=10s
26           --health-timeout=5s
27           --health-retries=5
28
29 defaults:
30   run:
31     working-directory: 03-09-2026/miniblog
32
33 env:
34   DB_HOST: localhost
35
36 steps:
37   - name: Descargar repositorio
38     uses: actions/checkout@v7
```

This screenshot shows the Visual Studio Code editor with the 'deploy-miniblog.yml' file open. The file is a GitHub Actions workflow for deploying the miniblog to a Kubernetes cluster. The workflow is triggered on a push to the 'docs/kubernetes-minikube' branch. It includes a job named 'desplegar' (deploy) that runs on 'ubuntu-latest' and uses a Docker Buildx service. The workflow also includes a 'defaults' section with a 'run' step that sets the working directory to '03-09-2026/miniblog'.

```
1 .github > workflows > deploy-miniblog.yml > {} jobs > {} desplegar > {} steps > {} 4 > run
2 You, hace 42 minutos | 1 author (You) | GitHub Workflow - YAML, GitHub Workflow (github-workflow.json)
3 name: Deploy Miniblog
4
5 on:
6   push:
7     branches:
8       - docs/kubernetes-minikube
9
10 workflow_dispatch:
11
12 jobs:
13   desplegar:
14     runs-on: ubuntu-latest
15
16     defaults:
17       run:
18         working-directory: 03-09-2026/miniblog
19
20     steps:
21       - name: Descargar repositorio
22         uses: actions/checkout@v7
23
24       - name: Configurar Docker Buildx
25         uses: docker/setup-buildx-action@v4
26
27       - name: Iniciar sesión en Docker Hub
28         uses: docker/login-action@v4
29         with:
30           username: ${ secrets.DOCKERHUB_USERNAME }
31           password: ${ secrets.DOCKERHUB_TOKEN }
32
33       - name: Construir imagen
34         run: |
35           docker build -t ${ secrets.DOCKERHUB_USERNAME }/miniblog:latest .
36
37       - name: Publicar imagen
38         run: |
```