

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- mydb
- netplat**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```

1 • create database netplat;
2 • ⚡ create table users (
3     user_id int primary key,
4     email varchar(45) unique,
5     education varchar(45),
6     work_history varchar(45)
7
8 );

```

SQLAdditions... Limit to 1000 rows Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

Schema: netplat

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:34:40	create database netplat	1 row(s) affected	0.016 sec
2	17:59:48	create table users (user_id int primary key, email varchar(45) unique, education varchar(45), work_history varchar(45))	0 row(s) affected	0.062 sec

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- mydb
- netplat**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```

3     user_id int primary key,
4     email varchar(45) unique,
5     education varchar(45),
6     work_history varchar(45)
7
8 );
9 • ⚡ create table job_posting (
10    job_id int primary key,
11    salary decimal(2),
12    title varchar(45),
13    requirements varchar(45)
14
15 );

```

SQLAdditions... Limit to 1000 rows Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

Schema: netplat

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:34:40	create database netplat	1 row(s) affected	0.016 sec
2	17:59:48	create table users (user_id int primary key, email varchar(45) unique, education varchar(45), work_history varchar(45))	0 row(s) affected	0.062 sec
3	18:10:36	create table job_posting (job_id int primary key, salary decimal(2), title varchar(45), requirements varchar(45))	0 row(s) affected	0.016 sec

Output

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- mydb
- netplat**
 - Tables
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1

```

8 );
9 • ⚡ create table job_posting (
10    job_id int primary key,
11    salary decimal(2),
12    title varchar(45),
13    requirements varchar(45)
14
15 );
16 • ⚡ create table post(
17    post_id int primary key,
18    privacy_settings varchar(45),
19    content varchar(45)
20 );

```

SQLAdditions... Limit to 1000 rows Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Administration Schemas

Information

Schema: netplat

Action Output

#	Time	Action	Message	Duration / Fetch
1	17:34:40	create database netplat	1 row(s) affected	0.016 sec
2	17:59:48	create table users (user_id int primary key, email varchar(45) unique, education varchar(45), work_history varchar(45))	0 row(s) affected	0.062 sec
3	18:10:36	create table job_posting (job_id int primary key, salary decimal(2), title varchar(45), requirements varchar(45))	0 row(s) affected	0.016 sec
4	18:12:30	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45))	0 row(s) affected	0.016 sec
5	18:12:32	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45))	Error Code: 1050. Table 'post' already exists	0.016 sec

Output

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS mydb netplat

Tables application post job_posting users

Views

Stored Procedures

Functions

sys

Query 1

```

13 requirements varchar(45)
14 );
15 
16 • create table post(
17 post_id int primary key,
18 privacy_settings varchar(45),
19 content varchar(45)
20 );
21 • create table application(
22 application_id int primary key,
23 cover_letter varchar(45),
24 tracking varchar(45)
25 );

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#	Time	Action	Message	Duration / Fetch
2	17:59:48	create table users (user_id int primary key, email varchar(45) unique, education varchar(45), gender varchar(45), name varchar(45), phone varchar(45), profile_picture varchar(45), password varchar(45), role varchar(45), status varchar(45), created_at timestamp, updated_at timestamp)	0 row(s) affected	0.062 sec
3	18:10:36	create table job_posting (job_id int primary key, salary decimal(2), title varchar(45), requirements varchar(45), location varchar(45), company_id int, user_name varchar(45), industry varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
4	18:12:30	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
5	18:12:32	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	Error Code: 1050. Table 'post' already exists	0.016 sec
6	18:15:35	create table application(application_id int primary key, cover_letter varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec

Object Info

Context Help

Schemas

mydb netplat

Tables application message company post job_posting users

Views

Stored Procedures

Functions

sys

Query 2

```

25 );
26 • create table company (
27 company_id varchar(45) primary key,
28 user_name varchar(45),
29 industry varchar(45),
30 location varchar(45)
31 );

```

Output

#	Time	Action	Message	Duration / Fetch
3	18:10:36	create table job_posting (job_id int primary key, salary decimal(2), title varchar(45), requirements varchar(45), location varchar(45), company_id int, user_name varchar(45), industry varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
4	18:12:30	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
5	18:12:32	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	Error Code: 1050. Table 'post' already exists	0.016 sec
6	18:15:35	create table application(application_id int primary key, cover_letter varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
7	18:20:49	create table company (company_id varchar(45) primary key, user_name varchar(45), industry varchar(45), location varchar(45))	0 row(s) affected	0.032 sec

Object Info

Context Help

SCHEMAS

mydb netplat

Tables application message company post job_posting users

Views

Stored Procedures

Functions

sys

Query 3

```

24 tracking varchar(45)
25 );
26 • create table company (
27 company_id varchar(45) primary key,
28 user_name varchar(45),
29 industry varchar(45),
30 location varchar(45)
31 );
32 • create table message (
33 message_id varchar(45),
34 content varchar(45),
35 read_status varchar(45)
36 );

```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#	Time	Action	Message	Duration / Fetch
4	18:12:30	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
5	18:12:32	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(45), tracking varchar(45))	Error Code: 1050. Table 'post' already exists	0.016 sec
6	18:15:35	create table application(application_id int primary key, cover_letter varchar(45), tracking varchar(45))	0 row(s) affected	0.016 sec
7	18:20:49	create table company (company_id varchar(45) primary key, user_name varchar(45), industry varchar(45), location varchar(45))	0 row(s) affected	0.032 sec
8	18:24:32	create table message (message_id varchar(45), content varchar(45), read_status varchar(45))	0 row(s) affected	0.015 sec

Object Info

Navigator:

- SCHEMAS
 - mydb
 - netplat
 - Tables: application, message, company, post, job_posting, users
 - Views
 - Stored Procedures
 - Functions
- sys

Query 1:

```

30   location varchar(45)
31 );
32 • create table message (
33   message_id varchar(45),
34   content varchar(45),
35   read_status varchar(45)
36 );
37 • create table skill (
38   skill_id varchar(45),
39   endorsement varchar(45),
40   category varchar(45),
41   name varchar(45)
42 );

```

SQLAdditions: Limit to 1000 rows | Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | **Snippets**

Information:

Schema: netplat

Action Output:

#	Time	Action	Message	Duration / Fetch
5	18:12:32	create table post(post_id int primary key, privacy_settings varchar(45), content varchar(...)	Error Code: 1050. Table 'post' already exists	0.016 sec
6	18:15:35	create table application(application_id int primary key, cover_image varchar(45), tracking...	0 row(s) affected	0.016 sec
7	18:20:49	create table company (company_id varchar(45) primary key, user_name varchar(45), in...	0 row(s) affected	0.032 sec
8	18:24:32	create table message (message_id varchar(45), content varchar(45), read_status varchar(45), n...	0 row(s) affected	0.015 sec
9	18:26:32	create table skill (skill_id varchar(45), endorsement varchar(45), category varchar(45), n...	0 row(s) affected	0.032 sec

Object Info | **Session**