Saphira Lubricant HP2 (GLP 500)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Saphira Lubricant HP2 (GLP 500)

Article-No. : 020330

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

1.3 Details of the supplier of the safety data sheet

Heidelberger Druckmaschinen AG
Kurfuerstenanlage 60
D-69115 Heidelberg
Germany
Phone: +49 (0) 6221 92-00
Fax: +49 (0) 6221 92-6999

E-mail address : consumables-msds@heidelberg.com
Responsible/issuing person Material Compliance Management

1.4 Emergency telephone number

0049 (0) 897876-700 (24hrs)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 — H319: Causes serious eye irritation.

Classification (67/548/EEC, 1999/45/EC)

Dangerous for the environment — R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling:

EUH208 Contains: N-alkylated benzotriazoleMay produce an allergic reaction.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.
lithium soap

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5	Xi; R41 N; R51/53	Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2.5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1	R52/53	Aquatic Chronic 3; H412	>= 1 - < 2.5
N-alkylated benzotriazole	94270-86-7	Xi; R38 Xi; R43 N; R50/53	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 0.1 - < 0.25

			Aquatic Chronic 2; H411	

For the full text of the R-phrases mentioned in this Section, see Section 16.
For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : If eye irritation persists, consult a specialist.
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.

If swallowed : If unconscious place in recovery position and seek medical advice.
Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
Get medical attention if symptoms occur.

: Move the victim to fresh air.

: Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : none

5.2 Special hazards arising from the substance or mixture

Specific hazards during : Fire may cause evolution of:

firefighting	Carbon oxides Metal oxides Nitrogen oxides (NOx) Oxides of phosphorus Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after

handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.
Avoid inhalation of vapour or mist.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
To maintain product quality, do not store in heat or direct sunlight.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

7.3 Specific end use(s)

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL
N-alkylated benzotriazole : End Use: Industrial use
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 1.3 mg/m3

End Use: Industrial use
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 0.4 mg/kg

PNEC
N-alkylated benzotriazole : Fresh water
Value: 0.000976 mg/l

Marine water
Value: 0.000098 mg/l

Intermittent use/release
Value: 0.00976 mg/l

Soil
Value: 0.00184 - 0.842 mg/kg

Fresh water sediment
Value: 0.0121 - 4.23 mg/kg

Marine sediment
Value: 0.00121 - 0.423 mg/kg

Microbiological Activity in Sewage Treatment Systems
Value: 0.69 mg/l

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.
It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
none

Personal protective equipment

Respiratory protection	:	In the case of vapour formation use a respirator with an approved filter.
Hand protection	:	For prolonged or repeated contact use protective gloves. Protective gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
Eye protection	:	Safety glasses with side-shields conforming to EN166
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Environmental exposure controls

General advice	:	Do not allow contact with soil, surface or ground water.

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	paste
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Vapour pressure	:	< 0.001 hPa, 20 °C
Relative vapour density	:	No data available
Density	:	0.94 g/cm3, 20 °C
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Ignition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

Sublimation point	:	No data available
Bulk density	:	No data available

10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid	:	No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid	:	No materials to be especially mentioned.

10.6 Hazardous decomposition products

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute inhalation toxicity	:	This information is not available.
Skin corrosion/irritation	:	This information is not available.
Serious eye damage/eye irritation	:	Irritating to eyes.
Respiratory or skin sensitisation	:	This information is not available.
Germ cell mutagenicity		
Genotoxicity in vitro	:	No data available
Genotoxicity in vivo	:	No data available
Carcinogenicity	:	No data available
Reproductive toxicity	:	No data available
Teratogenicity	:	No data available
Repeated dose toxicity	:	This information is not available.
Aspiration toxicity	:	This information is not available.
Further information	:	Information given is based on data on the components and the toxicology of similar products.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) :

Acute oral toxicity	:	LD50: 3,100 mg/kg, rat, OECD Test Guideline 401
Acute dermal toxicity	:	LD50: > 5,000 mg/kg, rabbit, OECD Test Guideline 402
Skin corrosion/irritation	:	rabbit, Result: No skin irritation, Classification: No skin irritation, OECD Test Guideline 404, GLP: yes
Serious eye damage/eye irritation	:	rabbit, Result: Risk of serious damage to eyes., Classification: Risk of serious damage to eyes., OECD Test Guideline 405, GLP: yes

	:	Severe eye irritation, May irritate eyes., Risk of serious damage to eyes.
Respiratory or skin sensitisation	:	Maximisation Test (GPMT), guinea pig, Result: Does not cause skin sensitisation., OECD Test Guideline 406, GLP: yes
Further information	:	Information given is based on data on the components and the toxicology of similar products.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Acute oral toxicity	:	LD50: > 5,000 mg/kg, rat, OECD Test Guideline 401
Acute dermal toxicity	:	LD50: > 2,000 mg/kg, rat, OECD Test Guideline 402
Skin corrosion/irritation	:	rabbit, Result: No skin irritation, Classification: No skin irritation
Serious eye damage/eye irritation	:	rabbit, Result: No eye irritation, Classification: No eye irritation
Respiratory or skin sensitisation	:	guinea pig, Result: Did not cause sensitisation on laboratory animals., OECD Test Guideline 406

N-alkylated benzotriazole :

Acute oral toxicity	:	LD50: 3,313 mg/kg, rat, OECD Test Guideline 401
Acute dermal toxicity	:	LD50: > 2,000 mg/kg, rat, OECD Test Guideline 402
Skin corrosion/irritation	:	rabbit, Result: Irritating to skin., Classification: Irritating to skin., Draize Test
Serious eye damage/eye irritation	:	rabbit, Result: No eye irritation, Classification: No eye irritation, Draize Test
Respiratory or skin sensitisation	:	Maximisation Test (GPMT), guinea pig, Result: The product is a skin sensitiser, sub-category 1B., Classification: The product is a skin sensitiser, sub-category 1B., OECD Test Guideline 406
Germ cell mutagenicity		
Genotoxicity in vitro	:	Ames test, Result: negative, OECD Test Guideline 471
Assessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
STOT - single exposure	:	Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	:	Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	:	No aspiration toxicity classification

12. Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Toxicity to bacteria	:	No data available

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) :

Toxicity to fish	:	LC50: 4.4 mg/l, 96 h, Oncorhynchus mykiss (rainbow trout), semi-static test, OECD Test Guideline 203
	:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 75 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD Test Guideline 202
Toxicity to algae	:	ErC50: 240 mg/l, 72 h, Desmodesmus subspicatus (green algae), Growth inhibition, OECD Test Guideline 201, GLP: yes
Toxicity to bacteria	:	EC50: 380 mg/l, 16 h, Pseudomonas putida, GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Toxicity to fish	:	LC50: > 100 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 51 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD 202 T1

Ecotoxicology Assessment

Acute aquatic toxicity	:	Harmful to aquatic life.
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.

N-alkylated benzotriazole :

Toxicity to fish	:	LC50: 1.3 mg/l, 96 h, Brachydanio rerio (zebrafish), static test, OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 2.05 mg/l, 48 h, Daphnia magna (Water flea), static test, OECD 202 T1
Toxicity to algae	:	EC50: 0.976 mg/l, 72 h, Desmodesmus subspicatus (green algae), static test, OECD Test Guideline 201
M-Factor	:	1
Toxicity to bacteria	:	EC20: 15 mg/l, 3 h, activated sludge, Respiration inhibition,

OECD 209

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability	:	No data available
Physico-chemical removability	:	No data available

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) :

Biodegradability	:	< 5 %, Result: not rapidly biodegradable, OECD 301 D

N-alkylated benzotriazole :

Biodegradability	:	Primary biodegradation, < 10 %, Result: not rapidly biodegradable, Exposure time: 28 d, activated sludge, OECD 301 B

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :

Bioaccumulation	:	Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

N-alkylated benzotriazole :

Bioaccumulation	:	Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility	:	No data available
Distribution among environmental compartments	:	No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) :
Assessment : Non-classified PBT substance, Non-classified vPvB substance
N-alkylated benzotriazole :
Assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

Components:
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) :
Additional ecological information : Toxic to aquatic life with long lasting effects.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

: Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

14. Transport information

14.1 UN number
ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.2 Proper shipping name
ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.3 Transport hazard class
ADR
Not dangerous goods
IMDG
Not dangerous goods

IATA
Not dangerous goods

14.4 Packing group
ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.5 Environmental hazards
ADR
Not dangerous goods
IMDG
Not dangerous goods
IATA
Not dangerous goods

14.6 Special precautions for user
No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not available

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Major Accident Hazard Legislation	:	96/82/EC Update: not applicable

15.2 Chemical Safety Assessment
This information is not available.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.