DETAILED OVERVIEW SAPHIRA PRESSROOM AUXILIARIES BY blueprint products



HEIDELBERG

- Product range



Auxiliary Chemicals

• Product range – Auxiliaries:



*Saphira DampClean

Traditional degreasing cleaner for dampening rollers, manual application

- *Can be used on Lototec (LT) rollers*
- *Apply sufficient amount on rag and wipe roller till clean*
- *Does not harm process water*
- *Fast Evaporation*



(*)Saphira DampClean COMBI *

ECO -degreasing cleaner for dampening rollers, conv/UV, manual application

- *Can be used on Lototec (LT) rollers*
- *Apply sufficient amount with damp rag on roller*
- *Scrub well, no need for rinsing afterwards*
- *Does not harm*
- *Water based, non-volatile cleaner, Non-ADR alternative for DampClean*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:



Saphira System Cleaner

Cleaning / disinfecting of the dampening circuit

- *Drain process water and remove filters prior to treatment*
- *Use 1:4 to 1:5 dilution depending on circuit contamination*
- *Run for min 30min and no longer than 120 min, switch off cooling*
- *Clean out water pans manually*
- *Rinse twice with water for 15 min.*
- *finish off by rinsing with 3% fountain solution for 20 min to neutralize pH*
- *drain intermediate tanks manually after every rinsing*
- *Refill system with advised dosage Fountain Solution*

• Product range – Auxiliaries:

Saphira Water Conditioner

Conditioner for Reversed Osmosis water and naturally soft tap water.

- *Advised dosage: 0,5% on RO water*
- *Typical values after re-hardening: around 300-350 µS, 10-12 dH*
- *Add 0,2 - 0,3 % to natural soft tap water*
- *For automatic dosage use doser with range 0,2 < - > 1,2% or similar*



• Product range – Auxiliaries:



Saphira Antifoam

Defoamer for the dampening water

- *Add 1 bottle cap content at the time to re-circulator tank*
- *Re-apply if needed*
- *Tip: take sample of water with foam in cup to determine possible origin of foam*
  - *Foam disappears: technical foam*
    - *Possible air intake in tube system, check connections*
    - *Pan water return suction to hard, adjust suction*
  - *Foam stays: chemical foam*
    - *Water contaminated with wash, adjust wash program, use less wash*
    - *Return filters too dirty, replace*
    - *Non system–own contaminant, refill with fresh process water*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:



*Saphira Blanket Conditioner

Roller and blanket rejuvenator with micro-emulsion, manual application

- *Periodic maintenance with deep cleaning action (not for daily use)*
- *Apply with cloth and allow to react for a while, wipe clean*
- *removes glaze, ink residues and paper dust in one go*
- *Fast evaporation, fast restart*



(*)Saphira Dry Ink Cleaner

Non-flammable cleaner for dry ink residues on blankets & rollers

- *Apply with damp rag, allow to react for a while, wipe clean & dry*
- *Non volatile cleaner , water based*
- *Milder, Non-ADR alternative for Blanket Conditioner*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

*Saphira Roller Paste

Deep cleaning paste for ink rollers, use on NBR/MIX/EPDM rubber

- *Removes deeply embedded ink particles from rubber pores*
- *Ideal for quick colour changes*
- *Apply evenly on the top roller and run for 5 min at moderate speed*
- *Wash off with regular automatic roller wash program*
- *For manual washing, use 50/50 water-daily wash mixture*



* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

*Saphira Roller Oil **



Protective oil for NBR and MIX rollers running idle

- *NOT suitable for EPDM rollers(UV printing)*
- *Very effective at low dosage*
- *Apply minimum amount directly onto rollers till full coverage*
- *Re-apply every 2 – 4 hours*
- *No need to wash off in case of heavy load in ink modus afterwards*
- *Alternatively wash off with daily wash program, easy removal*

Saphira Roller Protection Fluid **



Protective oil, compatible with all types of rollers running idle

- *Can be applied manually or automatically on ALL types of rollers*
- *Same application directories as above*

• Product range – Auxiliaries:



*Saphira Calcium Deglazer

Glaze & calcium remover for rollers/blankets (NBR/COMBI/EPDM)

- *Gelly liquid for easy application*
- *Periodic maintenance*
- *Apply to the rollers and run for 4-5 min at wash speed*
- *Then add a little water on the right side,...and then on the left side, preventing the rollers to slip*
- *Allow to react for a while, add water (right, left) to rinse off while activating the blade till dry*
- *Apply to blanket with a moist rag, allow to react, take off with water and wipe till dry*
- *Re-aplly if not all calcium deposits are removed in one go*
- *Repeat as much as necessary*

* ISEGA food application approval

* Key Products (Must have's)

• Product range - Auxiliaries:



*Saphira Water Fix *

Protective additive for the water used in the washing system

- *Typical dosage 5% to water*
- *Neutralizes calcium (if tap water used), preventing clogged nozzles*
- *Prevents bacterial contamination in reservoir*
- *Protects against corrosion*
- *Removes possible greasy residues from the wash on rollers and blankets*
- *Better removal of paper- and other water soluble residues*
- *Better flow and spread from the water when sprayed on the wash cloth*
- *Enhances wash performance using brush systems*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

*Saphira Chrome Conditioner

Reconditions the chrome surface and restores hydrophilic properties

- *Very effective chrome dampening roller conditioner*
- *Harmless to the process water*
- *Enhances performance in case of IPA-reduced/free printing*
- *Shake bottle well till all sediment is dissolved before use !*
- *Release pressure from roller*
- *Apply sufficient amount with a damp rag directly to chrome*
- *Scrub thoroughly to remove all contaminants from chrome surface*
- *No rinsing necessary*



* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:



Saphira Antistatic

Universal antistatic silicone spray

- *Spray can for easy appliance directly to surface*
- *Provides perfect long-lasting anti-static lubrication*
- *Effectively reduces friction*
- *For most surfaces like on folders, pressure cylinders, cutting tables etc…*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

Saphira AntiSkin

Spray preventing film forming on oxidative drying ink

- *Spray can for easy appliance*
- *Prevents skin forming on oxidative drying inks*
- *Apply directly to rollers, blankets and/or ink well for flawless restarts after longer stops*
- *Does not disturb ink/water balance*
- *Can be used on half-empty cans for better ink storage to reduce spill*



* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

*Saphira Anilox Cleaning Gel *



Very effective on both ink- and coating anilox rollers

- *Water-based gel*
- *Removes dried ink and coating residues to restore transfer*
- *Very effective on Anicolor systems*
- *No need to dismount anilox cylinder*
- *For both water- and solvent based residues*
- *Apply a thick layer of gel to cylinder using a firm bristle brush*
- *Cover whole surface*
- *Allow to react 5-10 minutes and then brush again to reactivate*
- *Brush once more after another 5-10 minutes and later wipe clean using fresh water and cloth*
- *Or preferably, use mixture 1:3 coating Cleaner 590 and water to enhance rinsing performance*
- *Not suited to remove UV cured residues*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:



*Saphira Coating Cleaner 590 *

Ecological Cleaner for water based and wet UV curing coating, NEW

- *Water based cleaner*
- *For daily cleaning of all types of coating units and their tools*
- *Removes efficiently dried-on and wet coating residues on photopolymer and/or rubber coating blankets*
- *Use diluted 1:3 with water as a coating system cleaner on water based coating units*
- *Use pure on UV curing coating- and systems to remove wet coating residues*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

Saphira Intensive Cleaner 500*

Dedicated deep cleaning fluid designed for use on automatic intensive roller cleaning system NEW

- *Deep penetrating water based cleaner for ink rollers, allowing fast colour changes*
- *Ecological liquid alternative to Roller Paste*
- *For use with automatic intensive roller cleaning system and apply using dedicated wash program*
- *Or manually apply to rollers and allow to run for 5 minutes at wash speed, rinse briefly with water*
- *Available in 25L and 12x1L*



* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

• Saphira Uni Cleaner 500*



Universal cleaner for use on rollers, blankets, tools, equipment and much more NEW

- *Powerful multi-purpose cleaner for versatile use in the pressroom*
- *Effectively removes dried ink residues and stains*
- *Harmless to rubber, metal, plastics and various non painted surfaces*
- *Water-based liquid cleaner*
- *Low odor*
- *Compatible with NBR, EPDM and COMBI rubber compound*
- *Apply to any surface using a damp sponge or cloth*
- *Allow it to react for a short while, clean off with a wet cloth and then wipe dry*
- *Test before applying on painted surfaces*
- *Use pure or diluted 1:3-5 with water for general purpose cleaning*

* ISEGA food application approval

* Key Products (Must have's)

• Product range – Auxiliaries:

Saphira Plate Cleaner Uni 500

Mild, universal plate cleaner NEW

- *Suitable for use on a wide range of plates*
- *Compatible with conventional, thermal ctp and low/free chem plates*
- *Shake well before applying to plate surface using a damp sponge*
- *Use a damp sponge or cloth to remove excessive product after cleaning*
- *Not suitable to remove UV or hybrid inks, use Saphira Plate Cleaner UV 500 instead*



* ISEGA food application approval

* Key Products (Must have's)

- # Product range – Auxiliaries:



Saphira Plate Cleaner UV 500

Ecological plate cleaner for UV or hybrid inks NEW

- *Excellent desensitizing action*
- *Powerful cleaning function*
- *Water-based emulsion*
- *Efficiently removes ink and gum residues*
- *Compatible with baked and most non-baked UV resistant CTP plates*
- *Shake well before applying to plate surface using a damp sponge*
- *Use a damp sponge or cloth to remove excess of product after cleaning*
- *Not suitable to remove conventional inks, use Saphira Plate Cleaner Uni 500 instead.*

- Product range – Auxiliaries:

Key benefits:

- ✓ For every Hazardous product there is a Non-Hazardous match available
- ✓ Some key products are approved for food related applications 
- ✓ Innovative water-based technology
- ✓ Highest possible ECO standard with unique benefits
- ✓ Powerful maintenance solutions for IPA- free/reduced printing
- ✓ Dedicated chemistry for Heidelberg technology

• Product range - Auxiliaries:

Roller compatibility and overview

Saphira auxiliary chemicals, roller compatibility chart

Product	Roller compatibility					Function	non ADR
	NBR	MIX	EPDM	Chrome	Ceramic		
ink rollers							
Saphira Calcium Deglazer						*Effectively removes calcium deposits and glaze from the ink rollers and blankets*	V
Saphira Blanket Conditioner						*Superior rubber roller & blanket rejuvenator*	X
Saphira Dry Ink Cleaner						*Powerful, non flammable ink remover for manual use*	V
Saphira Roller Paste						*Powerful roller cleaning paste for removing embedded ink particles*	V
Saphira Intensive Cleaner 500						*Intensive, deep cleaner for manual use on roller and blankets*	V
Saphira Roller Oil						*Protective lubricant for NBR/Mix rubber rollers running idle*	V
Saphira Roller Protection Liquid						*Protective lubricant, suitable for all types of rollers running idle*	V
dampening system							
Saphira DampClean						*dampening roller cleaner and degreaser*	X
Saphira DampClean Combi						*Non flammable dampening roller cleaner and degreaser*	V
Saphira Chrome Conditioner						*Chrome dampening roller conditioner, restores hydrophilic properties*	V
Saphira System Cleaner						*Effective cleaner for the dampening water circuit*	V
coating system							
Saphira Coating Cleaner 590						*Ecological wash up and rinsing solution for water based and UV curing coatings*	V
Saphira Anilox Cleaning Gel						*Ecological Cleaning Gel for dissolving dried Ink- and Coating emulsions on Anilox cylinders*	V
general purpose							
Saphira UNI Cleaner 500						*Universal cleaner for use on rollers, blankets, tools, equipment and much more*	V

suited	not applicable	not suited

This technical data sheet is to inform and advise our customers. The successful application depends on a variety of different factors which are beyond our control. We therefore ask for your understanding that these advice documents cannot be used as the basis for claims in law.

Saphira

HEIDELBERG

Overview Saphira Auxiliary Products

Product	Description	Application & Roller Compatibility					Appearance		Use	ECO & Safety benefits					
		NBR (Conventional use)	Combi rubber (Hybrid application)	EPDM (UV)	Chrome	Ceramic	Appearance	Colour	Recommended use	VOC-free (EU definition)	No need for Risk- or safety labelling	Non-hazerdous classification	Waterbased	Nordic SWAN ECO-Label	Food application approval
Ink Rollers															
Saphira Calcium Deglazer	Effectively removes calcium deposits and glaze from the ink rollers and blankets	●	●	●	n/a	n/a	gelly liquid	clear	*Weekly*	●	-	●	●	●	-
Saphira Blanket Conditioner	Superior micro-emulsion rubber roller & blanket rejuvenator	●	●	-	n/a	n/a	liquid	dark yellow	*Weekly*	-	-	-	-	-	-
Saphira Dry Ink Cleaner	Non-flammable cleaner for dry ink residues	●	●	-	●	●	liquid	clear	*As required*	-	-	●	-	●	-
Saphira Roller Paste	Powerful roller cleaning paste for removing embedded ink particles	●	●	●	n/a	n/a	paste	white	*As required*	●	●	●	-	-	-
Saphira Intensive Cleaner 500	Specially designed cleaner for HDB Deep Cleaning System	●	●	●	●	●	liquid	clear	*Weekly*	-	-	●	●	●	●
Saphira Roller Oil	Protective lubricant for NBR/MIX rubber rollers running idle	●	●	-	n/a	n/a	light oil	clear	*As required*	●	●	●	-	●	●
Saphira Roller Protection Liquid	Protective lubricant for all rubber rollers running idle	●	●	●	n/a	n/a	light oil	clear	*As required*	●	●	●	-	●	●
Dampening System															
Saphira DampClean	Fast drying cleaner and degreaser for dampening rollers	●	●	-	●	●	liquid	Blue	*Daily*	-	-	-	-	-	-
Saphira DampClean Combi	Ecological waterbased cleaner and degreaser for dampening rollers	●	●	●	●	●	liquid	clear	*Daily*	-	-	●	●	●	●
Saphira Chrome Conditioner	Reconditions the surface and restores hydrophilic properties of the chrome dampening roller	n/a	n/a	n/a	●	●	creamy liquid	brown	*Weekly*	-	●	●	●	●	-
Saphira System Cleaner	Effective cleaner for the dampening water circuit	●	●	●	●	●	liquid	yellow	*Quarterly*	-	-	●	●	●	-
Coating System															
Saphira Coating Cleaner 590	Ecological cleaning gel for dissolving dried ink and coating emulsions on Anilox cylinders	●	●	●	●	●	liquid	clear	*Weekly*	-	-	●	●	●	●
Saphira Anilox Cleaning Gel	Ecological cleaning gel for dissolving dried ink and coating emulsions on Anilox cylinders	n/a	n/a	n/a	n/a	●	gel	yellow	*As required*	-	-	●	●	-	●
General Purpose															
Saphira Water Conditioner	Rehardener for Reverse Osmosis water, optimizing water quality for printing	●	●	●	n/a	n/a	liquid	yellow	*As required*	●	●	●	●	●	-
Saphira Antifoam	Defoamer for dampening water	●	●	●	n/a	n/a	creamy liquid	light brown	*As required*	-	●	●	●	-	-
Saphira Water Fix	Protective additive for the water used in the washing system	●	●	●	n/a	n/a	liquid	blue	*As required*	-	●	●	●	●	●
Saphira Antistatic	Universal antistatic silicone spray	●	●	●	n/a	n/a	oil spray	clear	*As required*	-	-	-	-	-	-
Saphira Antiskin	Prevents film forming on oxidative drying ink	●	-	-	n/a	n/a	oil spray	clear	*As required*	-	-	-	-	-	-
Saphira UNI Cleaner 500	Universal cleaner for use on rollers, blankets, tools, equipment and much more	●	●	●	n/a	n/a	liquid	clear	*As required*	-	-	●	●	●	●

Version: Oct 2026

● = Suited / - not suited

n/a - Not applicable

This technical data sheet is to inform and advise our customers. The successful application depends on a variety of different factors which are beyond our control. We therefore ask for your understanding that these advice documents cannot be used as the basis for claims in law.