

Guía Visual, Componentes y Patrones de Interacción

****Versión:**** 1.0

1. [Filosofía de Diseño](#1-filosofía-de-diseño)
2. [Paleta de Colores](#2-paleta-de-colores)
3. [Tipografía](#3-tipografía)
4. [Espaciado y Grid](#4-espaciado-y-grid)
5. [Componentes Base](#5-componentes-base)
6. [Patrones de Interacción](#6-patrones-de-interacción)
7. [Iconografía](#7-iconografía)
8. [Wireframes y Layouts](#8-wireframes-y-layouts)
9. [Accesibilidad](#9-accesibilidad)
10. [Guía de Implementación](#10-guía-de-implementación)

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

□ □

■ SOLVENTA es rápida, confiable, transparente y accesible ■



■ ■ ■ Menos clics para tareas críticas ■

■ ■■ Mobile-first: optimizado para pantallas pequeñas ■



■ ■ ■ Explicabilidad: por qué esta cotización ■

■ ■ ■ Consistencia: patrones predecibles ■



■ Solventa Blue (#1E40AF) ■

■ RGB(30, 64, 175) ■

■ HSL(216°, 71%, 40%) ■

■ ■

■ ■■■■■■■■■■ Primario (botones, links, headers) ■

■ ■

■ Usos: ■

■ ■■ Primary CTA buttons ("Cotizar", "Comprar") ■

■ ■■ Links y navegación ■

■ ■■ Selecciones (checkboxes, radio buttons) ■

■ ■■ Headers y títulos principal ■

■ ■■ Indicadores de estado: activo/seleccionado ■

■ ■

■ Variantes: ■

■ ■■ Dark (#0F2F6F) - Hover, press ■

■ ■■ Light (#DFE7F1) - Background hover ■

■ ■ ■ Pale (#F0F6FF) - Backgrounds, highlights ■

2

■ SECONDARY: VERDE ÉXITO / SEGURIDAD ■

123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899100

22

■ Solventa Green (#10B981) ■

■ RGB(16, 185, 129) ■

■ HSL(160°, 84%, 39%) ■

22

■ ■■■■■■ Secundario (confirmaciones, completado) ■

11

■ Usos: ■

■ ■ ■ Botones secundarios ("Confirmar", "Aceptar") ■

■ ■■ Estados de éxito (✓ póliza emitida) ■

■ ■ ■ Indicadores positivos (cobertura activa) ■

■ ■■ Badges: "Protegido", "Completo" ■

■ ■ ■ Icons de éxito (checkmarks) ■

■ ■

■ Variantes: ■

■ ■ ■ Dark (#059669) - Hover, press ■

■ ■■ Light (#D1FAE5) - Background hover ■

■ ■■ Pale (#F0FDF4) - Backgrounds ■

11

[illegible]

12345678910111213141516171819202122232425262728293031323334353637383940414243444546474849505152535455565758596061626364656667686970717273747576777879808182838485868788899091929394959697989910010110210310410510610710810911011111211311411511611711811912012112212312412512612712812913013113213313413513613713813914014114214314414514614714814915015115215315415515615715815916016116216316416516616716816917017117217317417517617717817918018118218318418518618718818919019119219319419519619719819920020120220320420520620720820921021121221321421521621721821922022122222322422522622722822923023123223323423523623723823924024124224324424524624724824925025125225325425525625725825926026126226326426526626726826927027127227327427527627727827928028128228328428528628728828929029129229329429529629729829930030130230330430530630730830931031131231331431531631731831932032132232332432532632732832933033133233333433533633733833934034134234334434534634734834935035135235335435535635735835936036136236336436536636736836937037137237337437537637737837938038138238338438538638738838939039139239339439539639739839940040140240340440540640740840941041141241341441541641741841942042142242342442542642742842943043143243343443543643743843944044144244344444544644744844945045145245345445545645745845946046146246346446546646746846947047147247347447547647747847948048148248348448548648748848949049149249349449549649749849950050150250350450550650750850951051151251351451551651751851952052152

■ TERTIARY: ÁMBAR INFORMACIÓN ■

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

■ ■

■ Solventa Amber (#F59E0B) ■

■ RGB(245, 158, 11) ■

■ HSL(38°, 92%, 50%) ■

■ ■

■ ■■■■■■■■■■■■ Terciario (información, advertencias) ■

■ ■

■ Usos: ■

■ ■■ Banners informativos (cambios regulatorios) ■

■ ■■ Advertencias (cobertura expirando) ■

■ ■■ Campos requeridos (*) ■

■ ■■ Icons: información (i), ayuda (?) ■

■ ■■ Badges: "Atención", "Requiere acción" ■

■ ■

■ Variantes: ■

■ ■■ Dark (#B45309) - Hover ■

■ ■■ Light (#FEF3C7) - Background ■

■ ■■ Pale (#FFFBEB) - Backgrounds ■



Colores Semánticos



■ ERROR: ROJO ACCIÓN REQUERIDA ■



■ Hex: #EF4444 | RGB(239, 68, 68) | HSL(0°, 91%, 60%) ■



■ Usos: Errores en formularios, denials, fallos ■

■ Variantes: Dark #DC2626, Light #FCA5A5, Pale #FEE2E2 ■



■ NEUTRALS: GRISES PARA TEXTO Y BACKGROUNDS ■



■ Black #000000 (text principal, max contrast) ■

■ Gray-900 #111827 (text primario, headings) ■

■ Gray-700 #374151 (text secundario, body) ■

■ Gray-500 #6B7280 (text terciario, disabled) ■

■ Gray-300 #D1D5DB (dividers, borders) ■

■ Gray-100 #F3F4F6 (backgrounds, inputs) ■

■ Gray-50 #F9FAFB (page background, overlays) ■

■ White #FFFFFF (highest contrast) ■



■ DATA VIS: PARA GRÁFICOS Y CHARTS ■



CONTRASTE (WCAG 2.1 AA mínimo):

✓ Combinaciones APROBADAS:

■ ■ Text Blue (#1E40AF) on White (#FFF) → 7.8:1 (AAA)

■ ■ Text Gray-700 on White (#FFF) → 8.2:1 (AAA)

■ ■ Text Gray-500 on White (#FFF) → 4.5:1 (AA) ← mínimo aceptable

■ ■ Text White on Blue (#1E40AF) → 7.8:1 (AAA)

■ ■ ■ Text White on Green (#10B981) → 5.3:1 (AA)

■ ■ Text White on Amber (#F59E0B) → 4.8:1 (AA)

■ ■ Button Blue hover (Dark #0F2F6F) text → 8.1:1 (AAA)

✗ Combinaciones EVITAR:

■ Gray-500 on Gray-100 → 1.5:1 (insuficiente)

■ ■ Light Blue on White → 2.1:1 (insuficiente)

■■ Orange on Yellow → 1.2:1 (insuficiente)

PRUEBA EN HERRAMIENTAS:

■ ■ WebAIM Contrast Checker

■ Stark (plugin Figma)

■ Axe DevTools (navegador)

- Verify en CI/CD: axe-core, pa11y

...

3. TIPOGRAFÍA

Fuentes

■ FAMILIA PRINCIPAL: INTER ■

■ (Limpia, legible, modern, sin serif) ■

□ □

■ ¿Por qué? ■

■ ■■ Diseñada para pantallas (hinting, kerning) ■

- ■ ■ Excelente en tamaños pequeños (móvil) ■
- ■ ■ Open source, variado peso (100-900) ■
- ■ ■ Neutra: no es "juguetona" ni "corporativa" ■
- ■ ■ Todos los pesos disponibles gratis (Google Fonts) ■
- ■
- ■ ■ Weights usados: ■
- ■ ■ Regular (400) - body text, párrafos ■
- ■ ■ Medium (500) - labels, pequeños títulos ■
- ■ ■ Semibold (600) - botones, destacados ■
- ■ ■ Bold (700) - headings, títulos grandes ■
- ■
- ■ ■ Import: ■
- ■ ■ @import url('https://fonts.googleapis.com/css2? ■
- family=Inter:wght@400;500;600;700&display=swap'); ■

■ Ejemplo: "Cobertura seleccionada" ■

■ Uso: Subsection titles ■

■ ■

■ H4: 20px / 1.6x line-height (32px) / medium ■

■ Ejemplo: "Opciones de pago" ■

■ Uso: Card titles, form sections ■

■ ■

■ Body Large: 18px / 1.6x line-height (28px) / regular ■

■ Uso: Lead paragraphs, introductions ■

■ ■

■ Body: 16px / 1.6x line-height (26px) / regular ■

■ Ejemplo: "La póliza entra en vigencia el..." ■

■ Uso: Main body text, default ■

■ ■

■ Body Small: 14px / 1.6x line-height (22px) / regular ■

■ Uso: Secondary text, helper text ■



■ Label: 12px / 1.5x line-height (18px) / medium ■

■ Ejemplo: "Selecciona cobertura" ■

■ Uso: Form labels, badges ■



■ Caption: 12px / 1.4x line-height (16px) / regular ■

■ Uso: Footnotes, timestamps, fine print ■



■ MÓVIL (SCALE: 1.08 ratio, más compacto) ■



■ H1: 32px / 1.3x line-height (41px) / bold ■

■ H2: 28px / 1.4x line-height (39px) / semibold ■

■ H3: 24px / 1.5x line-height (36px) / semibold ■

■ Body: 16px / 1.6x line-height (26px) / regular ■

■ Body Small: 14px / 1.5x line-height (21px) / regular ■

■ Label: 12px / 1.4x line-height (16px) / medium ■



■ Nota: Más espaciado vertical en móvil (readability) ■

■ Line-height $\geq 1.5x$ para accesibilidad (WCAG) ■



LÍNEA DE BASE:

■ ■ Todos los textos alineados en múltiplos de 2px

■ ■ Baseline grid: 2px para precisión

■ ■ Herramienta: Figma plugins (Base Design)

4. ESPACIADO Y GRID

Sistema de Espaciado (8px base)



■ SCALE: 8px como unidad base (divisible, DPI-independent)



■ 2px (0.25 rem) - Micro spacing, borders ■

■ 4px (0.5 rem) - Tight spacing, icon padding ■

■ 8px (1 rem) - Default padding, gaps ■

■ 12px (1.5 rem) - Medium spacing ■

■ 16px (2 rem) - Comfortable spacing (standard) ■

■ 24px (3 rem) - Section spacing ■

[illegible]

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■

■ 1 ■ 2 ■ 3 ■ 4 ■ 5 ■ 6 ■ 7 ■ 8 ■ 9 ■ 10 ■ 11 ■ 12 ■



Ancho columna: $(768 - 32) / 12 = \sim 61\text{px}$

Gutter: 16px

Margin: 16px a cada lado

MÓVIL (375px - iPhone 12):



■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■ Col ■



Ancho columna: $(375 - 32) / 12 = \sim 28.6\text{px}$

Gutter: 12px

Margin: 16px a cada lado

5. COMPONENTES BASE

bg: Gray-300

■ ■ ■ COTIZAR AHORA ■ text: Gray-500 ■

cursor: not-allowed

■ opacity: 0.6 ■

11

■ Loading: ■






























■ ■ ■ Procesando... ■ spinner animado ■

[illegible]

■ ■

■ SECONDARY BUTTON (Acción alternativa) ■

[illegible]

TAMAÑOS (Width adaptable, altura fija):

Large:

Desktop: height 48px, padding 16px 32px, font 16px/600

Mobile: height 44px, padding 12px 24px, font 14px/600

Default:

Desktop: height 40px, padding 12px 24px, font 16px/600

Mobile: height 40px, padding 12px 20px, font 14px/500

Small:

Desktop: height 32px, padding 8px 16px, font 14px/500

Mobile: height 32px, padding 6px 12px, font 12px/500

VARIANTES CON ICONOS:

Icon Left:



■ ■ Descargar App ■ icon-size: 18px

gap: 8px

Icon Right:

[illegible]

■ Ver detalles → ■ icon-size: 16px

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52

Icon Only:

Page 10 of 10

■ ■ ■ height = width (square)

perfect para toolbars

CÓDIGO (React):

<Button

```
variant="primary" // primary | secondary | ghost
```

```
size="default" // large | default | small
```

```
disabled={loading}
```

```
onClick={handleClick}
```

```
icon="check" // icon left
```

```
iconPosition="right" // left | right
```

aria-label="Confirmar póliza"

```
fullWidth={false} // 100% width on mobile
```

 $\succ$

Confirmar Póliza

</Button>

ACCESIBILIDAD:

■ ■ focus: visible border (2px) offset 2px

■ ■ aria-label: descriptivo si no hay texto

■■ :disabled → cursor not-allowed

■ ■ Mínimo 44×44px en mobile (touch target)

■ ■ Color no es único indicador (use text + icon)

Input Field (Formularios)



■ TEXT INPUT ■



■ Default (empty): ■



■ ■ Email ■ bg: Gray-50 ■

■ ■ ejemplo@mail.com ■ border: 1px Gray-300 ■


■ ■ ■ radius: 6px ■

■ ■ ■ ■ padding: 12px 16px ■

■ Hint: Usaremos tu email... ■ height: 40px ■


■ ■ font: 16px/400 regular ■

SELECT / DROPDOWN:



■ ▼ Selecciona una opción ■ border: 1px Gray-300

■ ■ padding: 12px 16px



- Dispositivos max-height: 280px (scroll if longer)

■ • Vida ■ ■■ z-index: 1000

■ • Paramétrico ■ ■■ shadow: 0 10px 15px rgba(0,0,0,0.1)

- Hipotecario animation: slideDown 150ms

CHECKBOX:

■ Soy cliente del banco XYZ bg: Blue

padding: 4px (no extra space)

Incluye: viaje, equipo, demoras

Incluye: todo básico + más

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

■ ■ decimals: 0 (no cents)



■ ■ calendar icon optional



Tipo de cobertura * [label] (asterisco si required)

■ hover-duration: 200ms ease ■



■ ■ ■ Divider: HR (Gray-200) ■

Footer: action buttons (flex right)

[illegible]

■ Renuévala ahora para no ■ border: 1px Blue-200

[illegible][illegible][illegible][illegible][illegible][illegible]

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984-2135

TIPOS:

[illegible]

padding: 4px 8px, radius: 16px

Outlined (border only):

■ ■ ■ RENOVACIÓN (Amber)

■■ ✓ COMPLETO (Green)

■■ ■■ ACCIÓN REQUERIDA (Red)

■ ■ ■ PROCESANDO (Gray)

■ ■ ■ PROTEGIDO (Blue)

USOS:

■ Policy status: "ACTIVO", "CANCELADO", "VENCIDO"

■ Priority: "URGENTE", "NORMAL", "BAJA"

■ Feature flags: "NUEVO", "PROMOCIÓN", "EXCLUSIVO"

■ Data verification: "VERIFICADO", "PENDIENTE", "RECHAZADO"

6. PATRONES DE INTERACCIÓN

Patrón: Cotización Step-by-step

WIZARD PATTERN (4 pasos):

Paso 1: Tipo de cobertura

[illegible]

Progress: 25%

[illegible]

■ ¿Qué quieres asegurar? ■

[illegible]

■ ■

■ ■ Viaje ■

■ ■ Dispositivos ■

■ ■ Vida (hipoteca) ← selected ■

■ ■ Paramétrico ■

☐ ☐ Otro ☐

■ ■

■ [← Anterior] [Siguiente →] ■



UX Patterns:

- ■ Progress bar visual (25% → 50% → 75% → 100%)
- ■ Current step highlighted (left sidebar or tabs)
- ■ Next/Back buttons (Previous disabled on step 1)
- ■ Save draft auto (localStorage on mobile)
- ■ Show summary on review screen

Paso 2: Monto y duración



Progress: [■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■] 50%

Monto a cubrir: [] (currency input)

Duración: [1 año ▼] (dropdown)

[6 meses ▼]

[1 mes ▼]

Real-time pricing:

Monthly: \$45/mes (actualiza mientras escribes)

Total: \$540 (12 months)

Paso 3: Confirmación



Progress: [■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■] 75%

Resumen de tu cotización:

■■ Cobertura: Vida hipotecario

■■ Monto: \$500,000,000 COP

■■ Duración: 12 meses

■■ Precio: \$45/mes (\$540 total)

■■ Vigencia: Hoy mismo

■■ Póliza: Emitida al confirmar

Factores de precio:

Base: \$50 (edad 35, sin datos)

-\$5 (Open Finance): Buen historial de pago

+\$2 (Location): Bogotá, zona media-alta

= \$47 → \$45/mes (promoción: -\$2)

■ ¿Cómo se calculó? [Ver detalles]

■ Acepto términos y condiciones

[← Anterior] [Confirmar póliza]

Paso 4: Éxito (Confirmation)



■ ■

■ ✓ ■

■ ■

■ ¡Póliza emitida exitosamente! ■

■ ■

■ Número de póliza: POL-2026-001234 ■

■ Vigencia: 15 ene 2026 - 14 ene 2027

■ ■

■ ■ Confirmación enviada a: ■

■ juan@mail.com ■

■ ■

■ Próximos pasos: ■

■ ✓ Realiza el primer pago ■

■ ✓ Carga tu documento (si es nuev■



■ [■ Descargar póliza (PDF)] ■

■ [■ Ver en la app] ■

■ [■ Ir al inicio] ■



RESPONSIVENESS (Mobile):

Desktop (1024px+):

■■ Wizard en modal (centered, 600px wide)

■■ Step indicators horizontal (top)

Tablet (768px):

■■ Wizard full-width

■■ Step indicators horizontal

■■ Scroll vertically

Mobile (375px):

■■ Wizard full-screen

■■ Step indicators vertical (left sidebar or top accordion)

■■ One field per view if needed

■■ Larger touch targets (44×44px min)

Patrón: Notificación (Toast)

TOAST NOTIFICATIONS:

Success Toast (bottom-right):



■ ✓ Pago procesado ■ auto-dismiss: 4s

■ Transacción ID: TXN-123456 ■ position: fixed bottom-right

■■ margin: 16px from edges

Error Toast (stays until close):



■ ■ Error procesando pago ■ auto-dismiss: NEVER

■ Código: ERR-402 ■ action: [Reintentarlo]

■ Intenta con otro método ■ close button: [X]

[illegible]

Warning Toast:

[illegible]

■ ■ ■ Tu documento expirará en 5 ■ auto-dismiss: 6s

■ días. Renuévalo ahora. ■ action: [Renovar ahora]

[illegible]

Info Toast:

[illegible]

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10986-1997

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10964-2133

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116

■ Perderás cobertura de inmediato. ■

- Esc: close modal (if allow)

- Tab: cycle focus inside modal
- Enter: confirm/submit (if button focused)
- Shift+Tab: cycle backward

7. ICONOGRAFÍA

Icon Set (Línea 24px)

STYLE: Line icons, 24px grid, 2px stroke, rounded corners

Icons primarios (más usados):

- Home (for dashboard)
- Document (for policies)
- Mobile (for app)
- Bell (for notifications)
- Settings (for preferences)
- User (for profile)
- Logout (for exit)
- Search (for find)
- Phone (for contact)
- Email (for message)

Action icons:

- ✓ Check (success, confirmation)
- ✕ Close / Dismiss (close, cancel)
- + Add / Plus (new, create)
- Minus / Remove (delete, subtract)
- ← Back / Arrow Left (previous, go back)
- Arrow Right (next, continue)
- Upload (file upload)
- Download (file download)

■■ Refresh / Reload (retry, refresh)

■ Link / Export (share, external)

Status icons:

■ Loading / Clock (processing)

✓ Done / Check (complete)

■ Error / X (failed)

■■ Warning (alert)

■■ Info (information)

■ Locked (secure, private)

■ Unlocked (open, public)



5. Icon alone (hover shows tooltip):

■ Tooltip: "Notificaciones"

on: hover {

bg: Light Blue (subtle highlight)

tooltip: appears 200ms delay

}

IMPLEMENTATION (React):

```
<Icon name="check" size="24" color="green" />
```

```
<Icon name="error" size="16" color="red" />
```

```
<Icon name="shield" size="32" aria-label="Protegido" />
```

ACCESSIBLE ICONS:

- ✓ Icon-only buttons: add aria-label

```
<button aria-label="Cerrar"><Icon name="close" /></button>
```

- ✓ Icons with text: text conveys meaning

✓ Completado

- ✓ Decorative icons: `aria-hidden="true"`

```
<Icon name="arrow" aria-hidden="true" />
```

- ✓ Color-coded icons: add text/pattern

- ✓ Success (green) + "Completado"

■ Error (red) + "Rechazado"

...

8. WIREFRAMES Y LAYOUTS

Desktop Web (Desktop-first)

LAYOUT GENERAL (1024px+):

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 University Avenue, New York, NY 10017-2423.

■ HEADER (64px) ■

■ Logo | Navegación | Perfil | Notificaciones ■

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10964-2133. All rights reserved. Printed in the United States of America. This publication is protected by copyright. Permission to reproduce copies may be obtained from the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. For more information, contact C.C.C. at (978) 750-8400 or www.copyright.com. ISBN: 978-0-321-91301-3

333

■ SIDEBAR ■ CONTENIDO PRINCIPAL ■

■ (240) ■ (Centro: 760px) ■

11/11/2019

■ • Inicio ■ ■

Mis

[pólizas](#) [Mis Pólizas](#)

[Nuevo](#)

[siniestro](#) [Filter: \[Todas ▼\] \[Vigentes\] \[Vencidas\]](#)

[Perfil](#)

[Ayuda](#)

[Cerrar](#) [VIAJE SEGURO Activa \\$45](#)

[sesión](#) [POL-2026-001234 Expires: 14e](#)

[\[Ver detalles\]](#) [\[Renovar\]](#)

[DISPOSITIVOS Activa \\$20](#)

[POL-2026-001235](#)

[illegible]

5/5/2020

■ ■ ■

[illegible][illegible]

■ ■ POL-2026-001234 ■

333

■ ■ ■ Precio: \$45/mes (\$540 anual) ■ ■ ■

[illegible]



























■ ■ ■ ✓ Retraso de vuelo (6+ horas) ■ ■

■ ■ ■ Monto: \$200 ■ ■

■ ■ ■ ■ ■

■ ■ ■ ✓ Equipo dañado/perdido ■ ■

■ ■ ■ Monto: \$1,000,000 ■ ■ ■

■ ■ ■ ■ ■

■ ■ ■ ✓ Cancelación de viaje ■ ■

■ ■ ■ Monto: 30% reembolso ■ ■

[illegible]

333

■ ■ [Modificar] [Renovar] [Cancelar] ■

■ ■ ■

12345678910111213141516171819202122232425262728293031323334353637383940414243444546474849505152535455565758596061626364656667686970717273747576777879808182838485868788899091929394959697989910010110210310410510610710810911011111211311411511611711811912012112212312412512612712812913013113213313413513613713813914014114214314414514614714814915015115215315415515615715815916016116216316416516616716816917017117217317417517617717817918018118218318418518618718818919019119219319419519619719819920020120220320420520620720820921021121221321421521621721821922022122222322422522622722822923023123223323423523623723823924024124224324424524624724824925025125225325425525625725825926026126226326426526626726826927027127227327427527627727827928028128228328428528628728828929029129229329429529629729829930030130230330430530630730830931031131231331431531631731831932032132232332432532632732832933033133233333433533633733833934034134234334434534634734834935035135235335435535635735835936036136236336436536636736836937037137237337437537637737837938038138238338438538638738838939039139239339439539639739839940040140240340440540640740840941041141241341441541641741841942042142242342442542642742842943043143243343443543643743843944044144244344444544644744844945045145245345445545645745845946046146246346446546646746846947047147247347447547647747847948048148248348448548648748848949049149249349449549649749849950050150250350450550650750850951051151251351451551651751851952052152

Mobile (375px iPhone 12)

LAYOUT GENERAL (Mobile):

Full-screen, no sidebar (side-menu alternative)

[illegible]

■ ■ Solventa ■ ■ ■ Header (56px)

[illegible]

2



























■ ■ ■ Ubicación actual ■ ■ ■ Location context (optional)

■ ■ Bogotá, DC ■ ■






























22

Quick action (featured)

Page 10 of 10

■ ■ ¿Necesitas un seguro? ■ ■ Call-to-action banner

■ ■ Cotiza en 30 segundos ■ ■

■ ■ ■ ■ bg: Light Blue, border-left: 4px

■ ■ [Cotizar ahora] ■ ■

4444

□ □

■ Mis pólizas ■ Section header

© 2015 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson Education, Inc., publishing as Pearson Benjamin Cummings, 101 Philip Drive, Assinippi Park, New York, NY 10984.

11

THE UNIVERSITY OF CHICAGO

■ ■ VIAJE SEGURO ■ ■ Card (full-width)

■ ■ POL-2026-001234 ■ ■ padding: 16px

4444

■ ■ Status: ✓ ACTIVO ■ ■ tap for detail

■ ■ Vence: 14 ene 2027 ■ ■

■ ■ \$45/mes ■ ■

Page 10 of 10

[Ver detalles]

DISPOSITIVOS

POL-2026-001235

Status: ✓ ACTIVO

Vence: 31 dic 2026

\$20/mes

[Ver detalles]

[+ Agregar nueva póliza] Add new (large touch target)



■ ■ Inicio | ■ Pólizas | ■ Ayuda■



[Home](#)
[About Us](#)
[Contact Us](#)
[Privacy Policy](#)
[Terms of Service](#)

[Home](#)
[About Us](#)
[Our Services](#)
[Our Clients](#)
[Our Projects](#)
[Our Team](#)
[Contact Us](#)



■ ■



■ ■ ■ ■ padding: 12px 16px

■ ■



Page 10 of 10




Page 10 of 10

■ ■ te pasa. Desde \$45/mes ■ ■



■ ■ ■ Paramétrico ■ ■



RESPONSIVE BREAKPOINTS:

Mobile: 375px - 767px

■■ Single column layout

- ■ Full-width cards (16px margin)
- ■ Bottom sheet for menus
- ■ Large touch targets (44×44px)
- ■ Tab navigation (bottom)

Tablet: 768px - 1023px

- ■ Sidebar navigation (240px)
- ■ 2-column card layout possible
- ■ Modal dialogs (600px centered)
- ■ Top navigation

Desktop: 1024px+

- ■ Sidebar + main (240 + 760)
- ■ Cards in grid (3 columns)
- ■ Modals, popovers
- ■ Full UI rich

9. ACCESIBILIDAD

WCAG 2.1 Level AA Compliance

CONTRAST RATIOS:

- ■ Normal text: 4.5:1 minimum
- ■ Large text (18px+): 3:1 minimum
- ■ UI components & borders: 3:1 minimum
- ■ Test with: WebAIM Contrast Checker, Axe DevTools

KEYBOARD NAVIGATION:

- ■ Tab order: logical, left-to-right, top-to-bottom
- ■ Focus indicator: visible (2px border, 2px offset)
- ■ Focus color: blue (Solventa Blue)
- ■ Trap prevention: no content hidden from keyboard

■ ■ Skip links: [Skip to main content]

■ ■ Form shortcuts:

■ ■ Enter: submit form

■ ■ Esc: close modal/dialog

■ ■ Arrow keys: select radio/select options

SCREEN READER SUPPORT:

■ ■ Semantic HTML:

■ ■ ■ <header>, <nav>, <main>, <footer>

■ ■ ■ <button> for buttons (not <div onclick>)

■ ■ ■ <input> with <label>

■ ■ ■ <h1>-<h6> for headings (no skipping levels)

■ ■ ■ <table> for tabular data, not layout

■

■ ■ ARIA labels:

- ■ ■ `aria-label="Close"` (icon-only buttons)
- ■ ■ `aria-labelledby="title"` (section headings)
- ■ ■ `aria-hidden="true"` (decorative icons)
- ■ ■ `aria-live="polite"` (status messages)
- ■ ■ `aria-required="true"` (form fields)
- ■ ■ `role="alert"` (error messages)

■

■ ■ Alt text for images:

- ■ ■ "Policy document icon" (descriptive)
- ■ ■ "" (empty if purely decorative)
- ■ ■ max 150 chars

TEXT & CONTENT:

- ■ Font size: $\geq 14\text{px}$ (min 12px for caption)
- ■ Line height: $\geq 1.5\text{x}$ (readability)
- ■ Letter spacing: $\geq 0.12\text{em}$ (for body)
- ■ Color not only indicator:
 - ■ ■ Red error + ■ icon + text "Error"
 - ■ ■ Green success + ✓ icon + text "Success"
 - ■ ■ Blue link + underline (not color alone)

■

■ ■ Language:

- ■ ■ Plain language (no jargon)
- ■ ■ Short paragraphs
- ■ ■ Bullet lists for clarity
- ■ ■ Definitions for technical terms
- ■ ■ Abbreviations expanded first time: "Open Finance (OFin)"

FORMS:

■ ■ Labels explicit:

- ■ ■ `<label for="email">Email</label>`
- `<input id="email" type="email" />`

■

■ ■ Error handling:

■ ■ ■ Error message linked to field (aria-describedby)

■ ■ ■ Error focus: move to first error field

■ ■ ■ In-line validation (as typing or on blur)

■ ■ ■ Color + icon + text (not color alone)

■

■ ■ Required fields:

■ ■ ■ Visual indicator (*)

■ ■ ■ aria-required="true"

■ ■ ■ In label text: "Email (required)"

TESTING CHECKLIST:

Manual testing:

■ ■ [] Keyboard-only navigation (Tab all interactive elements)

■ ■ [] Screen reader (NVDA, JAWS, VoiceOver)

- ■ [] Color contrast check (all text, buttons, borders)
- ■ [] Zoom test (200% magnification)
- ■ [] Focus indicators (always visible)
- ■ [] Mobile touch targets (44×44px minimum)
- ■ [] Alt text for all images

Automated testing:

- ■ axe DevTools (browser plugin)
- ■ Lighthouse (Chrome DevTools)
- ■ pa11y (CLI tool)
- ■ Jest-axe (unit testing)
- ■ CI/CD integration (fail build on violations)

Continuous:

- ■ Include accessibility in design review
- ■ Train team on WCAG 2.1
- ■ Include diverse testers (with disabilities)
- ■ Test with real assistive tech (not simulators)

10. GUÍA DE IMPLEMENTACIÓN

Design Token System (CSS)

/ Color Tokens */*

:root {

/ Primary */*

--color-primary-900: #0F2F6F;

--color-primary-700: #1E40AF;

--color-primary-500: #3B82F6;

--color-primary-100: #DFE7F1;

--color-primary-50: #F0F6FF;

/ Semantic */*

--color-success: #10B981;

--color-warning: #F59E0B;

--color-error: #EF4444;

--color-info: #3B82F6;

/ Neutral */*

--color-text-primary: #111827;

--color-text-secondary: #374151;

--color-text-tertiary: #6B7280;

--color-border: #D1D5DB;

--color-bg-primary: #FFFFFF;

--color-bg-secondary: #F9FAFB;

--color-bg-tertiary: #F3F4F6;

/* Typography */

--font-family-primary: 'Inter', -apple-system, BlinkMacSystemFont;

--font-family-mono: 'IBM Plex Mono', monospace;

--font-size-h1: 48px;

--font-size-h2: 36px;

--font-size-h3: 28px;

--font-size-h4: 20px;

--font-size-body-lg: 18px;

--font-size-body: 16px;

--font-size-body-sm: 14px;

--font-size-label: 12px;

--font-weight-regular: 400;

--font-weight-medium: 500;

--font-weight-semibold: 600;

--font-weight-bold: 700;

--line-height-tight: 1.3;

--line-height-normal: 1.5;

--line-height-relaxed: 1.6;

/* Spacing */

--space-xs: 4px;

--space-sm: 8px;

--space-md: 16px;

--space-lg: 24px;

--space-xl: 32px;

--space-2xl: 48px;

/* Shadows */

--shadow-sm: 0 1px 2px rgba(0, 0, 0, 0.05);

--shadow-md: 0 4px 6px rgba(0, 0, 0, 0.1);

```
--shadow-lg: 0 10px 15px rgba(0, 0, 0, 0.1);
```

```
/* Border Radius */
```

```
--radius-sm: 4px;
```

```
--radius-md: 6px;
```

```
--radius-lg: 8px;
```

```
--radius-full: 9999px;
```

```
/* Transitions */
```

```
--transition-fast: 150ms ease;
```

```
--transition-base: 200ms ease;
```

```
--transition-slow: 300ms ease;
```

```
}
```

```
/* Component Styles */
```

```
.btn-primary {  
background-color: var(--color-primary-700);  
color: white;  
padding: var(--space-sm) var(--space-md);  
border-radius: var(--radius-lg);  
font-weight: var(--font-weight-semibold);  
font-size: var(--font-size-body);  
transition: background-color var(--transition-fast);  
cursor: pointer;  
}
```

```
.btn-primary:hover {  
background-color: var(--color-primary-900);  
}
```

```
.btn-primary:focus {  
outline: 2px solid var(--color-primary-700);  
outline-offset: 2px;  
}
```

```
.btn-primary:disabled {  
background-color: var(--color-border);  
color: var(--color-text-tertiary);  
cursor: not-allowed;  
opacity: 0.6;  
}
```

```
/* Input */
```

```
.input {  
border: 1px solid var(--color-border);  
border-radius: var(--radius-md);  
padding: var(--space-sm) var(--space-md);  
font-size: var(--font-size-body);
```

```
font-family: var(--font-family-primary);  
line-height: var(--line-height-normal);  
transition: all var(--transition-fast);  
}
```

```
.input:focus {  
  outline: none;  
  border-color: var(--color-primary-700);  
  box-shadow: 0 0 0 3px rgba(30, 64, 175, 0.1);  
}
```

```
.input:invalid {  
  border-color: var(--color-error);  
  background-color: #FEE2E2;  
}
```

/ Card */*

```
.card {  
background-color: var(--color-bg-primary);  
border: 1px solid var(--color-border);  
border-radius: var(--radius-lg);  
padding: var(--space-lg);  
box-shadow: var(--shadow-sm);  
transition: all var(--transition-base);  
}
```

```
.card:hover {  
box-shadow: var(--shadow-md);  
}
```

/ Text */*

```
.text-h1 {  
font-size: var(--font-size-h1);  
font-weight: var(--font-weight-bold);  
line-height: var(--line-height-tight);  
color: var(--color-text-primary);  
letter-spacing: -0.02em;  
}
```

```
.text-body {  
font-size: var(--font-size-body);  
font-weight: var(--font-weight-regular);  
line-height: var(--line-height-relaxed);  
color: var(--color-text-primary);  
}
```

```
.text-body-secondary {  
color: var(--color-text-secondary);  
}
```

```
/* Responsive */
```

```
@media (max-width: 768px) {
```

```
:root {
```

```
--font-size-h1: 32px;
```

```
--font-size-h2: 28px;
```

```
--space-lg: 16px;
```

```
}
```

```
}
```

Component Library (React)

```
// Button.tsx

import React from 'react';
import styles from './Button.module.css';

export type ButtonVariant = 'primary' | 'secondary' | 'ghost';
export type ButtonSize = 'sm' | 'md' | 'lg';

interface ButtonProps {
  variant?: ButtonVariant;
  size?: ButtonSize;
  disabled?: boolean;
  loading?: boolean;
  fullWidth?: boolean;
  icon?: string; // icon name
  iconPosition?: 'left' | 'right';
  onClick?: () => void;
  type?: 'button' | 'submit' | 'reset';
  children: React.ReactNode;
  ariaLabel?: string;
  testId?: string;
}

export const Button: React.FC<ButtonProps> = ({
  variant = 'primary',
  size = 'md',
  disabled = false,
  loading = false,
  fullWidth = false,
  icon,
  iconPosition = 'left',
  onClick,
  type = 'button',
  children,
  ariaLabel,

```

```
testId,  
}) => {  
  const className = [  
    styles.button,  
    styles[`button--${variant}`],  
    styles[`button--${size}`],  
    fullWidth && styles['button--fullWidth'],  
  ]  
  .filter(Boolean)  
  .join(' ');  
  
  return (  
    <button  
      className={className}  
      type={type}
```

```

disabled={disabled || loading}
onClick={onClick}
aria-label={ariaLabel}
data-testid={testId}
>
{loading ? (
  <>
    <span className={styles.spinner} />
    {typeof children === 'string' ? 'Procesando...' : children}
  </>
) : (
  <>
    {icon && iconPosition === 'left' && (
      <Icon name={icon} className={styles.icon} />
    )}
    {children}
    {icon && iconPosition === 'right' && (
      <Icon name={icon} className={styles.icon} />
    )}
  </>
)}
</button>
);
};

```

// Input.tsx

```

interface InputProps {
  label?: string;
  value: string;
  onChange: (value: string) => void;
  type?: 'text' | 'email' | 'password' | 'number';
  error?: string;
  hint?: string;
}

```

```
required?: boolean;  
disabled?: boolean;  
placeholder?: string;  
ariaLabel?: string;  
}
```

```
export const Input: React.FC<InputProps> = ({  
  label,  
  value,  
  onChange,  
  error,  
  hint,  
  required,  
  disabled,  
  placeholder,  
  ariaLabel,
```

```

}) => {
  const inputId = `input-${Math.random()}`;

  return (
    <div className={styles.inputGroup}>
      {label && (
        <label htmlFor={inputId} className={styles.label}>
          {label}
          {required && <span className={styles.required}>*</span>}
        </label>
      )}
      <input
        id={inputId}
        className={
          styles.input,
          error && styles['input--error'],
        }.join(' ')}
        value={value}
        onChange={(e) => onChange(e.target.value)}
        disabled={disabled}
        placeholder={placeholder}
        aria-label={ariaLabel}
        aria-required={required}
        aria-invalid={!error}
        aria-describedby={error ? `${inputId}-error` : undefined}
      />
      {error && (
        <span id={`${inputId}-error`} className={styles.error}>
          ■ {error}
        </span>
      )}
      {hint && <span className={styles.hint}>{hint}</span>}
    </div>
  );

```

```
};
```

Storybook Examples

```
storybook/
```

```
■ ■ Button.stories.tsx
```

```
■ ■ Input.stories.tsx
```

```
■ ■ Card.stories.tsx
```

```
■ ■ Modal.stories.tsx
```

```
■ ■ Toast.stories.tsx
```

```
// Button.stories.tsx
```

```
import { Button } from './Button';
```

```
export default {  
  title: 'Components/Button',  
  component: Button,  
};
```

```
export const Primary = () => (  
  <Button variant="primary">Cotizar Ahora</Button>  
);
```

```
export const PrimaryLoading = () => (  
  <Button variant="primary" loading>  
    Cotizar Ahora  
  </Button>  
);
```

```
export const Disabled = () => (  
  <Button variant="primary" disabled>  
    Cotizar Ahora  
  </Button>  
);
```

```
export const WithIcon = () => (  
  <Button variant="primary" icon="download" iconPosition="right">  
    Descargar  
  </Button>  
);
```

```
export const Secondary = () => (  
  <Button variant="secondary">Más Información</Button>  
);
```

```
export const Ghost = () => (  
  <Button variant="ghost">Reintentarlo</Button>  
);
```

```
// Run: npm run storybook
```

// Then: <http://localhost:6006>

CHECKLIST DE IMPLEMENTACIÓN

FASE 1: Setup (Semana 1)

- ■ ☐ Crear proyecto React + TypeScript
- ■ ☐ Instalar Tailwind CSS o CSS Modules
- ■ ☐ Configurar Storybook
- ■ ☐ Crear design token system (CSS variables)
- ■ ☐ Establecer Git workflow
- ■ ☐ Documentar en Figma

FASE 2: Componentes Base (Semanas 2-3)

- ■ [] Button (todas las variantes)
- ■ [] Input, Select, Checkbox, Radio
- ■ [] Card, Modal, Toast, Badge
- ■ [] Icons (24px set)
- ■ [] Typography (H1-H6, Body, etc.)
- ■ [] Todos los componentes en Storybook

FASE 3: Layouts y Patrones (Semanas 4-5)

- ■ [] Header (desktop + mobile)
- ■ [] Sidebar Navigation
- ■ [] Quotation Wizard (4 pasos)
- ■ [] Policy Detail view
- ■ [] Claim Form
- ■ [] Responsive grids (mobile, tablet, desktop)

FASE 4: Accesibilidad y Testing (Semana 6)

- ■ [] WCAG 2.1 AA audit (axe DevTools)
- ■ [] Screen reader testing (NVDA/JAWS)
- ■ [] Keyboard navigation test
- ■ [] Color contrast verification
- ■ [] Unit tests (Jest + React Testing Library)
- ■ [] E2E tests (Cypress)
- ■ [] Accessibility audit report

FASE 5: Documentation (Week 7)

- ■ [] Design System Figma (all components)
- ■ [] Component API documentation
- ■ [] Usage guidelines per component
- ■ [] Accessibility notes
- ■ [] Do's and Don'ts
- ■ [] Migration guide (if redesigning existing)

HERRAMIENTAS:

- ■ Design: Figma
- ■ Dev: React, TypeScript, Tailwind/CSS Modules
- ■ Component Library: Storybook
- ■ Testing: Jest, React Testing Library, Cypress
- ■ Accessibility: axe DevTools, WAVE, Contrast Checker
- ■ Documentation: Storybook Docs, Notion
- ■ CI/CD: GitHub Actions (test + a11y checks)

CONCLUSIÓN

Este ****Design System de Solventa**** proporciona:

- ✓ ****Coherencia visual**** en web y móvil
- ✓ ****Componentes reutilizables**** (Button, Input, Card, etc.)
- ✓ ****Accesibilidad WCAG 2.1 AA**** desde el inicio
- ✓ ****Responsive design**** (mobile-first)
- ✓ ****Documentación completa**** (Figma + Storybook)
- ✓ ****Padrón profesional**** para fintech/insurtech

Todas las decisiones priorizan ****claridad, confianza, velocidad y accesibilidad****.

****Versión:**** 1.0 | ****Fecha:**** 2026-01-15 | ****Estado:**** Listo para Implementación