## Test\_Suite\_6

#### **Execution Environment**

Host name admin - NTK0999 Local OS Windows 10 64bit

Katalon version 8.6.0.208

Browser Chrome 112.0.0.0

Summary

ID Test Suites/Test\_Suite\_6

Description

Total 5

Passed 3 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-04-17 13:02:28 End 2023-04-17 13:04:15

Elapsed 1m - 46,902s

#	ID	Description	Status
1	Test Cases/Navegador/Navegador		PASSED
2	Test Cases/Reto_2_SpyWeb/Reto_2		PASSED
3	Test Cases/Reto_Xpath/Reto_xpath		FAILED
4	Test Cases/Test_Script/Test_por_script		PASSED
5	Test Cases/Google/Test_1		FAILED

# Navegador

#### Information

ID Test Cases/Navegador/Navegador

Description

Tag

Start 2023-04-17 13:02:28 End 2023-04-17 13:02:40

Elapsed 11,844s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("https://demoqa.com/text-box")  Browser is opened with url: 'https://demoqa.com/text-box'	8,032s	PASSED
2	maximizeWindow()  Current window maximized	0,205s	PASSED
3	pageUrl = getUrl()  Current window's url is: 'https://demoqa.com/text-box'	0,059s	PASSED
4	print(pageUrl)	0,011s	PASSED
5	Titulo = getWindowTitle()  Current window's title is: 'DEMOQA'	0,071s	PASSED
6	print("Titulo de la pagina: " + Titulo)	0,002s	PASSED
7	closeBrowser() Browser is closed	0,752s	PASSED

# Navegador

#	Description	Elapsed	Status
8	Video	0,002s	PASSED
	Video recording for test case 'Test Cases/Navegador/Navegador' .		

### Reto\_2

#### Information

ID Test Cases/Reto\_2\_SpyWeb/Reto\_2

Description

Tag

Start 2023-04-17 13:02:40 End 2023-04-17 13:03:00

Elapsed 19,891s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1,316s	PASSED
	Blowser is opened with un.		
2	navigateToUrl("http://opencart.abstracta.us/")	2,247s	PASSED
	Navigate to 'http://opencart.abstracta.us/' successfully		
3	maximizeWindow()	0,152s	PASSED
	Current window maximized		
4	scrollToPosition(0, 240)	0,079s	PASSED
	Browser is scrolled to position $x = 0$ , $y = 240$		
5	click(findTestObject("Spy_web/Reto_2/Page_Your Store/a_MacBook"))	2,823s	PASSED
	Object: 'Object Repository/Spy_web/Reto_2/Page_Your Store/a_MacBook' is clicked on		
6	click(findTestObject("Spy_web/Reto_2/Page_MacBook/img"))	1,289s	PASSED
	Object: 'Object Repository/Spy_web/Reto_2/Page_MacBook/img' is clicked on		
7	click(findTestObject("Spy_web/Reto_2/Page_MacBook/button_"))	0,623s	PASSED
	Object: 'Object Repository/Spy_web/Reto_2/Page_MacBook/button_' is clicked on		

## Reto\_2

#	Description	Elapsed	Status
8	setText(findTestObject("Spy_web/Reto_2/Page_MacBook/input_Qty_quantity"), "2")  Text '2' is set on object 'Object Repository/Spy_web/Reto_2/Page_MacBook/input_Qty_quantity'	1,310s	PASSED
9	click(findTestObject("Spy_web/Reto_2/Page_MacBook/button_Add to Cart"))  Object: 'Object Repository/Spy_web/Reto_2/Page_MacBook/button_Add to Cart' is clicked on	0,492s	PASSED
10	click(findTestObject("Spy_web/Reto_2/Page_MacBook/button_2 item(s) - 1,204.00"))  Object: 'Object Repository/Spy_web/Reto_2/Page_MacBook/button_2 item(s) - 1,204.00' is clicked on	1,021s	PASSED
11	click(findTestObject("Spy_web/Reto_2/Page_MacBook/strong_View Cart"))  Object: 'Object Repository/Spy_web/Reto_2/Page_MacBook/strong_View Cart' is clicked on	0,950s	PASSED
12	click(findTestObject("Spy_web/Reto_2/Page_Shopping Cart/h1_Use Gift Certificate (0.00kg)"))  Object: 'Object Repository/Spy_web/Reto_2/Page_Shopping Cart/h1_Use Gift Certificate (0.00kg)' is clicked on	0,476s	PASSED
13	verifyElementText(findTestObject("Spy_web/Reto_2/Page_Shopping Cart/h1_Use Gift Certificate (0.00kg)"), "Use Gift Certificate (0.00kg)")  Actual text and expected text of test object 'Object Repository/Spy_web/Reto_2/Page_Shopping Cart/h1_Use Gift Certificate (0.00kg)' are matched.	0,440s	PASSED
14	scrollToPosition(0, 240)  Browser is scrolled to position x = 0, y = 240	0,031s	PASSED
15	click(findTestObject("Spy_web/Reto_2/Page_Shopping Cart/a_Checkout"))  Object: 'Object Repository/Spy_web/Reto_2/Page_Shopping Cart/a_Checkout' is clicked on	2,630s	PASSED

### Reto\_2

#	Description	Elapsed	Status
16	click(findTestObject("Spy_web/Reto_2/Page_Checkout/h1_Checkout"))	0,518s	PASSED
	Object: 'Object Repository/Spy_web/Reto_2/Page_Checkout/h1_Checkout' is clicked on		
17	verifyElementText(findTestObject("Spy_web/Reto_2/Page_Checkout/h1_Checkout"), "Checkout")	0,432s	PASSED
	Actual text and expected text of test object 'Object Repository/Spy_web/Reto_2/Page_Checkout/h1_Checkout' are matched.		
18	closeBrowser()	0,689s	PASSED
	Browser is closed		
19	Video	0,001s	PASSED

Video recording for test case 'Test Cases/Reto\_2\_SpyWeb/Reto\_2' .

#### Information

ID Test Cases/Reto\_Xpath/Reto\_xpath

Description

Tag

Start 2023-04-17 13:03:00 End 2023-04-17 13:03:52

Elapsed 51,672s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	1,655s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://demoqa.com/automation-practice-form")	4,642s	PASSED
	Navigate to 'https://demoqa.com/automation-practice-form' successfully		
3	maximizeWindow()	0,149s	PASSED
	Current window maximized		
4	setText(findTestObject("Reto_xpath/Nombre"), "Juan Cruz")	1,551s	PASSED
	Text 'Juan Cruz' is set on object 'Object Repository/Reto_xpath/Nombre'		
5	setText(findTestObject("Reto_xpath/Apellido"), "Mouhape")	0,798s	PASSED
	Text 'Mouhape' is set on object 'Object Repository/Reto_xpath/Apellido'		
6	setText(findTestObject("Reto_xpath/Email"), "juancmouhape@gmail.com")	0,811s	PASSED
	Text 'juancmouhape@gmail.com' is set on object 'Object Repository/Reto_xpath/Email'		
7	delay(2)	2,072s	PASSED
	Delayed 2 second(s)		

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("Reto_xpath/Boton_Submit"), 2)	0,460s	PASSED
	Scroll to object 'Object Repository/Reto_xpath/Boton_Submit' successfully		
9	delay(3)	3,752s	PASSED


Delayed 3 second(s)

D	escription	Elapsed	Status
	lick(findTestObject("Reto_xpath/Boton_Submit"))	33,357s	FAILED
		,	
	nable to click on object 'Object Repository/Reto_xpath/Boton_Submit' (Root cause: com.		
	ms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
r	epository/Reto_xpath/Boton_Submit' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(\	WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(\	VebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
g	roovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
((	ClickKeyword.groovy:40)		
_	at com.kms.katalon.core.keyword.internal.KeywordExecutor. xecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
-	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
()	WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$6.call		
(۱	Jnknown Source)		
	at Reto_xpath.run(Reto_xpath:38)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ja	iva:119)		
ic	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
Je	va:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
ia	iva:439)		
,-	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(	FestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(	TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
Ja	iva:285)		
11	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase CommonExecutor.java:65)		
(	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(-	FestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
1	06)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
1	87)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
5	ource) at TempTestSuite1681747339086.run(TempTestSuite1681747339086.groovy:36)		
C	aused by: org.openqa.selenium.ElementClickInterceptedException: element click		
	stercepted: Element <button class="btn btn-primary" id="submit" type="submit"></button>		
	not clickable at point (951, 593). Other element would receive the click: <div></div>		
	(Session info: chrome=112.0.5615.121)		
	uild info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	ystem info: host: 'NTK0999', ip: '192.168.29.77', os.name: 'Windows 10', os.arch: 'amd64',		
	s.version: '10.0', java.version: '1.8.0_282'		
	river info: com.kms.katalon.selenium.driver.CChromeDriver		
	apabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 12.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c,		
	serDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress:		
	ocalhost:50577}, javascriptEnabled: true, networkConnectionEnabled: false,		
	ageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	roxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

Elapsed

Status

```
Description
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: d2cefeae738004765941775260dcaea5
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$6.call
(Unknown Source)
         at Script1679507848367.run(Script1679507848367.groovy:38)
         ... 13 more
```



Video recording for test case 'Test Cases/Reto\_Xpath/Reto\_xpath' .

# Test\_por\_script

#### Information

ID Test Cases/Test\_Script/Test\_por\_script

Description

Tag

Start 2023-04-17 13:03:52 End 2023-04-17 13:04:06

Elapsed 14,599s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1,967s	PASSED
2	navigateToUrl("https://demoqa.com/text-box")  Navigate to 'https://demoqa.com/text-box' successfully	4,944s	PASSED
3	maximizeWindow()  Current window maximized	0,147s	PASSED
4	setText(findTestObject("Object Repository/Script/Page_DEMOQA/input_Full Name_userName"), "Juan Cruz")  Text 'Juan Cruz' is set on object 'Object Repository/Script/Page_DEMOQA/input_Full Name_userName'	1,539s	PASSED
5	setText(findTestObject("Object Repository/Script/Page_DEMOQA/input_Email_userEmail"), "juancmouhape@gmail.com")  Text 'juancmouhape@gmail.com' is set on object 'Object Repository/Script/Page_DEMOQA/input_Email_userEmail'	0,746s	PASSED
6	setText(findTestObject("Object Repository/Script/Page_DEMOQA/textarea_Current Address_currentAddress"), "Direccion Uno")  Text 'Direccion Uno' is set on object 'Object Repository/Script/Page_DEMOQA/textarea_Current Address_currentAddress'	0,718s	PASSED

# Test\_por\_script

#	Description	Elapsed	Status
7	setText(findTestObject("Object Repository/Script/Page_DEMOQA/textarea_Permanent Address_permanentAddress"), "Direccion Dos")	0,706s	PASSED
	Text 'Direccion Dos' is set on object 'Object Repository/Script/Page_DEMOQA/textarea_Permanent Address_permanentAddress'		
8	scrollToPosition(0, 280)  Browser is scrolled to position $x = 0$ , $y = 280$	0,020s	PASSED
9	click(findTestObject("Object Repository/Script/Page_DEMOQA/button_Submit"))  Object: 'Object Repository/Script/Page_DEMOQA/button_Submit' is clicked on	0,395s	PASSED
10	closeBrowser() Browser is closed	0,681s	PASSED
11	Video	0,002s	PASSED

Video recording for test case 'Test Cases/Test\_Script/Test\_por\_script' .

## Test\_1

#### Information

ID Test Cases/Google/Test\_1

Description

Tag

Start 2023-04-17 13:04:06 End 2023-04-17 13:04:12

Elapsed 5,954s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	1,423s	PASSED
	Browser is opened with url: "		
2	navigateToUrl("https://www.google.com/")	1,114s	PASSED
	Navigate to 'https://www.google.com/' successfully		
3	waitForPageLoad(30)	0,274s	PASSED
	Wait for page load successfully		
4	maximizeWindow()	0,166s	PASSED
	Current window maximized		

## Test\_1

Descripti	on	Elapsed	Statu
setText(fi	ndTestObject("Google/Buscador_google"),	0,619s	FAILE
l la alala te	and tout them of a biggs 10 biggs Demonstrate 10 complete Demonstrate 10 complete Demonstrate 10 complete Demonstrate 10 complete 10 compl		
	set text 'ferr' of object 'Object Repository/Google/Buscador_google' (Root cause:		
	katalon.core.exception.StepFailedException: Unable to set text 'ferr' of object		
Object R	epository/Google/Buscador_google'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIK	eywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIK	eywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetText	Keyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(Set Lextl	Keyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeK	eywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUiB	uiltInKeywords.groovy:980)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$7.call		
(Unknow	n Source)		
	at Test_1.run(Test_1:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
(T	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:418)		
<b>/-</b>	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)			
10	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commoi	nExecutor.java:65)		
/T 10 11	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:148)		
400\	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
4.07	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
187)			
•	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	. T . O .:		
0 11	at TempTestSuite1681747339086.run(TempTestSuite1681747339086.groovy:36)		
	y: org.openqa.selenium.InvalidElementStateException: invalid element state		
<b>X</b>	n info: chrome=112.0.5615.121)		
	: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	nfo: host: 'NTK0999', ip: '192.168.29.77', os.name: 'Windows 10', os.arch: 'amd64',		
	n: '10.0', java.version: '1.8.0_282'		
	o: com.kms.katalon.selenium.driver.CChromeDriver		
	es {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	15.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c,		
	Dir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress:		
	50734}, javascriptEnabled: true, networkConnectionEnabled: false,		
	dStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		
	script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:		
ana al Dila la	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		

Status

```
Description
                                                                                          Elapsed
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 7239a921404fd993b4108705cef58883
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.clear(RemoteWebElement.
java:124)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
         at com.sun.proxy.$Proxy11.clear(Unknown Source)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at\ com. kms. katalon. core. webui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$7.call
(Unknown Source)
         at Script1679584755723.run(Script1679584755723.groovy:28)
         ... 13 more
```

## Test\_1

