

GENERAL INFORMATION

KROHNE electromagnetic flowmeters are suitable for the measurement of liquids with a minimum electrical conductivity.

For detailed information with regard to the following items please kindly refer to our technical data sheets (see 'Download' at www.krohne.com):
measuring principle, project engineering guidelines, application fields, operating data, resistance of electrodes and measuring tubes, min. and max. flowrates

This price list contains all instrument versions of a.m. product group.

The ordering codes are constructed in such way that your order can be placed either by using the V-number or by product description. In case accessories and spare parts are ordered, the indication of the stock number is sufficient. Our Price list contains the standard program. For special versions please contact us directly.

For exact determination of flowmeters we require the following specifications:

fluid, spec. gravity, viscosity, phys. characteristics (e.g. crystallising), conductivity, operating temperature and pressure, flow rate per time unit, analogue output, pulse output, mounting direction (always for compact instruments), Ex-approvals, power supply

Under consideration of the specific application and after decision of the measuring principle and instrument type, the required instrument version can be taken out of the Price list.

The purchaser is solely responsible for the suitability in accordance with the technical regulations and applicability of our instruments.

All instruments will be tested by our Final Quality Assurance prior to shipment. Our QA System is approved according to DIN ISO 9001.

Our General Terms & Conditions and the latest edition of INCOTERMS are valid. The prices mentioned in our pricelist are to be understood without VAT.

We reserve the right of technical changes and price modifications.

Please visit us at:

www.krohne-direct.com

Here you have the opportunity to configure our instruments directly, online, non-binding and without any software installation.

CONTENT

	page(s)
OPTIFLUX 1000 DN 10...150 ¾"...6"	01 - 02
OPTIFLUX 2000 DN 25...150 1"... 6"	03 - 04
OPTIFLUX 2000 DN 200...600 8"...24"	05 - 06
OPTIFLUX 2000 DN 700...2000 28"...80"	07 - 08
OPTIFLUX 4000 DN 2,5...15 1/10"...½"	09 - 10
OPTIFLUX 4000 DN 10...150 ¾"...6"	11 - 12
OPTIFLUX 4000 DN 200...600 8"...24"	13 - 14
OPTIFLUX 4000 DN 700...2000 28"...80"	15 - 16
OPTIFLUX 4000 liner	17
OPTIFLUX 2000 / 4000 extended standard PN	18 - 19
OPTIFLUX 2000 / 4000 rings ss 316 L std PN	20
OPTIFLUX 2000 / 4000 rings HC, Ti, Ta std PN	21
OPTIFLUX 5000 - SW DN 2,5...100 1/10"...4"	22 - 23
OPTIFLUX 5000 - FL DN 15...100 ½"...4"	24 - 25
OPTIFLUX 5000 - FL DN 150...300 6"...12"	26 - 27
OPTIFLUX 6000 DN 2,5...150 1/10"...6"	28 - 29
OPTIFLUX 6000 connection overview	30
OPTIFLUX 7000 - SW DN 25...100 1"...4"	31 - 32
OPTIFLUX 7000 - FL DN 25...100 1"...4"	33 - 34
WATERFLUX 3000 DN 25...150 1"...6"	35
WATERFLUX 3000 DN 200...600 8"...24"	36
TIDALFLUX 2000 DN 200...1800 8"...72"	37 - 38
TIDALFLUX 2000 Ring #3	39
IFC 050	40
IFC 100	41
IFC 300 basic version	42
IFC 300 Ex-i version	43
IFC 300 modular version	44 - 45
OPTIFLUX signal cable	46
BATCHFLUX 5500 DN 2,5...40 1/10"...1½"	47
BFC 500	48
BATCHFLUX 2_3000 DN 15 ½"	49
BFC 100	50
WATERFLUX 3070-v3 DN 25...150 1"...6"	51
WATERFLUX 3070-v3 DN 200...600 8"...24"	52
IFC 070-v3	53
OPTIPROBE	54
BATCHFLUX 2_3000 DN 15 ½"	58
BFC 200	59
IFC 400 basic version	60
IFC 400 Ex-i version	61
IFC 400 modular version	62
IFC 400 SIL version	63
Verification MI-001 OIML R49 OPTIFLUX	A1
Verification MI-001 OIML R49 WATERFLUX	A1
Verification MI-004 OF WF	A2

OPTIFLUX, verification to MI-001 | OIML R49
Please see table at page A1 Verification OF|WF for Q3 and R (standard).

Code flow sensor										Base price
VN14	4	Nominal diameter								
4	2000 F	DN 25		1"	PP				€ 1.713	
5	2000 F	DN 32		1¼"	PP				€ 1.713	
6	2000 F	DN 40		1½"	PP				€ 1.713	
7	2000 F	DN 50		2"	PP				€ 1.649	
8	2000 F	DN 65		2½"	PP				€ 1.665	
A	2000 F	DN 80		3"	PP				€ 1.687	
B	2000 F	DN 100		4"	PP				€ 1.922	
C	2000 F	DN 125		5"	PP				€ 1.994	
D	2000 F	DN 150		6"	PP				€ 2.159	
Nominal pressure (other ratings on request)										Price adder
3	PN 16	EN 1092-1								see page 18-19
5	PN 40	EN 1092-1								see page 18-19
A	150 lb RF	ASME B 16.5								see page 18-19
B	300 lb RF	ASME B 16.5								see page 18-19
L	AS 4087 Cl.16	(HR lining only)							see page 18-19	
M	20 K	Conn. acc. JIS B2220	(DN 25...40 1"...1½")							see page 18-19
N	10 K	Conn. acc. JIS B2220	(DN 50...150 2"...6")							see page 18-19
Ex-approval_S										
0	non Ex									€ 0
1	ATEX Ex zone 1		(IFC100, 300 C/F & 400 C/F)						€ 307	
3	Ex zone 2		(IFC 300 C/F)						€ 74	
5	FM Class I DIV 2		(IFC 100 & IFC 300 C/F)						€ 74	
A	cCSAus OL		(IFC100 & IFC 300 C/F/W)						€ 74	
C	CSA Class I DIV 2		(IFC 300 C/F)						€ 74	
D	NEPSI zone 1		(IFC 100 & IFC 300 C/F)						€ 307	
F	IECEx zone 1		(IFC100, 300 C/F & 400 C/F)						€ 307	
V	KA-Ex EAC		(Kazakhstan IFC 100 & IFC 300 C/F)						€ 307	
X	KA-EAC		(Kazakhstan)						€ 0	
System design / cable connection										
1	Compact with std. neck (alu. converter only)				/ at converter				€ 0	
2	Compact with heavy duty neck				/ at converter				€ 31	
3	Modular				/ without				-€ 128	
4	Separate with aluminum connection box				/ ½" NPT				€ 0	
5	Separate with aluminum connection box				/ PF ½				€ 0	
6	Separate with aluminum connection box				/ M20 x 1.5				€ 0	
A	Separate with stainless steel connection box				/ ½" NPT				€ 138	
B	Separate with stainless steel connection box				/ PF ½				€ 138	
C	Separate with stainless steel connection box				/ M20 x 1.5				€ 138	
Converter model										
0	Without / modular									€ 0
3	IFC 100 C		(compact design)							€ 0
4	IFC 100 W		(wall mount version)							€ 0
C	IFC 300 C		(compact design)							€ 0
D	IFC 300 F		(field mount version)							€ 0
E	IFC 300 W		(wall mount version)							€ 0
F	IFC 300 R		(rack mount version)							€ 0
K	IFC 050 C		(compact design)							€ 0
L	IFC 050 W		(wall mount version)							€ 0
M	IFC 400 C		(compact design)							€ 0
N	IFC 400 F		(field mount version)							€ 0
Lining (see page 17 for approvals)										
0*	Standard - PolyPropylene		(PFA for Ex)							€ 0
5	Hardrubber		(Ex construction)							€ 91
7	Hardrubber H1005		(With potable water approvals)							€ 438
8	Hardrubber		(non Ex only)							€ 91
T	PolyPropylene - provided for protection rings									€ 105
Electrodes (fixed)										
1	Stainless steel 1.4571 316 Ti									€ 0
3	Hastelloy C4									€ 193
6	Titanium									€ 193
B*	Hastelloy C22									€ 0

VN14	4								
------	---	--	--	--	--	--	--	--	--

VN14										4										Construction of electrodes										Price adder																			
										1*										Fixed										€ 0																			
										Housing-										/ flange material																													
										1*										Steel										/ steel St 37-C22 / A 105										€ 0									
										3										Steel										/ st. steel 1.4404 316 L										see page 19									
										4										Steel										/ st. steel 1.4571 316 Ti										see page 19									
										A										1.4301 304										/ steel St 37-C22 / A 105 (with st.st. conn. box.)										€ 87									
										C										1.4301 304										/ st. steel 1.4404 316 L (with st.st. conn. box.)										"A" + see page 19									
										D										1.4301 304										/ st. steel 1.4571 316 Ti (with st.st. conn. box.)										"A" + see page 19									
										Protection class										/ dimension (face-to-face)																													
										0*										IP 66 / 67										/ standard										€ 0									
										1										IP 68 Field										/ standard (with stainless steel connection box)										€ 453									
										2										IP 68 Factory										/ standard (with stainless steel connection box)										€ 523									
										3										IP 66 / 67										/ ISO 20456										€ 0									
										4										IP 68 Field										/ ISO 20456 (with stainless steel connection box)										€ 453									
										5										IP 68 Factory										/ ISO 20456 (with stainless steel connection box)										€ 523									
										Cable																																							
										0*										Compact - without / separate DS										€ 0																			
										1										Separate BTS										(IFC 300 & IFC 400)										see page 46									
										2										Separate LIYCY (only for FM / CSA Class 1 DIV 2)										see page 46																			
										4										Separate DS armoured										see page 46																			
										Y										Without										€ 0																			
										Cable length																																							
										0*										Compact - none / separate - 5 m 15 ft										€ 0																			
										1										10 m 30 ft										see page 46																			
										2										15 m 45 ft										see page 46																			
										3										20 m 60 ft										see page 46																			
										4										25 m 75 ft										see page 46																			
										5										30 m 90 ft										see page 46																			
										6										40 m 120 ft										see page 46																			
										7										50 m 150 ft										see page 46																			
										8										100 m 300 ft										see page 46																			
										Y										Without										€ 0																			
										Calibration																																							
										0*										Standard										€ 0																			
										2										Standard + 316 1.4401 tagplate (120 x 46 mm)										€ 42																			
										3										Standard + 316 1.4401 tagplate (67 x 25 mm)										€ 32																			
										A										Custody transfer										(IFC 300 C, -F, -W)										€ 0									
										C										CT + 316 1.4401 tagplate (120 x 46 mm)										(IFC 300 C, -F, -W)										€ 42									
										D										CT + 316 1.4401 tagplate (67 x 25 mm)										(IFC 300 C, -F, -W)										€ 32									
										F										NMI 14/3/49 - AUS										(IFC 300 C, -F, -W)										€ 0									
										H										3 points with water (acc. ISO/IEC 17025 2)										€ 822																			
										R										Extended calibration										(IFC 100 & 050)										€ 111									
										S										EC + 316 1.4401 tagplate (120 x 46 mm)										(IFC 100 & 050)										€ 155									
										T										EC + 316 1.4401 tagplate (67 x 25 mm)										(IFC 100 & 050)										€ 144									
										X										KIWA (OIML R49)										(IFC 300 C, -F, -W)										€ 0									
										Y										Custody transfer, Class 1										(IFC 300 C, -F, -W)										€ 299									
										Ring										/ -material																													
										0*										Without										€ 0																			
										5										Ring #1										/ Titanium										see page 21									
										6										Ring #1										/ 1.4404 316 L										see page 20									
										7										Ring #1										/ Hastelloy C22										see page 21									
										E										Ring #3										/ 1.4404 316 L										see page 20									
										N										Protection ring #2										/ Titanium										see page 21									
										P										Protection ring #2										/ 1.4404 316 L										see page 20									
										R										Protection ring #2										/ Hastelloy C22										see page 21									
										Finish																																							
										0*										KROHNE standard										€ 0																			
										3										KROHNE offshore										see page 17																			
										5										KROHNE burial coating (IP68 only)										see page A1																			
										Construction requirements																																							
										0*										Standard										€ 0																			
										QA / QC requirements																																							
										0*										Standard										€ 0																			
										Ratio of CT-calibration																																							
										0*										Standard, R=80										€ 0																			
										1										VdS 2344 (IFC 100)										€ 0																			
										Destination																																							

OPTIFLUX, verification to MI-001 | OIML R49
Please see table at page A1 Verification OFIWF for Q3 and R (standard).

										Base price
Code flow sensor										
VN15	4	Nominal diameter								
		E	2000 F	DN 200	8"		Hardrubber			€ 2.662
		F	2000 F	DN 250	10"		Hardrubber			€ 3.274
		G	2000 F	DN 300	12"		Hardrubber			€ 4.247
		H	2000 F	DN 350	14"		Hardrubber			€ 5.496
		K	2000 F	DN 400	16"		Hardrubber			€ 6.161
		L	2000 F	DN 450	18"		Hardrubber			€ 6.815
		M	2000 F	DN 500	20"		Hardrubber			€ 7.138
		N	2000 F	DN 600	24"		Hardrubber			€ 7.603
Nominal pressure (other ratings on request)										Price adder
		2	PN 10	EN 1092-1						see page 18-19
		3	PN 16	EN 1092-1						see page 18-19
		4	PN 25	EN 1092-1						see page 18-19
		5	PN 40	EN 1092-1						see page 18-19
		A	150 lb RF	ASME B 16.5						see page 18-19
		B	300 lb RF	ASME B 16.5						see page 18-19
		L	AS 4087 Cl.16		(HR lining only)					see page 18-19
		M	20 K	Conn. acc. JIS B2220						see page 18-19
		N	10 K	Conn. acc. JIS B2220						see page 18-19
Ex-approval_S										
		0	non Ex							€ 0
		1	ATEX Ex zone 1 (DN 200...250 8" ...10")		(IFC100, 300 C/F & 400 C/F)					€ 480
		1	ATEX Ex zone 1 (DN 300...450 12" ...18")		(IFC100, 300 C/F & 400 C/F)					€ 828
		1	ATEX Ex zone 1 (DN 500...600 20" ...24")		(IFC100, 300 C/F & 400 C/F)					€ 1.003
		3	Ex zone 2		(IFC 300 C/F)					€ 74
		5	FM Class I DIV 2		(IFC 100 & IFC 300 C/F)					€ 74
		A	cCSAus OL		(IFC 100 & IFC 300 C/F/W)					€ 74
		C	CSA Class I DIV 2		(IFC 300 C/F)					€ 74
		D	NEPSI zone 1 (DN 200...250 8" ...10")		(IFC 100 & IFC 300 C/F)					€ 480
		D	NEPSI zone 1 (DN 300...450 12" ...18")		(IFC 100 & IFC 300 C/F)					€ 828
		D	NEPSI zone 1 (DN 500...600 20" ...24")		(IFC 100 & IFC 300 C/F)					€ 1.003
		F	IECEX zone 1 (DN 200...250 8" ...10")		(IFC 100 & IFC 300 C/F)					€ 480
		F	IECEX zone 1 (DN 300...450 12" ...18")		(IFC 100 & IFC 300 C/F)					€ 828
		F	IECEX zone 1 (DN 500...600 20" ...24")		(IFC 100 & IFC 300 C/F)					€ 1.003
		V	KA-Ex EAC (DN 200...250 8" ...10")		(Kazakhstan IFC 100 & IFC 300 C/F)					€ 480
		V	KA-Ex EAC (DN 300...450 12" ...18")		(Kazakhstan IFC 100 & IFC 300 C/F)					€ 828
		V	KA-Ex EAC (DN 500...600 20" ...24")		(Kazakhstan IFC 100 & IFC 300 C/F)					€ 1.003
		X	KA-EAC		(Kazakhstan)					€ 0
System design / cable connection										
		1	Compact with std. neck (alu. converter only)		/ at converter					€ 0
		2	Compact with heavy duty neck		/ at converter					€ 31
		3	Modular		/ without					-€ 128
		4	Separate with aluminum connection box		/ ½" NPT					€ 0
		5	Separate with aluminum connection box		/ PF ½					€ 0
		6	Separate with aluminum connection box		/ M20 x 1.5					€ 0
		A	Separate with stainless steel connection box		/ ½" NPT					€ 138
		B	Separate with stainless steel connection box		/ PF ½					€ 138
		C	Separate with stainless steel connection box		/ M20 x 1.5					€ 138
Converter model										
		0	Without / modular							€ 0
		3	IFC 100 C (compact design)							€ 0
		4	IFC 100 W (wall mount version)							€ 0
		C	IFC 300 C (compact design)							€ 0
		D	IFC 300 F (field mount version)							€ 0
		E	IFC 300 W (wall mount version)							€ 0
		F	IFC 300 R (rack mount version)							€ 0
		K	IFC 050 C (compact design)							€ 0
		L	IFC 050 W (wall mount version)							€ 0
		M	IFC 400 C (compact design)							€ 0
		N	IFC 400 F (field mount version)							€ 0
Lining (see page 17 for approvals)										
		0*	Standard - Hardrubber							€ 0
		7	Hardrubber H1005		(With potable water approvals)					see page 17
Electrodes (fixed)										
		1	Stainless steel 1.4571 316 Ti							€ 0
		3	Hastelloy C4							€ 193
		6	Titanium							€ 193
		B*	Hastelloy C22							€ 0

VN15	4								
------	---	--	--	--	--	--	--	--	--

Please see table at page A1 Verification OF|WF for Q3 and R (standard).

- DN 400 PN 25 / 40, 16"-300 lbs.

Code flow sensor										Base price
VN16	4	Nominal diameter								(DN 2200...3000 88"...120": on request)
P	2000 F	DN	700		28"		Hardrubber		€ 10.552	
R	2000 F	DN	800		32"		Hardrubber		€ 12.452	
S	2000 F	DN	900		36"		Hardrubber		€ 14.918	
T	2000 F	DN	1000		40"		Hardrubber		€ 18.328	
U	2000 F	DN	1200		48"		Hardrubber		€ 24.877	
V	2000 F	DN	1400		56"		Hardrubber		€ 31.618	
W	2000 F	DN	1600		64"		Hardrubber		€ 44.027	
X	2000 F	DN	1800		72"		Hardrubber		€ 60.360	
Y	2000 F	DN	2000		80"		Hardrubber		€ 76.533	
Nominal pressure (other ratings on request)										Price adder
1	PN 6	EN 1092-1	(DN 1200...2000)						€ 0	
2	PN 10	EN 1092-1	(DN 700...1000)						€ 0	
3	PN 16	EN 1092-1	(DN 700...1000)					see page 18-19		
A	150 lb RF	ASME B 16.5	(DN 700...1000)					see page 18-19		
N	10 K	Conn. acc. JIS B	(DN 700...1400)					on request		
W	Class D	AWWA						see page 18-19		
Ex-approval_S										
0	non Ex									€ 0
1	ATEX Ex zone 1	(DN 700...800 28"...32")		(IFC 100 & IFC 300 C/F)		€ 1.203				
1	ATEX Ex zone 1	(DN 900...1000 36"...40")		(IFC 100 & IFC 300 C/F)		€ 1.402				
1	ATEX Ex zone 1	(DN 1200 40")		(IFC 100 & IFC 300 C/F)		€ 1.604				
3	Ex zone 2				(IFC 300 C/F)	€ 74				
5	FM Class I DIV 2				(IFC 100 & IFC 300 C/F)	€ 74				
A	cCSAus OL				(IFC 100 & IFC 300 C/F)	€ 74				
C	CSA Class I DIV 2				(IFC 300 C/F)	€ 74				
D	NEPSI zone 1	(DN 700...800 28"...32")		(IFC 100 & IFC 300 C/F)		€ 1.203				
D	NEPSI zone 1	(DN 900...1000 36"...40")		(IFC 100 & IFC 300 C/F)		€ 1.402				
D	NEPSI zone 1	(DN 1200 40")		(IFC 100 & IFC 300 C/F)		€ 1.604				
F	IECEEx zone 1	(DN 700...800 28"...32")		(IFC 100 & IFC 300 C/F)		€ 1.203				
F	IECEEx zone 1	(DN 900...1000 36"...40")		(IFC 100 & IFC 300 C/F)		€ 1.402				
F	IECEEx zone 1	(DN 1200 40")		(IFC 100 & IFC 300 C/F)		€ 1.604				
V	KA-Ex EAC	(DN 700...800 28"...32")		(Kazakhstan IFC 100 & IFC 300 C/F)		€ 1.203				
V	KA-Ex EAC	(DN 900...1000 36"...40")		(Kazakhstan IFC 100 & IFC 300 C/F)		€ 1.402				
V	KA-Ex EAC	(DN 1200 40")		(Kazakhstan IFC 100 & IFC 300 C/F)		€ 1.604				
X	KA-EAC				(Kazakhstan)	€ 0				
System design / cable connection										
1	Compact with std. neck (alu. converter only)				/ at converter		€ 0			
2	Compact with heavy duty neck				/ at converter		€ 31			
3	Modular				/ without		-€ 128			
4	Separate with aluminum connection box				/ ½" NPT		€ 0			
5	Separate with aluminum connection box				/ PF ½		€ 0			
6	Separate with aluminum connection box				/ M20 x 1.5		€ 0			
A	Separate with stainless steel connection box				/ ½" NPT		€ 138			
B	Separate with stainless steel connection box				/ PF ½		€ 138			
C	Separate with stainless steel connection box				/ M20 x 1.5		€ 138			
Converter model										
0	Without / modular									€ 0
3	IFC 100 C		(compact design)		(DN 700...1200 28"...48")		€ 0			
4	IFC 100 W		(wall mount version)		(DN 700...1200 28"...48")		€ 0			
C	IFC 300 C		(compact design)				€ 0			
D	IFC 300 F		(field mount version)				€ 0			
E	IFC 300 W		(wall mount version)				€ 0			
F	IFC 300 R		(rack mount version)				€ 0			
K	IFC 050 C		(compact design)		(DN 700...1200 28"...48")		€ 0			
L	IFC 050 W		(wall mount version)		(DN 700...1200 28"...48")		€ 0			
M	IFC 400 C		(compact design)				€ 0			
N	IFC 400 F		(field mount version)				€ 0			
Lining (see page 17 for approvals)										
0*	Standard - Hardrubber									€ 0
7	Hardrubber H1005				(With potable water approvals)		see page 17			
Electrodes (fixed)										
1	Stainless steel 1.4571 316 Ti									€ 0
3	Hastelloy C4									€ 193
6	Titanium									€ 193
B*	Hastelloy C22									€ 0

VN16													4													Construction of electrodes													Price adder												
1*													Fixed													€ 0																									
Housing-													/ flange material																																						
1*													Steel / steel St 37-C22 / A 105													€ 0																									
3													Steel / st. steel 1.4404 316 L													see page 19																									
Protection class													/ dimension (face-to-face)																																						
0*													IP 66 / 67 / standard													€ 0																									
1													IP 68 field / standard (with stainless steel connection box)													€ 453																									
2													IP 68 factory / standard (with stainless steel connection box)													€ 523																									
Cable																																																			
0*													Compact - without / separate DS													€ 0																									
1													Separate BTS (IFC 300 & IFC 400)													see page 46																									
2													Separate LIYCY (only for FM / CSA Class 1 DIV 2)													see page 46																									
4													Separate DS armoured													see page 46																									
Y													Without													€ 0																									
Cable length																																																			
0*													Compact - none / separate - 5 m 15 ft													€ 0																									
1													10 m 30 ft													see page 46																									
2													15 m 45 ft													see page 46																									
3													20 m 60 ft													see page 46																									
4													25 m 75 ft													see page 46																									
5													30 m 90 ft													see page 46																									
6													40 m 120 ft													see page 46																									
7													50 m 150 ft													see page 46																									
8													100 m 300 ft													see page 46																									
Y													Without													€ 0																									
Calibration																																																			
0*													Standard													€ 0																									
2													Standard + 316 1.4401 tagplate (120 x 46 mm)													€ 42																									
3													Standard + 316 1.4401 tagplate (67 x 25 mm)													€ 32																									
A													Custody transfer													** € 0																									
C													CT + 316 1.4401 tagplate (120 x 46 mm)													** € 42																									
D													CT + 316 1.4401 tagplate (67 x 25 mm)													** € 32																									
F													NMI 14/3/49 - AUS													** € 0																									
H													3 points with water (acc. ISO/IEC 17025 2) (DN 700...1000)													€ 2.255																									
H													3 points with water (acc. ISO/IEC 17025 2) (DN 1200...2000)													€ 2.828																									
R													Extended calibration (IFC 100 & 050)													€ 111																									
S													EC + 316 1.4401 tagplate (120 x 46 mm) (IFC 100 & 050)													€ 155																									
T													EC + 316 1.4401 tagplate (67 x 25 mm) (IFC 100 & 050)													€ 144																									
X													KIWA (OIML R49)													** € 0																									
Y													Custody transfer, Class 1													** € 299																									
Ring													/ -material																																						
0*													Without													€ 0																									
5													Ring #1 / Titanium													see page 21																									
6													Ring #1 / 1.4404 316 L													see page 20																									
7													Ring #1 / Hastelloy C22													see page 21																									
E													Ring #3 / 1.4404 316 L													see page 20																									
N													Protection ring #2 / Titanium													see page 21																									
P													Protection ring #2 / 1.4404 316 L													see page 20																									
R													Protection ring #2 / Hastelloy C22													see page 21																									
Finish																																																			
0*													KROHNE standard													€ 0																									
3													KROHNE offshore (DN 700...1000 28...40")													see page 17																									
Construction requirements																																																			
0*													Standard													€ 0																									
QA/QC requirements																																																			
0*													Standard													€ 0																									
Ratio of CT-calibration																																																			
0*													Standard, R=40													€ 0																									
Destination																																																			
0*													Standard													€ 0																									
X													Italy													€ 0																									
* Standard																																																			
** DN 700...1800 32...72",																																																			
IFC 300 C, -F, -W only.																																																			
*** In preparation / pending.																																																			
VN16													4													1*													Complete												
5													6													7													8												
9													10													11													12												
13													14													15													16												
17													18													19													20												
21													22													23													24												
25													26													27													28												
ordering code																																																			

OPTIFLUX, verification to MI-001 | OIML R49

Please see table at page A1 Verification OF|WF for Q3 and R (standard).

[illegible]

Construction of electrodes													Price adder EUR	
1* Fixed													€ 0	
Housing- / flange material														
1* Steel / steel St 37-C22 / A 105													€ 0	
3 Steel / st. steel 1.4404 316 L													see page 19	
4 Steel / st. steel 1.4571 316 Ti													see page 19	
A 1.4301 304 / steel St 37-C22 / A 105 (DN 25...150 & st.st. conn. box.)													€ 87	
C 1.4301 304 / st. steel 1.4404 316 L (DN 25...150 & st.st. conn. box.)													"A" + see page 19	
D 1.4301 304 / st. steel 1.4571 316 Ti (DN 25...150 & st.st. conn. box.)													"A" + see page 19	
U Duplex / steel St 37-C22 / A 105 (DN 10...20 ¾" ...¾")													€ 0	
V Duplex / st. steel 1.4306 304 (DN 10...20 ¾" ...¾")													see page 19	
W Duplex / st. steel 1.4404 316 L (DN 10...20 ¾" ...¾")													see page 19	
Protection class / dimension (face-to-face)														
0* IP 66 / 67 / standard													€ 0	
1 IP 68 field / standard (with stainless steel connection box)													€ 453	
2 IP 68 factory / standard (with stainless steel connection box)													€ 523	
3 IP 66 / 67 / ISO 20456													€ 0	
4 IP 68 field / ISO 20456 (with stainless steel connection box)													€ 453	
5 IP 68 factory / ISO 20456 (with stainless steel connection box)													€ 523	
Cable														
0* Compact - without / separate DS													€ 0	
1 Separate BTS (IFC 300 & IFC 400; For IFC 400 - SIL required)													see page 46	
2 Separate LIYCY (only for FM / CSA Class 1 DIV 2)													see page 46	
4 Separate DS armoured													see page 46	
Y Without													€ 0	
Cable length														
0* Compact - none / separate - 5 m 15 ft													€ 0	
1 10 m 30 ft													see page 46	
2 15 m 45 ft													see page 46	
3 20 m 60 ft													see page 46	
4 25 m 75 ft													see page 46	
5 30 m 90 ft													see page 46	
6 40 m 120 ft													see page 46	
7 50 m 150 ft													see page 46	
8 100 m 300 ft													see page 46	
Y Without													€ 0	
Calibration														
0* Standard													€ 0	
2 Standard + 316 1.4401 tagplate (120 x 46 mm)													€ 42	
3 Standard + 316 1.4401 tagplate (67 x 25 mm)													€ 32	
A Custody transfer (IFC 300 C, -F, -W)													€ 0	
C CT + 316 1.4401 tagplate (120 x 46 mm) (IFC 300 C, -F, -W)													€ 42	
D CT + 316 1.4401 tagplate (67 x 25 mm) (IFC 300 C, -F, -W)													€ 32	
F NMI 14/3/49 - AUS													€ 0	
H 3 points with water (acc. ISO/IEC 17025 2) (DN 25 ...150)													€ 822	
R Extended calibration (IFC 100 & 050)													€ 111	
S EC + 316 1.4401 tagplate (120 x 46 mm) (IFC 100 & 050)													€ 155	
T EC + 316 1.4401 tagplate (67 x 25 mm) (IFC 100 & 050)													€ 144	
U Custody transfer MI-004 - Module D (IFC 300 C, -F, -W)													€ 0	
V MI-004 + 316 1.4401 tagplate (120 x 46 mm) (IFC 300 C, -F, -W)													€ 42	
Ring / -material														
0* Without													€ 0	
4 Ring #1 / Tantalum													see page 21	
5 Ring #1 / Titanium													see page 21	
6 Ring #1 / 1.4404 316 L													see page 20	
7 Ring #1 / Hastelloy C22													see page 21	
E Ring #3 / 1.4404 316 L													see page 20	
N Protection ring #2 / Titanium													see page 21	
P Protection ring #2 / 1.4404 316 L													see page 20	
R Protection ring #2 / Hastelloy C22													see page 21	
Finish														
0* KROHNE standard													€ 0	
3 KROHNE offshore													see page 17	
Construction requirements														
0* Standard													€ 0	
QA / QC requirements														
0* Standard													€ 0	
Ratio of CT-calibration														
0* Standard, R=80													€ 0	

* Standard
*** In preparation / pending

[illegible]

Please see table at page A1 Verification OF|WF for Q3 and R (standard).

Please see table at page A2 Verification OF 4300

*** In preparation / pending

1) ISO 20456 length NOT available for:

- DN 350 PN 25 / 40, 14"-300 lbs.
- DN 400 PN 25 / 40, 16"-300 lbs.

Code flow sensor										Base price
VN05	4	Nominal diameter								(DN 2200...3000 88"...120": on request)
P	4000 F	DN	700		28"		ETFE		€ 28.204	
R	4000 F	DN	800		32"		ETFE		€ 32.973	
S	4000 F	DN	900		36"		ETFE		€ 34.874	
T	4000 F	DN	1000		40"		ETFE		€ 40.234	
U	4000 F	DN	1200		48"		ETFE		€ 52.561	
V	4000 F	DN	1400		56"		ETFE		€ 71.494	
W	4000 F	DN	1600		64"		ETFE		€ 92.960	
X	4000 F	DN	1800		72"		ETFE		€ 115.483	
Y	4000 F	DN	2000		80"		ETFE		€ 147.186	
Nominal pressure (other ratings on request)									Price adder	
1	PN 6	EN 1092-1	(DN 1200...2000)						€ 0	
2	PN 10	EN 1092-1	(DN 700...1000)						€ 0	
3	PN 16	EN 1092-1	(DN 700...1000)						see page 18-19	
A	150 lb RF	ASME B 16.5							see page 18-19	
N	10 K	Conn. acc. JIS B	(DN 700...1400)						on request	
Ex-approval_S										
0	non Ex									€ 0
1	ATEX Ex zone 1		(IFC 100, 300 C/F & 400 C/F)						€ 232	
3	Ex zone 2		(IFC 300 C/F)						€ 74	
5	FM Class I DIV 2		(IFC 100 & IFC 300 C/F)						€ 74	
A	cCSAus OL		(IFC100 & IFC 300 C/F/W)						€ 74	
C	CSA Class I DIV 2		(IFC 300 C/F)						€ 74	
D	NEPSI zone 1		(IFC 100, 300 C/F & 400 C/F)						€ 232	
F	IECEx zone 1		(IFC 100, 300 C/F & 400 C/F)						€ 232	
V	KA-Ex EAC		(Kazakhstan IFC 100 & IFC 300 C/F)						€ 232	
X	KA-EAC		(Kazakhstan)						€ 0	
System design / cable connection										
1	Compact with std. neck (alu. converter only)						/ at converter		€ 0	
2	Compact with heavy duty neck						/ at converter		€ 31	
3	Modular						/ without		-€ 128	
4	Separate with aluminum connection box						/ ½" NPT		€ 0	
5	Separate with aluminum connection box						/ PF ½		€ 0	
6	Separate with aluminum connection box						/ M20 x 1.5		€ 0	
A	Separate with stainless steel connection box						/ ½" NPT		€ 138	
B	Separate with stainless steel connection box						/ PF ½		€ 138	
C	Separate with stainless steel connection box						/ M20 x 1.5		€ 138	
Converter model										
0	Without / modular									€ 0
3	IFC 100 C		(compact design)		(DN 700...1200 28"...48")				€ 0	
4	IFC 100 W		(wall mount version)		(DN 700...1200 28"...48")				€ 0	
C	IFC 300 C		(compact design)						€ 0	
D	IFC 300 F		(field mount version)						€ 0	
E	IFC 300 W		(wall mount version)						€ 0	
F	IFC 300 R		(rack mount version)						€ 0	
K	IFC 050 C		(compact design)		(DN 700...1200 28"...48")				€ 0	
L	IFC 050 W		(wall mount version)		(DN 700...1200 28"...48")				€ 0	
M	IFC 400 C		(compact design)						€ 0	
N	IFC 400 F		(field mount version)						€ 0	
Lining										
0*	Standard - ETFE									€ 0
5	Hardrubber (only for Ex version)									see page 17
Electrodes (fixed)										
1	Stainless steel 1.4571 316 Ti									€ 0
3	Hastelloy C4									€ 193
4	Hastelloy B									€ 193
5	Tantalum									€ 434
6	Titanium									€ 193
7	Platinum									€ 2.706
B*	Hastelloy C22									€ 0
K	Low noise WC (tungstencarbide)				- Base HC22				€ 359	
V	Low noise WC (tungstencarbide)				- Base DIN 1.4571 316 Ti				€ 359	

[illegible]

OPTIFLUX, verification to MI-001 | OIML R49
Please see table at page A1 Verification OF|WF for Q3 and R (standard).

Verification to MI-004 PTB005, OF 4300
Please see table at page A2 Verification OF 4300

Options OPTIFLUX 2000 & 4000
DN 200...2000 | 8"...80"
Liner material / Finish

Liner VPos 11		OPTIFLUX 4000				
		Material (option code)				
		DN	ETFE (0)	PTFE (1)	PTFE (2)	HR (5)
						PU (D)
						6 mm
DN 200	8"	Standard	€ 937	€ 1.079	-€ 482	€ 1.178
DN 250	10"	Standard	€ 1.625	€ 1.797	-€ 747	€ 696
DN 300	12"	Standard	€ 1.459	€ 1.623	-€ 1.076	€ 134
DN 350	14"	Standard	€ 529	€ 656	-€ 2.197	-€ 551
DN 400	16"	Standard	€ 1.830	€ 2.010	-€ 2.247	-€ 956
DN 450	18"	Standard	€ 2.953	€ 3.181	-€ 2.461	-€ 956
DN 500	20"	Standard	€ 3.512	€ 3.763	-€ 2.572	-€ 1.127
DN 600	24"	Standard	€ 4.300	€ 4.585	-€ 2.856	-€ 1.472
DN 700	28"	Standard			-€ 8.567	
DN 800	32"	Standard			-€ 11.025	
DN 900	36"	Standard			-€ 10.756	
DN 1000	40"	Standard			-€ 13.747	
DN 1200	48"	Standard				
DN 1400	56"	Standard				
DN 1600	64"	Standard				
DN 1800	72"	Standard				
DN 2000	80"	Standard				

Liner VPos 11		OPTIFLUX 2000	
		Material (option code)	
		HR (0)	HR (7)
	DN		
DN 200	8"	Standard	€ 88
DN 250	10"	Standard	€ 88
DN 300	12"	Standard	€ 88
DN 350	14"	Standard	€ 88
DN 400	16"	Standard	€ 200
DN 450	18"	Standard	€ 200
DN 500	20"	Standard	€ 200
DN 600	24"	Standard	€ 200
DN 700	28"	Standard	€ 374
DN 800	32"	Standard	€ 374
DN 900	36"	Standard	€ 579
DN 1000	40"	Standard	€ 579
DN 1200	48"	Standard	€ 896
DN 1400	56"	Standard	€ 1.194
DN 1600	64"	Standard	€ 1.544
DN 1800	72"	Standard	€ 1.932
DN 2000	80"	Standard	€ 2.375

Liner VPos 11		OPTIFLUX 2000
Material (option code)	Liner approvals / Certificates	
PolyPropylene (0/T)	ACS, WRAS, KIWA, NSF, KTW-BWGL 1+	
Hardrubber (0/5/8)	-	
Hardrubber H1005 (7)	ACS, WRAS, KIWA, NSF, KTW-BWGL 1+	
	& UBA	
Other water approvals on request.		
Certificates available via KROHNE download center.		

Finish (V-Pos 15): KROHNE offshore paint, grey			
DN	Option "3"	DN	Option "3"
25 1"	€ 271	300 12"	€ 656
32 1-1/4"	€ 271	350 14"	€ 763
40 1-1/2"	€ 271	400 16"	€ 870
50 2"	€ 271	450 18"	€ 949
65 2-1/2"	€ 271	500 20"	€ 1.021
80 3"	€ 277	600 24"	€ 1.146
100 4"	€ 277	700 28"	€ 1.244
125 5"	€ 354	800 32"	€ 1.317
150 6"	€ 354	900 36"	€ 1.363
200 8"	€ 440	1000 40"	€ 1.380
250 10"	€ 545		

The OPTIFLUX 4000 with soft rubber liner will be available with the following features:

Liner thickness:	4 & 6 mm	Converter:	IFC 300 & IFC 400
Diameter range:	DN 50...600		
Connection:	EN 1092-1 and ASME		
Electrode:	Conductive rubber		
Pressure:	1...40 bar		
Temperature:	-5...+60°C		
Inner diameter:	as specified in the table below		

DN		PN	ID @ 4mm	ID @ 6mm
DN 50	2"	PN40 150#	49,1	45,1
DN 65	2 1/2"	PN16 150#	62,3	58,3
DN 80	3"	PN40 150#	76,9	72,9
DN 100	4"	PN16 150#	99,1	95,1
DN 125	5"	PN16 150#	123,7	119,7
DN 150	6"	PN16 150#	154,3	150,3
DN 200	8"	PN10 150#	205,1	201,1
DN 250	10"	PN10 150#	247,0	243,0
DN 300	12"	PN10 150#	297,0	293,0
DN 350	14"	PN10 150#	332,0	328,0
DN 400	16"	PN10 150#	381,0	377,0
DN 450	18"	PN10 150#	432,0	428,0
DN 500	20"	PN10 150#	483,0	479,0
DN 600	24"	PN10 150#	583,0	579,0

DN	4mm	6mm
DN 50	€ 934	€ 1.079
DN 65	€ 934	€ 1.079
DN 80	€ 934	€ 1.079
DN 100	€ 934	€ 1.079
DN 125	€ 803	€ 949
DN 150	€ 803	€ 949
DN 200	€ 197	€ 342
DN 250	€ 66	€ 212
DN 300	€ -949	€ -789
DN 350	€ -1.302	€ -1.093
DN 400	€ -1.408	€ -1.157
DN 450	€ -1.526	€ -1.251
DN 500	€ -1.711	€ -1.408
DN 600	€ -2.040	€ -1.658

DN	4mm	6mm
2"	€ 935	€ 1.078
2 1/2"	€ 935	€ 1.078
3"	€ 935	€ 1.078
4"	€ 935	€ 1.078
5"	€ 804	€ 948
6"	€ 804	€ 948
8"	€ 196	€ 342
10"	€ 65	€ 212
12"	€ -948	€ -789
14"	€ -2.105	€ -1.910
16"	€ -2.186	€ -1.894
18"	€ -2.240	€ -1.871
20"	€ -2.369	€ -1.963
24"	€ -2.884	€ -2.409

For correct order handling, please follow the below specified ordering codes:

VN03; OPTIFLUX 4000 (DN50 to 150):

[illegible]

VN04; OPTIFLUX 4000 (DN200 to 600):

[illegible]

Flangematerial: carbon steel

DN \ PN	EN			
	PN 10	PN 16 / AS 4087	PN 25	PN 40
2,5 - 10				
15				
20				Standard
25				Standard
32				Standard
40				Standard
50				Standard
65		Standard	see PN40	€ 64
80				Standard
100		Standard	see PN40	€ 259
125		Standard	see PN40	€ 335
150		Standard	see PN40	€ 393
200	Standard	€ 114	€ 293	€ 814
250	Standard	€ 168	€ 514	€ 1.528
300	Standard	€ 174	€ 834	€ 2.303
350	Standard	€ 741	€ 1.571	€ 6.871
400	Standard	€ 741	€ 2.339	€ 7.785
450	Standard	€ 1.308	€ 4.061	€ 12.045
500	Standard	€ 1.697	€ 4.918	€ 15.307
600	Standard	€ 1.961	€ 6.003	€ 21.895
700	Standard	€ 4.366	special	special
800	Standard	€ 6.215	special	special
900	Standard	€ 7.139	special	special
1000	Standard	€ 7.741	special	special

Flangematerial: carbon steel

DN \ PN	JIS	
	10 K	20 K
2,5 - 10		
15		
20		Standard
25		Standard
32		Standard
40		Standard
50	Standard	€ 0
65	Standard	€ 143
80	Standard	€ 165
100	Standard	€ 238
125	Standard	€ 322
150	Standard	€ 433
200	€ 189	€ 891
250	€ 338	€ 1.390
300	€ 443	€ 1.716
350	€ 914	special
400	€ 1.073	special
450	€ 1.860	special
500	€ 2.238	special
600	€ 2.699	special
700	special	special
800	special	special
900	special	special
1000	special	special

Flangematerial: carbon steel

DN \ PN	ASME		
	150 lb	300 lb	600 lb
1/10 - 3/8"			
1/2"			
3/4"	Standard	€ 64	
1"	Standard	€ 64	€ 920
1 1/4"	Standard	€ 75	€ 920
1 1/2"	Standard	€ 100	€ 1.324
2"	Standard	€ 119	€ 1.324
2 1/2"	Standard	€ 151	€ 1.324
3"	Standard	€ 174	€ 1.406
4"	Standard	€ 255	€ 2.337
5"	Standard	€ 336	€ 3.423
6"	Standard	€ 458	€ 3.753
8"	€ 162	€ 891	
10"	€ 249	€ 1.390	
12"	€ 284	€ 1.716	
14"	€ 726	€ 4.858	
16"	€ 962	€ 5.811	
18"	€ 1.306	€ 7.297	
20"	€ 1.697	€ 8.040	
24"	€ 1.959	€ 10.830	
28"	€ 12.511	special	
32"	€ 17.123	special	
36"	€ 19.122	special	
40"	€ 24.221	special	

Flangematerial: DIN 1.4404|316 L (DIN 1.4301|304 - DN 2,5 - 15 | 1/10 - 1/2")

DN \ PN	EN			
	PN 10 *	PN 16	PN 25	PN 40
2,5 - 10				€ 168
15				€ 168
20				€ 168
25				€ 168
32				€ 202
40				€ 202
50				€ 253
65		€ 365	see PN40	€ 394
80				€ 458
100		€ 470	see PN40	€ 931
125		€ 666	see PN40	€ 1.237
150		€ 752	see PN40	€ 1.684
200	€ 1.093	€ 1.198	€ 1.256	€ 3.260
250	€ 1.907	€ 2.187	€ 2.203	€ 5.973
300	€ 2.962	€ 3.036	€ 3.171	€ 8.159
350	€ 3.489	€ 5.376	special	special
400	€ 4.012	€ 6.697	special	special
450	€ 4.440	special	special	special
500	€ 4.713	€ 10.888	special	special
600	€ 5.583	€ 13.393	special	special

DN \ PN	JIS	
	10 K	20 K
2,5 - 10		€ 174
15		€ 174
20		€ 174
25		€ 174
32		€ 209
40		€ 209
50	€ 253	€ 484
65	€ 365	€ 700
80	€ 458	€ 750
100	€ 470	€ 1.090
125	€ 666	€ 2.241
150	€ 752	€ 2.408
200	€ 1.093	€ 3.228
250	€ 1.907	€ 6.090
300	€ 2.962	€ 8.662
350	€ 3.489	special
400	€ 4.012	special
450	€ 4.440	special
500	€ 4.713	special
600	€ 5.583	special

Flangematerial: DIN 1.4404|316 L (DIN 1.4301|304 - DN 2,5 - 15 | 1/10 - 1/2")

DN \ PN	ASME		
	150 lb	300 lb	600 lb
1/10 - 3/8"	€ 100	€ 131	
1/2"	€ 100	€ 131	
3/4"	€ 159	€ 219	
1"	€ 159	€ 219	€ 1.665
1 1/4"	€ 232	€ 366	€ 1.665
1 1/2"	€ 232	€ 366	€ 1.665
2"	€ 332	€ 464	€ 1.665
2 1/2"	€ 451	€ 672	€ 2.688
3"	€ 480	€ 719	€ 2.688
4"	€ 610	€ 1.044	€ 4.146
5"	€ 994	€ 2.150	€ 5.697
6"	€ 1.030	€ 2.310	€ 7.331
8"	€ 1.307	€ 3.098	
10"	€ 2.818	€ 5.845	
12"	€ 3.004	€ 8.313	
14"	€ 6.791	€ 18.700	
16"	€ 8.272	€ 24.143	
18"	€ 9.226	€ 27.025	
20"	€ 10.275	€ 34.995	
24"	€ 14.018	€ 37.562	

* WATERFLUX DN250...600
Flangematerial: DIN 1.4301|304

Flangematerial: DIN 1.4571|316 Ti

DN \ PN	EN			
	PN 10	PN 16	PN 25	PN 40
25				€ 201
32				€ 223
40				€ 256
50				€ 313
65		€ 432	see PN40	€ 432
80				€ 554
100		€ 542	see PN40	special
125		€ 736	see PN40	special
150		€ 938	see PN40	special

Options OPTIFLUX 2000 / 4000
DN 10...2000 | 3/8" ...80"
Grounding- and protection rings
DIN 1.4404|316 L, 3 mm

Standard pressure rating

Prices per piece				Grounding rings				Protection rings	
DN	PN	ASME	PN	type no. 1	VN99 4	type no. 3	VN99 4	type no. 2	VN99 4
DN 2,5 - 15	PN40	1/10" - 3/8"	150 lbs					€ 91	0-6S370000 ²⁾
DN 10	PN40	3/8"	150 lbs					€ 91	1-62370000
DN 15	PN40	1/2"	150 lbs					€ 91	2-62370000
DN 20	PN40	3/4"	150 lbs					€ 91	3-62370000
DN 25	PN40	1"	150 lbs	€ 55	4-6-170000	€ 118	4-6-270000	€ 91	4-6-370000
DN 32	PN40	1 1/4"	150 lbs	€ 55	5-6-170000	€ 118	5-6-270000	€ 91	5-6-370000
DN 40	PN40	1 1/2"	150 lbs	€ 63	6-6-170000	€ 168	6-6-270000	€ 102	6-6-370000
DN 50	PN40	2"	150 lbs	€ 63	7-6-170000	€ 168	7-6-270000	€ 102	7-6-370000
DN 65	PN16	2 1/2"	150 lbs	€ 63	8-6-170000	€ 168	8-6-270000	€ 102	8-6-370000
DN 80	PN40	3"	150 lbs	€ 77	A-6-170000	€ 206	A-6-270000	€ 132	A-6-370000
DN 100	PN16	4"	150 lbs	€ 77	B-6-170000	€ 206	B-6-270000	€ 132	B-6-370000
DN 125	PN16	5"	150 lbs	€ 77	C-6-170000	€ 224	C-6-270000	€ 189	C-6-370000
DN 150	PN16	6"	150 lbs	€ 91	D-6-170000	€ 249	D-6-270000	€ 204	D-6-370000
DN 200	PN10	8"	150 lbs	€ 91	E-6-170000	€ 293	E-6-270000	€ 248	E-6-370000
DN 250	PN10	10"	150 lbs	€ 122	F-6-170000	€ 309	F-6-270000	€ 255	F-6-370000
DN 300	PN10	12"	150 lbs	€ 151	G-6-170000	€ 331	G-6-270000	€ 271	G-6-370000
DN 350	PN10	14"	150 lbs	€ 204	H-6-170000	€ 545	H-6-270000	€ 367	H-6-370000 ¹⁾
DN 400	PN10	16"	150 lbs	€ 264	K-6-170000	€ 603	K-6-270000	€ 455	K-6-370000 ¹⁾
DN 450	PN10	18"	150 lbs	€ 325	L-6-170000	€ 630	L-6-270000	€ 476	L-6-370000 ¹⁾
DN 500	PN10	20"	150 lbs	€ 360	M-6-170000	€ 661	M-6-270000	€ 497	M-6-370000 ¹⁾
DN 600	PN10	24"	150 lbs	€ 394	N-6-170000	€ 750	N-6-270000	€ 612	N-6-370000 ¹⁾
DN 700	PN10	28"	150 lbs	€ 557	P-6-170000	€ 1.165	P-6-270000	€ 889	P-6-370000 ¹⁾
DN 800	PN10	32"	150 lbs	€ 650	R-6-170000	€ 1.241	R-6-270000	€ 1.002	R-6-370000 ¹⁾
DN 900	PN10	36"	150 lbs	€ 729	S-6-170000	€ 1.564	S-6-270000	special	--- ¹⁾
DN 1000	PN10	40"	150 lbs	€ 855	T-6-170000	€ 1.832	T-6-270000	special	--- ¹⁾
DN 1200	PN6	48"	150 lbs	€ 858	---	special	---	special	--- ¹⁾
DN 1400	PN6	56"	150 lbs	€ 965	---	special	---	special	--- ¹⁾
DN 1600	PN6	64"	AWWA	€ 1.120	---	special	---	special	--- ¹⁾
DN 1800	PN6	72"	AWWA	€ 1.199	---	special	---	special	--- ¹⁾
DN 2000	PN6	80"	AWWA	€ 1.256	---	special	---	special	--- ¹⁾

Non standard pressure rating

Prices per piece				Grounding rings				Protection rings	
DN				type no. 1	VN99 4	type no. 3	VN99 4	type no. 2	VN99 4
DN 2,5 - 15		1/10" - 3/8"						€ 132	0-6S370000 ²⁾
DN 10		3/8"						€ 132	1-62370000
DN 15		1/2"						€ 132	2-62370000
DN 20		3/4"						€ 132	3-62370000
DN 25		1"		€ 119	4-6-170000	€ 299	4-6-270000	€ 139	4-6-370000
DN 32		1 1/4"		€ 119	5-6-170000	€ 299	5-6-270000	€ 158	5-6-370000
DN 40		1 1/2"		€ 139	6-6-170000	€ 316	6-6-270000	€ 178	6-6-370000
DN 50		2"		€ 139	7-6-170000	€ 316	7-6-270000	€ 178	7-6-370000
DN 65		2 1/2"		€ 139	8-6-170000	€ 332	8-6-270000	€ 187	8-6-370000
DN 80		3"		€ 139	A-6-170000	€ 345	A-6-270000	€ 213	A-6-370000
DN 100		4"		€ 159	B-6-170000	€ 345	B-6-270000	€ 230	B-6-370000
DN 125		5"		€ 178	C-6-170000	€ 366	C-6-270000	€ 238	C-6-370000
DN 150		6"		€ 208	D-6-170000	€ 384	D-6-270000	€ 275	D-6-370000
DN 200		8"		€ 241	E-6-170000	€ 428	E-6-270000	€ 294	E-6-370000
DN 250		10"		€ 259	F-6-170000	€ 460	F-6-270000	€ 306	F-6-370000
DN 300		12"		€ 290	G-6-170000	€ 513	G-6-270000	€ 334	G-6-370000
DN 350		14"		€ 311	H-6-170000	€ 562	H-6-270000	€ 440	H-6-370000 ¹⁾
DN 400		16"		€ 381	K-6-170000	€ 665	K-6-270000	€ 580	K-6-370000 ¹⁾
DN 450		18"		€ 399	L-6-170000	€ 692	L-6-270000	€ 594	L-6-370000 ¹⁾
DN 500		20"		€ 405	M-6-170000	€ 698	M-6-270000	€ 601	M-6-370000 ¹⁾
DN 600		24"		€ 509	N-6-170000	€ 756	N-6-270000	€ 612	N-6-370000 ¹⁾

¹⁾ Thickness of the ring # 2 is 4 mm (> DN 300 / 12").
²⁾ Thickness of the ring # 2 is 5,5 mm (DN 2,5 - 15 | 1/10" - 3/8").

Prices per piece				Grounding rings type no. 1					
DIN		ASME		Hast. C22	VN99 4	Titanium	VN99 4	Tantalum	VN99 4
DN	PN	DN	PN	3,0 mm		3,0 mm		0,5 mm	
DN 25	PN40	1"	150lbs	€ 245	4-6S160000	€ 416	4-6S150000	€ 575	4-6S140000
DN 32	PN40	1¼"	150lbs	€ 245	5-6S160000	€ 437	5-6S150000	€ 588	5-6S140000
DN 40	PN40	1½"	150lbs	€ 245	6-6S160000	€ 535	6-6S150000	€ 801	6-6S140000
DN 50	PN40	2"	150lbs	€ 250	7-6S160000	€ 558	7-6S150000	€ 868	7-6S140000
DN 65	PN16	2½"	150lbs	€ 306	8-6S160000	€ 561	8-6S150000	€ 907	8-6S140000
DN 80	PN40	3"	150lbs	€ 474	A-6S160000	€ 698	A-6S150000	€ 1.064	A-6S140000
DN 100	PN16	4"	150lbs	€ 519	B-6S160000	€ 847	B-6S150000	€ 1.199	B-6S140000
DN 125	PN16	5"	150lbs	€ 680	C-6S160000	€ 901	C-6S150000	€ 1.332	C-6S140000
DN 150	PN16	6"	150lbs	€ 825	D-6S160000	€ 1.029	D-6S150000	€ 1.752	D-6S140000
DN 200	PN10	8"	150lbs	€ 1.079	E-6-160000	€ 1.156	E-6-150000	€ 2.586	E-6-140000
DN 250	PN10	10"	150lbs	€ 1.442	F-6-160000	€ 1.225	F-6-150000	€ 3.215	F-6-140000
DN 300	PN10	12"	150lbs	€ 1.711	G-6-160000	€ 1.284	G-6-150000	€ 3.845	G-6-140000
DN 350	PN10	14"	150lbs	€ 2.028	H-6-160000	€ 2.035	H-6-150000	€ 4.506	H-6-140000

Prices per piece				Protection rings type no. 2					
DIN		ASME		Hast. C22	VN99 4	Titanium	VN99 4	Tantalum	VN99 4
DN	PN	DN	PN	3,0 mm		3,0 mm			
DN 2,5 - 15	PN40	1/10" - 3/8"	150 lbs	€ 355	0-6S360000	€ 442	0-6S350000	€ 2.306	
DN 10	PN40	3/8"	150 lbs	€ 355	1-62360000	€ 451	1-62350000	€ 541	
DN 15	PN40	1/2"	150 lbs	€ 355	2-62360000	€ 451	2-62350000	€ 541	
DN 20	PN40	3/4"	150 lbs	€ 385	3-62360000	€ 451	3-62350000	€ 541	
DN 25	PN40	1"	150 lbs	€ 385	4-6S360000	€ 451	4-6S350000		
DN 32	PN40	1¼"	150 lbs	€ 405	5-6S360000	€ 556	5-6S350000		
DN 40	PN40	1½"	150 lbs	€ 419	6-6S360000	€ 603	6-6S350000		
DN 50	PN40	2"	150 lbs	€ 464	7-6S360000	€ 621	7-6S350000		
DN 65	PN16	2½"	150 lbs	€ 519	8-6S360000	€ 683	8-6S350000		
DN 80	PN40	3"	150 lbs	€ 625	A-6S360000	€ 756	A-6S350000		
DN 100	PN16	4"	150 lbs	€ 771	B-6S360000	€ 915	B-6S350000		
DN 125	PN16	5"	150 lbs	€ 853	C-6S360000	€ 1.022	C-6S350000		
DN 150	PN16	6"	150 lbs	€ 952	D-6S360000	€ 1.111	D-6S350000		
DN 200	PN10	8"	150 lbs	€ 1.188	E-6-360000	€ 1.324	E-6-350000		
DN 250	PN10	10"	150 lbs	€ 1.595	F-6-360000	€ 1.465	F-6-350000		
DN 300	PN10	12"	150 lbs	€ 1.969	G-6-360000	€ 1.544	G-6-350000		
DN 350	PN10	14"	150 lbs	€ 2.230	H-6-360000	€ 2.441	H-6-350000		

1) Thickness of the tantalum ring # 2 is 7 mm.
2) Thickness of the tantalum ring # 2 is 0,5 mm.
3) Thickness of the hasteloy C4, C22 & titanium ring # 2 is 4 mm.

[illegible]

				Price adder			
Mounting material:				Steel EN	Steel ASME 150 lb & JIS	Steel ASME 300 lb	Stainless Steel EN,150lb&JIS 300 lb
DN	2.5 - 25		1/10" - 1"	€ 39	€ 39	€ 87	€ 58 € 171
DN	40		1½"	€ 63	€ 63	€ 171	€ 97 € 279
DN	50		2"	€ 67	€ 67	€ 67	€ 135 € 388
DN	80		3"	€ 96	€ 96	€ 458	€ 235 € 509
DN	100		4" PN 16	€ 105			€ 303
DN	100		4" PN 25	€ 257	€ 257	€ 505	€ 562

		Price adder set (2 pcs.)				
Grounding ring / Gasket material:	VPos 12	DN				
		25 1"	40 1½"	50 2"	80 3"	100 4"
1.4404 316 L / filled PTFE	G	€ 189	€ 224	€ 326	€ 372	€ 452
Hastelloy C22 / filled PTFE	H	€ 541	€ 868	€ 1.118	€ 1.886	€ 2.323
1.4404 316 L / graphite	R	€ 189	€ 224	€ 326	€ 372	€ 452
Hastelloy C22 / graphite	S	€ 541	€ 868	€ 1.118	€ 1.886	€ 2.323
Tantalum / PTFE Form PF29 *	P	€ 954	€ 1.211	€ 1.326	€ 2.130	€ 2.398

Grounding rings / Gaskets

The standard version for DN 2.5...15 | 1/10"...1/2" is supplied with o-rings and grounding rings.

The standard version for DN 25...100 | 1"...4" is supplied with gaskets only.

Grounding rings are available as option. Material choice according to list above.

A sensor requires 2 grounding rings.

* Please note that for Tantalum grounding rings the mounting length changes.

Dimensions resp. mounting length please refer to data sheet OPTIFLUX 5000 - SW.

Code flow sensor										Base price
VN24	4	Nominal diameter								
2	5000 F	DN	15		½"	ceramic			€ 2.863	
4	5000 F	DN	25		1"	ceramic			€ 2.863	
6	5000 F	DN	40		1½"	ceramic			€ 2.977	
7	5000 F	DN	50		2"	ceramic			€ 3.572	
A	5000 F	DN	80		3"	ceramic			€ 5.173	
B	5000 F	DN	100		4"	ceramic			€ 6.248	
Nominal pressure									Price adder	
3	PN 16	EN 1092-1	(DN 100)						€ 0	
5	PN 40	EN 1092-1	(DN 15...80)						€ 0	
A	150 lb RF	ASME B 16.5	(1"...4")						€ 0	
B	300 lb RF	ASME B 16.5	(½"...3")						see page 25	
Ex-approval_S										
0	non Ex								€ 0	
1	ATEX Ex zone 1				(IFC 300 C/F & 100 W)				€ 232	
5	FM Class I DIV 2				(IFC 300 C/F)				€ 74	
A	cCSAus OL				(IFC100 & IFC 300 C/F/W)				€ 74	
C	CSA Class I DIV 2				(IFC 300 C/F)				€ 74	
V	KA-Ex EAC				(Kazakhstan IFC 100 & IFC 300 C/F)				€ 232	
X	KA-EAC				(Kazakhstan)				€ 0	
System design						/ cable connection				
1	Compact with std. neck (alu. converter only)					/ at converter				€ 0
2	Compact with heavy duty neck					/ at converter				€ 31
3	Modular					/ without				-€ 128
4	Separate with aluminum connection box					/ ½" NPT				€ 0
5	Separate with aluminum connection box					/ PF ½				€ 0
6	Separate with aluminum connection box					/ M20 x 1.5				€ 0
A	Separate with stainless steel connection box					/ ½" NPT				€ 138
B	Separate with stainless steel connection box					/ PF ½				€ 138
C	Separate with stainless steel connection box					/ M20 x 1.5				€ 138
Converter model										
0	Without / modular								€ 0	
3	IFC 100 C		(compact design)						€ 0	
4	IFC 100 W		(wall mount version)						€ 0	
C	IFC 300 C		(compact design)						€ 0	
D	IFC 300 F		(field mount version)						€ 0	
E	IFC 300 W		(wall mount version)						€ 0	
F	IFC 300 R		(rack mount version)						€ 0	
K	IFC 050 C		(compact design)						€ 0	
L	IFC 050 W		(wall mount version)						€ 0	
M	IFC 400 C		(compact design)						€ 0	
N	IFC 400 F		(field mount version)						€ 0	
Lining										
0*	Standard - ceramic with cermet								€ 0	
Electrodes (fixed)										
0*	Standard, Cermet - Platinum								€ 0	

VN24	4							0*	0*
------	---	--	--	--	--	--	--	----	----

[illegible]

Extended standard pressure ratings EN / ASME - price adder
Flangematerial: DIN 1.4408

	PN	EN	
DN		PN 16	PN 40
15			Standard
25			Standard
40			Standard
50			Standard
80			Standard
100		Standard	

DN \ PN	ASME	
	150 lb	300 lb
1/2"		Standard
1"	Standard	€ 218
1 1/2"	Standard	
2"	Standard	€ 464
3"	Standard	€ 719
4"	Standard	

Code flow sensor										Base price
VN20	4	Nominal diameter								
H	5000 F	DN 150		6"	ceramic with cermet electrodes				€ 13.170	
K	5000 F	DN 200		8"	ceramic with cermet electrodes				€ 16.727	
L	5000 F	DN 250		10"	ceramic with cermet electrodes				€ 21.319	
M	5000 F	DN 300		12"	ceramic with cermet electrodes				€ 30.523	
Nominal pressure									Price adder	
2	PN 10	EN 1092-1	(DN 200...300 8"...12")						€ 0	
3	PN 16	EN 1092-1	(DN 150 6")						€ 0	
A	150 lb FF	ASME B 16.5							€ 0	
N	10 K	Conn. acc. JIS B2220							€ 0	
Ex-approval_S										
0	non Ex							€ 0		
System design					/ cable connection					
1	Compact with std. neck (alu. converter only)				/ at converter				€ 0	
2	Compact with heavy duty neck				/ at converter				€ 31	
4	Separate with aluminum connection box				/ ½" NPT				€ 0	
5	Separate with aluminum connection box				/ PF ½				€ 0	
6	Separate with aluminum connection box				/ M20 x 1.5				€ 0	
A	Separate with stainless steel connection box				/ ½" NPT				€ 138	
B	Separate with stainless steel connection box				/ PF ½				€ 138	
C	Separate with stainless steel connection box				/ M20 x 1.5				€ 138	
Converter model										
0	Without							€ 0		
3	IFC 100 C (compact design)								€ 0	
4	IFC 100 W (wall mount version)								€ 0	
C	IFC 300 C (compact design)								€ 0	
D	IFC 300 F (field mount version)								€ 0	
E	IFC 300 W (wall mount version)								€ 0	
F	IFC 300 R (rack mount version)								€ 0	
K	IFC 050 C (compact design)								€ 0	
L	IFC 050 W (wall mount version)								€ 0	
M	IFC 400 C (compact design)								€ 0	
N	IFC 400 F (field mount version)								€ 0	
Lining										
M*	Standard - ceramic with cermet (ZrO ₂ - FZM)				(DN 150...300 6...12")				€ 0	
Electrodes (fixed)										
7	Cermet - Platinum				(DN 150...300 6...12")				€ 0	

VN20	4			0					
------	---	--	--	---	--	--	--	--	--

[illegible]

- * Standard
- ** **DN 25...150 | 1...6",
IFC 300 C, -F, -W only.**
- *** In preparation / pending

OPTIFLUX 6000									
Code	Connection	Price adder							
		DN							
		2,5 1/10"	4 1/8"	6 1/4"	10 3/8"	15 1/2"			
H	DIN 11851 - dairy screw connection	€ 183	€ 183	€ 183	€ 183	€ 183			
K	SMS 1146 - dairy screw connection	€ 582	€ 582	€ 582	€ 582	€ 677			
L	ISO 2852 - clamp connection	€ 183	€ 183	€ 183	€ 183	€ 183			
N	DIN 32676 - clamp connection								
P	Tri CLAMP - clamp connection	€ 183	€ 183	€ 183	€ 183	€ 183			
S	EN10357 / DIN 11850 - weld-end connection	no price adder							
T	ISO 2037 - weld-end connection	no price adder							
U	DIN 11864-2a - flange connection								
		DN							
		25 1"	40 1½"	50 2"	65 2½"	80 3"	100 4"	125 5"	150 6"
H	DIN 11851 - dairy screw connection	€ 223	€ 213	€ 250	€ 309	€ 318	€ 535	€ 577	€ 719
K	SMS 1146 - dairy screw connection	€ 212	€ 194	€ 232	€ 270	€ 325	€ 419		
L	ISO 2852 - clamp connection	€ 212	€ 238	€ 274	€ 309	€ 320	€ 550	€ 787	€ 1.036
N	DIN 32676 - clamp connection	€ 223	€ 194	€ 303	€ 275	€ 299	€ 336	€ 384	€ 616
P	Tri CLAMP - clamp connection	€ 212	€ 291	€ 324	€ 371	€ 320	€ 468	€ 627	€ 973
S	EN10357 / DIN 11850 - weld-end connection	no price adder							
T	ISO 2037 - weld-end connection	no price adder							
U	DIN 11864-2a - flange connection	€ 582	€ 696	€ 732	€ 824	€ 1.064	€ 1.390	€ 1.541	€ 1.880

Code flow sensor										Base price
VN19	4	Nominal diameter								
8	7000 C	DN 25		1"	ceramic					€ 2.086
B	7000 C	DN 40		1½"	ceramic					€ 2.089
C	7000 C	DN 50		2"	ceramic					€ 2.662
E	7000 C	DN 80		3"	ceramic					€ 3.336
F	7000 C	DN 100		4"	ceramic					€ 3.717
Nominal pressure										Price adder
3	PN 16	EN 1092-1	(DN 100)							€ 0
4	PN 25	EN 1092-1	(DN 100)							€ 190
5	PN 40	EN 1092-1	(DN 25...80)							€ 0
A	150 lb	ASME B 16.5								€ 0
B	300 lb	ASME B 16.5	(1...3")							€ 0
B	300 lb	ASME B 16.5	(4")							€ 190
M	20 K	Conn. acc. JIS B2220	(DN 25...40)							€ 0
N	10 K	Conn. acc. JIS B2220	(DN 50...100)							€ 0
Ex-approval_S										
0	non Ex									€ 0
1	ATEX Ex zone 1			(IFC 300 C)						€ 232
V	KA-Ex EAC			(Kazakhstan IFC 300 C)						€ 232
X	KA-EAC			(Kazakhstan)						€ 0
System design					/ cable connection					
1	Compact with std. neck (alu. converter only)				/ at converter					€ 0
Converter model										
C	IFC 300 C				(compact design)					€ 754
Mounting material										
1*	Steel, galv.	/	Rubber sleeves							see page 32
2	St.steel A2	/	Rubber sleeves							see page 32
3	Rubber sleeves									€ 0
Grounding ring material					/ Sealing					
E	Without				/ gasket graphite					€ 0
F*	Without				/ gasket filled PTFE					€ 0
G	St. steel DIN 1.4404 316 L				/ gasket filled PTFE					see page 32
H	Hastelloy C22				/ gasket filled PTFE					see page 32
P	Tantalum				/ seal PTFE / PF 29					see page 32
R	St. steel DIN 1.4404 316 L				/ gasket graphite					see page 32
S	Hastelloy C22				/ gasket graphite					see page 32

VN19

4

1

C

VN19	4				1	C					Electrodes (non wetted)										Price adder																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
											0*	Standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Protection class / dimension (face-to-face)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	IP 66 / 67 / standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Cable																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	Compact - without										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Cable length																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	Compact - none										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Calibration																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	Standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
											2	Standard + 316 1.4401 tagplate (120 x 46 mm)										€ 42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
											3	Standard + 316 1.4401 tagplate (67 x 25 mm)										€ 32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
											H	3 points with water (acc. ISO/IEC 17025 2) (DN 25-100)										€ 822																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Construction requirements																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	Standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												QA / QC requirements																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
											0*	Standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

				Price adder			
Mounting material:				Steel EN	Steel ASME 150 lb & JIS	Steel ASME 300 lb	Stainless Steel EN,150lb&JIS 300 lb
DN	25	1"		€ 39	€ 39	€ 87	€ 58 € 171
DN	40	1½"		€ 63	€ 63	€ 171	€ 97 € 279
DN	50	2"		€ 67	€ 67	€ 67	€ 135 € 388
DN	80	3"		€ 96	€ 96	€ 458	€ 235 € 509
DN	100	4"	PN 16	€ 105			€ 303
DN	100	4"	PN 25	€ 257	€ 257	€ 505	€ 562

		Price adder set (2 pcs.)				
Grounding ring / Gasket material:	VPos 12	DN				
		25 1"	40 1½"	50 2"	80 3"	100 4"
1.4404 316 L / filled PTFE	G	€ 189	€ 224	€ 326	€ 372	€ 452
Hastelloy C22 / filled PTFE	H	€ 541	€ 868	€ 1.118	€ 1.886	€ 2.323
1.4404 316 L / graphite	R	€ 189	€ 224	€ 326	€ 372	€ 452
Hastelloy C22 / graphite	S	€ 541	€ 868	€ 1.118	€ 1.886	€ 2.323
Tantalum / PTFE Form PF29 *	P	€ 954	€ 1.211	€ 1.326	€ 2.130	€ 2.398

Grounding rings / Gaskets

The standard version for DN 25...100 | 1"...4" is supplied with gaskets only.

Grounding rings are available as option. Material choice according to list above.

A sensor requires 2 grounding rings.

*** Please note that for Tantalum grounding rings the mounting length changes.**

Dimensions resp. mounting length please refer to data sheet OPTIFLUX 7000 - SW.

Code flow sensor										Base price
VN25	4	Nominal diameter								
		4	7000 C	DN	25		1"	ceramic	€ 2.863	
		6	7000 C	DN	40		1½"	ceramic	€ 2.977	
		7	7000 C	DN	50		2"	ceramic	€ 3.572	
		A	7000 C	DN	80		3"	ceramic	€ 5.173	
		B	7000 C	DN	100		4"	ceramic	€ 6.248	
		Nominal pressure								Price adder
		3	PN 16	EN 1092-1	(DN 100)				€ 0	
		5	PN 40	EN 1092-1	(DN 25...80)				€ 0	
		A	150 lb RF	ASME B 16.5	(1"...4")				€ 0	
		Ex-approval_S								
		0	non Ex							€ 0
		1	ATEX Ex zone 1		(IFC 300 C)				€ 232	
		V	KA-Ex EAC		(Kazakhstan IFC 300 C)				€ 232	
		X	KA-EAC		(Kazakhstan)				€ 0	
		System design / cable connection								
		1	Compact with std. neck (alu. converter only)					/ at converter	€ 0	
		2	Compact with stainless steel converter housing					/ at converter	€ 31	
		Converter model								
		C	IFC 300 C		(compact design)				€ 754	
		Lining								
		0*	Standard - ceramic							€ 0
		Electrodes (non wetted)								
		0*	Standard							€ 0

VN25	4				1	C	0*	0*
------	---	--	--	--	---	---	----	----

VN25										4																				1										C										0*										0*										Construction of electrodes										Price adder																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																																																																						1*										Fixed										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																																																																																										Housing-										/ flange material																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																																																																																																				0*										st. steel DIN 1.4404 316 L										/ st. steel DIN 1.4408										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																																																																																																																								Protection class										/ dimension (face-to-face)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																																																																																																																																		0*										IP 66 / 67										/ standard										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																																																																																																																																												Cable																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																																																																																																																																																																0*										Compact - without / separate DS										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																																																																																																																																																																Cable length																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
																																																																																																																																																																																				0*										Compact - none / separate - 5 m - 15 ft										€ 0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
																																																																																																																																																																																														Calibration																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

Extended standard pressure ratings EN / ASME - price adder
Flangematerial: DIN 1.4408

DN	PN	EN	
		PN 16	PN 40
25			Standard
40			Standard
50			Standard
80			Standard
100		Standard	

DN	PN	ASME	
		150 lb	300 lb
1"		Standard	€ 218
1½"		Standard	
2"		Standard	€ 464
3"		Standard	€ 719
4"		Standard	

DC-field operation for liquids with conductivity ≥ 50 µS / cm.

Code flow sensor										Base price
VN23	4	Nominal diameter								(DN 1400...1800 56"...72": on request)
		E	2000 F PF	DN	200		8"		PU	€ 10.315
		F	2000 F PF	DN	250		10"		PU	€ 11.320
		G	2000 F PF	DN	300		12"		PU	€ 14.075
		H	2000 F PF	DN	350		14"		PU	€ 16.090
		K	2000 F PF	DN	400		16"		PU	€ 18.103
		M	2000 F PF	DN	500		20"		PU	€ 21.015
		N	2000 F PF	DN	600		24"		PU	€ 26.296
		P	2000 F PF	DN	700		28"		PU	€ 30.297
		R	2000 F PF	DN	800		32"		PU	€ 35.642
		S	2000 F PF	DN	900		36"		PU	€ 39.235
		T	2000 F PF	DN	1000		40"		PU	€ 43.072
		U	2000 F PF	DN	1200		48"		PU	€ 50.333
		Nominal pressure (other ratings on request)								Price adder
		1	PN 6	EN 1092-1	(DN 1200)					€ 0
		2	PN 10	EN 1092-1	(DN 200...1000)					€ 0
		A	150 lb RF	ASME B16.5 **	(DN 8...24")					see page 18-19
		Ex-approval_S								
		0	non Ex							€ 0
		1	Ex zone 1					(IFC 300 F / PF)		see page 38
		5	Class I DIV 2					(IFC 300 F / PF)		see page 38
		C	Class I DIV 2					(IFC 300 F / PF)		see page 38
		F	IECEx zone 1					(IFC 300 F / PF)		see page 38
		V	KA-Ex EAC					(Kazakhstan IFC 300 F / PF)		see page 38
		X	KA-EAC					(Kazakhstan)		€ 0
		System design / cable connection								
		4	Separate with aluminum connection box					/ ½" NPT		€ 0
		5	Separate with aluminum connection box					/ PF ½		€ 0
		6	Separate with aluminum connection box					/ M20 x 1.5		€ 0
		A	Separate with stainless steel connection box					/ ½" NPT		€ 953
		B	Separate with stainless steel connection box					/ PF ½		€ 953
		C	Separate with stainless steel connection box					/ M20 x 1.5		€ 953
		Converter model								
		0	Without / modular							€ 0
		D	IFC 300 F (field mount version)							€ 0
		Lining								
		0*	Standard - PU							€ 0
		Electrodes (fixed)								
		1	Stainless steel DIN 1.4571 316 Ti							€ 0
		B*	Hastelloy C22							€ 0

VN23	4							0*	
------	---	--	--	--	--	--	--	----	--

VN23	4						0*		1*									0*	0*	0*		0*		0*					Complete
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27					ordering code	

Remark

**** ASME B 16.5 150 / 300 lb RF : for DN 8"...24"**

Ex-approva : Ex zone 1 / IECEx zone 1 / RU-Ex EAC / KA-Ex EAC / BE-Ex EAC / FM Class I DIV 2 / CSA Class I DIV 2.

DN		Ex
DN 200	8"	€ 480
DN 250	10"	€ 480
DN 300	12"	€ 828
DN 350	14"	€ 828
DN 400	16"	€ 828
DN 500	20"	€ 1.003

DN		Ex
DN 600	24"	€ 1.003
DN 700	28"	€ 1.203
DN 800	32"	€ 1.203
DN 900	36"	€ 1.402
DN 1000	40"	€ 1.402
DN 1200	48"	€ 1.604

																	Base price		
Code Ring #3																			
VN98	4	Nominal diameter																	
		E	DN	200		8"											€ 534		
		F	DN	250		10"											€ 569		
		G	DN	300		12"											€ 633		
		H	DN	350		14"											€ 698		
		K	DN	400		16"											€ 812		
		M	DN	500		20"											€ 860		
		N	DN	600		24"											€ 937		
		P	DN	700		28"											€ 1.087		
		R	DN	800		32"											€ 1.498		
		S	DN	900		36"											€ 1.655		
		T	DN	1000		40"											€ 2.052		
		U	DN	1200		48"											€ 2.475		
Nominal pressure																	Price adder		
		1	PN 6	EN 1092-1	(DN 1200)												€ 0		
		2	PN 10	EN 1092-1	(DN 200...1000)												€ 0		
		A	150 lb	ASME B 16.5	(DN 8...24")												€ 0		
Primary head																			
		A*	TIDALFLUX 2000														€ 0		
Liner																			
		D*	PU - Irlathane - 12 mm														€ 0		
G. / P. Ring																			
		2*	Grounding ring #3 (cylindrical)														€ 0		
Materials																			
		7*	St.st. 1.4404 316 L, 3mm														€ 0		
Mounting material																			
		0*	Without														€ 0		
		2	Stainless steel														€ 0		
Cable for earthing																			
		0*	Without														€ 0		
Internal diameter customer pipe [0]000 mm - first digit																			
		0*	0														€ 0		
		1	1														€ 0		
Internal diameter customer pipe 0[0]00 mm - second digit																			
		0*	0														€ 0		
		1	1														€ 0		
		2	2														€ 0		
		3	3														€ 0		
		4	4														€ 0		
		5	5														€ 0		
		6	6														€ 0		
		7	7														€ 0		
		8	8														€ 0		
		A	9														€ 0		
Internal diameter customer pipe 00[0]0 mm - third digit																			
		0*	0														€ 0		
		1	1														€ 0		
		2	2														€ 0		
		3	3														€ 0		
		4	4														€ 0		
		5	5														€ 0		
		6	6														€ 0		
		7	7														€ 0		
		8	8														€ 0		
		A	9														€ 0		
Internal diameter customer pipe 000[0] mm - fourth digit																			
		0*	0														€ 0		
		1	1														€ 0		
		2	2														€ 0		
		3	3														€ 0		
		4	4														€ 0		
		5	5														€ 0		
		6	6														€ 0		
		7	7														€ 0		
		8	8														€ 0		
		A	9														€ 0		
VN98	4				A*	D*	2*	7*		0*						0*	0*	0*	Complete
																			ordering code

Signal converter IFC 300

for flow sensor: - TIDALFLUX 2000, OPTIFLUX 1000, -2000, -4000, -5000,
- OPTIFLUX 6000 or -7000 &
for water sensor: - WATERFLUX 3000.

Modular version

IFC 300

Code flow converter										Base price
VN30	4	Type								
4	IFC 300 C			(not for TIDALFLUX 2000 & OPTIFLUX 7000)		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)			€ 1.806	
5	IFC 300 C / CAP			(OPTIFLUX 7000 only)					€ 1.902	
H	IFC 300 F			(not for TIDALFLUX 2000 & OPTIFLUX 7000)		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)			€ 2.583	
G	IFC 300 F / PF			(TIDALFLUX 2000 only)		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)			€ 3.127	
N	IFC 300 W			(not for TIDALFLUX 2000 & OPTIFLUX 7000)					€ 2.145	
Power supply										Price adder
0	12 - 24	V	DC	(12 - 24 V DC)		(only for PROFINET & C, F, F/PF, C/CAP non-E [1 x M12 (PS) connector]			€ 24	
1	12 - 24	V	DC	(12 - 24 V DC)					€ 0	
4	24	V	DC / AC	(19 - 29 V)		(not for RL & PROFINET)			€ 132	
8	100 - 230	V	AC	(85 - 250 V AC, 50/60 Hz)		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)			€ 0	
A	100 - 230	V	AC	(85 - 250 V AC, 50/60 Hz)					€ 0	
Ex-approval_C										
0	without - non Ex									€ 0
1	Ex zone 1		(terminal compartment "d" - C, C / CAP)						€ 449	
2	Ex zone 1		(terminal compartment "e" - C, C / CAP, F, F / PF)						€ 449	
3	Ex zone 2		(for C & F)						€ 0	
4	Class I DIV 1 (US)									€ 368
5	FM Class I DIV 2		(for C, F & F / PF)						€ 81	
A	cCSAus OL									€ 0
B	Class I DIV 1 (CAN)									€ 368
C	CSA Class I DIV 2		(for C, F & F / PF)						€ 81	
D	NEPSI zone 1		(terminal compartment "d" - C)						€ 449	
E	NEPSI zone 1		(terminal compartment "e" - C, F)						€ 449	
F	IECEEx zone 1		(terminal compartment "d" - C)						€ 449	
G	IECEEx zone 1		(terminal compartment "e" - C, F, F / PF)						€ 449	
V	KA-Ex EAC		(Kazakhstan "e" - C, C / CAP, F & F / PF)						€ 449	
X	KA EAC		(Kazakhstan)						€ 0	
Cable connection										
0	1 x M12, data connector		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)						€ 0	
1	2 x M12, data connectors		(only for PROFINET & C, F, F/PF, C/CAP non-Ex)						€ 114	
4	½" NPT		(not for RL)						€ 0	
5	PF ½		(not for RL)						€ 0	
6	M20 x 1,5		(not for RL)						€ 0	
B	Strip: tag		(RL only)						€ 0	
Operating manual / Operating language										
1	German		/ german						€ 0	
3	English		/ english						€ 0	
4	French		/ french						€ 0	
5	Without		/ german						€ 0	
6	Without		/ english						€ 0	
7	Without		/ french						€ 0	
8	Spanish		/ spanish						€ 0	
A	English		/ eastern europe group		(GB, CZ, HU, SI, SL, AL, BG & RO)				€ 0	
B	English		/ northern europe group		(GB, DK, FI, LT, NO, PL, EE & LV)				€ 0	
C	English		/ southern europe group		(GB, IR, TR)				€ 0	
S	English		/ russian						€ 0	
X	Without		/ russian						€ 0	
Custody transfer										
0*	Without									€ 0
1	Water, NMI OIML R49		- non EU		(C, F & W - OPTIFLUX 2- & 4000 only)**				€ 359	
5	Water, MI-001		- EU		(C, F & W - OPTIFLUX 1-, 2-, 4-, 5- & 6000 & C, F WF 3000 only)**				€ 359	
6	Water, NMI 14/3/49		- AUS		(C, F & W - OPTIFLUX 2- & 4000 only)**				€ 359	
8	Water, KIWA OIML R49		- EU		(C, F & W - OPTIFLUX 2000 only)**				€ 359	
A	Other than water, OIML R117		- non EU		(C & F - OPTIFLUX 1-, 2-, 4-, 5- & 6000 only)**				€ 1.214	
G	Other than water, MI-005		- EU		(C, F & W - OPTIFLUX 1-, 2-, 4-, 5- & 6000 only)**				€ 1.214	
K	MI-004, hot water (D)		- EU		(C, F & W - OPTIFLUX 4000 only)**				€ 359	
M	Water, cooling (B)		- GE		(WATERFLUX 3000 only)**				€ 359	
Process diagnostics										
0*	Standard									€ 0
4	Batchcontrolling		- BC						€ 0	
Converter housing										
1*	Standard		(not for F PF)						€ 0	
1*	Standard		(F PF only)						€ 245	
2	Stainless steel 1.4408 316		(C only)						€ 569	
2	Stainless steel 1.4408 316		(F only)						€ 814	
3	Aluminum, custody transfer: sealed		(C & F only)						€ 0	
4	Stainless steel 1.4408 316, custody transfer: sealed		(C only)						€ 569	
4	Stainless steel 1.4408 316, custody transfer: sealed		(F only)						€ 814	
5	Polyamide (W), custody transfer: sealed								€ 0	
E	Aluminum		[plastic window]		(C & F only)				€ 0	
F	Stainless steel 1.4408 316		[plastic window]		(C only)				€ 569	
F	Stainless steel 1.4408 316		[plastic window]		(F only)				€ 814	
(GB, CZ, HU, SI, SL, AL, BG & RO) : English, Czech, Hungarian, Slovenian, Slovakian,										
: Albanian, Bulgarian & Romanian.										
(GB, DK, FI, LT, NO, PL, EE & LV) : English, Danish, Finnish, Lithuanian, Norwegian,										
: Polish, Estonian & Latvian.										
(GB, IR, TR) : English, Iranian, Turkish.										

**** Q3 and R = fixed per DN; others Q3 & R values on request.**

Custody Transfer (OIML-R49 & MI001)
Pulse channels shifted in phase, if applicable.

Cable type	recommended for converter type	XN-no.	Price per m
DS, grey	IFC 050/100 W, IFC 300 F, -W, -R, -RL	XN00 10 11- 0	€ 10,40
DS, blue	IFC 100 W, IFC 300 F	XN00 10 12- 0	€ 10,40
DS, grey armoured	IFC 050/100 W, IFC 300 F, -W, -R, -RL	XN00 10 15- 0	€ 15,17
DS, blue mar armoured	IFC 100 W, IFC 300 F	XN00 10 16- 0	€ 15,17
WSC	IFC 070 F	XN00 10 13- 0	€ 10,40
BTS, grey	IFC 300 F, -W, -R, -RL	XN00 10 21- 0	€ 19,14
BTS, blue	IFC 300 F	XN00 10 22- 0	€ 19,51
LIYCY	coil cable, grey, 3 x 1,5 mm²	XN00 10 31- 0	€ 7,00
LIYCY	3 x 1,5 mm² (data cable Tidalflex IFC 110 / 300 PF)	XN00 10 33- 0	€ 7,00
LIYCY	4 x 2,5 mm² (DIV 2 cable)	XN00 10 34- 0	€ 14,02

Cable Silicone coated for high temperature operation of OPTIFLUX 5000 F and F / Ex (only DN 2,5 - 15) > 150°C.

BIHFC redbrown, screened, signal cable	XN00 10 760 0	See spare parts pricelist
BIHTC blue, screened, signal cable (Ex)	XN00 10 720 0	See spare parts pricelist
SIHSI redbrown (unscreened)	XN00 10 730 0	See spare parts pricelist
SIHSI redbrown (unscreened) - 5 m 15 ft	XN00 10 731 0	See spare parts pricelist

For cable length > 5 m we recommend an installation of an external connection box
Continuing cable DS or BTS as described before

External connection box, Ex	XN00 09 100 0	See spare parts pricelist
-----------------------------	---------------	---------------------------

Recommended mounting kit for OPTIFLUX 5000 F:

1 x 5 m Silicone cable BIHFC, screened			
1 x 5 m Silicone cable SIHSI, unscreened			
1 x external connection box, standard	XN00 10 741 0	complete	See spare parts pricelist

Recommended mounting kit for OPTIFLUX 5000-SW F / Ex:

1 x 5 m Silicone cable BIHFC, screened			
1 x 5 m Silicone cable SIHSI, unscreened			
1 x external connection box, Ex	XN00 10 751 0	complete	See spare parts pricelist

DC-field operation for liquids with conductivity ≥ 20 µS / cm.

Base price																							
Code flow sensor																							
VN44	4	Nominal diameter		6	BATCHFLUX 3000 DN 15 PN 16** ½"																		€ 868
		Nominal pressure		3	PN 16 EN 1092-1 (DN 15 - Ceramic) [max. 8 bar]																		Price adder
		Ex-approval_S		0	non Ex																		€ 0
		System design		1	Compact / cable connection																		€ 0
		Signal converter model		H	BFC 100 C																		€ 0
		Mounting material		0*	Without																		€ 0
		Integrated earthing rings		0*	Without (standard) / Gaskets / without O-ring																		€ 0
		Electrodes		0*	Standard, Platinum for ceramic tube material (BF 3000)																		€ 0
		Protection class		0*	IP69 / dimension (face-to-face) / Standard																		€ 0
		Cable		0*	Compact - without																		€ 0
		Cable length		0*	Compact - none																		€ 0
		Calibration		0*	Standard																		€ 0
		Tube material		2*	Ceramic - Pt (BF 3000)																		€ 413
		Construction requirements		0*	Standard																		€ 0
		QA/QC requirements		0*	Standard																		€ 0
		Threaded holes		0*	Without, with open spacer rods																		€ 0
				A	Without, with solid spacer rods																		€ 0
		Revision		2	Revision 2 (BFC 100)																		€ 0
					* Standard																		
					** Dependend on construction																		
					of sealing.																		
					*** In preparation / pending.																		
VN44	4	6	3	0	1	H	0*	0*	0*	0*	0*	0*	0*	2*	0*	0*	0*		0*	2	Complete		
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	ordering code		

WATERFLUX, verification to MI-001 | OIML R49 : **

Please see table at page A1 Verification OF|WF for Q3 and R (standard).

Finish: Burial coating

- * Standard
- *** In preparation / pending.
- **** **Option 0: (DN G1' & G1½")**
- Option 6: (DN 25...125|1...5")**
- Option 7: (DN 150|6")**

WATERFLUX, verification to MI-001 | OIML R49 : **
Please see table at page A1 Verification OF|WF for Q3 and R (standard).

Finish: Burial coating		
DN		"5"
200	8"	€ 433
250	10"	€ 508
300	12"	€ 614
350	14"	€ 819
400	16"	€ 923
450	18"	€ 981
500	20"	€ 1.025
600	24"	€ 1.216

★ Standard

*** In preparation / pending.

****	Option 1*: (DN 250..600 10-24")	€ 0
	Option 7 : (DN 200 8")	€ 0
	Option 2 : (DN 250...600 10-24")	see page 18-19

[illegible]

OPTIFLUX, verification to MI-001 | OIML R49

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
25	1"	4	80
32	1¼"	10	80
40	1½"	10	80
50	2"	16	80
65	2½"	25	80
80	3"	40	80
100	4"	63	80
125	5"	100	80
150	6"	160	80

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
200	8"	250	80
250	10"	400	80
300	12"	630	80
350	14"	1.000	80
400	16"	1.000	80
450	18"	1.600	80
500	20"	1.600	80
600	24"	4.000	80

Please contact ProductSupportKA for non-standard Q3.

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
700	28"	6.300	40
800	32"	6.300	40
900	36"	10.000	40
1000	40"	10.000	40
1100	44"	10.000	40
1200	48"	10.000	40
1300	52"	16.000	40
1400	56"	16.000	40
1500	60"	16.000	40
1600	64"	16.000	40
1800	72"	25.000	40

Please contact ProductSupportKA for non-standard Q3.

Finish: Burial coating

DN		"5"
25	1"	€ 297
32	1¼"	€ 309
40	1½"	€ 309
50	2"	€ 309
65	2½"	€ 309
80	3"	€ 309
100	4"	€ 309
125	5"	€ 359
150	6"	€ 383

DN		"5"
200	8"	€ 433
250	10"	€ 508
300	12"	€ 614
350	14"	€ 819
400	16"	€ 923
450	18"	€ 981
500	20"	€ 1.025
600	24"	€ 1.216

WATERFLUX, verification to MI-001 | OIML R49

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
25	1"	4	80
32	1¼"	10	80
40	1½"	10	80
50	2"	16	80
65	2½"	25	80
80	3"	40	80
100	4"	63	80
125	5"	100	80
150	6"	160	80

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
200	8"	250	80
250	10"	400	80
300	12"	630	80
350	14"	1.600	80
400	16"	2.500	80
450	18"	2.500	80
500	20"	4.000	80
600	24"	6.300	80

Please contact ProductSupportKA for non-standard Q3 or R

DN		[m³/h]	Span (R)
		Q3 (Std)	R("0")
700	28"		
800	32"		
900	36"		
1000	40"		
1200	44"		
1400	48"		
1600	52"		

Finish: Burial coating

DN		"5"
25	1"	€ 297
32	1¼"	€ 309
40	1½"	€ 309
50	2"	€ 309
65	2½"	€ 309
80	3"	€ 309
100	4"	€ 309
125	5"	€ 359
150	6"	€ 383

DN		"5"
200	8"	€ 433
250	10"	€ 508
300	12"	€ 614
350	14"	€ 819
400	16"	€ 923
450	18"	€ 981
500	20"	€ 1.025
600	24"	€ 1.216

Verification to MI-004 PTB005, OF 4300

		[m³/h]	[m³/h]	[m³/h]	[m³/h]	Ratio
DN-EN	DN-ASME	Qp (Std)	Qi (min)	Qp (max)	Qs	Qp/Qi
25	1"	4	0,080	16	20	200
32	1¼"	10				
40	1½"	10	0,125	25	31,25	200
50	2"	16	0,200	40	50	200
65	2½"	25	0,500	100	125	200
80	3"	40	0,800	160	200	200
100	4"	63	1,250	250	312,5	200
125	5"	100	4,0	400	500	100
150	6"	160	4,0	400	500	100
200	8"	250	10	1.000	1.250	100
250	10"	400	16	1.600	2.000	100
300	12"	630	25	2.500	3.125	100
350	14"	1000	25	2.500	3.125	100
400	16"	1000	40	4.000	5.000	100
450	18"	1600				
500	20"	1600	63	6.300	7.875	100
600	24"	4000	63	6.300	7.875	100
700	28"	4000	125	10.000	12.500	80
800	32"	4000	125	10.000	12.500	80
900	36"	6300				
1000	40"	6300	200	16.000	20.000	80

Please contact ProductSupportKA for non-standard Qp.

Verification to MI-004 PTB004, WF 3300

		[m³/h]	[m³/h]	[m³/h]	[m³/h]	Ratio
DN-EN	DN-ASME	Qp (Std)	Qi (min)	Qp (max)	Qs	Qp/Qi
25	1"	4	0,025	16,0	20,0	640
32	1¼"	10				
40	1½"	10	0,0625	40,0	50,0	640
50	2"	16	0,100	63,0	78,75	630
65	2½"	25	0,1575	100,0	125,0	635
80	3"	40	0,250	160,0	200,0	640
100	4"	63	0,400	250,0	312,5	625
125	5"	100	0,625	400,0	500,0	640
150	6"	160	1,000	630,0	787,5	630
200	8"	250	1,575	800,0	1.000,0	508
250	10"	400	2,500	1.000,0	1.250,0	400
300	12"	630	4,000	1.600,0	2.000,0	400
350	14"	1000	15,625	2.500	3.125	160
400	16"	1000	25,000	4.000	5.000	160
450	18"	1600	25,000	4.000	5.000	160
500	20"	1600	39,375	6.300	7.875	160
600	24"	4000	63,000	6.300	7.875	100
700	28"	4000				
800	32"	4000				
900	36"	6300				
1000	40"	6300				