

juanp@Cloud: /mnt/c/Users/j × + v

```
PS C:\Users\juanp> wsl -d kali-linux
```

```
(Message from Kali developers)
```

```
This is a minimal installation of Kali Linux, you likely  
want to install supplementary tools. Learn how:  
= https://www.kali.org/docs/troubleshooting/common-minimum-setup/
```

```
(Run: "touch ~/.hushlogin" to hide this message)
```

```
(juanp@Cloud)-[/mnt/c/Users/juanp]
```

```
$ pwd
```

```
/mnt/c/Users/juanp
```

```
(juanp@Cloud)-[/mnt/c/Users/juanp]
```

```
$ cd ..
```

```
(juanp@Cloud)-[/mnt/c/Users]
```

```
$ cd ..
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ echo
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ echo ola
```

```
ola
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ cd downloads
```

```
-bash: cd: downloads: No such file or directory
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ echo ola
```

```
ola
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ echo -n "ola" "tengo sueno"
```

```
ola tengo sueno
```

```
(juanp@Cloud)-[/mnt/c]
```

```
$ echo HolaMundo
```

```
HolaMundo
```

juanp@Cloud: /mnt/c/Users/j

(juanp@Cloud)-[/mnt/c]

\$ cd /mnt/c/Users/juanp

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ echo "Holamundo" > mensaje.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ cat mensaje.txt

Holamundo

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ mkdir Holamundo

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ pws

Could not find command-not-found database. Run 'sudo apt update' to populate it.

pws: command not found

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ pwd

/mnt/c/Users/juanp

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ touch Holamundo.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ nano Holamundo.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ ^C

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ wc -m mensaje.txt

10 mensaje.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ sed -i 's/Holamundo/Hola mundo/' mensaje.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ wc -m mensaje.txt

11 mensaje.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ echo -n "Holamundo" > mensaje.txt

(juanp@Cloud)-[/mnt/c/Users/juanp]

\$ wc -m mensaje.txt

9 mensaje.txt

9 mensaje.txt

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ mkdir respaldo
```

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ cp mensaje.txt respaldo/
```

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ ls respaldo
```

mensaje.txt

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ rm mensaje.txt
```

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ ls
```

-1.14-windows.xml	docker	Holamundo	NetHood
agents	docs	Holamundo.txt	NTUSER.DAT
ansel	Documents	IdeaProjects	NTUSER.DAT{505319bc-ed81-11ef-a155-dd67be37391d}
a.out	Downloads	lex.yy.c	NTUSER.DAT{505319bc-ed81-11ef-a155-dd67be37391d}
AppData	Favorites	lib	NTUSER.DAT{505319bc-ed81-11ef-a155-dd67be37391d}
'Application Data'	fb1-1.l	Links	ntuser.dat.LOG1
backend	fb1-5	'Local Settings'	ntuser.dat.LOG2
'Cisco Packet Tracer 9.0.0'	fb1-5.l	logs	ntuser.ini
config	fb1-5.tab.c	memory	OneDrive
Contacts	fb1-5.tab.h	models	PrintHood
Cookies	fb1-5.y	Music	proyecto_dsl
CrossDevice	frontend	'My Documents'	Recent

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ ls respaldo
```

mensaje.txt

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ ls juanp
```

ls: cannot access 'juanp': No such file or directory

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ grep "Holamundo" mensaje.txt
```

grep: mensaje.txt: No such file or directory

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ grep "Holamundo" respaldo/mensaje.txt
```

Holamundo

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ echo Juan Pablo Orjuela
```

Juan Pablo Orjuela

```
(juanp@Cloud)-[/mnt/c/Users/juanp]  
$ s
```