

Cucumber PDF Report

29 jun 2025, 11:35:07

Start : jun 29, 11:34:55.783 a. m.

End : jun 29, 11:35:07.056 a. m.

Duration : 11.273 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Inicio de sesión</u>	11.273 s	1	0	1	0	4	0	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Inicio de sesión</u>	1	0	1	0	11.273 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Inicio de sesión</u>	<u>Inicio de sesión exitoso con credenciales válidas</u>	4	0	0	4	11.270 s

Inicio de sesión

FAILED	DURATION - 11.273 s	Scenarios		Steps	
/ 11:34:55.783 a. m. // 11:35:07.056 a. m. /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

Inicio de sesión exitoso con credenciales válidas

<div>FAILED</div> <div>DURATION - 11.270 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 11:34:55.786 a. m. // 11:35:07.056 a. m. /				
Inicio de sesión				
@login01				

#	Step / Hook Details	Status	Duration
	BEFORE - com.store.util.Hooks.setup() org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 8.792 (Session info: chrome=138.0.7204.49) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java. version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6bbf170e5ddce49360fd821f01435391, get {url=https://juice-shop.herokuapp.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.49, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:43111}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:43111/devtoo..., se:cdpVersion: 138.0.7204.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6bbf170e5ddce49360fd821f01435391 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	11.055 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at com.store.util.Hooks.setup(Hooks.java:26)		
1	Given el usuario accede a Juice Shop	SKIPPED	0.002 s
2	And abre la página de login desde el menú de cuenta	SKIPPED	0.001 s
3	When inicia sesión con email "probando001@gmail.com" y contraseña "Password123"	SKIPPED	0.001 s
4	Then debería ingresar correctamente y ver el mensaje de bienvenida	SKIPPED	0.000 s
	AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.172 s
	Inicio_de_sesión_exitoso_con_credenciales_válidas		
	