

# Cucumber PDF Report

29 jun 2025, 11:33:01

**Start : jun 29, 11:32:45.500 a. m.**

**End : jun 29, 11:33:00.825 a. m.**

**Duration : 15.325 s**

*Features*


*Scenarios*

*Steps*

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Inicio de sesión</u>	15.325 s	2	0	2	0	8	3	2	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login01	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Inicio de sesión</u>	2	0	2	0	15.325 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Inicio de sesión</u>	<u>Inicio de sesión exitoso con credenciales válidas</u>	4	3	1	0	6.966 s
2	<u>Inicio de sesión</u>	<u>Inicio de sesión exitoso con credenciales válidas</u>	4	0	1	3	8.297 s


## Inicio de sesión

<b>FAILED</b>	DURATION - 15.325 s	Scenarios		Steps	
/ 11:32:45.500 a. m. // 11:33:00.825 a. m. /		Total - 2	2	Total - 8	8
		Pass - 0		Pass - 3	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	



## Inicio de sesión exitoso con credenciales válidas

FAILED	DURATION - 6.966 s		Steps	
/ 11:32:45.503 a. m. // 11:32:52.469 a. m. /			Total - 4	
Inicio de sesión			Pass - 3	
@login01			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given el usuario accede a Juice Shop	PASSED	0.126 s
2	And abre la página de login desde el menú de cuenta	PASSED	0.346 s
3	When inicia sesión con email "juanf@gmail.com" y contraseña "Password123"	PASSED	0.332 s
4	Then debería ingresar correctamente y ver el mensaje de bienvenida	FAILED	0.003 s
io.cucumber.core.exception.CucumberException: Step [debería ingresar correctamente y ver el mensaje de bienvenida] is defined with 1 parameters at 'com.store.stepDefinitions.LoginSteps.validarLoginExitoso(io.cucumber.datatable.DataTable)'. However, the gherkin step has 0 arguments. Step text: debería ingresar correctamente y ver el mensaje de bienvenida at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)			

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.308 s
	Inicio_de_sesión_exitoso_con_credenciales_válidas		
			

**Inicio de sesión exitoso con credenciales válidas**

<div>FAILED</div> <div>DURATION - 8.297 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 11:32:52.528 a. m. // 11:33:00.825 a. m. /				
Inicio de sesión				
@login01				

#	Step / Hook Details	Status	Duration
1	<p><a href="#">Given el usuario accede a Juice Shop</a></p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=138.0.7204.49) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os. version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19ad9b432614dce3f4f099cd86698a08, findElement {using=css selector, value=button[aria-label='Close Welcome Banner']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.49, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se.cdp: ws://localhost:40569/devtoo..., se.cdpVersion: 138.0.7204.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 19ad9b432614dce3f4f099cd86698a08 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.toString(Unknown Source) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:467) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:422)</pre>	FAILED	5.143 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:669) at java.base/java.lang.StringConcatHelper.stringOf(StringConcatHelper.java:467) at java.base/java.lang.StringConcatHelper.simpleConcat(StringConcatHelper.java:422) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:226) at com.store.factory.HomePage.cerrarPopupInicialSiExiste(HomePage.java:26) at com.store.stepDefinitions.CommonSteps.accederASitio(CommonSteps.java:18) at ?.el usuario accede a Juice Shop(file:///home/juantirado/Documentos/Archive/FinalProject/src/test/resources/features/account/login.feature:5) * Not displayable characters are replaced by '?'.		
2	And abre la página de login desde el menú de cuenta	SKIPPED	0.002 s
3	When inicia sesión con email "fshtestuser@gmail.com" y contraseña "Password456"	SKIPPED	0.002 s
4	Then debería ingresar correctamente y ver el mensaje de bienvenida	SKIPPED	0.001 s
	<b>AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=138.0.7204.49) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [19ad9b432614dce3f4f099cd86698a08, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.49, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:40569}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se.cdp: ws://localhost:40569/devtoo..., se.cdpVersion: 138.0.7204.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 19ad9b432614dce3f4f099cd86698a08 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at com.store.util.Hooks.tearDown(Hooks.java:34)	FAILED	0.025 s