

# Cucumber PDF Report

29 jun 2025, 10:12:03

**Start : jun 29, 10:11:44.960 a. m.**

**End : jun 29, 10:12:02.321 a. m.**

**Duration : 17.361 s**

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Registro de usuario</u>	17.361 s	1	0	1	0	4	3	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@register01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Registro de usuario</u>	1	0	1	0	17.361 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Registro de usuario</u>	<u>Registro exitoso de un nuevo cliente</u>	4	3	1	0	17.358 s

## Registro de usuario

<b>FAILED</b>	DURATION - 17.361 s	Scenarios		Steps	
/ 10:11:44.960 a. m. // 10:12:02.321 a. m. /		Total - 1		Total - 4	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## Registro exitoso de un nuevo cliente

<div>FAILED</div> <div>DURATION - 17.358 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:11:44.963 a. m. // 10:12:02.321 a. m. /				
Registro de usuario				
@register01				

#	Step / Hook Details	Status	Duration										
1	Given el usuario accede a Juice Shop	PASSED	0.661 s										
2	And navega desde Login hasta el formulario de registro	PASSED	1.000 s										
3	When se registra con: <table><tr><td>email</td><td>juanafaaadd@gmail.com</td></tr><tr><td>contraseña</td><td>Password123</td></tr><tr><td>repetirPassword</td><td>Password123</td></tr><tr><td>pregunta</td><td>Mother's maiden name?</td></tr><tr><td>respuesta</td><td>Mariela</td></tr></table>	email	juanafaaadd@gmail.com	contraseña	Password123	repetirPassword	Password123	pregunta	Mother's maiden name?	respuesta	Mariela	PASSED	3.108 s
email	juanafaaadd@gmail.com												
contraseña	Password123												
repetirPassword	Password123												
pregunta	Mother's maiden name?												
respuesta	Mariela												
4	Then debería ver el mensaje de confirmación "Registration completed successfully. You can now log in." org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b74cc2978ce55321a2e0260d596693a, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.49, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45223}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:45223/devtoo..., se:cdpVersion: 138.0.7204.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	6.396 s										

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b74cc2978ce55321a2e0260d596693a</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)</p> <p>at com.store.factory.RegisterPage.obtenerMensajeDeConfirmacion(RegisterPage.java:69)</p> <p>at com.store.stepDefinitions.RegisterSteps.verificarMensajeRegistro(RegisterSteps.java:59)</p> <p>at ?.debería ver el mensaje de confirmación "Registration completed successfully. You can now log in."(file:///home/juantirado/Documentos/Archive/FinalProject/src/test/resources/features/account/register.feature:13)</p> <p>Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)</p> <p>at com.store.factory.RegisterPage.obtenerMensajeDeConfirmacion(RegisterPage.java:69)</p> <p>at com.store.stepDefinitions.RegisterSteps.verificarMensajeRegistro(RegisterSteps.java:59)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)		



#	Step / Hook Details	Status	Duration
	<p>at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  at java.base/java.lang.Thread.run(Thread.java:1583)  Caused by: java.io.EOFException: EOF reached while reading  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)  at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648)  at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853)  at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)  at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782)  at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965)  at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415)  * Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b74cc2978ce55321a2e0260d596693a, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.49, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:45223}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se.cdp: ws://localhost:45223/devtoo..., se.cdpVersion: 138.0.7204.49, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b74cc2978ce55321a2e0260d596693a  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)  at com.store.util.Hooks.tearDown(Hooks.java:34)  Caused by: java.io.UncheckedIOException: java.net.ConnectException  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) </p>	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at com.store.util.Hooks.tearDown(Hooks.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:808)		

#	Step / Hook Details	Status	Duration
	<p> at org.testng.TestRunner.run(TestRunner.java:603)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)  at org.testng.SuiteRunner.run(SuiteRunner.java:326)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)  at org.testng.TestNG.runSuites(TestNG.java:1092)  at org.testng.TestNG.run(TestNG.java:1060)  at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)  at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </p> <p>Caused by: java.net.ConnectException</p> <p> at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1041)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run\$\$\$capture(CompletableFuture.java:1773)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java)  at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.&lt;init&gt;(CompletableFuture.java:1754)  at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719)  at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:152)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415) </p> <p>Caused by: java.nio.channels.ClosedChannelException</p> <p> at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:202)  at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:786)  at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:874)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210)  at java.base/java.security.AccessController.doPrivileged(AccessController.java:571)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) </p>		