

# Cucumber PDF Report

30 jun 2025, 22:18:03

**Start : jun 30, 10:17:49.086 p. m.**

**End : jun 30, 10:18:02.313 p. m.**

**Duration : 13.227 s**

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Gestión de métodos de pago</u>	13.227 s	1	0	1	0	8	3	1	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@payment01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Gestión de métodos de pago</u>	1	0	1	0	13.227 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Gestión de métodos de pago	Agregar un nuevo método de pago	8	3	1	4	13.223 s

## Gestión de métodos de pago

<b>FAILED</b>	DURATION - 13.227 s	Scenarios		Steps	
/ 10:17:49.086 p. m. // 10:18:02.313 p. m. /		Total - 1		Total - 8	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

## Agregar un nuevo método de pago

<div>FAILED</div> <div>DURATION - 13.223 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 10:17:49.089 p. m. // 10:18:02.312 p. m. /				
Gestión de métodos de pago				
@payment01				

#	Step / Hook Details	Status	Duration
1	Given el usuario accede a Juice Shop	PASSED	0.402 s
2	And abre la página de login desde el menú de cuenta	PASSED	0.574 s
3	And inicia sesión con email "juan@gmail.com" y contraseña "coco20045"	PASSED	0.394 s
4	And navega a la sección de métodos de pago <pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [24006ccaf1ab3125f6547c2bf000fe47, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.92, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:32843}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:32843/devtoo..., se:cdpVersion: 138.0.7204.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 24006ccaf1ab3125f6547c2bf000fe47     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)           </pre>	FAILED	9.451 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)  at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)  at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)  at com.store.factory.PaymentPage.irAMetodosDePago(PaymentPage.java:23)  at com.store.stepDefinitions.PaymentSteps.navegarAMetodosDePago(PaymentSteps.java:19)  at ?.navega a la sección de métodos de pago(file:///home/juantirado/Documentos/Archive/FinalProject/src/test/resources/features/payment/payment-method.feature:10)</p> <p>Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)  at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:627)  at org.openqa.selenium.support.ui.ExpectedConditions\$22.apply(ExpectedConditions.java:624)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)  at com.store.factory.PaymentPage.irAMetodosDePago(PaymentPage.java:23)  at com.store.stepDefinitions.PaymentSteps.navegarAMetodosDePago(PaymentSteps.java:19)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p>		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at org.testng.TestRunner.privateRun(TestRunner.java:808)  at org.testng.TestRunner.run(TestRunner.java:603)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)  at org.testng.SuiteRunner.run(SuiteRunner.java:326)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)  at org.testng.TestNG.runSuites(TestNG.java:1092)  at org.testng.TestNG.run(TestNG.java:1060)  at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)  at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)  Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes  at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)  at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590)  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302)  at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182)  at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) </p>		



#	Step / Hook Details	Status	Duration								
	<div>at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)</div> <div>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)</div> <div>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)</div> <div>at java.base/java.lang.Thread.run(Thread.java:1583)</div> <div>Caused by: java.io.EOFException: EOF reached while reading</div> <div>at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181)</div> <div>at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207)</div> <div>at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280)</div> <div>at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965)</div> <div>at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253)</div> <div>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470)</div> <div>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415)</div> <div>at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)</div> <div>at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415)</div> <div>* Not displayable characters are replaced by '?'. </div>										
5	And abre el formulario para añadir nueva tarjeta	SKIPPED	0.001 s								
6	<div>When completa el formulario de tarjeta con los siguientes datos:</div> <table><tr><td>nombre</td><td>Juan Pérez</td></tr><tr><td>numero</td><td>1234567890125555</td></tr><tr><td>mes</td><td>4</td></tr><tr><td>año</td><td>2083</td></tr></table>	nombre	Juan Pérez	numero	1234567890125555	mes	4	año	2083	SKIPPED	0.009 s
nombre	Juan Pérez										
numero	1234567890125555										
mes	4										
año	2083										
7	And envía el formulario	SKIPPED	0.001 s								
8	Then debería ver el mensaje de confirmación del método de pago agregado	SKIPPED	0.001 s								
	<div>AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [24006ccaf1ab3125f6547c2bf000fe47, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.92, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:32843}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:32843/devtoo..., se:cdpVersion: 138.0.7204.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 24006ccaf1ab3125f6547c2bf000fe47</div>	FAILED	0.018 s								

#	Step / Hook Details	Status	Duration
	<p> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)  at com.store.util.Hooks.tearDown(Hooks.java:34)  Caused by: java.io.UncheckedIOException: java.net.ConnectException  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)  at com.store.util.Hooks.tearDown(Hooks.java:34)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.TestCase.run(TestCase.java:90)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) </p>		

#	Step / Hook Details	Status	Duration
	<p> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)  at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)  at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)  at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)  at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at org.testng.TestRunner.privateRun(TestRunner.java:808)  at org.testng.TestRunner.run(TestRunner.java:603)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383)  at org.testng.SuiteRunner.run(SuiteRunner.java:326)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1169)  at org.testng.TestNG.runSuites(TestNG.java:1092)  at org.testng.TestNG.run(TestNG.java:1060)  at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)  at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)  Caused by: java.net.ConnectException  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1041)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)  at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)  at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)  at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)  at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run\$\$\$capture(CompletableFuture.java:1773)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java)  at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger)  at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.&lt;init&gt;(CompletableFuture.java:1754)  at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719)  at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:152)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1596)  at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415)  Caused by: java.nio.channels.ClosedChannelException  at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:202) </p>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:786) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:874) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		