

Cucumber PDF Report

30 jun 2025, 22:53:54

Start : jun 30, 10:53:36.327 p. m.

End : jun 30, 10:53:53.304 p. m.

Duration : 16.977 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Gestión de métodos de pago</u>	16.977 s	1	0	1	0	8	5	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@payment01	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Gestión de métodos de pago	1	0	1	0	16.977 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Gestión de métodos de pago	Agregar un nuevo método de pago	8	5	1	2	16.975 s

Gestión de métodos de pago

FAILED	DURATION - 16.977 s	Scenarios		Steps	
/ 10:53:36.327 p. m. // 10:53:53.304 p. m. /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 8 Pass - 5 Fail - 1 Skip - 2	

Agregar un nuevo método de pago

FAILED	DURATION - 16.975 s		Steps	
/ 10:53:36.329 p. m. // 10:53:53.304 p. m. /			Total - 8 Pass - 5 Fail - 1 Skip - 2	
Gestión de métodos de pago				
@payment01				

#	Step / Hook Details	Status	Duration								
1	Given el usuario accede a Juice Shop	PASSED	0.175 s								
2	And abre la página de login desde el menú de cuenta	PASSED	0.807 s								
3	And inicia sesión con email "juan@gmail.com" y contraseña "coco20045"	PASSED	0.302 s								
4	And navega a la sección de métodos de pago	PASSED	0.543 s								
5	And abre el formulario para añadir nueva tarjeta	PASSED	0.146 s								
6	When completa el formulario de tarjeta con los siguientes datos: <div><table><tr><td>nombre</td><td>Juan Pérez</td></tr><tr><td>numero</td><td>1234567890125555</td></tr><tr><td>mes</td><td>4</td></tr><tr><td>año</td><td>2083</td></tr></table><p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bcb983d4cd499a19f3631f5ddcde038, findElement [using, value]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.92, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se:cdp: ws://localhost:35385/devtoo..., se:cdpVersion: 138.0.7204.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,</p></div>	nombre	Juan Pérez	numero	1234567890125555	mes	4	año	2083	FAILED	13.415 s
nombre	Juan Pérez										
numero	1234567890125555										
mes	4										
año	2083										

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9bcb983d4cd499a19f3631f5ddcde038</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204) at com.store.factory.PaymentPage.esperarFormularioDesplegado(PaymentPage.java:58) at com.store.factory.PaymentPage.llenarFormulario(PaymentPage.java:28) at com.store.stepDefinitions.PaymentSteps.completarFormularioTarjeta(PaymentSteps.java:36) at ?.completa el formulario de tarjeta con los siguientes datos:(file:///home/juantirado/Documentos/Archive/FinalProject/src/test/resources/features/payment/payment-method.feature:12)</p> <p>Caused by: java.io.UncheckedIOException: java.io.IOException: HTTP/1.1 header parser received no bytes</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204) at com.store.factory.PaymentPage.esperarFormularioDesplegado(PaymentPage.java:58) at com.store.factory.PaymentPage.llenarFormulario(PaymentPage.java:28) at com.store.stepDefinitions.PaymentSteps.completarFormularioTarjeta(PaymentSteps.java:36) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388)		

#	Step / Hook Details	Status	Duration
	<p>at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.io.EOFException: EOF reached while reading at java.net.http/jdk.internal.net.http.Http1AsyncReceiver\$Http1TubeSubscriber.onComplete(Http1AsyncReceiver.java:601) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadSubscription.signalCompletion(SocketTube.java:648) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:853) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415) * Not displayable characters are replaced by '?'. </p>		
7	And envía el formulario	SKIPPED	0.001 s
8	Then debería ver el mensaje de confirmación del método de pago agregado	SKIPPED	0.000 s
	<p>AFTER - com.store.util.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '6.15.3-200.fc42.x86_64', java.version: '21.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bcb983d4cd499a19f3631f5ddcde038, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.92, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: /tmp/.org.chromium.Chromium...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35385}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: linux, proxy: Proxy(), se.cdp: ws://localhost:35385/devtoo..., se.cdpVersion: 138.0.7204.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9bcb983d4cd499a19f3631f5ddcde038 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:550) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) </p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)</p> <p>at com.store.util.Hooks.tearDown(Hooks.java:34)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:442)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)</p> <p>at com.store.util.Hooks.tearDown(Hooks.java:34)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p> <p>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:90)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p>		

#	Step / Hook Details	Status	Duration
	<p> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </p> <p>Caused by: java.net.ConnectException</p> <p> at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1041) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run\$\$\$capture(CompletableFuture.java:1773) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java) at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.<init>(CompletableFuture.java:1754) at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719) at java.net.http/jdk.internal.net.http.PlainHttpConnection\$ConnectEvent.handle(PlainHttpConnection.java:152) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1470) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1415) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1415) </p> <p>Caused by: java.nio.channels.ClosedChannelException</p> <p> at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:202) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:786) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:874) </p>		

#	Step / Hook Details	Status	Duration
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		