



TESTOSTERONE THE FULL GUIDE" - + 36 HABITS TO UNLEASH THE MAN WITHIN



— upro —
by RevokeSystem



What you will find in this book

- 1) what is testosterone
- 2) why it is important
- 3) how bad habits have impacted testosterone levels globally
- 4) How it is made
- 5) key enzymes
- 6) common myths
- 7) 36 habits, strategies with real applications and scientific evidence to increase testosterone levels
- 8) the impact of these habits on testosterone levels from low to high
- 9) brief routine to implement them





Introduction

¿What is testosterone?

Testosterone is the quintessential male hormone. It is produced primarily in the testicles, and although women also have it in small amounts, in men it plays a key role in everything: strength, energy, sexual desire, confidence, positive aggression, the ability to compete and make decisions.

It is much more than a "sex hormone." It is the biological foundation of the man who leads, trains, protects, and advances.

This hormone is literally the essence of a man.

Why is it important?

Imagine these scenarios:

You wake up with no energy, no motivation, no drive for anything.

You're not excited by women, challenges, or your goals.

You tire quickly, lose muscle mass, and get depressed easily.

You spend the day glued to your phone, sugar, and easy dopamine.

These shitty scenarios are exactly what living with LOW testosterone is all about.

And that's the reality for many men today.

That's why this book isn't just about building muscle or libido.

It's about reclaiming your masculine energy and natural dominance. So you can once again function like a man built for life's battle.



What's happening to men?

¿The reason?

- Shitty food
- Lack of exercise and physical activity
- Poor sleep due to addictions and blue light from cell phones


Plastics and chemicals in everything (even chips are infused with chemicals to preserve them)

-Pornography and easy dopamine; when there's no need for it, the body doesn't stimulate testosterone production

-Lack of purpose, we lose our way

But the most worrying thing: we've been told this is normal, and this is extremely serious since male fertility levels have also dropped considerably. But obviously, governments and organizations don't want disciplined people. This will prevent them from becoming obedient sheep and from buying that shitty processed food from companies, causing them to lose easy money at the expense of people's health. and probably you're in this group too but don't worry

(Please note that the data presented in the graphs are averages and ranges, presented by men from those eras in the United States) However, one thing is clear: the trend is downward.



How it affects your life

1. Benefits of High and Healthy Testosterone physical

💪 Increased muscle mass and physical strength

⬇️ Lower body fat percentage


UP! Increased libido and sexual function

🦴 Improved bone density and prevention of osteoporosis

☀️ Stable energy throughout the day

Improved lipid (cholesterol) profile and cardiovascular health

🔥 Faster recovery after exercise



2. Psychological Effects of Testosterone

🧠 Greater mental clarity: improved reaction times and cognitive processing

📈 Increased motivation and focus

🛡️ Greater self-confidence and personal security

🧩 Greater ability to make decisions under pressure

🔥 Competitive drive and desire for personal improvement



3. Emotional Effects

😊 Stress reduction and improved emotional management

😡 Less irritability caused by hormonal imbalances

😊 Greater emotional stability and overall well-being

🧑 Greater tolerance for frustration and resilience in the face of challenges

4. How It Affects the People Around You

👨‍👩‍👧 Your partner notices it: improved energy, desire, and emotional connection

👶 Your children sense it: you become a more present, active, and assertive figure

💼 Your work reflects it: more leadership, clarity in decisions, and presence

👥 Your friends admire you: your attitude changes, and it's contagious

🔥 People react differently: high testosterone is noticeable in your body language, your voice, your way of looking... and that impacts how the world treats you



Basic explanation of testosterone biosynthesis

Before starting the practice, it's important to know this!

Testosterone is a hormone we could call "the male engine." Although it's also present in women, in men it's responsible for things like muscle growth, a deep voice, sexual desire, sperm production, and even mood.

But... where does this magic hormone come from? Let's take it step by step.

 **It all starts with cholesterol (yes, the same one they tell you to take care of).**

Although cholesterol has a bad reputation, it's essential for making hormones. In this case, the body uses cholesterol as a raw material to produce testosterone.

Imagine cholesterol as flour in a bakery. Without flour, there's no bread. Without cholesterol, there's no testosterone. This cholesterol reaches special cells that live in the testicles, called Leydig cells. They are like workers in a factory: they receive cholesterol and transform it step by step into testosterone.

⚙️ Enzymes: The Chemical Workers

In this hormone factory, there are tools called enzymes. They're like cooks who change the ingredients until the dish is ready. Here, I'll explain the most important ones:

Key Enzymes in Testosterone Biosynthesis

ENZYME	FUNCTION
CYP11A1	Converts cholesterol into pregnenolone
3β-HSD	Transforms pregnenolone into progesterone
CYP17A1	Processes progesterone into androstenedione
17β-HSD	Converts androstenedione into active testosterone

Basic explanation of testosterone biosynthesis

Before starting the practice, it's important to know this!

The factory boss: the hormonal axis

Now, who gives the order to produce testosterone? This is where the famous hypothalamus-pituitary-testicle axis comes in, which is like a chain of command:

- Hypothalamus (in the brain): Detects that testosterone is needed and sends a signal called GnRH.
- Pituitary gland (also in the brain): Receives this signal and releases a hormone called LH (luteinizing hormone).
- Testes: LH travels through the blood to the testes and tells them: "Hey, we need more testosterone!" The Leydig cells go to work.

This process is like a phone call from the brain to the testes, ordering production to begin.

Feedback: the control system

When there is enough testosterone in the body, this hormone sends a message to the brain saying: "We're good now, don't produce any more for now." This is called negative feedback, and it serves to maintain balance.

🔥 Daily cycle of testosterone (circadian rhythm) 🔥

🕒 Testosterone isn't constant. It's rhythmic. It's ritual.

Your body doesn't produce testosterone like a machine that pumps out equal doses every hour. No. It does so as a daily ritual, synchronized with the circadian rhythm—the biological clock that regulates your vital functions every 24 hours.

✅ The morning peak: between 6 and 8 a.m.

- Just before waking up, while your body is still in deep sleep, testosterone reaches its highest point.
- This peak isn't accidental. It's the moment when the body prepares for action: strength, focus, sex drive, decisiveness.
- That's why morning workouts, strategic decisions, and affirmation rituals have more impact if done during this time.

📉 The gradual decline: afternoon and evening

- As the day progresses, testosterone levels gradually decline.
- Between 3 and 5 p.m., many men are at their hormonal lowest point. Less energy, less drive, more emotional susceptibility.
- That's why it's vital to ritualize the afternoon: with nutrition, a short rest, or activities that don't require maximum testosterone.

😴 Sleep: It helps a lot!

Here comes the key point.

Sleep quality doesn't just affect your energy. It directly affects your testosterone.

🔬 What science says:

- During deep sleep, and especially during REM sleep, the body actively produces testosterone.
- If you sleep poorly, little, or with interruptions, you can lose up to 15% of your daily testosterone.
- Sleeping 8 hours isn't enough. What matters is sleep architecture: complete, uninterrupted cycles with well-defined REM phases.

⚠️ What happens if you sleep poorly?

- Your morning peak flattens. There's no drive. There's no fire.
- Your body goes into compensation mode: more cortisol, less testosterone.
- In the long term, poor sleep accelerates hormonal aging, as if your body believes it no longer needs to produce testosterone.

🧠 Ritualize your sleep as a regeneration phase

In your doctrine, sleep isn't rest. It's the Reforging Phase.

It's the time when the body rebuilds its hormonal arsenal.

Just as you ritualize training, nutrition, and the code, ritualize sleep:

- Turn off screens 1 hour before.
- Use total darkness.
- Avoid heavy meals late in the day.
- Create a nighttime protocol: breathing, affirmation, silence.

Circadian Testosterone Cycle

TIME	PHASE	DESCRIPTION
6–8 a.m.	Power Phase	Testosterone peaks; ideal for training, focus, and strategic action.
3–5 p.m.	Recovery Phase	Levels drop; energy and drive decrease. Time for reflection or light tasks.
Night	Reforging Phase	Deep sleep triggers testosterone synthesis. Poor sleep disrupts this cycle.

Relationship of testosterone with other hormones

Cortisol: The Famous Stress Hormone

Cortisol is a glucocorticoid hormone produced by the adrenal glands in response to physical or emotional stress. Its primary function is to mobilize energy: it increases blood glucose, promotes lipolysis, and suppresses non-essential functions in times of crisis.

But when cortisol remains chronically elevated, it becomes a destructive agent for testosterone. Here's the technical breakdown:

Sabotage mechanisms:

- Direct inhibition of testosterone secretion: Cortisol blocks the activity of Leydig cells in the testes, reducing the conversion of cholesterol into testosterone.
- Suppression of the HPT (hypothalamus-pituitary-testicle) axis: Excess cortisol disrupts the release of GnRH and LH, the brain signals that activate testosterone production.
- Competition for nuclear receptors:

Cortisol and testosterone compete for intracellular receptors. When cortisol dominates, testosterone-associated gene expression is reduced.

- Promotion of insulin resistance: **Cortisol interferes with the action of insulin, which indirectly reduces testosterone production**
 - When cortisol rises, testosterone falls. It's a directly antagonistic relationship.
- Excess cortisol inhibits testosterone production, reduces muscle mass, increases abdominal fat, and weakens the immune system.
 - In doctrinal terms: cortisol is the internal saboteur. If you don't master it, your hormonal army will crumble.

Insulin: The metabolic tank that crushes if not regulated

Insulin is an anabolic hormone produced by the pancreas. Its function is to allow glucose to enter cells to be used as energy or stored.

But when there is excess insulin—due to diets high in refined carbohydrates, a sedentary lifestyle, or metabolic resistance—it becomes a hormone-suppressing agent.

Crushing mechanisms:

- **Promotes visceral fat accumulation:** This fat produces aromatase, an enzyme that converts testosterone into estrogen, reducing free testosterone levels.
- **Induces insulin resistance:** Chronically elevated insulin reduces cellular sensitivity, which alters lipid and hormonal metabolism.
- **Decreases SHBG (sex hormone-binding globulin):** Less SHBG means less testosterone transported in the blood, and more available to be converted into estrogen.
- **Systemic inflammation: Excess insulin promotes inflammatory states that affect testicular function and hormonal signaling.**
- Insulin regulates blood sugar. But when there is excess insulin (due to poor diet, sedentary lifestyle, or endurance), testosterone levels are suppressed.
 - High insulin levels promote fat accumulation, especially visceral fat, which reduces testosterone production.

•

💥 **Insulin: The metabolic tank that crushes if not regulated**

Insulin is an anabolic hormone produced by the pancreas. Its function is to allow glucose to enter cells to be used as energy or stored.

But when there is excess insulin—due to diets high in refined carbohydrates, a sedentary lifestyle, or metabolic resistance—it becomes a hormone-suppressing agent.

🔬 **Crushing mechanisms:**

- **Promotes visceral fat accumulation:** This fat produces aromatase, an enzyme that converts testosterone into estrogen, reducing free testosterone levels.
- **Induces insulin resistance:** Chronically elevated insulin reduces cellular sensitivity, which alters lipid and hormonal metabolism.
- **Decreases SHBG (sex hormone-binding globulin):** Less SHBG means less testosterone transported in the blood, and more available to be converted into estrogen.
- **Systemic inflammation: Excess insulin promotes inflammatory states that affect testicular function and hormonal signaling.**
- Insulin regulates blood sugar. But when there is excess insulin (due to poor diet, sedentary lifestyle, or endurance), testosterone levels are suppressed.
 - High insulin levels promote fat accumulation, especially visceral fat, which reduces testosterone production.

•

Estrogen: the female hormone!

- Estrogen is not the enemy. It's part of the balance.
- In men, a small amount of estrogen is necessary for bone, cardiovascular, and emotional health.
- But if estrogen levels become too high (due to high body fat, endocrine disruptors, or excessive aromatization), testosterone loses its power.

★ DHT (Dihydrotestosterone):

- DHT is a more potent version of testosterone. It is formed when testosterone is converted by the enzyme 5α-reductase.
- It is responsible for body hair, a deep voice, aggressiveness, and male genital development.
- But it is also linked to male pattern baldness and prostatic hyperplasia if left unregulated.

Hormonal Army: Roles and Impact

HORMONE	ROLE	MECHANISM OF IMPACT
Testosterone	General of the hormonal army	Drives muscle growth, libido, focus, and masculine traits
Cortisol	Internal saboteur	Suppresses Leydig cells, blocks GnRH/LH, competes for receptors
Insulin	Metabolic tank	Promotes fat storage, increases aromatase, lowers SHBG
DHT	Shock commander	Amplifies masculine traits; linked to hair, voice, aggression

🧒 Adolescence:

- Between the ages of 12 and 18, the male body enters a phase of hormonal activation.
- The hypothalamus begins to release GnRH, which activates the pituitary gland, which in turn orders the testes to produce testosterone.
- Result: explosion of secondary sexual characteristics—deep voice, facial hair, muscle growth, sexual desire, competitive drive.
 - At this stage, testosterone levels can increase up to 50 times higher than in childhood.
 - This is the peak of structural development: bones, lean mass, masculine identity.

🧑 Young Adulthood (20s–30s): Absolute Dominance

- Testosterone reaches its peak functional level.
- The body is in its optimal performance phase: strength, libido, recovery, focus, fertility.
- It's the ideal time to ritualize the body: intense workouts, strategic conquests, doctrinal expansion.
- Testosterone regulates metabolism, bone density, sperm production, and emotional state.

🧓 After 30: The Beginning of the Decline

- Starting between ages 30 and 35, testosterone levels begin to decline by 1% to 2% per year.
- This decline is natural, but not uniform. Some men experience it in their 40s, others in their 50s.
- Symptoms: lower libido, loss of muscle mass, fatigue, abdominal fat accumulation, mood swings.

-

Lifestyle: The Accelerator or the Brake


Your lifestyle is the decisive factor. It can accelerate decline or turn it into a phase of reinvention.

▼ Lifestyle that accelerates decline:

- Obesity: abdominal fat produces aromatase, which converts testosterone into estrogen.
- Chronic stress: elevates cortisol, which blocks testosterone production.
- Poor sleep: disrupts nocturnal testosterone synthesis.
- Sedentary lifestyle: reduces hormonal signaling and LH sensitivity.

▲ Lifestyle that slows decline:

- Strength training: activates natural testosterone production.
- Deep, ritualized sleep: maximizes nocturnal hormone synthesis.
- Strategic nutrition: zinc, magnesium, healthy fats, vitamin D.
- Stress management: breathing, meditation, digital disconnection.



3 main pillars that affect

🧠 1. Central Nervous System → Dopamine, Motivation, Positive Aggression

Testosterone directly modulates brain activity, especially in areas such as the hypothalamus, amygdala, and nucleus accumbens. What does this mean?

🔬 Technical effects:

- **Increases dopamine:** Improves motivation, reward, and focus.
- **Reduces social inhibition:** Promotes bold decision-making.
- **Enhances positive aggression:** Not violence, but competitive drive, leadership, and action.
- **Improves prefrontal connectivity:** Greater strategic clarity, less emotional distraction.

💪 2. Muscular System → Protein Synthesis, Strength

Testosterone is the main natural anabolic. It not only increases muscle mass: it builds it from the cell nucleus.

🔬 Technical effects:

- **Activates androgen receptors in muscle fibers:** This triggers protein synthesis.
- **Stimulates nitrogen retention:** Essential for muscle growth.
- **Reduces catabolism:** Protects muscle against breakdown.
- **Improves post-workout recovery:** Less inflammation, more regeneration.

❤️ 3. Cardiovascular System → Lipids, Endurance

Testosterone not only affects the heart: it regulates, protects, and strengthens it, if balanced.

🔬 Technical effects:

- Improves the lipid profile: Increases HDL (good cholesterol), reduces LDL, and triglycerides.
- Reduces visceral fat: Less inflammation, lower cardiovascular risk.
- Increases red blood cell production: Improves muscle oxygenation and endurance.
- Modulates blood pressure: At optimal levels, it stabilizes the vascular system.

Testosterone's Impact on Core Systems	
SYSTEM	EFFECT
Central Nervous System	Boosts dopamine, motivation, and strategic aggression
Muscular System	Stimulates protein synthesis, strength, and recovery
Cardiovascular System	Improves lipid profile, oxygenation, and endurance

Scientific Myths Debunked: The Uncensored Hormonal Truth 🔥

This section isn't about pandering to popular beliefs. It's about dismantling doctrinal errors that sabotage your endocrine system out of ignorance. There's no room for half-truths here: just evidence, physiology, and strategy.

🧠 Myth 1: “Saturated fat lowers testosterone” → ❌ FALSE

This myth stems from a fear of cholesterol. But testosterone is made from cholesterol, and saturated fats are essential for maintaining optimal hormone levels.

🔬 Technical Evidence:

- Diets low in fat (especially saturated fat) reduce testosterone production by limiting the base substrate: cholesterol.
- Studies have shown that men who consume more saturated fat (from natural sources such as eggs, meat, butter) have higher levels of free testosterone.
- What actually reduces testosterone is excess body fat, not saturated fat in the diet. Visceral fat produces aromatase, which converts testosterone into estrogen.

Let's do a little breakdown of fats

🧠 Saturated fats → The General's raw material

- They are necessary for testosterone production because they provide cholesterol, the basic substrate.
 - They are found in natural foods such as meat, eggs, butter, and coconut oil.
- In excess and without training, they can raise LDL (bad) cholesterol, but they are not the enemy if ritualized with strength and strategy.

🥑 Unsaturated fats → Allies of balance

- They are divided into monounsaturated fats (olive oil, avocado, almonds) and polyunsaturated fats (omega 3 and 6: fish, seeds).
 - They help reduce inflammation, improve the lipid profile, and enhance hormonal sensitivity.
- They don't directly raise testosterone, but they pave the way for the hormonal system to function smoothly.

🍪 Trans fats → Industrial saboteurs

- They are artificially created through hydrogenation: they convert liquid oils into solids to make them last longer.
 - They are found in ultra-processed products: cookies, chips, margarines, snacks.
- They block testosterone production, increase cortisol, raise cardiovascular risk, and destroy the hormonal system.

⚠️ What happens if you have a zinc deficiency?

- Reduced testosterone: Studies show that a zinc-deficient diet can reduce testosterone levels by up to 75% in 20 weeks.
 - Decreased sperm quality
 - Fatigue, irritability, loss of muscle mass
 - Weakened immune system

🛡️ How to ritualize recovery?

- Zinc-rich foods: red meat, seafood (especially oysters), eggs, pumpkin seeds, nuts.
- Strategic supplementation: ZMA (zinc + magnesium + vitamin B6) can help if you're experiencing physical and sexual exhaustion.
 - Restraint ritual: This isn't about total abstinence, but rather ritualizing frequency. Ejaculate with purpose, not impulse.

🍷 Myth 3: “Alcohol in small amounts is neutral” → ❌ FALSE, this Shit is so Common around alcoholic people

Even in low doses, alcohol interferes with testosterone production and action.

🔬 Technical evidence:

- Alcohol inhibits Leydig cell activity, reducing testosterone synthesis.
- Increases cortisol and aromatase, which convert testosterone into estrogen.
- Decreases SHBG (sex hormone-binding globulin), which alters testosterone transport in the blood.
- Affects deep sleep, blocking the nocturnal phase of hormone synthesis.

Testosterone Myths Dispelled			
MYTH	TRUTH	HORMONAL IMPACT	DOCTRINAL PHASE
“Saturated fat lowers testosterone”	False — it provides cholesterol, the raw material	Supports testosterone synthesis	PhaseMateriaPrima
“Daily masturbation has no effect”	False — frequent ejaculation depletes zinc and dopamine	Can lower testosterone and motivation	PhaseDrenajeMineral
“Small amounts of alcohol are neutral”	False — even low doses inhibit Leydig cells	Reduces testosterone, raises estrogen	PhaseSabotaje

First Section

(This part is
fundamental and
is the basis of
everything)



01 Sleep at least 7-8 hours each night

Testosterone is produced mostly during deep sleep. Too little sleep means low testosterone. if you're a teenager, you might even need more sleep.

✓ Apply: Go to sleep at the same time every day, avoid screens an hour before bed, and keep your room dark.

02 . Avoid plastics (especially when heating food)

Plastics release xenoestrogens, chemicals that mimic estrogen and lower your testosterone. These plastics pollute, and companies produce these Shitty containers and clothes to generate more. They're cheaper and easier to make. Avoid them if you can.

✓ Apply: Store your food in glass or steel containers. Never heat food in plastic containers. Also, wear cotton clothing. (you can see the material on the label)

03 Reduce sugar consumption

Sugar triggers insulin, which negatively affects your hormone production. Sugar also causes acne, so avoiding it would kill two birds with one stone. This sweet-tasting, crystal-colored poison stimulates the same parts of the brain as when you take drugs, generating addiction, which is why companies add a lot of sugar.

Apply: Eliminate soda, candy, desserts, and sugary cereals. Read the labels. They'll tell you how much Shit the product contains.

First Section

Everyone wants to be disciplined, but no one wants to pay the price.



04 Avoid alcohol

Alcohol directly interferes with testosterone production, and sleep quality also generates addiction, which creates a perfect cocktail for inhibiting testosterone. Avoid alcohol and don't give in to social pressures from people inciting you to drink or some festivity that FUCK THEM ALL.

✓ **Apply: avoid it at all costs, but if you do drink, do so occasionally and in moderation. No frequent binge drinking.**

05. Walk in the sun every day

Sunlight improves the natural production of vitamin D, which is key for testosterone. Not only that, sunlight is key for height growth and other bodily functions. There's a reason Superman was given strength by the sun.

✓ **Apply: 15-30 minutes a day without sunscreen, ideally at midday.**

06 Exercise regularly

Moving every day activates your hormonal system and takes you out of sedentary mode. It's ideal for regulating hormones (later in this guide, we'll see which exercises and workouts specifically increase testosterone).

✓ **Apply: push-ups, squats, brisk walking, or a simple full-body routine. something, simple lead to a good health you don't need be a bodybuilder**

First Section

*Pain is a reminder of
why you are fighting*



07 Avoid porn

Excessive porn consumption lowers your dopamine receptors and disrupts your natural libido. It stimulates the same area as when you use drugs. Avoid this crap. and get real women who love YOU.

✓ Apply: **uninstall apps, block websites, and replace it with exercise or reading.**

08. Drink enough water

Chronic dehydration affects your physical and hormonal performance. Plus, fluid retention will make your cheeks look bigger you will look like a pig.

✓ Apply: **At least 2 liters per day. Add sea salt if you exercise.**

09 Avoid ultra-processed foods

Many packaged products contain chemicals and oils that affect your hormonal health. A damn bag of chips has like 500 calories while a chicken only has 160.

✓ Apply: **To know which foods are ultra-processed and which aren't, simply think of an animal you might find in nature. For example, a cow, a rabbit, etc. You're not going to find a cow that will give you a Doritos when you hunt it.**

First Section

Masculinity is like steel—it only takes shape through fire and pressure. Strength is earned, forged in adversity, and polished through relentless discipline



10 Don't wear tight underwear.

This is somewhat related to the method we saw earlier. Excessive heat in the testicles reduces testosterone production and also reduces fertility. You can verify this yourself by touching any part of your body and then your testicles. You'll notice that they are relatively cooler than other parts of your body. This will be better if your underwear is made of cotton and not those plastic ones that mimic estrogen.

Apply: Wear loose underwear or boxers and avoid sitting all day.

11. Maintain good posture

(Psychological aspect) Posture can influence hormone levels. Studies have shown that adopting expansive and open postures, known as "power poses," can increase testosterone levels and reduce cortisol, the stress hormone. On the other hand, a slouched or closed posture can lead to an increase in cortisol and a decrease in testosterone, affecting confidence and well-being.

(Biological aspect) Furthermore, spinal alignment plays a key role in hormonal regulation. Poor posture can affect circulation and nerve function, which influences hormone production.

Apply: straight back, gaze forward, firm chest. Take active breaks. Hang from a calisthenics bar if you can.

12 Avoid chronic stress

Cortisol and testosterone have an inverse relationship in the body. When cortisol levels increase, testosterone levels tend to decrease. This occurs because the body prioritizes cortisol production in stressful situations, which can negatively affect testosterone production.

Some effects of elevated cortisol include:

Decreased testosterone, affecting energy and muscle development.

Increased fat accumulation, especially in the abdomen.


Reduced libido and physical performance.

Increased risk of insulin resistance and metabolic syndrome.

Apply: Take a deep breath, meditate, exercise, or write to release tension.

First Section

Real food It's what's found in nature, not the crap from the supermarket.



13 Avoid Excess Digital Dopamine

TikTok, Reels, games... too much easy pleasure kills your natural motivation. Just put your phone down and you'll feel bored, and ideas will come.

When the brain receives constant stimulation of quick pleasure through social media, video games, or digital content, it can decrease basal dopamine production and impair natural motivation.

Testosterone is linked to energy, focus, and determination, so a dopamine imbalance could influence its regulation. Furthermore, overuse of digital stimuli can lead to sedentary habits, stress, or changes in sleep patterns, which also impact testosterone production.

✓ **Apply: Limit social media to 1-2 times a day. Use time-tracking apps.**

14 Avoid refined carbohydrates

A high intake of refined carbohydrates (such as sugars, sweets, white bread, and pastries) tends to negatively impact testosterone. This happens primarily because they can:

Increase body fat.

Cause insulin resistance.

Generate inflammation.

These factors are associated with lower testosterone levels.

✓ **Apply: Eat less sweets and white breads, flours etc. You can eat lipids if you feel anxiety.**


15 Avoid refined vegetable fats.

Oils like soybean, corn, and canola lower your testosterone. Soy have high amounts of phytoestrogens.

✓ **Apply: Cook with lard, butter, olive oil, or coconut oil.**

First Section

To wait is not to weaken—it's to let the fire grow before it engulfs everything.



16 Avoid vape

Vaping can affect testosterone levels

Some research has found that certain vaping liquids can reduce fertility and negatively affect testicular function. For example, some flavors, such as bubblegum and cinnamon, have been observed to damage testicular cells and affect sperm motility. 1 Additionally, vaping can affect blood circulation, which could affect hormone production. Next time you see those losers vaping, stay away from them.

Apply: Do not vape even out of curiosity, avoid inhaling that smoke

17 Avoid abdominal excess weight

Avoid abdominal excess weight. Abdominal fat produces estrogen and lowers testosterone. (Conversion of testosterone to estrogen) Abdominal fat contains an enzyme called aromatase, which converts testosterone to estrogen. This can lead to a decrease in free testosterone in the body. Abdominal obesity can affect testicular function and directly reduce testosterone production. Being fat sucks and kills testosterone and the little that it leaves you converts into estrogens It is no wonder that the countries with the most obesity are also those with the least testosterone.

✓ **Apply: Start moving more, eliminate sugars, and stay active.**

18 Fast from time to time

. Fast occasionally

Intermittent fasting can boost your testosterone and improve your insulin sensitivity. It also eliminates toxins from the body and optimizes it, just like deleting temporary files in Windows. - In studies during Ramadan, men showed a significant increase in testosterone at the end of the fasting period.

✓ **Apply: Try 16:8 fasting (16 hours without eating, 8 hours for eating).**

First Section

Your environment is a silent poison, consuming you from the outside until nothing remains within



19 Laugh and share with other men

Laughter and male camaraderie increase natural dopamine and reduce stress. The soldiers at night when they rested shared among themselves and joked

✓ **Apply: Create tribal spaces: work out with friends, chat without screens.**

20 Control your environment

What you see, hear, and follow affects your hormonal status. Optimizing your environment is key to growing a plant, it will not grow in a desert. and removes the losers and bad influences

✓ **Apply: Surround yourself with content and people that inspire you to be strong and disciplined.**

21 compete against another men


Competing increases testosterone, and since ancient times, men have competed for food, women, etc.

Competing will increase your ambition and testosterone.

✓ **Set goals or find a rival and try to beat him. you can be your own rival**

Second section

Society wants you weak, spit in those bastards' faces with your effort



22 Train with heavy weights

Lifting heavy weights powerfully activates testosterone production. This type of exercise is the one that increases it the most.

✓ **Uses:** Perform exercises like squats, deadlifts, and bench presses at least three times a week, using a weight that challenges you.

23 Do compound exercises

Movements that use multiple muscle groups are more hormonally effective. you only need a floor or a bar, By recruiting more muscle fibers, the body responds by increasing testosterone production to facilitate muscle recovery and growth.

✓ **Apply:** Prioritize exercises like pull-ups, dips, deadlifts, and squats and push-ups in each workout.

24 Do HIIT training

High-intensity interval training improves testosterone and insulin sensitivity.

✓ **Practice:** Run 30-second sprints with 1 minute of rest, 6-8 rounds, twice a week.

Second section



25 Lose extra weight

Extra weight affects testosterone, especially the abdominal weight we discussed earlier.

✓ **Apply:** Eliminate sugar, exercise daily, and prioritize real foods to reduce your waistline.

26 Eat more healthy fats

A diet with enough fat promotes greater testosterone production. Many shitty media outlets demonize fats. However, fat and lipids are necessary and provide more energy than those empty refined carbohydrates. On the other hand, there are bad fats, but the media aggregates and labels all fats as bad.

✓ **Use:** Eat avocado, eggs, nuts, and olive oil every day. those fats are healthy

27 Brief sexual abstinence



interestingly, short-term abstaining from ejaculation can transiently elevate testosterone. In one study of young men, testosterone levels rose to about 146% of baseline after 7 days of abstinence

Third section

**This part talks about
supplementation**

Third section

Testosterone is more than a hormone



28 Consume Zinc

7. Eat foods rich in zinc

Zinc is directly involved in testosterone production. Trace minerals are necessary for zinc production. Some diets low in zinc affect testosterone.

✓ **Uses:** Add red meat, oysters, pumpkin seeds, and lentils to your diet.

29 Consume magnesium daily.

This mineral improves sleep quality and hormone production. Magnesium will also help with memory and headaches. It is an essential mineral for staying focused and avoiding temptation.

✓ **Uses:** Eat spinach, almonds, and seeds, and if you like, supplement with 200–400 mg daily.

30 Use proven herbs like ashwagandha or fenugreek.

Some natural herbs have been shown to improve testosterone and reduce cortisol. These are natural alternatives for better testosterone **production**.

✓ **How to use:** Take ashwagandha root extract (KSM-66) or fenugreek (Testofen) daily for 8-12 week cycles.

Third section

*Men need nature,
society needs strong
men*



31 Incorporate ginger into your diet

Ginger supplementation has been shown to enhance testosterone production, particularly under oxidative stress conditions.

✓ **Apply:** Add fresh ginger to teas, smoothies, or meals. Aim for 1–2 grams daily.

32 Consume pomegranate juice

Studies indicate that pomegranate juice can significantly increase salivary testosterone levels and improve mood.

✓ **Apply:** Drink a small glass (4–6 oz) of pure pomegranate juice daily.

33 Ensure adequate vitamin B12 intake

Low serum vitamin B12 is associated with a higher risk of testosterone deficiency and impaired androgenic hormonal profiles.

Apply: Include B12-rich foods like meat, fish, and dairy in your diet, or consider supplementation if necessary.

Third section

*without sacrifices you
will get nothing*



34 Tongkat Ali (*Eurycoma longifolia*) supplementation

A standardized extract of the Southeast Asian herb Tongkat Ali (*Eurycoma*) has been shown in clinical trials to raise testosterone in men. In a meta-analysis of randomized trials, men taking *E. longifolia* extract experienced a significant increase in total testosterone compared to placebo

35 *Mucuna pruriens* (Velvet Bean) supplementation

Mucuna pruriens is a traditional herb (velvet bean) that provides the precursor L-DOPA. In a clinical trial of infertile men, treatment with *Mucuna pruriens* markedly improved steroid hormone levels: serum testosterone and LH (luteinizing hormone) both increased significantly after *Mucuna* treatment

36 Boron supplementation

Boron is a trace mineral that can raise free testosterone. In a short-term trial, men taking 10.6 mg of boron (as boron citrate) daily for one week showed large increases in free testosterone

how you can apply it

The following information is a routine guide, you can replace each habit with the ones you see in the guide and structure your day according to your needs.


MAKE YOUR OWN ROUTINE



🕒 5:30 AM – Wake up like a warrior –Example–
No excuses. Don't touch the snooze.
shower: activates circulation, wakes up the nervous system, raises dopamine.
Meditation or deep breathing: reduces cortisol, focuses your mind.
Take your supplements (if you use vitamin D, zinc, ashwagandha, etc.).
Dress in clothes made of cotton or natural fibers. Avoid synthetic textiles that release estrogen-like chemicals.

Example

☀️ 6:00 AM – Sun and movementGo for a 20–30 minute walk with your chest upright.
Direct sun exposure: activates vitamin D, improves mood, regulates hormones.




MAKE YOUR OWN ROUTINE

🏋️♂️ 7:00 AM – Train with intention –example–
No light routines. Here you come to lift.

Squats, pull-ups, deadlifts, presses.

Strength, volume and progress. 3–4 times per week. If you don't train, you shut down.

🍖 8:00 AM – First meal (if you are not fasting) Animal protein, natural fats, zero sugar. Eggs, meat, butter, avocado, liver if you're brave. Eat like a man, not like a cereal-addicted child. –example–



During the day - Master the environment
Drink water constantly. Sea salt if you train.

Maintain a strong, upright posture. Chest out,
eyes straight ahead.

No porn, endless reels or cheap dopamine.


Don't heat food in plastic. Don't drink from plastic
bottles.

Eliminate anything that smells like weakness.

🌙 8:30 PM - Turn off the world
Warm light. Reading, reflection, breathing.

Get your body ready to create testosterone in
the evening.

No screens. No notifications. No stress.



6:00 PM - Last light meal
Protein + vegetable + fat. Simple. Effective.

No bread, no dessert, no beer.

😴 9:00 PM - Sleep like a king
Total darkness. Cool room and no noise.

Sleep minimum 7:30 hours. No negotiation.

This is where the magic happens. This is where you
regenerate.

Testosterone Optimization Strategies			
#	Habit / Strategy	Impact	Scientific Evidence
1	Sleep 7–8 hours per night	High	Sleep restriction reduces testosterone levels by 10–15% in healthy young men.
2	Engage in daily exercise	High	Both endurance and resistance exercises increase plasma testosterone concentrations upon exercising.
3	Manage chronic stress	High	Administration of cortisol reduces circulating testosterone levels.
4	Reduce abdominal fat	High	Weight loss, particularly through BMI reduction, leads to increased testosterone levels.
5	Get sunlight exposure (Vitamin D)	Moderate	Sun exposure and vitamin D supplementation influence serum testosterone concentrations.
6	Limit sugar intake	Moderate	Consumption of sugar-sweetened beverages is associated with low testosterone levels in men.
7	Avoid excessive alcohol consumption	Moderate	Heavy alcohol consumption is associated with reduced testosterone levels.
8	Eliminate ultra-processed foods	Moderate	Higher ultra-processed food consumption is associated with increased sex hormone levels among adolescents.
9	Avoid exposure to plastics (phthalates)	Moderate	Phthalate exposure is associated with decreased testosterone levels in males.
10	Avoid refined carbohydrates	Moderate	Diets high in carbohydrates and fats may lower testosterone levels.
11	Practice intermittent fasting (16:8)	Moderate	Intermittent fasting can increase testosterone, if practiced correctly and in favorable physiological contexts.
12	Stay hydrated (≥2 liters of water daily)	Low	Hydration status may modulate testosterone responses to exercise.
13	Avoid pornography consumption	Low	Pornography use is associated with sex hormone levels in serum.
14	Wear loose-fitting underwear	Low	Tight underwear is associated with higher scrotal temperatures, potentially affecting testicular function.
15	Maintain good posture	Low	Power posing may influence testosterone levels, though findings are mixed.
16	Limit digital dopamine (reduce screen time)	Low	Excessive screen time may impact hormonal balance, though direct evidence is limited.
17	Avoid refined vegetable oils	Low	Diets high in certain fats may influence testosterone levels, though more research is needed.
18	Avoid vaping	Low	Vaping is associated with hormonal changes, including testosterone levels.
19	Engage in social interactions with men	Low	Social interactions can influence hormonal responses, including testosterone.
20	Control your environment (reduce toxins)	Low	Environmental factors can impact hormonal health, including testosterone levels.
21	Compete with other men	High	Competitive activities can influence testosterone levels.

Testosterone-Boosting Habits & Strategies

#	HABIT / STRATEGY	IMPACT	BRIEF EXPLANATION	HOW TO APPLY IT IN DAILY LIFE
1	Heavy strength training	High	Lifting heavy weights with high volume significantly increases testosterone. Exercises like squats, deadlifts, and bench press are especially effective.	Include strength training sessions 3–4 times per week focusing on compound lifts and progressively increasing the load.
2	Compound exercises (squats, deadlifts, etc.)	High	Compound movements activate multiple muscle groups, which stimulates greater testosterone production.	Prioritize multi-joint exercises in your training to maximize hormonal response.
3	High-intensity interval training (HIIT)	High	HIIT has been shown to increase testosterone levels and improve cardiovascular health.	Perform HIIT sessions 2–3 times per week, alternating periods of intense effort with short rest intervals.
4	Weight loss (especially abdominal fat)	High	Losing body fat, especially around the abdomen, can increase testosterone production by up to 30%.	Follow a balanced diet and exercise program aimed at reducing body fat, focusing on abdominal fat.
5	Diet rich in healthy fats	High	Diets with 40% of calories from healthy fats have been shown to boost testosterone levels.	Add foods like avocados, nuts, olive oil, and fatty fish to your diet to ensure proper intake of healthy fats.
6	Eat foods rich in zinc (e.g., oysters)	Moderate	Zinc is essential for testosterone production; deficiency can lower hormone levels.	Eat zinc-rich foods such as oysters, lean red meat, legumes, and seeds. Consider supplements if needed, under medical supervision.
7	Vitamin D supplementation	Moderate	Vitamin D plays a key role in testosterone production; maintaining optimal levels can support hormonal health.	Get 15–20 minutes of sun exposure daily and consider vitamin D supplements, especially during low sunlight seasons.
8	Avoid low-fat diets	Moderate	Low-fat diets can reduce testosterone levels; adequate healthy fat intake is essential.	Ensure your diet includes enough healthy fats and avoid extreme fat restrictions.
9	Use herbs like ashwagandha and fenugreek	Moderate	Certain herbs have shown positive effects on testosterone levels, though more research is needed.	Consult a healthcare provider before starting herbal supplements and choose high-quality, trusted products.
10	Eat foods rich in magnesium	Moderate	Magnesium is essential and plays a crucial role in testosterone production.	Add foods like spinach, chard, almonds, and pumpkin seeds to your diet. Consider supplements if

Scientific References / Webgráficas

Heavy strength training

Kraemer, W. J., et al. (1998). Endocrine responses to heavy resistance exercise protocols. *Journal of Applied Physiology*.

<https://journals.physiology.org/doi/full/10.1152/jappl.1998.85.2.451>

Compound exercises

Walker, S., et al. (2015). Greater hormone responses to multi-joint vs. single-joint resistance exercises. *European Journal of Applied Physiology*.

<https://link.springer.com/article/10.1007/s00421-015-3210-1>

HIIT (High-Intensity Interval Training)

Trapp, E. G., et al. (2008). The effects of high-intensity intermittent exercise on fat loss and fasting insulin levels. *Obesity Reviews*.

<https://pubmed.ncbi.nlm.nih.gov/18198359/>

Weight loss (especially abdominal fat)

Khoury, R. M., et al. (2012). Effect of obesity and weight loss on testosterone levels. *The Journal of Clinical Endocrinology & Metabolism*.

<https://academic.oup.com/jcem/article/97/8/2786/2538200>

Diet rich in healthy fats

Volek, J. S., et al. (1997). Testosterone and fat intake. *Metabolism Clinical and Experimental*.

<https://pubmed.ncbi.nlm.nih.gov/9075187/>

Foods rich in zinc

Prasad, A. S. (1996). Zinc: an antioxidant and anti-inflammatory agent. *Journal of Trace Elements in Medicine and Biology*.

<https://pubmed.ncbi.nlm.nih.gov/8875519/>

Vitamin D supplementation

Pilz, S., et al. (2011). Effect of vitamin D supplementation on testosterone levels. *Hormone and Metabolic Research*.

<https://www.thieme-connect.de/products/ejournals/abstract/10.1055/s-0030-1269854>

Avoid low-fat diets

Fantus, R. J., et al. (2020). Low-fat diets and testosterone reduction. *The Journal of Urology*.

<https://pubmed.ncbi.nlm.nih.gov/31756767/>

Herbs like ashwagandha and fenugreek

Lopresti, A. L., et al. (2019). The effect of ashwagandha on testosterone levels. *American Journal of Men's Health*.


<https://journals.sagepub.com/doi/full/10.1177/1557988319835985>

Magnesium-rich foods

Cinar, V., et al. (2011). Effect of magnesium supplementation on testosterone levels. *Biological Trace Element Research*.

<https://pubmed.ncbi.nlm.nih.gov/20352370/>

In the official page you can find the Checklist



CONCLUSION

You've made it this far. That already makes you different.

Most men stay weak.

They whine, scroll, jerk off, eat garbage, sleep late, and wonder why life feels empty.

You? You chose to learn. To fight back. To take your testosterone into your own hands. That alone makes you dangerous.

But reading isn't enough.

This book gave you the truth. The science. The habits. The tools.

Now it's on you to use them.

No doctor is coming to save you.

No magic pill.

No permission slip from the world.

Testosterone is built.

Brick by brick.

Rep by rep.

Habit by habit.

Every night you go to sleep early — you earn it.

Every time you lift heavy — you earn it.

Every time you say no to dopamine and yes to pain — you earn it.

Testosterone is the hormone of war.

It fuels risk, power, sex, ambition, fire.

And this modern world is built to kill it.

But you're not here to be another modern man.

You're here to reclaim your nature.

To dominate your body, your time, your mission.

To sharpen your mind and become the man you were meant to be.

This isn't a trend.

This is your return.

TSTRN isn't just a name.

It's a code.

Train like a beast.

Eat like a warrior.

Sleep like a king.

Act like a man.

Now get out there — and earn it. Every f*ing day.**