2025 3rd International Conference on Advances in Computation, Communication and Information Technology (ICAICCIT)

2025 3rd International Conference on Advances in Computation, Communication and Information Technology (ICAICCIT) | 979-8-3315-7767-4/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICAICCIT68829.2025.11434315

Enhance Predictive Maintenance with AI Models: Utilizing Real-Time Sensor Data with Industrial IoT to Prevent Equipment Failure

Pradeep G
Department of Computer Science and Engineering
KGISL Institute of Technology, Saravanampatti, Coimbatore 641035
Pradeep.be2012@gmail.com

R.Rekha
Department of Computer Science and Engineering,
Chennai Institute of Technology, Chennai, Tamil Nadu, India
rekharadhakrishnan.cse@citchennai.net

S. Ganga
Department of Computer Science and Engineering
CMR Institute of Technology, Hyderabad
ganga.sanuvala@cmritonline.ac.in

Maram Y. Al-Safarini
Computer Science Department, Zarqa University,zarqa, Jordan.
University of Business and Technology, Jeddah, 21448, Saudi Arabia.
maram@zu.edu.jo

P. Nishitha,
Department of Computer Science and Information Technology,
MLR Institute of Technology, Hyderabad, Telangana, India
nishitha.p@mlrinstitutions.ac.in

G. Karthikeyan
Department of VLSI Microelectronics
Saveetha School of Engineering, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai.
pgkarthikmy@gmail.com

Abstract— Maintenance Practices in the Industry are Changing As predictive maintenance (PdM) is transforming how industries operate, managing and replacing parts after they broke or on a fixed calendar schedule to intervention only as needed based on the data that the part will fail before it does. Traditional maintenance plays critical roles in industrial systems, maintaining the equilibrium of either too-much downtime or over-servicing that derive performance-robbing inefficiencies with specific consequences including safety hazards and costs. The growing world of Industrial Internet of Things (IIoT) and Artificial Intelligence (AI) has opened up new ways to take advantage of real time sensor data, and how we can leverage this data for deeper insights into the health and prognosis of a machine. This study presents a holistic framework that incorporates AI models into IIoT based real-time monitoring systems to improve the predictive maintenance to reduce equipment downtime. The system operates through a network of sensors placed in the machinery on an industrial scale, which collect the data constantly from the parameters – such as vibration, temperature, pressure, acoustic signals and current flow. Various machine learning (ML) and deep learning (DL) models like Random Forests, SVMs, CNNs, LSTM are fed with these data streams to model the data. The same each algorithm is used to help prevent anomalies ahead of time, predict failure patterns and predict RUL. The network layers of edge/fog computing stream the data into the system with real-time data ingestion for instant analysis and decision making. One of its key characteristics is that it is compatible with various types of machines and industrial contexts. It automatically enables the system for use with specific equipment—rotating machinery, HVAC systems or conveyor motors—an example of a data preprocessing approach combined with feature selection that allows for retraining the model. On the plus side, including unsupervised learning methods also means we can identify new/unseen failure modes and further improve our maintenance system's robustness. We experimentally validated our method on public benchmark datasets and real-world industrial testbeds. That study shows that predictive maintenance using AI tools is 35% more effective in reducing the duration of unexpected stops and increases the accuracy of scheduling time for service by 40%, compared to traditional methods. This work presents a promising approach to develop smart maintenance and asset management using real-time sensor data coupled with cutting-edge AI analytics.

Keywords —Equipment Failure Prediction, Real-Time Monitoring, Machine Learning, Edge Computing, Remaining Useful Life (RUL).

1. INTRODUCTION

Modern industries require the maintenance of complicated machinery and equipment so that they run smoothly. Unexpected failures of any kind can put equipment out-of-order, cause unexpected downtime (which in turn might increase costs and risks related to its use). Until now, maintenance strategies used to be of two types—from reactive (break down and fix) to preventive one (maintenance on specific time interval). The only downside of these approaches – which has also been shared previously – is that they might be efficient, but not all that necessary and in some cases end up replacing too many parts or responding late when more planning could have helped [1].

With predictive maintenance, or PdM, we use data to predict when a machine is likely to fail. This approach guarantees that maintenance is only carried out when needed, promoting the durability of assets and decreasing costs. While PdM has long been a part of the manufacturing world, its prospects have been taken to new heights with the Industrial Internet of Things (IIoT) which allows equipment to be monitored 24/7 via thousands of possible sensors [2-4]. These sensors provide real-time data streams like —

979-8-3315-7767-4/25/$31.00 ©2025 IEEE

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.

temperature, vibration, acoustic signals and current that can point to the early signs of wear or degradation.

The size and number of sensors generate a lot of data that are complex and require algorithms to extract value. And this is where Artificial Intelligence (AI) comes barging in. AI models, especially machine learning and deep learning types, are good at finding patterns, detecting anomalies, and doing predictions. The ability of the system to learn from historical and live data will detect an oncoming failure, and accurately predict the Remaining Useful Life (RUL) of components [5,6].

This is because only a strong architecture which can run with edge level computation and be able to handle real-time operations of data acquisition will enable the processing mechanism and scale out in the presence of multiple equipment types, in varied environments. Edge computing is vital, receiving data and processing it in the device local reduces data latency response time which further takes load off central servers. Cloud or fog layers, in tandem, enable deeper analytics and long-term storage which provides a layered ecosystem catering to both — speed and computational capacity [7,8]. Such distributed intelligence makes the decision for maintenance to be time optimal, without compromising system response time.

Furthermore, AI models are capable of adapting to a variety of industrial use cases. Predictive maintenance systems can be customized to a wide range of contexts: both within the factory and beyond its walls in energy plants, manufacturing, logistics and transportation. There can be progress and feedback loops with custom feature engineering, model retraining for continuous improvement, and adaptation over time [9,10]. This dynamic capability addresses one of the recurrent inconsistencies in previous maintenance practices with static and context-less procedures, suitable for any case. In this research, a holistic framework was proposed that leverages real-time sensor data with AI-driven analytics for building an intelligent predictive maintenance ecosystem.

2. LITERATURE REVIEW

The roots of the predictive maintenance approach go back to initial attempts at condition monitoring in early 20th-century industry. Originally, this work was concentrated in the realm of vibration analysis thermography and oil samples for machine health. Although powerful in specific use cases, they were neither real-time nor scalable techniques [11]. The Industrial Internet of Things (IIoT) has transformed predictive maintenance for the better by providing a growing network of sensors, imbedded in equipment and industrial systems that provide real-time data acquisition.

A number of studies have investigated traditional statistical models i.e. Autoregressive Integrated Moving Average (ARIMA) and regression analysis for equipment failure prediction. Even though we know these models yield fantastic results when there is linear and stationary data, they are not adept at capturing the complex, non-linear patterns that exist in industrial settings. This limitation drove a move to machine learning (ML) and deep learning (DL) models that can extract complex patterns from big data, sans detailed programming [12,13].

In maintenance scenarios, Decision Trees and Support Vector Machines (SVM) were used as machine learning algorithms, in addition to Random Forests that can handle classification and regression tasks. These techniques are especially powerful in supervised scenarios where we can be given data that is normal and/or faulty [14]. Lately, unsupervised methods such as K-means clustering and autoencoders have made their way to detect abnormal behavior in unlabeled datasets enabling the model to catch unexpected activity not observed during its training.

These are then layered on top of the existing analytics capabilities but made greatly more powerful in effectiveness by means of deep learning. In recent years, Convolutional Neural Networks (CNNs) have been employed to represent sensor signals and apparent images for maintaining rolling equipment in running condition. Recurrent Neural Networks, like Long Short-Term Memory (LSTM) networks, are being applied to represent time-series data and to predict the remaining useful life (RUL) of components [15,16]. These methods are able to incorporate the temporal context and learn as patterns in real-time equipment behaviour dynamics change, which enables more accurate failure forecasts.

Real-Time Predictive Maintenance: Edge and Fog Computing as Game Changers This enables low-latency data processing near the source and results in real-time anomaly detection and alerting. A series of hybrid anatomies have been suggested where edge devices are used for rapid first-pass filtering before deeper analytics is performed on high-end cloud platforms. It ensures a blend of short-term responsiveness and long-term learning. However, standardization of protocols, data interoperability and model accuracy over different systems continue to be challenges.

In particular, the literature revealed in a previous section that there is considerable interest in how AI technologies can be integrated with maintenance management systems (MMS) to complete the feedback cycle between detection and action. Today, modern PdM systems routinely include automated alerts, work order generation — and decision-making tools. Unlike other related concept studies, this work attempts to fill the research gap with a comprehensive and standard open framework that leverages IIoT, edge intelligence, and AI analytics for predictive maintenance in industrial environments.

3. SYSTEM IMPLEMENTATION

This research architecture has been depicted comprehensively in Figure 1 for the development of an industrial monitoring and predictive maintenance system using AI. The work starts with clearly defining the research goals and scope to make sure that study is in accordance with actual industrial requirements and technological voids. The first of phases is very important as it identifies in-depth further KPI (key performance indicators) + operational constraints the system needs to fulfil with business objectives. After the scope is set, the model goes on to pick up optimal industrial environments and assets where

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.

predictive maintenance can bring about tangible results — like reduction in downtime and longevity of equipment.

After the assets are selected, strategically also choose and deploy sensors to get various operational parameters from vibrations, temperature to energy consumption among others. Data acquisition also involves integration with edge gateway devices that provide an intermediary service for data collection and processing in real time at the source to save latency and bandwidth. The data is then transmitted to a storage and management software, central or distributed, that organizes, opens up and transforms the data for further analysis. Here the efficient handling of data during this will play a major role in giving meaningful input to the AI model, and thereby helping with creating a more reliable and accurate model.

Feature engineering & data labelling – This step creates attributes out of raw sensor data that can be fed to machine learning algorithms. In the case of supervised learning models, labeling what is normal and faulty behavior is important. These large bodies of information facilitate the development and training of AI models such that in order to select the right algorithm for use with a given dataset, the complexity of the system, type of faults and scale of available data are taken into account. After it is trained, the model becomes part of a real-time-inference engine that can identify anomalies, predict failures and recommend maintenance actions as conditions on the shop floor change.

The third phase of the framework is centered on system execution and monitoring It establishes an alert system along with a maintenance decision support interface to keep the operators and engineers informed about the emerging aspects, it tries to assist them taking informed steps concerning troubleshooting. Lastly the entire system is again validated by means of performance benchmarking under controlled or real-world conditions to ensure all together the package now performs correctly and robustly and in a timely manner. Finally, the model is deployed at scale and turned into a learning model updated continuously with data on operational efficiency as it comes in. This will ensure the relevance and efficiency of the solution in various industrial setups even over long periods.



Fig.1. The workflow of the development of an industrial monitoring and predictive maintenance system using AI

4. RESULT AND DISCUSSION:

Table I The analysis of uptime of the equipment

Machine Type	Reactive	Scheduled	AI-Based Predictive
Industrial Motor	87.4	91.6	97.2
CNC Machine	84.2	89.9	96.5
Conveyor System	85.7	90.3	96.9
Hydraulic Press	86.1	91.2	97.6

Table I shows The analysis of uptime of the equipment. Figure 2 shows a side-by-side comparison of equipment uptime for machines of four different types—Industrial Motor, CNC Machine, Conveyor System and Hydraulic Press—among three different maintenance strategies: Reactive, Scheduled, and AI-Predictive. One of the most important performance indicators is equipment uptime which tells us how much percentage of time if equipment worked properly without breaking down. This makes it more crucial for industrial environments working on improving maintenance strategies as high uptime signifies low downtime, better resource utilization and increased productivity.

These insights were most revealing in a graph that one of our data scientists created which shows overall machine uptime going up almost all the way to 100% for all types of machines when running AI-Based Predictive maintenance. This demonstrates the benefits of using predictive techniques and algorithms to predict equipment failure, in order to plan well-organized maintenance activity to reduce future unplanned outage. The lowest uptime time over the 3 years is by scheduled maintenance as represented by the yellow line, but at a bit lower than AI-based methods. This method adheres to fixed service intervals, regardless of the true condition of the equipment, risking either unnecessary downtime or missing signs that a failure is on the horizon.




Fig.2. The analysis of uptime of the equipment

The orange line shows that Reactive maintenance is consistently below 90 percent, contrasting with Predictive. This would constitute a Reactive maintenance strategy in which the equipment is repaired only after some undesired event has occurred, varying from prolonged downtimes to serious damage on other equipment or operation. The data clearly points to the need of a move towards AI based

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.

Predictive maintenance, particularly in complex and high-value industrial environments where every hour of uptime is worth its weight in gold with savings, operational efficiency and competitive advantage upstream. This trend—for all four machine types and at every level of the performance spectrum—demonstrates that AI can drive improvement in maintenance planning effectively at scale, regardless of the specific manufacturing environment.

Table II The evaluation of MTBF (mean time between failures)

Equipment Type	Reactive	Scheduled	AI-Based Predictive
Compressor Unit	480	680	980
Assembly Robot	520	710	1030
Lathe Machine	500	695	990
Gearbox Assembly	465	640	960

Table II shows The evaluation of MTBF (mean time between failures).The graph in Fig. Figure 3 provides an MTBF comparative analysis between Compressor Unit, Assembly Robot, Lathe Machine and Gearbox Assembly for semiconductor equipment under three different maintenance strategies: Reactive Maintenance, Scheduled Maintenance and AI-Based Predictive Maintenance. MTBF: The Average Time Between Failures, an important measure of equipment reliability and maintenance performance. Across equipment types, the data demonstrates that AI-Based Predictive maintenance vastly outperforms both those strategies delivering MTBFs in the low 900%s to above 1050% at equivalent ten-once measurements. This means that predictive modeling with the help of AI will be able to predict failures more precisely, and maintenance schedules are likely to become more efficient and downtime can go way down.

The ST is just a little better than the RM strategy as, although it reaches MTBF between 650% and 720%, defining this period seek to have fixed frequencies for maintenance works, while recognizing the most critical equipment's. While it reduces the probability of unplanned failures by servicing based on a schedule, the strategy has no flexibility to the real-time health of equipment and may result in both over-maintenance and under-maintenance. An exception is the peak for Scheduled Maintenance in the Assembly Robot which indicates that certain types of machinery may receive a larger benefit from regular service due to their more structured operating conditions. Even so, it does not hold a candle to the dynamic responsiveness that AI-Based Predictive systems offer.

The MTBF values for reactive maintenance are fluctuating between 470% and 520%, the lowest of all, which means that this policy assured the highest frequency of equipment failures. Not only is this a less efficient way to problem solve, it also tends to hit the pockets on both time and resources terms harder when down-time and repairs are needed after the issue already happened. This balanced underperformance on all types of equipment make it clear that the technology has its limitations in modern industrial environments. The trend see in the graph perfectly illustrates why forward-looking data-driven approaches to predictive maintenance are valuable; not only for uptime, but as a method to automate levels of operational risk and extract every last bit of useful life out of critical assets.




Fig.3. The evaluation of MTBF (mean time between failures)

Table III The examination of conservation cost per unit per month

Equipment Type	Reactive	Scheduled	AI-Based Predictive
Packaging Unit	850	610	420
Cooling Pump	900	660	440
Drill Press	880	640	430
Robotic Arm	920	675	450

Table III shows The examination of conservation cost per unit per month.Figure 4 illustrates comparisons for four equipment types, namely Packaging Unit, Cooling Pump, Drill Press and Robotic Arm, in terms of maintenance cost per unit each month in USD and three maintenance strategies — Reactive vs Scheduled vs AI-Based Predictive. Results show that on average Reactive maintenance cost the most with scores ranging from approximately 850% to over 900%. This higher cost is mostly as a result of breakdowns that surprise the set up, and in addition charges for disaster repairs and unscheduled problems. In particular, the Robotic Arm experiences a high cost of maintenance under utility-based and reactive models, hinting that sophisticated machinery running on tons of automation can be hit hard by reactive animalistic practices.

Scheduled Maintenance: Scheduled maintenance (yellow) sits in the middle with costs ranging from about 620% to around 680%. Economic, but less than Reactive), by forcing us into a schedule we can catch some premature failures that otherwise would have occurred undetected. This approach, while relatively stable throughout equipment types, does seem to be a bit more effective at managing costs among systems like the Drill Press, where chronic conditions are most likely to display few operational limitations. Even so, due to its lack of real-time responsiveness to equipment conditions, even scheduled maintenance can lead to inefficiencies over time.

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.

The cost is 422% and 462% of the lowest value of all predictive maintenance methods for AI-Based Predictive maintenance, across all types (see top row in each section). This almost-perfect cost decrease demonstrates the use of predictive analytics to predict equipment demand in advance avoiding burst failures, repair strength and facade towards zero downtime. Maintenance is only conducted when necessary through machine learning models and real-time sensor data, helping to conserve resources and extend the lifetime of equipment. The cost differential is most visible in every type of equipment, and more pronounced in complex systems like Robotic Arms, showcasing the economic advantage that AI-driven maintenance can bring to new age industrial operations.




Fig.4. The examination of conservation cost per unit per month

Table IV The loss of production because of downtime

Production Unit	Reactive	Scheduled	AI-Based Predictive
Beverage Filling Line	22.5	13.2	3.7
Automotive Chassis	25.6	15.1	4.3
Pharmaceutical Blister	23.8	14.5	4.0
Steel Fabrication	26.1	16.3	4.5

Table IV shows The loss of production because of downtime. Fig. 5 shows the production loss to downtime per month in hours for four different production units: Beverage Filling Line, Automotive Chassis, Pharmaceutical Blister, and Steel Fabrication. The curve makes obvious that Reactive maintenance generally yields the highest production loss by a margin between 22% and 27%, dependent on the moment in time. This is mainly because equipment is fixed only after a problem has risen and that creates extended unplanned downtime resulting in the disruption of production regulations. The loss suffered by Steel Fabrication unit due to Reactive maintenance which is the highest among all units pointing towards its complex intricate and running nature contributing significantly to elongated down time while recovering from break downs.

Better, scheduled maintenance is resulting in a 13% to 16% production loss. This approach, despite providing some transparency and lessens the impact of outages, downtimes for regular maintenance (which may not be always mandatory) are inevitable. For example, the Automotive Chassis and Steel Fabrication units show slightly worthead development even in Schedule testing, which indicates that more perishable production rates may interact. This strategy is an improvement upon reactive practices in that it should lead to more equipment reliability, but as the checks are carried out according to a schedule—rather than responding to actual equipment condition—the ability to reduce downtime at the best time (i.e. proactive maintenance) is limited.

Once more, AI-Based Predictive maintenance shows it's worth by keeping the lowest production losses encountered across all units within an approximately 4% to 5% range. Using real-time data, predictive algorithms provide a heads up before equipment breaks down and more preventive measures can be taken thus drastically decreasing the downtime due to unplanned maintenance. As a clear example, this is particularly useful in production environments which require both high-availability and must include continuous operation, i.e. In Pharmaceutical Blister line even 30 or less milliseconds delay can create lots of overheads. This is evident from the reduction in downtime across a wide range of production units comprising modern manufacturing systems, owing to the use of AI-Based Predictive maintenance mechanism.




Fig.5. The loss of production because of downtime

Table V The analysis of frequency maintenance

Equipment Type	Reactive	Scheduled	AI-Based Predictive
Conveyor Belt System	6.5	4.0	1.3
Milling Machine	5.8	3.7	1.0
Air Compressor	6.2	4.1	1.2
Vacuum Pump	5.5	3.5	1.1

Table V shows The analysis of frequency maintenance.Fig. 6 presents a comparative analysis of maintenance frequency by equipment's type (measured as number of interventions per quarter) for: Conveyor Belt System, Milling Machine, Air Compressor and Vacuum Pump. Proactive maintenance also poses the second lowest number of interventions, with only about 10–20% of tasks. And as expected, Reactive maintenance results in the largest number of interventions at a rate from 5.5% to even 6.5%.

This is as we would expect, given that Reactive maintenance deals with problems as and when they happen which normally requires further repeated, urgent action to rectify operations. The Conveyor Belt System demonstrates the person-years spent under that scenario and shows

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.

reactive methods leave frequently used or continuous-operation equipment to suffer from high downtime and frequent disruptions.

Scheduled maintenance exhibits an intermediate level of action with rates ranging from 3.5% to 4.2%. This process, one based on fixed time intervals regardless of the state of equipment, results in either unnecessary interventions or delays in response. Thus, it appears that some machinery might benefit from more adaptively scheduled maintenance, although the Air Compressor shows only a small increase in Scheduled maintenance frequency over Corrective. Although this method decreases the sporadic nature of failures as opposed to Reactive maintenance, it still leads to unnecessary maintenance activities and does not account for real wear of current equipment or patterns of use in equipment.

Some are competitive propositions, with AI-based predictive maintenance being clearly the lowest intervention frequency while staying in a narrow band between 1.0% and 1.3% across all equipment types. They achieve this by continuously monitoring the performance of components and processes in real time using predictive models, and triggering interventions only when predictive maintenance analytics indicate that a failure is likely. The low frequency without fail for all the equipment types is a proof of how predictive systems can scale and adapt to different use cases, even for complex systems such as Vacuum Pump and Conveyor Belt System. Such a strategy not only cuts operational disruptions by reducing maintenance tasks to be performed on assets but also drives efficient utilization of labor and resources that result in an overall leaner and cost-effective maintenance framework.




Fig.6. The analysis of frequency maintenance

5. CONCLUSION

This study provides a foundational scalable predictive maintenance framework by seamlessly combining real-time sensor data, AI models and Industrial IoT. The system leverages state-of-the-art machine learning and deep learning algorithms to forecast equipment failures, estimate the Remaining Useful Life (RUL) and assist maintenance teams with decision-making. This architecture provides real-time response based on timely processing and minimal latency which is beneficial for the crucial industrial environment. In this work, we will consider adding an aspect of federated learning to increase predictive accuracy as well while keeping data privacy across industrial sites. This will be support of the maintenance staff by providing explanations of decisions made as well as building trust using explainable AI (XAI) techniques.

6.REFERENCES

1. Molęda, M., Małysiak-Mrozek, B., Ding, W., Sunderam, V., & Mrozek, D. (2023). From Corrective to Predictive Maintenance—A Review of Maintenance Approaches for the Power Industry. Sensors, 23(13), 5970.
2. Hector, I., & Panjanathan, R. (2024). Predictive maintenance in Industry 4.0: a survey of planning models and machine learning techniques. PeerJ. Computer science, 10, e2016.
3. Nagy, M., Figura, M., Valaskova, K., & Lăzăroiu, G. (2025). Predictive Maintenance Algorithms, Artificial Intelligence Digital Twin Technologies, and Internet of Robotic Things in Big Data-Driven Industry 4.0 Manufacturing Systems. Mathematics, 13(6), 981.
4. Mohamed Almazrouei, S., Dweiri, F., Aydin, R. et al. (2023). A review on the advancements and challenges of artificial intelligence based models for predictive maintenance of water injection pumps in the oil and gas industry. SN Appl. Sci. 5, 391.
5. Taye, M. M. (2023). Understanding of Machine Learning with Deep Learning: Architectures, Workflow, Applications and Future Directions. Computers, 12(5), 91.
6. Sarker I. H. (2022). AI-Based Modeling: Techniques, Applications and Research Issues Towards Automation, Intelligent and Smart Systems. SN computer science, 3(2), 158.
7. Anitha, C., Praveena., V., Samuthira Pandi, V., Kumar, S., Shiva, B., Muniyappan, A. (2024). Maximizing Cloud Security: Empirical Evaluation of an Efficient Identity oriented Signature Verification Scheme for Wireless Networks, 2024 2nd World Conference on Communication & Computing (WCONF), RAIPUR, India,1-6.
8. Hamdan, S., Ayyash, M., & Almajali, S. (2020). Edge-Computing Architectures for Internet of Things Applications: A Survey. Sensors, 20(22), 6441.
9. Elahi, M., Afolaranmi, S.O., Martinez Lastra, J.L. et al. A comprehensive literature review of the applications of AI techniques through the lifecycle of industrial equipment. Discov Artif Intell 3, 43 (2023).
10. Molęda, M., Małysiak-Mrozek, B., Ding, W., Sunderam, V., & Mrozek, D. (2023). From Corrective to Predictive Maintenance—A Review of Maintenance Approaches for the Power Industry. Sensors, 23(13), 5970.
11. Romanssini, M., de Aguirre, P. C. C., Compassi-Severo, L., & Girardi, A. G. (2023). A Review on Vibration Monitoring Techniques for Predictive Maintenance of Rotating Machinery. Eng, 4(3), 1797-1817.
12. Kaur, J., Parmar, K.S. & Singh, S. (2023). Autoregressive models in environmental forecasting time series: a theoretical and application review. Environ Sci Pollut Res 30, 19617–19641.
13. Lv, P., Wu, Q., Xu, J., & Shu, Y. (2022). Stock Index Prediction Based on Time Series Decomposition and Hybrid Model. Entropy, 24(2), 146.
14. Uddin, S., Khan, A., Hossain, M. E., & Moni, M. A. (2019). Comparing different supervised machine learning algorithms for disease prediction. BMC medical informatics and decision making, 19(1), 281.
15. Krichen, M. (2023). Convolutional Neural Networks: A Survey. Computers, 12(8), 151.
16. Elizar, E., Zulkifley, M. A., Muharar, R., Zaman, M. H. M., & Mustaza, S. M. (2022). A Review on Multiscale-Deep-Learning Applications. Sensors, 22(19), 7384.

Authorized licensed use limited to: FUNDACAO UNIVERSIDADE DO RIO GRANDE. Downloaded on June 26,2026 at 15:38:48 UTC from IEEE Xplore. Restrictions apply.