

LTSpice Notch Quality Report

CROSS COUPLED1

Auto-detected swept parameters and quality-factor ($Q = f_0 / BW$ @ passband-3 dB) analysis

Run summary

Signal columns analyzed: 2

Total simulation steps : 100

V(act+,act-)

swept parameters: Cp, Itail

V(pas+)

swept parameters: Cp, Itail

Report contents (per signal column):

1. All curves — Bode plot (magnitude + phase)
2. Magnitude grouped by each swept parameter (one subplot per fixed value)
3. Phase grouped by each swept parameter (one subplot per fixed value)
4. Quality-factor table for that column

End of report (extra analyses):


- A. Cross-signal comparison (act vs pas, if both present)
- B. Q vs each swept parameter (one line per other-param combo)
- C. BW vs each swept parameter
- D. Q heatmap for V(act): rows $\times$ columns swept params, colored
- E. Combined quality-factor table across all signals

Signal: $V(\text{act+}, \text{act-})$


Swept parameters: C_p , I_{tail}

Steps: 100

V(act+,act-) — All curves (100 steps) — Bode




V(act+,act-) — Magnitude grouped by Cp (each subplot fixes Cp; legend = Itail)




V(act+,act-) — Phase grouped by Cp (each subplot fixes Cp; legend = Itail)


Cp = 100f




Cp = 200f




Cp = 300f




Cp = 400f




Cp = 500f




Cp = 600f




Cp = 700f




Cp = 800f




Cp = 900f




Cp = 1p



$V(\text{act+}, \text{act-})$ — Magnitude grouped by Itail (each subplot fixes Itail; legend = Cp)



V(act+,act-) — Phase grouped by Itail (each subplot fixes Itail; legend = Cp)



V(act+,act-) — Quality factor table (page 1/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	10μ	50.11	-6.022	0.00308			notch shallower than 3 d
V(act+,act-)	100f	20μ	50.11	-6.022	0.003102			notch shallower than 3 d
V(act+,act-)	100f	30μ	50.11	-6.022	0.003118			notch shallower than 3 d
V(act+,act-)	100f	40μ	50.11	-6.022	0.003132			notch shallower than 3 d
V(act+,act-)	100f	50μ	50.11	-6.022	0.003145			notch shallower than 3 d
V(act+,act-)	100f	60μ	50.11	-6.022	0.003156			notch shallower than 3 d
V(act+,act-)	100f	70μ	50.11	-6.022	0.003167			notch shallower than 3 d
V(act+,act-)	100f	80μ	50.11	-6.022	0.003177			notch shallower than 3 d
V(act+,act-)	100f	90μ	50.11	-6.022	0.003186			notch shallower than 3 d
V(act+,act-)	100f	100μ	50.11	-6.022	0.003195			notch shallower than 3 d
V(act+,act-)	200f	10μ	50.09	-6.025	0.01229			notch shallower than 3 d
V(act+,act-)	200f	20μ	50.09	-6.025	0.01238			notch shallower than 3 d
V(act+,act-)	200f	30μ	50.09	-6.025	0.01245			notch shallower than 3 d
V(act+,act-)	200f	40μ	50.09	-6.025	0.0125			notch shallower than 3 d
V(act+,act-)	200f	50μ	50.09	-6.025	0.01255			notch shallower than 3 d
V(act+,act-)	200f	60μ	50.09	-6.025	0.0126			notch shallower than 3 d
V(act+,act-)	200f	70μ	50.09	-6.025	0.01264			notch shallower than 3 d
V(act+,act-)	200f	80μ	50.09	-6.025	0.01268			notch shallower than 3 d
V(act+,act-)	200f	90μ	50.09	-6.025	0.01272			notch shallower than 3 d
V(act+,act-)	200f	100μ	50.09	-6.025	0.01275			notch shallower than 3 d
V(act+,act-)	300f	10μ	50.07	-6.031	0.02758			notch shallower than 3 d
V(act+,act-)	300f	20μ	50.07	-6.031	0.02777			notch shallower than 3 d
V(act+,act-)	300f	30μ	50.07	-6.031	0.02792			notch shallower than 3 d
V(act+,act-)	300f	40μ	50.07	-6.031	0.02804			notch shallower than 3 d
V(act+,act-)	300f	50μ	50.07	-6.031	0.02816			notch shallower than 3 d
V(act+,act-)	300f	60μ	50.07	-6.031	0.02826			notch shallower than 3 d
V(act+,act-)	300f	70μ	50.07	-6.031	0.02835			notch shallower than 3 d
V(act+,act-)	300f	80μ	50.07	-6.031	0.02844			notch shallower than 3 d
V(act+,act-)	300f	90μ	50.07	-6.031	0.02852			notch shallower than 3 d
V(act+,act-)	300f	100μ	50.07	-6.031	0.0286			notch shallower than 3 d
V(act+,act-)	400f	10μ	50.05	-6.038	0.04885			notch shallower than 3 d
V(act+,act-)	400f	20μ	50.05	-6.038	0.04919			notch shallower than 3 d

V(act+,act-) – Quality factor table (page 2/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	400f	30μ	50.05	-6.038	0.04945			notch shallower than 3 d
V(act+,act-)	400f	40μ	50.05	-6.038	0.04967			notch shallower than 3 d
V(act+,act-)	400f	50μ	50.05	-6.038	0.04987			notch shallower than 3 d
V(act+,act-)	400f	60μ	50.05	-6.038	0.05005			notch shallower than 3 d
V(act+,act-)	400f	70μ	50.05	-6.038	0.05021			notch shallower than 3 d
V(act+,act-)	400f	80μ	50.05	-6.038	0.05037			notch shallower than 3 d
V(act+,act-)	400f	90μ	50.05	-6.038	0.05052			notch shallower than 3 d
V(act+,act-)	400f	100μ	50.05	-6.038	0.05066			notch shallower than 3 d
V(act+,act-)	500f	10μ	50.03	-6.048	0.076			notch shallower than 3 d
V(act+,act-)	500f	20μ	50.03	-6.048	0.07652			notch shallower than 3 d
V(act+,act-)	500f	30μ	50.03	-6.048	0.07692			notch shallower than 3 d
V(act+,act-)	500f	40μ	50.03	-6.048	0.07727			notch shallower than 3 d
V(act+,act-)	500f	50μ	50.03	-6.048	0.07757			notch shallower than 3 d
V(act+,act-)	500f	60μ	50.03	-6.048	0.07785			notch shallower than 3 d
V(act+,act-)	500f	70μ	50.03	-6.048	0.07811			notch shallower than 3 d
V(act+,act-)	500f	80μ	50.03	-6.048	0.07835			notch shallower than 3 d
V(act+,act-)	500f	90μ	50.03	-6.048	0.07858			notch shallower than 3 d
V(act+,act-)	500f	100μ	50.03	-6.048	0.0788			notch shallower than 3 d
V(act+,act-)	600f	10μ	50.01	-6.06	0.1089			notch shallower than 3 d
V(act+,act-)	600f	20μ	50.01	-6.06	0.1096			notch shallower than 3 d
V(act+,act-)	600f	30μ	50.01	-6.06	0.1102			notch shallower than 3 d
V(act+,act-)	600f	40μ	50.01	-6.06	0.1107			notch shallower than 3 d
V(act+,act-)	600f	50μ	50.01	-6.06	0.1111			notch shallower than 3 d
V(act+,act-)	600f	60μ	50.01	-6.06	0.1115			notch shallower than 3 d
V(act+,act-)	600f	70μ	50.01	-6.06	0.1119			notch shallower than 3 d
V(act+,act-)	600f	80μ	50.01	-6.06	0.1122			notch shallower than 3 d
V(act+,act-)	600f	90μ	50.01	-6.06	0.1126			notch shallower than 3 d
V(act+,act-)	600f	100μ	50.01	-6.06	0.1129			notch shallower than 3 d
V(act+,act-)	700f	10μ	49.99	-6.074	0.1473			notch shallower than 3 d
V(act+,act-)	700f	20μ	49.99	-6.074	0.1484			notch shallower than 3 d
V(act+,act-)	700f	30μ	49.99	-6.074	0.1491			notch shallower than 3 d
V(act+,act-)	700f	40μ	49.99	-6.074	0.1498			notch shallower than 3 d

V(act+,act-) — Quality factor table (page 3/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	50μ	49.99	-6.074	0.1504		notch shallower than 3 d	
V(act+,act-)	700f	60μ	49.99	-6.074	0.1509		notch shallower than 3 d	
V(act+,act-)	700f	70μ	49.99	-6.074	0.1514		notch shallower than 3 d	
V(act+,act-)	700f	80μ	49.99	-6.074	0.1519		notch shallower than 3 d	
V(act+,act-)	700f	90μ	49.99	-6.074	0.1523		notch shallower than 3 d	
V(act+,act-)	700f	100μ	49.99	-6.074	0.1528		notch shallower than 3 d	
V(act+,act-)	800f	10μ	49.97	-6.09	0.1912		notch shallower than 3 d	
V(act+,act-)	800f	20μ	49.97	-6.09	0.1925		notch shallower than 3 d	
V(act+,act-)	800f	30μ	49.97	-6.09	0.1935		notch shallower than 3 d	
V(act+,act-)	800f	40μ	49.97	-6.09	0.1944		notch shallower than 3 d	
V(act+,act-)	800f	50μ	49.97	-6.09	0.1952		notch shallower than 3 d	
V(act+,act-)	800f	60μ	49.97	-6.09	0.1959		notch shallower than 3 d	
V(act+,act-)	800f	70μ	49.97	-6.09	0.1965		notch shallower than 3 d	
V(act+,act-)	800f	80μ	49.97	-6.09	0.1971		notch shallower than 3 d	
V(act+,act-)	800f	90μ	49.97	-6.09	0.1977		notch shallower than 3 d	
V(act+,act-)	800f	100μ	49.97	-6.09	0.1982		notch shallower than 3 d	
V(act+,act-)	900f	10μ	49.95	-6.109	0.2403		notch shallower than 3 d	
V(act+,act-)	900f	20μ	49.95	-6.109	0.2419		notch shallower than 3 d	
V(act+,act-)	900f	30μ	49.95	-6.109	0.2432		notch shallower than 3 d	
V(act+,act-)	900f	40μ	49.95	-6.109	0.2443		notch shallower than 3 d	
V(act+,act-)	900f	50μ	49.95	-6.109	0.2452		notch shallower than 3 d	
V(act+,act-)	900f	60μ	49.95	-6.109	0.2461		notch shallower than 3 d	
V(act+,act-)	900f	70μ	49.95	-6.109	0.2469		notch shallower than 3 d	
V(act+,act-)	900f	80μ	49.95	-6.109	0.2477		notch shallower than 3 d	
V(act+,act-)	900f	90μ	49.95	-6.109	0.2484		notch shallower than 3 d	
V(act+,act-)	900f	100μ	49.95	-6.109	0.2491		notch shallower than 3 d	
V(act+,act-)	1p	10μ	49.93	-6.129	0.2944		notch shallower than 3 d	
V(act+,act-)	1p	20μ	49.93	-6.129	0.2964		notch shallower than 3 d	
V(act+,act-)	1p	30μ	49.93	-6.129	0.298		notch shallower than 3 d	
V(act+,act-)	1p	40μ	49.93	-6.129	0.2993		notch shallower than 3 d	
V(act+,act-)	1p	50μ	49.93	-6.129	0.3004		notch shallower than 3 d	
V(act+,act-)	1p	60μ	49.93	-6.129	0.3015		notch shallower than 3 d	

V(act+,act-) — Quality factor table (page 4/4)


Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	1p	70μ	49.93	-6.129	0.3025			notch shallower than 3 dB
V(act+,act-)	1p	80μ	49.93	-6.129	0.3034			notch shallower than 3 dB
V(act+,act-)	1p	90μ	49.93	-6.129	0.3043			notch shallower than 3 dB
V(act+,act-)	1p	100μ	49.93	-6.129	0.3051			notch shallower than 3 dB

Signal: $V(\text{pas}+)$


Swept parameters: C_p , I_{tail}

Steps: 100

V(pas+) — All curves (100 steps) — Bode




V(pas+) – Magnitude grouped by Cp (each subplot fixes Cp; legend = Itail)




V(pas+) — Phase grouped by Cp (each subplot fixes Cp; legend = Itail)


Cp = 100f




Cp = 200f




Cp = 300f




Cp = 400f




Cp = 500f




Cp = 600f




Cp = 700f




Cp = 800f




Cp = 900f




Cp = 1p



V(pas+) — Magnitude grouped by Itail (each subplot fixes Itail; legend = Cp)



V(pas+) — Phase grouped by Itail (each subplot fixes Itail; legend = Cp)



V(pas+) – Quality factor table (page 1/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	100f	10μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	20μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	30μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	40μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	50μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	60μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	70μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	80μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	90μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	100f	100μ	50.13	-6.022	0.001474			notch shallower than 3 d
V(pas+)	200f	10μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	20μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	30μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	40μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	50μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	60μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	70μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	80μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	90μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	200f	100μ	50.1	-6.025	0.005884			notch shallower than 3 d
V(pas+)	300f	10μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	20μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	30μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	40μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	50μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	60μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	70μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	80μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	90μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	100μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	400f	10μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	20μ	50.05	-6.039	0.0234			notch shallower than 3 d

V(pas+) – Quality factor table (page 2/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	400f	30μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	40μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	50μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	60μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	70μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	80μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	90μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	100μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	500f	10μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	20μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	30μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	40μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	50μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	60μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	70μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	80μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	90μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	100μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	600f	10μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	20μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	30μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	40μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	50μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	60μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	70μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	80μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	90μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	100μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	700f	10μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	20μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	30μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	40μ	49.98	-6.075	0.07077			notch shallower than 3 d

V(pas+) – Quality factor table (page 3/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	700f	50μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	60μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	70μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	80μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	90μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	100μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	800f	10μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	20μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	30μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	40μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	50μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	60μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	70μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	80μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	90μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	100μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	900f	10μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	20μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	30μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	40μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	50μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	60μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	70μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	80μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	90μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	100μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	1p	10μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	20μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	30μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	40μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	50μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	60μ	49.9	-6.131	0.142			notch shallower than 3 d

V(pas+) — Quality factor table (page 4/4)


Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	1p	70μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	80μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	90μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	100μ	49.9	-6.131	0.142			notch shallower than 3 dB

A. Active vs Passive comparison


Solid = $V(\text{act+}, \text{act-})$ Dashed = $V(\text{pas+})$

A. $V(\text{act+}, \text{act-})$ vs $V(\text{pas+})$ — grouped by C_p (legend = Itail)


$C_p = 100\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 200\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 300\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 400\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 500\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 600\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 700\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 800\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)



$C_p = 900\text{f}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$C_p = 1\text{p}$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




A. $V(\text{act+}, \text{act-})$ vs $V(\text{pas+})$ — grouped by I_{tail} (legend = C_p)


$I_{\text{tail}} = 10\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 20\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 30\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 40\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 50\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 60\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 70\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)




$I_{\text{tail}} = 80\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)





$I_{\text{tail}} = 90\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)





$I_{\text{tail}} = 100\mu$ (solid= $V(\text{act+}, \text{act-})$, dashed= $V(\text{pas+})$)





B. V(act+,act-) — Quality factor vs swept parameters





C. V(act+,act-) — Bandwidth (-3 dB) vs swept parameters



B. V(pas+) — Quality factor vs swept parameters



C. V(pas+) — Bandwidth (-3 dB) vs swept parameters



D. V(act+,act-) — Q heatmap (rows = Cp, columns = Itail)

	Itail=10μ	Itail=20μ	Itail=30μ	Itail=40μ	Itail=50μ	Itail=60μ	Itail=70μ	Itail=80μ	Itail=90μ	Itail=100μ
Cp=100f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=200f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=300f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=400f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=500f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=600f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=700f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=800f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=900f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=1p	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW

E. Combined quality-factor table — all signals (page 1/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	10μ	50.11	-6.022	0.00308			notch shallower than 3 d
V(act+,act-)	100f	20μ	50.11	-6.022	0.003102			notch shallower than 3 d
V(act+,act-)	100f	30μ	50.11	-6.022	0.003118			notch shallower than 3 d
V(act+,act-)	100f	40μ	50.11	-6.022	0.003132			notch shallower than 3 d
V(act+,act-)	100f	50μ	50.11	-6.022	0.003145			notch shallower than 3 d
V(act+,act-)	100f	60μ	50.11	-6.022	0.003156			notch shallower than 3 d
V(act+,act-)	100f	70μ	50.11	-6.022	0.003167			notch shallower than 3 d
V(act+,act-)	100f	80μ	50.11	-6.022	0.003177			notch shallower than 3 d
V(act+,act-)	100f	90μ	50.11	-6.022	0.003186			notch shallower than 3 d
V(act+,act-)	100f	100μ	50.11	-6.022	0.003195			notch shallower than 3 d
V(act+,act-)	200f	10μ	50.09	-6.025	0.01229			notch shallower than 3 d
V(act+,act-)	200f	20μ	50.09	-6.025	0.01238			notch shallower than 3 d
V(act+,act-)	200f	30μ	50.09	-6.025	0.01245			notch shallower than 3 d
V(act+,act-)	200f	40μ	50.09	-6.025	0.0125			notch shallower than 3 d
V(act+,act-)	200f	50μ	50.09	-6.025	0.01255			notch shallower than 3 d
V(act+,act-)	200f	60μ	50.09	-6.025	0.0126			notch shallower than 3 d
V(act+,act-)	200f	70μ	50.09	-6.025	0.01264			notch shallower than 3 d
V(act+,act-)	200f	80μ	50.09	-6.025	0.01268			notch shallower than 3 d
V(act+,act-)	200f	90μ	50.09	-6.025	0.01272			notch shallower than 3 d
V(act+,act-)	200f	100μ	50.09	-6.025	0.01275			notch shallower than 3 d
V(act+,act-)	300f	10μ	50.07	-6.031	0.02758			notch shallower than 3 d
V(act+,act-)	300f	20μ	50.07	-6.031	0.02777			notch shallower than 3 d
V(act+,act-)	300f	30μ	50.07	-6.031	0.02792			notch shallower than 3 d
V(act+,act-)	300f	40μ	50.07	-6.031	0.02804			notch shallower than 3 d
V(act+,act-)	300f	50μ	50.07	-6.031	0.02816			notch shallower than 3 d
V(act+,act-)	300f	60μ	50.07	-6.031	0.02826			notch shallower than 3 d
V(act+,act-)	300f	70μ	50.07	-6.031	0.02835			notch shallower than 3 d
V(act+,act-)	300f	80μ	50.07	-6.031	0.02844			notch shallower than 3 d
V(act+,act-)	300f	90μ	50.07	-6.031	0.02852			notch shallower than 3 d
V(act+,act-)	300f	100μ	50.07	-6.031	0.0286			notch shallower than 3 d
V(act+,act-)	400f	10μ	50.05	-6.038	0.04885			notch shallower than 3 d
V(act+,act-)	400f	20μ	50.05	-6.038	0.04919			notch shallower than 3 d

E. Combined quality-factor table – all signals (page 2/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	400f	30μ	50.05	-6.038	0.04945			notch shallower than 3 d
V(act+,act-)	400f	40μ	50.05	-6.038	0.04967			notch shallower than 3 d
V(act+,act-)	400f	50μ	50.05	-6.038	0.04987			notch shallower than 3 d
V(act+,act-)	400f	60μ	50.05	-6.038	0.05005			notch shallower than 3 d
V(act+,act-)	400f	70μ	50.05	-6.038	0.05021			notch shallower than 3 d
V(act+,act-)	400f	80μ	50.05	-6.038	0.05037			notch shallower than 3 d
V(act+,act-)	400f	90μ	50.05	-6.038	0.05052			notch shallower than 3 d
V(act+,act-)	400f	100μ	50.05	-6.038	0.05066			notch shallower than 3 d
V(act+,act-)	500f	10μ	50.03	-6.048	0.076			notch shallower than 3 d
V(act+,act-)	500f	20μ	50.03	-6.048	0.07652			notch shallower than 3 d
V(act+,act-)	500f	30μ	50.03	-6.048	0.07692			notch shallower than 3 d
V(act+,act-)	500f	40μ	50.03	-6.048	0.07727			notch shallower than 3 d
V(act+,act-)	500f	50μ	50.03	-6.048	0.07757			notch shallower than 3 d
V(act+,act-)	500f	60μ	50.03	-6.048	0.07785			notch shallower than 3 d
V(act+,act-)	500f	70μ	50.03	-6.048	0.07811			notch shallower than 3 d
V(act+,act-)	500f	80μ	50.03	-6.048	0.07835			notch shallower than 3 d
V(act+,act-)	500f	90μ	50.03	-6.048	0.07858			notch shallower than 3 d
V(act+,act-)	500f	100μ	50.03	-6.048	0.0788			notch shallower than 3 d
V(act+,act-)	600f	10μ	50.01	-6.06	0.1089			notch shallower than 3 d
V(act+,act-)	600f	20μ	50.01	-6.06	0.1096			notch shallower than 3 d
V(act+,act-)	600f	30μ	50.01	-6.06	0.1102			notch shallower than 3 d
V(act+,act-)	600f	40μ	50.01	-6.06	0.1107			notch shallower than 3 d
V(act+,act-)	600f	50μ	50.01	-6.06	0.1111			notch shallower than 3 d
V(act+,act-)	600f	60μ	50.01	-6.06	0.1115			notch shallower than 3 d
V(act+,act-)	600f	70μ	50.01	-6.06	0.1119			notch shallower than 3 d
V(act+,act-)	600f	80μ	50.01	-6.06	0.1122			notch shallower than 3 d
V(act+,act-)	600f	90μ	50.01	-6.06	0.1126			notch shallower than 3 d
V(act+,act-)	600f	100μ	50.01	-6.06	0.1129			notch shallower than 3 d
V(act+,act-)	700f	10μ	49.99	-6.074	0.1473			notch shallower than 3 d
V(act+,act-)	700f	20μ	49.99	-6.074	0.1484			notch shallower than 3 d
V(act+,act-)	700f	30μ	49.99	-6.074	0.1491			notch shallower than 3 d
V(act+,act-)	700f	40μ	49.99	-6.074	0.1498			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 3/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	50μ	49.99	-6.074	0.1504			notch shallower than 3 d
V(act+,act-)	700f	60μ	49.99	-6.074	0.1509			notch shallower than 3 d
V(act+,act-)	700f	70μ	49.99	-6.074	0.1514			notch shallower than 3 d
V(act+,act-)	700f	80μ	49.99	-6.074	0.1519			notch shallower than 3 d
V(act+,act-)	700f	90μ	49.99	-6.074	0.1523			notch shallower than 3 d
V(act+,act-)	700f	100μ	49.99	-6.074	0.1528			notch shallower than 3 d
V(act+,act-)	800f	10μ	49.97	-6.09	0.1912			notch shallower than 3 d
V(act+,act-)	800f	20μ	49.97	-6.09	0.1925			notch shallower than 3 d
V(act+,act-)	800f	30μ	49.97	-6.09	0.1935			notch shallower than 3 d
V(act+,act-)	800f	40μ	49.97	-6.09	0.1944			notch shallower than 3 d
V(act+,act-)	800f	50μ	49.97	-6.09	0.1952			notch shallower than 3 d
V(act+,act-)	800f	60μ	49.97	-6.09	0.1959			notch shallower than 3 d
V(act+,act-)	800f	70μ	49.97	-6.09	0.1965			notch shallower than 3 d
V(act+,act-)	800f	80μ	49.97	-6.09	0.1971			notch shallower than 3 d
V(act+,act-)	800f	90μ	49.97	-6.09	0.1977			notch shallower than 3 d
V(act+,act-)	800f	100μ	49.97	-6.09	0.1982			notch shallower than 3 d
V(act+,act-)	900f	10μ	49.95	-6.109	0.2403			notch shallower than 3 d
V(act+,act-)	900f	20μ	49.95	-6.109	0.2419			notch shallower than 3 d
V(act+,act-)	900f	30μ	49.95	-6.109	0.2432			notch shallower than 3 d
V(act+,act-)	900f	40μ	49.95	-6.109	0.2443			notch shallower than 3 d
V(act+,act-)	900f	50μ	49.95	-6.109	0.2452			notch shallower than 3 d
V(act+,act-)	900f	60μ	49.95	-6.109	0.2461			notch shallower than 3 d
V(act+,act-)	900f	70μ	49.95	-6.109	0.2469			notch shallower than 3 d
V(act+,act-)	900f	80μ	49.95	-6.109	0.2477			notch shallower than 3 d
V(act+,act-)	900f	90μ	49.95	-6.109	0.2484			notch shallower than 3 d
V(act+,act-)	900f	100μ	49.95	-6.109	0.2491			notch shallower than 3 d
V(act+,act-)	1p	10μ	49.93	-6.129	0.2944			notch shallower than 3 d
V(act+,act-)	1p	20μ	49.93	-6.129	0.2964			notch shallower than 3 d
V(act+,act-)	1p	30μ	49.93	-6.129	0.298			notch shallower than 3 d
V(act+,act-)	1p	40μ	49.93	-6.129	0.2993			notch shallower than 3 d
V(act+,act-)	1p	50μ	49.93	-6.129	0.3004			notch shallower than 3 d
V(act+,act-)	1p	60μ	49.93	-6.129	0.3015			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 4/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	1p	70μ	49.93	-6.129	0.3025			notch shallower than 3 dB
V(act+,act-)	1p	80μ	49.93	-6.129	0.3034			notch shallower than 3 dB
V(act+,act-)	1p	90μ	49.93	-6.129	0.3043			notch shallower than 3 dB
V(act+,act-)	1p	100μ	49.93	-6.129	0.3051			notch shallower than 3 dB
V(pas+)	100f	10μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	20μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	30μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	40μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	50μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	60μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	70μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	80μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	90μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	100f	100μ	50.13	-6.022	0.001474			notch shallower than 3 dB
V(pas+)	200f	10μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	20μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	30μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	40μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	50μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	60μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	70μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	80μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	90μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	200f	100μ	50.1	-6.025	0.005884			notch shallower than 3 dB
V(pas+)	300f	10μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	20μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	30μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	40μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	50μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	60μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	70μ	50.08	-6.031	0.01321			notch shallower than 3 dB
V(pas+)	300f	80μ	50.08	-6.031	0.01321			notch shallower than 3 dB

E. Combined quality-factor table – all signals (page 5/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	300f	90μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	300f	100μ	50.08	-6.031	0.01321			notch shallower than 3 d
V(pas+)	400f	10μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	20μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	30μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	40μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	50μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	60μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	70μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	80μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	90μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	400f	100μ	50.05	-6.039	0.0234			notch shallower than 3 d
V(pas+)	500f	10μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	20μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	30μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	40μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	50μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	60μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	70μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	80μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	90μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	500f	100μ	50.03	-6.049	0.03643			notch shallower than 3 d
V(pas+)	600f	10μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	20μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	30μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	40μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	50μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	60μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	70μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	80μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	90μ	50	-6.061	0.05224			notch shallower than 3 d
V(pas+)	600f	100μ	50	-6.061	0.05224			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 6/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	700f	10μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	20μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	30μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	40μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	50μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	60μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	70μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	80μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	90μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	700f	100μ	49.98	-6.075	0.07077			notch shallower than 3 d
V(pas+)	800f	10μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	20μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	30μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	40μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	50μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	60μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	70μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	80μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	90μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	800f	100μ	49.95	-6.092	0.09196			notch shallower than 3 d
V(pas+)	900f	10μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	20μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	30μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	40μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	50μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	60μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	70μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	80μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	90μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	900f	100μ	49.93	-6.11	0.1157			notch shallower than 3 d
V(pas+)	1p	10μ	49.9	-6.131	0.142			notch shallower than 3 d
V(pas+)	1p	20μ	49.9	-6.131	0.142			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 7/7)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(pas+)	1p	30μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	40μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	50μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	60μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	70μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	80μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	90μ	49.9	-6.131	0.142			notch shallower than 3 dB
V(pas+)	1p	100μ	49.9	-6.131	0.142			notch shallower than 3 dB