

LTSpice Notch Quality Report

CROSS COUPLED2

Auto-detected swept parameters and quality-factor ($Q = f_0 / BW$ @ passband-3 dB) analysis

Run summary

Signal columns analyzed: 1

Total simulation steps : 6

V(act+,act-)
swept parameters: Itail

Report contents (per signal column):

- 1. All curves — Bode plot (magnitude + phase)
- 2. Magnitude grouped by each swept parameter (one subplot per fixed value)
- 3. Phase grouped by each swept parameter (one subplot per fixed value)
- 4. Quality-factor table for that column

End of report (extra analyses):


- A. Cross-signal comparison (act vs pas, if both present)
- B. Q vs each swept parameter (one line per other-param combo)
- C. BW vs each swept parameter
- D. Q heatmap for V(act): rows $\times$ columns swept params, colored
- E. Combined quality-factor table across all signals

Signal: $V(\text{act}+, \text{act}-)$


Swept parameters: Itail

Steps: 6


V(act+,act-) — All curves (6 steps) — Bode



V(act+,act-) — Magnitude grouped by Itail (each subplot fixes Itail; legend = step)




V(act+,act-) — Phase grouped by Itail (each subplot fixes Itail; legend = step)



V(act+,act-) — Quality factor table


Signal	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	1.01m	50.07	-0.5502	39.65	1.535e+05	326.2	
V(act+,act-)	1.011m	50.07	-0.55	42.19	1.531e+05	327	
V(act+,act-)	1.012m	50.07	-0.5498	45.81	1.528e+05	327.7	
V(act+,act-)	1.013m	50.07	-0.5496	52.16	1.525e+05	328.4	
V(act+,act-)	1.014m	50.07	-0.5494	70.99	1.521e+05	329.2	
V(act+,act-)	1.015m	50.07	-0.5492	50.73	1.518e+05	329.9	

B. $V(\text{act+}, \text{act-})$ — Quality factor vs swept parameters



C. V(act+,act-) — Bandwidth (-3 dB) vs swept parameters

BW vs Itail



D. V(act+,act-) — Q heatmap (1D)

	Itail=1.01m	Itail=1.011m	Itail=1.012m	Itail=1.013m	Itail=1.014m	Itail=1.015m
row=all	326	327	328	328	329	330

Red = BW could not be measured | Yellow = Q computed ($Q \leq 1400$) | Green = $Q > 1400$

E. Combined quality-factor table — all signals

Signal	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	1.01m	50.07	-0.5502	39.65	1.535e+05	326.2	
V(act+,act-)	1.011m	50.07	-0.55	42.19	1.531e+05	327	
V(act+,act-)	1.012m	50.07	-0.5498	45.81	1.528e+05	327.7	
V(act+,act-)	1.013m	50.07	-0.5496	52.16	1.525e+05	328.4	
V(act+,act-)	1.014m	50.07	-0.5494	70.99	1.521e+05	329.2	
V(act+,act-)	1.015m	50.07	-0.5492	50.73	1.518e+05	329.9	