

LTSpice Notch Quality Report

CROSS COUPLED5

Auto-detected swept parameters and quality-factor ($Q = f_0 / BW$ @ passband-3 dB) analysis

Run summary

Signal columns analyzed: 1

Total simulation steps : 160

V(act+,act-)

swept parameters: Cp, Itail

Report contents (per signal column):

- 1. All curves — Bode plot (magnitude + phase)
- 2. Magnitude grouped by each swept parameter (one subplot per fixed value)
- 3. Phase grouped by each swept parameter (one subplot per fixed value)
- 4. Quality-factor table for that column

End of report (extra analyses):


- A. Cross-signal comparison (act vs pas, if both present)
- B. Q vs each swept parameter (one line per other-param combo)
- C. BW vs each swept parameter
- D. Q heatmap for V(act): rows $\times$ columns swept params, colored
- E. Combined quality-factor table across all signals

Signal: $V(\text{act+}, \text{act-})$

Swept parameters: C_p , I_{tail}


Steps: 160

V(act+,act-) — All curves (160 steps) — Bode




V(act+,act-) — Magnitude grouped by Cp (each subplot fixes Cp; legend = Itail)


Cp = 100f




Cp = 200f




Cp = 300f




Cp = 400f




Cp = 500f




Cp = 600f




Cp = 700f




Cp = 800f




Cp = 900f



Cp = 1p




V(act+,act-) — Phase grouped by Cp (each subplot fixes Cp; legend = Itail)



$V(\text{act+}, \text{act-}) = \text{Magnitude grouped by Itail (each subplot fixes Itail; legend = Cp)}$



Phase grouped by Itail (each subplot fixes Itail; legend = Cp)



V(act+,act-) – Quality factor table (page 1/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	1.01m	50.2	-0.09057	0.001655			notch shallower than 3 d
V(act+,act-)	100f	1.011m	50.19	-0.09056	0.001537			notch shallower than 3 d
V(act+,act-)	100f	1.012m	50.18	-0.09056	0.001435			notch shallower than 3 d
V(act+,act-)	100f	1.013m	50.17	-0.09056	0.001347			notch shallower than 3 d
V(act+,act-)	100f	1.014m	50.16	-0.09056	0.00127			notch shallower than 3 d
V(act+,act-)	100f	1.015m	50.16	-0.09056	0.001202			notch shallower than 3 d
V(act+,act-)	100f	1.016m	50.15	-0.09055	0.001141			notch shallower than 3 d
V(act+,act-)	100f	1.017m	50.14	-0.09055	0.001087			notch shallower than 3 d
V(act+,act-)	100f	1.018m	50.13	-0.09055	0.001039			notch shallower than 3 d
V(act+,act-)	100f	1.019m	50.12	-0.09055	0.0009949			notch shallower than 3 d
V(act+,act-)	100f	1.02m	50.12	-0.09055	0.0009552			notch shallower than 3 d
V(act+,act-)	100f	1.021m	50.11	-0.09054	0.0009189			notch shallower than 3 d
V(act+,act-)	100f	1.022m	50.1	-0.09054	0.0008857			notch shallower than 3 d
V(act+,act-)	100f	1.023m	50.09	-0.09054	0.0008553			notch shallower than 3 d
V(act+,act-)	100f	1.024m	50.08	-0.09054	0.0008272			notch shallower than 3 d
V(act+,act-)	100f	1.025m	50.08	-0.09053	0.0008013			notch shallower than 3 d
V(act+,act-)	200f	1.01m	50.25	-0.1029	0.04969			notch shallower than 3 d
V(act+,act-)	200f	1.011m	50.25	-0.1029	0.04035			notch shallower than 3 d
V(act+,act-)	200f	1.012m	50.24	-0.1029	0.03398			notch shallower than 3 d
V(act+,act-)	200f	1.013m	50.24	-0.1029	0.02936			notch shallower than 3 d
V(act+,act-)	200f	1.014m	50.23	-0.1029	0.02587			notch shallower than 3 d
V(act+,act-)	200f	1.015m	50.23	-0.1029	0.02312			notch shallower than 3 d
V(act+,act-)	200f	1.016m	50.22	-0.1029	0.02092			notch shallower than 3 d
V(act+,act-)	200f	1.017m	50.22	-0.1029	0.0191			notch shallower than 3 d
V(act+,act-)	200f	1.018m	50.21	-0.1029	0.01759			notch shallower than 3 d
V(act+,act-)	200f	1.019m	50.21	-0.1029	0.0163			notch shallower than 3 d
V(act+,act-)	200f	1.02m	50.2	-0.1028	0.01519			notch shallower than 3 d
V(act+,act-)	200f	1.021m	50.2	-0.1028	0.01423			notch shallower than 3 d
V(act+,act-)	200f	1.022m	50.19	-0.1028	0.01339			notch shallower than 3 d
V(act+,act-)	200f	1.023m	50.19	-0.1028	0.01265			notch shallower than 3 d
V(act+,act-)	200f	1.024m	50.18	-0.1028	0.01199			notch shallower than 3 d
V(act+,act-)	200f	1.025m	50.18	-0.1028	0.0114			notch shallower than 3 d

V(act+,act-) – Quality factor table (page 2/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	300f	1.01m	50.25	-0.1236	8.026	8486	5921	
V(act+,act-)	300f	1.011m	50.25	-0.1236	6.872	7589	6621	
V(act+,act-)	300f	1.012m	50.25	-0.1236	5.78	6547	7675	
V(act+,act-)	300f	1.013m	50.25	-0.1236	4.741	5275	9526	
V(act+,act-)	300f	1.014m	50.25	-0.1235	3.752	3532	1.422e+04	
V(act+,act-)	300f	1.015m	50.25	-0.1235	2.817			notch shallower than 3 dB
V(act+,act-)	300f	1.016m	50.25	-0.1235	1.96			notch shallower than 3 dB
V(act+,act-)	300f	1.017m	50.25	-0.1235	1.24			notch shallower than 3 dB
V(act+,act-)	300f	1.018m	50.24	-0.1235	0.744			notch shallower than 3 dB
V(act+,act-)	300f	1.019m	50.24	-0.1234	0.4705			notch shallower than 3 dB
V(act+,act-)	300f	1.02m	50.24	-0.1234	0.328			notch shallower than 3 dB
V(act+,act-)	300f	1.021m	50.23	-0.1234	0.2476			notch shallower than 3 dB
V(act+,act-)	300f	1.022m	50.23	-0.1234	0.1976			notch shallower than 3 dB
V(act+,act-)	300f	1.023m	50.23	-0.1234	0.164			notch shallower than 3 dB
V(act+,act-)	300f	1.024m	50.22	-0.1233	0.14			notch shallower than 3 dB
V(act+,act-)	300f	1.025m	50.22	-0.1233	0.1221			notch shallower than 3 dB
V(act+,act-)	400f	1.01m	50.22	-0.1529	16.59	2.15e+04	2336	
V(act+,act-)	400f	1.011m	50.22	-0.1529	15.42	2.098e+04	2394	
V(act+,act-)	400f	1.012m	50.22	-0.1529	14.36	2.043e+04	2458	
V(act+,act-)	400f	1.013m	50.22	-0.1528	13.38	1.987e+04	2528	
V(act+,act-)	400f	1.014m	50.22	-0.1528	12.46	1.928e+04	2605	
V(act+,act-)	400f	1.015m	50.22	-0.1528	11.61	1.866e+04	2692	
V(act+,act-)	400f	1.016m	50.22	-0.1527	10.8	1.801e+04	2788	
V(act+,act-)	400f	1.017m	50.22	-0.1527	10.03	1.733e+04	2898	
V(act+,act-)	400f	1.018m	50.22	-0.1527	9.304	1.662e+04	3023	
V(act+,act-)	400f	1.019m	50.22	-0.1526	8.605	1.586e+04	3167	
V(act+,act-)	400f	1.02m	50.22	-0.1526	7.932	1.505e+04	3337	
V(act+,act-)	400f	1.021m	50.22	-0.1526	7.284	1.419e+04	3539	
V(act+,act-)	400f	1.022m	50.22	-0.1525	6.658	1.326e+04	3787	
V(act+,act-)	400f	1.023m	50.22	-0.1525	6.052	1.225e+04	4100	
V(act+,act-)	400f	1.024m	50.22	-0.1525	5.465	1.113e+04	4512	
V(act+,act-)	400f	1.025m	50.22	-0.1524	4.895	9875	5086	

V(act+,act-) – Quality factor table (page 3/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	500f	1.01m	50.2	-0.1914	23.52	3.666e+04	1369	
V(act+,act-)	500f	1.011m	50.2	-0.1913	22.11	3.622e+04	1386	
V(act+,act-)	500f	1.012m	50.2	-0.1913	20.87	3.577e+04	1403	
V(act+,act-)	500f	1.013m	50.2	-0.1912	19.76	3.531e+04	1422	
V(act+,act-)	500f	1.014m	50.2	-0.1912	18.76	3.484e+04	1441	
V(act+,act-)	500f	1.015m	50.2	-0.1911	17.85	3.435e+04	1461	
V(act+,act-)	500f	1.016m	50.2	-0.1911	17	3.386e+04	1482	
V(act+,act-)	500f	1.017m	50.2	-0.191	16.22	3.336e+04	1505	
V(act+,act-)	500f	1.018m	50.2	-0.191	15.48	3.284e+04	1529	
V(act+,act-)	500f	1.019m	50.2	-0.1909	14.78	3.231e+04	1554	
V(act+,act-)	500f	1.02m	50.2	-0.1909	14.13	3.177e+04	1580	
V(act+,act-)	500f	1.021m	50.2	-0.1908	13.5	3.121e+04	1608	
V(act+,act-)	500f	1.022m	50.2	-0.1908	12.91	3.064e+04	1639	
V(act+,act-)	500f	1.023m	50.2	-0.1907	12.34	3.005e+04	1671	
V(act+,act-)	500f	1.024m	50.2	-0.1907	11.79	2.944e+04	1705	
V(act+,act-)	500f	1.025m	50.2	-0.1906	11.26	2.882e+04	1742	
V(act+,act-)	600f	1.01m	50.17	-0.2397	30.38	5.463e+04	918.5	
V(act+,act-)	600f	1.011m	50.17	-0.2396	28.42	5.422e+04	925.3	
V(act+,act-)	600f	1.012m	50.17	-0.2396	26.81	5.381e+04	932.4	
V(act+,act-)	600f	1.013m	50.17	-0.2395	25.43	5.34e+04	939.6	
V(act+,act-)	600f	1.014m	50.17	-0.2394	24.22	5.297e+04	947.1	
V(act+,act-)	600f	1.015m	50.17	-0.2393	23.14	5.255e+04	954.8	
V(act+,act-)	600f	1.016m	50.17	-0.2393	22.18	5.211e+04	962.8	
V(act+,act-)	600f	1.017m	50.17	-0.2392	21.29	5.167e+04	971	
V(act+,act-)	600f	1.018m	50.17	-0.2391	20.48	5.122e+04	979.5	
V(act+,act-)	600f	1.019m	50.17	-0.2391	19.73	5.077e+04	988.3	
V(act+,act-)	600f	1.02m	50.17	-0.239	19.02	5.031e+04	997.3	
V(act+,act-)	600f	1.021m	50.17	-0.2389	18.36	4.984e+04	1007	
V(act+,act-)	600f	1.022m	50.17	-0.2388	17.74	4.936e+04	1016	
V(act+,act-)	600f	1.023m	50.17	-0.2388	17.15	4.888e+04	1026	
V(act+,act-)	600f	1.024m	50.17	-0.2387	16.59	4.839e+04	1037	
V(act+,act-)	600f	1.025m	50.17	-0.2386	16.06	4.789e+04	1048	

V(act+,act-) – Quality factor table (page 4/5)


Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	1.01m	50.15	-0.2987	38.98	7.544e+04	664.7	
V(act+,act-)	700f	1.011m	50.15	-0.2986	35.54	7.506e+04	668.1	
V(act+,act-)	700f	1.012m	50.15	-0.2985	33.07	7.467e+04	671.6	
V(act+,act-)	700f	1.013m	50.15	-0.2984	31.13	7.428e+04	675.1	
V(act+,act-)	700f	1.014m	50.15	-0.2983	29.53	7.389e+04	678.7	
V(act+,act-)	700f	1.015m	50.15	-0.2982	28.17	7.349e+04	682.4	
V(act+,act-)	700f	1.016m	50.15	-0.2981	26.98	7.309e+04	686.1	
V(act+,act-)	700f	1.017m	50.15	-0.298	25.92	7.268e+04	690	
V(act+,act-)	700f	1.018m	50.15	-0.2979	24.97	7.227e+04	693.9	
V(act+,act-)	700f	1.019m	50.15	-0.2978	24.1	7.185e+04	697.9	
V(act+,act-)	700f	1.02m	50.15	-0.2977	23.31	7.143e+04	702	
V(act+,act-)	700f	1.021m	50.15	-0.2976	22.57	7.101e+04	706.2	
V(act+,act-)	700f	1.022m	50.15	-0.2975	21.89	7.058e+04	710.5	
V(act+,act-)	700f	1.023m	50.15	-0.2975	21.25	7.015e+04	714.9	
V(act+,act-)	700f	1.024m	50.15	-0.2974	20.65	6.971e+04	719.4	
V(act+,act-)	700f	1.025m	50.15	-0.2973	20.08	6.927e+04	724	
V(act+,act-)	800f	1.01m	50.12	-0.3694	66.92	9.9e+04	506.3	
V(act+,act-)	800f	1.011m	50.12	-0.3693	46.93	9.863e+04	508.2	
V(act+,act-)	800f	1.012m	50.12	-0.3691	41.26	9.826e+04	510.1	
V(act+,act-)	800f	1.013m	50.12	-0.369	37.84	9.789e+04	512	
V(act+,act-)	800f	1.014m	50.12	-0.3689	35.37	9.751e+04	514	
V(act+,act-)	800f	1.015m	50.12	-0.3688	33.44	9.714e+04	516	
V(act+,act-)	800f	1.016m	50.12	-0.3686	31.85	9.676e+04	518	
V(act+,act-)	800f	1.017m	50.12	-0.3685	30.49	9.637e+04	520.1	
V(act+,act-)	800f	1.018m	50.12	-0.3684	29.32	9.599e+04	522.2	
V(act+,act-)	800f	1.019m	50.12	-0.3683	28.27	9.56e+04	524.3	
V(act+,act-)	800f	1.02m	50.12	-0.3681	27.33	9.52e+04	526.5	
V(act+,act-)	800f	1.021m	50.12	-0.368	26.48	9.481e+04	528.7	
V(act+,act-)	800f	1.022m	50.12	-0.3679	25.7	9.441e+04	530.9	
V(act+,act-)	800f	1.023m	50.12	-0.3678	24.97	9.401e+04	533.2	
V(act+,act-)	800f	1.024m	50.12	-0.3676	24.3	9.36e+04	535.5	
V(act+,act-)	800f	1.025m	50.12	-0.3675	23.67	9.319e+04	537.8	

V(act+,act-) – Quality factor table (page 5/5)


Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	900f	1.01m	50.1	-0.4528	44.12	1.251e+05	400.5	
V(act+,act-)	900f	1.011m	50.1	-0.4527	50.52	1.247e+05	401.6	
V(act+,act-)	900f	1.012m	50.1	-0.4525	70.34	1.244e+05	402.7	
V(act+,act-)	900f	1.013m	50.1	-0.4523	48.94	1.24e+05	403.9	
V(act+,act-)	900f	1.014m	50.1	-0.4522	43.25	1.237e+05	405.1	
V(act+,act-)	900f	1.015m	50.1	-0.452	39.83	1.233e+05	406.2	
V(act+,act-)	900f	1.016m	50.1	-0.4519	37.37	1.23e+05	407.4	
V(act+,act-)	900f	1.017m	50.1	-0.4517	35.45	1.226e+05	408.7	
V(act+,act-)	900f	1.018m	50.1	-0.4516	33.86	1.222e+05	409.9	
V(act+,act-)	900f	1.019m	50.1	-0.4514	32.52	1.219e+05	411.1	
V(act+,act-)	900f	1.02m	50.1	-0.4512	31.34	1.215e+05	412.4	
V(act+,act-)	900f	1.021m	50.1	-0.4511	30.31	1.211e+05	413.7	
V(act+,act-)	900f	1.022m	50.1	-0.4509	29.37	1.207e+05	414.9	
V(act+,act-)	900f	1.023m	50.1	-0.4508	28.53	1.204e+05	416.3	
V(act+,act-)	900f	1.024m	50.1	-0.4506	27.75	1.2e+05	417.6	
V(act+,act-)	900f	1.025m	50.1	-0.4505	27.04	1.196e+05	418.9	
V(act+,act-)	1p	1.01m	50.07	-0.5502	39.65	1.535e+05	326.2	
V(act+,act-)	1p	1.011m	50.07	-0.55	42.19	1.531e+05	327	
V(act+,act-)	1p	1.012m	50.07	-0.5498	45.81	1.528e+05	327.7	
V(act+,act-)	1p	1.013m	50.07	-0.5496	52.16	1.525e+05	328.4	
V(act+,act-)	1p	1.014m	50.07	-0.5494	70.99	1.521e+05	329.2	
V(act+,act-)	1p	1.015m	50.07	-0.5492	50.73	1.518e+05	329.9	
V(act+,act-)	1p	1.016m	50.07	-0.549	45.03	1.514e+05	330.7	
V(act+,act-)	1p	1.017m	50.07	-0.5488	41.6	1.511e+05	331.4	
V(act+,act-)	1p	1.018m	50.07	-0.5486	39.14	1.507e+05	332.2	
V(act+,act-)	1p	1.019m	50.07	-0.5484	37.22	1.504e+05	333	
V(act+,act-)	1p	1.02m	50.07	-0.5482	35.64	1.5e+05	333.8	
V(act+,act-)	1p	1.021m	50.07	-0.548	34.29	1.497e+05	334.6	
V(act+,act-)	1p	1.022m	50.07	-0.5478	33.13	1.493e+05	335.4	
V(act+,act-)	1p	1.023m	50.07	-0.5477	32.09	1.489e+05	336.2	
V(act+,act-)	1p	1.024m	50.07	-0.5475	31.17	1.486e+05	337	
V(act+,act-)	1p	1.025m	50.07	-0.5473	30.33	1.482e+05	337.8	

B. V(act+,act-) — Quality factor vs swept parameters



Q vs C_p



Q vs $Itail$



C. V(act+,act-) — Bandwidth (-3 dB) vs swept parameters



D. V(act+,act-) — Q heatmap (rows = Cp, columns = Itail)

	Itail=1.01	Itail=1.02	Itail=1.03	Itail=1.04	Itail=1.05	Itail=1.06	Itail=1.07	Itail=1.08	Itail=1.09	Itail=1.10	Itail=1.11	Itail=1.12	Itail=1.13	Itail=1.14	Itail=1.15	Itail=1.16	Itail=1.17	Itail=1.18	Itail=1.19	Itail=1.20	Itail=1.21	Itail=1.22	Itail=1.23	Itail=1.24	Itail=1.25
Cp=100f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=200f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=300f	5921	6621	7675	9526	14224	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=400f	2336	2394	2458	2528	2605	2692	2788	2898	3023	3167	3337	3539	3787	4100	4512	5086									
Cp=500f	1369	1386	1403	1422	1441	1461	1482	1505	1529	1554	1580	1608	1639	1671	1705	1742									
Cp=600f	918	925	932	940	947	955	963	971	980	988	997	1007	1016	1026	1037	1048									
Cp=700f	665	668	672	675	679	682	686	690	694	698	702	706	710	715	719	724									
Cp=800f	506	508	510	512	514	516	518	520	522	524	526	529	531	533	535	538									
Cp=900f	400	402	403	404	405	406	407	409	410	411	412	414	415	416	418	419									
Cp=1p	326	327	328	328	329	330	331	331	332	333	334	335	335	336	337	338									

Red = BW could not be measured | Yellow = Q computed ($Q \leq 1400$) | Green = $Q > 1400$

E. Combined quality-factor table – all signals (page 1/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	1.01m	50.2	-0.09057	0.001655			notch shallower than 3 d
V(act+,act-)	100f	1.011m	50.19	-0.09056	0.001537			notch shallower than 3 d
V(act+,act-)	100f	1.012m	50.18	-0.09056	0.001435			notch shallower than 3 d
V(act+,act-)	100f	1.013m	50.17	-0.09056	0.001347			notch shallower than 3 d
V(act+,act-)	100f	1.014m	50.16	-0.09056	0.00127			notch shallower than 3 d
V(act+,act-)	100f	1.015m	50.16	-0.09056	0.001202			notch shallower than 3 d
V(act+,act-)	100f	1.016m	50.15	-0.09055	0.001141			notch shallower than 3 d
V(act+,act-)	100f	1.017m	50.14	-0.09055	0.001087			notch shallower than 3 d
V(act+,act-)	100f	1.018m	50.13	-0.09055	0.001039			notch shallower than 3 d
V(act+,act-)	100f	1.019m	50.12	-0.09055	0.0009949			notch shallower than 3 d
V(act+,act-)	100f	1.02m	50.12	-0.09055	0.0009552			notch shallower than 3 d
V(act+,act-)	100f	1.021m	50.11	-0.09054	0.0009189			notch shallower than 3 d
V(act+,act-)	100f	1.022m	50.1	-0.09054	0.0008857			notch shallower than 3 d
V(act+,act-)	100f	1.023m	50.09	-0.09054	0.0008553			notch shallower than 3 d
V(act+,act-)	100f	1.024m	50.08	-0.09054	0.0008272			notch shallower than 3 d
V(act+,act-)	100f	1.025m	50.08	-0.09053	0.0008013			notch shallower than 3 d
V(act+,act-)	200f	1.01m	50.25	-0.1029	0.04969			notch shallower than 3 d
V(act+,act-)	200f	1.011m	50.25	-0.1029	0.04035			notch shallower than 3 d
V(act+,act-)	200f	1.012m	50.24	-0.1029	0.03398			notch shallower than 3 d
V(act+,act-)	200f	1.013m	50.24	-0.1029	0.02936			notch shallower than 3 d
V(act+,act-)	200f	1.014m	50.23	-0.1029	0.02587			notch shallower than 3 d
V(act+,act-)	200f	1.015m	50.23	-0.1029	0.02312			notch shallower than 3 d
V(act+,act-)	200f	1.016m	50.22	-0.1029	0.02092			notch shallower than 3 d
V(act+,act-)	200f	1.017m	50.22	-0.1029	0.0191			notch shallower than 3 d
V(act+,act-)	200f	1.018m	50.21	-0.1029	0.01759			notch shallower than 3 d
V(act+,act-)	200f	1.019m	50.21	-0.1029	0.0163			notch shallower than 3 d
V(act+,act-)	200f	1.02m	50.2	-0.1028	0.01519			notch shallower than 3 d
V(act+,act-)	200f	1.021m	50.2	-0.1028	0.01423			notch shallower than 3 d
V(act+,act-)	200f	1.022m	50.19	-0.1028	0.01339			notch shallower than 3 d
V(act+,act-)	200f	1.023m	50.19	-0.1028	0.01265			notch shallower than 3 d
V(act+,act-)	200f	1.024m	50.18	-0.1028	0.01199			notch shallower than 3 d
V(act+,act-)	200f	1.025m	50.18	-0.1028	0.0114			notch shallower than 3 d

E. Combined quality-factor table – all signals (page 2/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	300f	1.01m	50.25	-0.1236	8.026	8486	5921	
V(act+,act-)	300f	1.011m	50.25	-0.1236	6.872	7589	6621	
V(act+,act-)	300f	1.012m	50.25	-0.1236	5.78	6547	7675	
V(act+,act-)	300f	1.013m	50.25	-0.1236	4.741	5275	9526	
V(act+,act-)	300f	1.014m	50.25	-0.1235	3.752	3532	1.422e+04	
V(act+,act-)	300f	1.015m	50.25	-0.1235	2.817			notch shallower than 3 dB
V(act+,act-)	300f	1.016m	50.25	-0.1235	1.96			notch shallower than 3 dB
V(act+,act-)	300f	1.017m	50.25	-0.1235	1.24			notch shallower than 3 dB
V(act+,act-)	300f	1.018m	50.24	-0.1235	0.744			notch shallower than 3 dB
V(act+,act-)	300f	1.019m	50.24	-0.1234	0.4705			notch shallower than 3 dB
V(act+,act-)	300f	1.02m	50.24	-0.1234	0.328			notch shallower than 3 dB
V(act+,act-)	300f	1.021m	50.23	-0.1234	0.2476			notch shallower than 3 dB
V(act+,act-)	300f	1.022m	50.23	-0.1234	0.1976			notch shallower than 3 dB
V(act+,act-)	300f	1.023m	50.23	-0.1234	0.164			notch shallower than 3 dB
V(act+,act-)	300f	1.024m	50.22	-0.1233	0.14			notch shallower than 3 dB
V(act+,act-)	300f	1.025m	50.22	-0.1233	0.1221			notch shallower than 3 dB
V(act+,act-)	400f	1.01m	50.22	-0.1529	16.59	2.15e+04	2336	
V(act+,act-)	400f	1.011m	50.22	-0.1529	15.42	2.098e+04	2394	
V(act+,act-)	400f	1.012m	50.22	-0.1529	14.36	2.043e+04	2458	
V(act+,act-)	400f	1.013m	50.22	-0.1528	13.38	1.987e+04	2528	
V(act+,act-)	400f	1.014m	50.22	-0.1528	12.46	1.928e+04	2605	
V(act+,act-)	400f	1.015m	50.22	-0.1528	11.61	1.866e+04	2692	
V(act+,act-)	400f	1.016m	50.22	-0.1527	10.8	1.801e+04	2788	
V(act+,act-)	400f	1.017m	50.22	-0.1527	10.03	1.733e+04	2898	
V(act+,act-)	400f	1.018m	50.22	-0.1527	9.304	1.662e+04	3023	
V(act+,act-)	400f	1.019m	50.22	-0.1526	8.605	1.586e+04	3167	
V(act+,act-)	400f	1.02m	50.22	-0.1526	7.932	1.505e+04	3337	
V(act+,act-)	400f	1.021m	50.22	-0.1526	7.284	1.419e+04	3539	
V(act+,act-)	400f	1.022m	50.22	-0.1525	6.658	1.326e+04	3787	
V(act+,act-)	400f	1.023m	50.22	-0.1525	6.052	1.225e+04	4100	
V(act+,act-)	400f	1.024m	50.22	-0.1525	5.465	1.113e+04	4512	
V(act+,act-)	400f	1.025m	50.22	-0.1524	4.895	9875	5086	

E. Combined quality-factor table – all signals (page 3/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	500f	1.01m	50.2	-0.1914	23.52	3.666e+04	1369	
V(act+,act-)	500f	1.011m	50.2	-0.1913	22.11	3.622e+04	1386	
V(act+,act-)	500f	1.012m	50.2	-0.1913	20.87	3.577e+04	1403	
V(act+,act-)	500f	1.013m	50.2	-0.1912	19.76	3.531e+04	1422	
V(act+,act-)	500f	1.014m	50.2	-0.1912	18.76	3.484e+04	1441	
V(act+,act-)	500f	1.015m	50.2	-0.1911	17.85	3.435e+04	1461	
V(act+,act-)	500f	1.016m	50.2	-0.1911	17	3.386e+04	1482	
V(act+,act-)	500f	1.017m	50.2	-0.191	16.22	3.336e+04	1505	
V(act+,act-)	500f	1.018m	50.2	-0.191	15.48	3.284e+04	1529	
V(act+,act-)	500f	1.019m	50.2	-0.1909	14.78	3.231e+04	1554	
V(act+,act-)	500f	1.02m	50.2	-0.1909	14.13	3.177e+04	1580	
V(act+,act-)	500f	1.021m	50.2	-0.1908	13.5	3.121e+04	1608	
V(act+,act-)	500f	1.022m	50.2	-0.1908	12.91	3.064e+04	1639	
V(act+,act-)	500f	1.023m	50.2	-0.1907	12.34	3.005e+04	1671	
V(act+,act-)	500f	1.024m	50.2	-0.1907	11.79	2.944e+04	1705	
V(act+,act-)	500f	1.025m	50.2	-0.1906	11.26	2.882e+04	1742	
V(act+,act-)	600f	1.01m	50.17	-0.2397	30.38	5.463e+04	918.5	
V(act+,act-)	600f	1.011m	50.17	-0.2396	28.42	5.422e+04	925.3	
V(act+,act-)	600f	1.012m	50.17	-0.2396	26.81	5.381e+04	932.4	
V(act+,act-)	600f	1.013m	50.17	-0.2395	25.43	5.34e+04	939.6	
V(act+,act-)	600f	1.014m	50.17	-0.2394	24.22	5.297e+04	947.1	
V(act+,act-)	600f	1.015m	50.17	-0.2393	23.14	5.255e+04	954.8	
V(act+,act-)	600f	1.016m	50.17	-0.2393	22.18	5.211e+04	962.8	
V(act+,act-)	600f	1.017m	50.17	-0.2392	21.29	5.167e+04	971	
V(act+,act-)	600f	1.018m	50.17	-0.2391	20.48	5.122e+04	979.5	
V(act+,act-)	600f	1.019m	50.17	-0.2391	19.73	5.077e+04	988.3	
V(act+,act-)	600f	1.02m	50.17	-0.239	19.02	5.031e+04	997.3	
V(act+,act-)	600f	1.021m	50.17	-0.2389	18.36	4.984e+04	1007	
V(act+,act-)	600f	1.022m	50.17	-0.2388	17.74	4.936e+04	1016	
V(act+,act-)	600f	1.023m	50.17	-0.2388	17.15	4.888e+04	1026	
V(act+,act-)	600f	1.024m	50.17	-0.2387	16.59	4.839e+04	1037	
V(act+,act-)	600f	1.025m	50.17	-0.2386	16.06	4.789e+04	1048	

E. Combined quality-factor table – all signals (page 4/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	1.01m	50.15	-0.2987	38.98	7.544e+04	664.7	
V(act+,act-)	700f	1.011m	50.15	-0.2986	35.54	7.506e+04	668.1	
V(act+,act-)	700f	1.012m	50.15	-0.2985	33.07	7.467e+04	671.6	
V(act+,act-)	700f	1.013m	50.15	-0.2984	31.13	7.428e+04	675.1	
V(act+,act-)	700f	1.014m	50.15	-0.2983	29.53	7.389e+04	678.7	
V(act+,act-)	700f	1.015m	50.15	-0.2982	28.17	7.349e+04	682.4	
V(act+,act-)	700f	1.016m	50.15	-0.2981	26.98	7.309e+04	686.1	
V(act+,act-)	700f	1.017m	50.15	-0.298	25.92	7.268e+04	690	
V(act+,act-)	700f	1.018m	50.15	-0.2979	24.97	7.227e+04	693.9	
V(act+,act-)	700f	1.019m	50.15	-0.2978	24.1	7.185e+04	697.9	
V(act+,act-)	700f	1.02m	50.15	-0.2977	23.31	7.143e+04	702	
V(act+,act-)	700f	1.021m	50.15	-0.2976	22.57	7.101e+04	706.2	
V(act+,act-)	700f	1.022m	50.15	-0.2975	21.89	7.058e+04	710.5	
V(act+,act-)	700f	1.023m	50.15	-0.2975	21.25	7.015e+04	714.9	
V(act+,act-)	700f	1.024m	50.15	-0.2974	20.65	6.971e+04	719.4	
V(act+,act-)	700f	1.025m	50.15	-0.2973	20.08	6.927e+04	724	
V(act+,act-)	800f	1.01m	50.12	-0.3694	66.92	9.9e+04	506.3	
V(act+,act-)	800f	1.011m	50.12	-0.3693	46.93	9.863e+04	508.2	
V(act+,act-)	800f	1.012m	50.12	-0.3691	41.26	9.826e+04	510.1	
V(act+,act-)	800f	1.013m	50.12	-0.369	37.84	9.789e+04	512	
V(act+,act-)	800f	1.014m	50.12	-0.3689	35.37	9.751e+04	514	
V(act+,act-)	800f	1.015m	50.12	-0.3688	33.44	9.714e+04	516	
V(act+,act-)	800f	1.016m	50.12	-0.3686	31.85	9.676e+04	518	
V(act+,act-)	800f	1.017m	50.12	-0.3685	30.49	9.637e+04	520.1	
V(act+,act-)	800f	1.018m	50.12	-0.3684	29.32	9.599e+04	522.2	
V(act+,act-)	800f	1.019m	50.12	-0.3683	28.27	9.56e+04	524.3	
V(act+,act-)	800f	1.02m	50.12	-0.3681	27.33	9.52e+04	526.5	
V(act+,act-)	800f	1.021m	50.12	-0.368	26.48	9.481e+04	528.7	
V(act+,act-)	800f	1.022m	50.12	-0.3679	25.7	9.441e+04	530.9	
V(act+,act-)	800f	1.023m	50.12	-0.3678	24.97	9.401e+04	533.2	
V(act+,act-)	800f	1.024m	50.12	-0.3676	24.3	9.36e+04	535.5	
V(act+,act-)	800f	1.025m	50.12	-0.3675	23.67	9.319e+04	537.8	

E. Combined quality-factor table – all signals (page 5/5)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	900f	1.01m	50.1	-0.4528	44.12	1.251e+05	400.5	
V(act+,act-)	900f	1.011m	50.1	-0.4527	50.52	1.247e+05	401.6	
V(act+,act-)	900f	1.012m	50.1	-0.4525	70.34	1.244e+05	402.7	
V(act+,act-)	900f	1.013m	50.1	-0.4523	48.94	1.24e+05	403.9	
V(act+,act-)	900f	1.014m	50.1	-0.4522	43.25	1.237e+05	405.1	
V(act+,act-)	900f	1.015m	50.1	-0.452	39.83	1.233e+05	406.2	
V(act+,act-)	900f	1.016m	50.1	-0.4519	37.37	1.23e+05	407.4	
V(act+,act-)	900f	1.017m	50.1	-0.4517	35.45	1.226e+05	408.7	
V(act+,act-)	900f	1.018m	50.1	-0.4516	33.86	1.222e+05	409.9	
V(act+,act-)	900f	1.019m	50.1	-0.4514	32.52	1.219e+05	411.1	
V(act+,act-)	900f	1.02m	50.1	-0.4512	31.34	1.215e+05	412.4	
V(act+,act-)	900f	1.021m	50.1	-0.4511	30.31	1.211e+05	413.7	
V(act+,act-)	900f	1.022m	50.1	-0.4509	29.37	1.207e+05	414.9	
V(act+,act-)	900f	1.023m	50.1	-0.4508	28.53	1.204e+05	416.3	
V(act+,act-)	900f	1.024m	50.1	-0.4506	27.75	1.2e+05	417.6	
V(act+,act-)	900f	1.025m	50.1	-0.4505	27.04	1.196e+05	418.9	
V(act+,act-)	1p	1.01m	50.07	-0.5502	39.65	1.535e+05	326.2	
V(act+,act-)	1p	1.011m	50.07	-0.55	42.19	1.531e+05	327	
V(act+,act-)	1p	1.012m	50.07	-0.5498	45.81	1.528e+05	327.7	
V(act+,act-)	1p	1.013m	50.07	-0.5496	52.16	1.525e+05	328.4	
V(act+,act-)	1p	1.014m	50.07	-0.5494	70.99	1.521e+05	329.2	
V(act+,act-)	1p	1.015m	50.07	-0.5492	50.73	1.518e+05	329.9	
V(act+,act-)	1p	1.016m	50.07	-0.549	45.03	1.514e+05	330.7	
V(act+,act-)	1p	1.017m	50.07	-0.5488	41.6	1.511e+05	331.4	
V(act+,act-)	1p	1.018m	50.07	-0.5486	39.14	1.507e+05	332.2	
V(act+,act-)	1p	1.019m	50.07	-0.5484	37.22	1.504e+05	333	
V(act+,act-)	1p	1.02m	50.07	-0.5482	35.64	1.5e+05	333.8	
V(act+,act-)	1p	1.021m	50.07	-0.548	34.29	1.497e+05	334.6	
V(act+,act-)	1p	1.022m	50.07	-0.5478	33.13	1.493e+05	335.4	
V(act+,act-)	1p	1.023m	50.07	-0.5477	32.09	1.489e+05	336.2	
V(act+,act-)	1p	1.024m	50.07	-0.5475	31.17	1.486e+05	337	
V(act+,act-)	1p	1.025m	50.07	-0.5473	30.33	1.482e+05	337.8	