

LTSpice Notch Quality Report

test22hoy

Auto-detected swept parameters and quality-factor ($Q = f_0 / BW$ @ passband-3 dB) analysis

Run summary

Signal columns analyzed: 1

Total simulation steps : 100

V(act+,act-)

swept parameters: C, Cp, Itail

Report contents (per signal column):

- 1. All curves — Bode plot (magnitude + phase)
- 2. Magnitude grouped by each swept parameter (one subplot per fixed value)
- 3. Phase grouped by each swept parameter (one subplot per fixed value)
- 4. Quality-factor table for that column

End of report (extra analyses):


- A. Cross-signal comparison (act vs pas, if both present)
- B. Q vs each swept parameter (one line per other-param combo)
- C. BW vs each swept parameter
- D. Q heatmap for V(act): rows $\times$ columns swept params, colored
- E. Combined quality-factor table across all signals

Signal: $V(\text{act+}, \text{act-})$

Swept parameters: C, Cp, Itail


Steps: 100

V(act+,act-) — All curves (100 steps) — Bode




V(act+,act-) — Magnitude grouped by C (each subplot fixes C; legend = Cp, Itail)


C = 98.32p




C = 99.32p



C = 100.32p




C = 101.32p




V(act+,act-) — Phase grouped by C (each subplot fixes C; legend = Cp, Itail)


C = 98.32p




C = 99.32p



C = 100.32p




C = 101.32p




V(act+,act-) — Magnitude grouped by Cp (each subplot fixes Cp; legend = C, Itail)


Cp = 100f




Cp = 200f




Cp = 300f



Cp = 400f




Cp = 500f




V(act+,act-) — Phase grouped by Cp (each subplot fixes Cp; legend = C, Itail)


Cp = 100f




Cp = 200f




Cp = 300f




Cp = 400f



Cp = 500f




V(act+,act-) — Magnitude grouped by Itail (each subplot fixes Itail; legend = C, Cp)




V(act+,act-) — Phase grouped by Itail (each subplot fixes Itail; legend = C, Cp)


Itail = 900 μ




Itail = 925 μ




Itail = 950 μ



Itail = 975 μ



Itail = 1m



V(act+,act-) — Quality factor table (page 1/4)

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	98.32p	100f	900μ	50.5	-6.021	0.0004803		notch shallower than 3	
V(act+,act-)	98.32p	100f	925μ	50.24	-6.021	0.0004555		notch shallower than 3	
V(act+,act-)	98.32p	100f	950μ	50.03	-6.021	0.0005202		notch shallower than 3	
V(act+,act-)	98.32p	100f	975μ	49.87	-6.021	0.0006021		notch shallower than 3	
V(act+,act-)	98.32p	100f	1m	49.73	-6.021	0.0006897		notch shallower than 3	
V(act+,act-)	98.32p	200f	900μ	50.59	-6.024	0.004101		notch shallower than 3	
V(act+,act-)	98.32p	200f	925μ	50.4	-6.023	0.002553		notch shallower than 3	
V(act+,act-)	98.32p	200f	950μ	50.23	-6.023	0.002486		notch shallower than 3	
V(act+,act-)	98.32p	200f	975μ	50.08	-6.023	0.00264		notch shallower than 3	
V(act+,act-)	98.32p	200f	1m	49.95	-6.022	0.002867		notch shallower than 3	
V(act+,act-)	98.32p	300f	900μ	50.64	-6.028	0.02995		notch shallower than 3	
V(act+,act-)	98.32p	300f	925μ	50.5	-6.027	0.008781		notch shallower than 3	
V(act+,act-)	98.32p	300f	950μ	50.36	-6.026	0.00709		notch shallower than 3	
V(act+,act-)	98.32p	300f	975μ	50.23	-6.025	0.00683		notch shallower than 3	
V(act+,act-)	98.32p	300f	1m	50.11	-6.025	0.00698		notch shallower than 3	
V(act+,act-)	98.32p	400f	900μ	50.65	-6.033	3.778	3277	1.546e+04	
V(act+,act-)	98.32p	400f	925μ	50.55	-6.032	0.02802		notch shallower than 3	
V(act+,act-)	98.32p	400f	950μ	50.44	-6.031	0.01732		notch shallower than 3	
V(act+,act-)	98.32p	400f	975μ	50.33	-6.03	0.0148		notch shallower than 3	
V(act+,act-)	98.32p	400f	1m	50.23	-6.029	0.01408		notch shallower than 3	
V(act+,act-)	98.32p	500f	900μ	50.62	-6.039	10.93	1.468e+04	3449	
V(act+,act-)	98.32p	500f	925μ	50.59	-6.038	0.122		notch shallower than 3	
V(act+,act-)	98.32p	500f	950μ	50.5	-6.037	0.04199		notch shallower than 3	
V(act+,act-)	98.32p	500f	975μ	50.4	-6.035	0.03038		notch shallower than 3	
V(act+,act-)	98.32p	500f	1m	50.31	-6.034	0.02643		notch shallower than 3	
V(act+,act-)	99.32p	100f	900μ	50.46	-6.022	0.00621		notch shallower than 3	
V(act+,act-)	99.32p	100f	925μ	50.17	-6.022	0.0002593		notch shallower than 3	
V(act+,act-)	99.32p	100f	950μ	49.93	-6.022	0.0002022		notch shallower than 3	
V(act+,act-)	99.32p	100f	975μ	49.74	-6.022	0.0001971		notch shallower than 3	
V(act+,act-)	99.32p	100f	1m	49.58	-6.021	0.0002059		notch shallower than 3	
V(act+,act-)	99.32p	200f	900μ	50.45	-6.025	30.2	3232	1.561e+04	
V(act+,act-)	99.32p	200f	925μ	50.29	-6.024	0.002411		notch shallower than 3	

V(act+,act-) – Quality factor table (page 2/4)




Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	99.32p	200f	950μ	50.1	-6.024	0.001451		notch shallower than 3	
V(act+,act-)	99.32p	200f	975μ	49.94	-6.024	0.001231		notch shallower than 3	
V(act+,act-)	99.32p	200f	1m	49.8	-6.024	0.001171		notch shallower than 3	
V(act+,act-)	99.32p	300f	900μ	50.42	-6.029	21.67	7833	6437	
V(act+,act-)	99.32p	300f	925μ	50.35	-6.029	0.01372		notch shallower than 3	
V(act+,act-)	99.32p	300f	950μ	50.2	-6.029	0.005734		notch shallower than 3	
V(act+,act-)	99.32p	300f	975μ	50.07	-6.029	0.004235		notch shallower than 3	
V(act+,act-)	99.32p	300f	1m	49.95	-6.028	0.003692		notch shallower than 3	
V(act+,act-)	99.32p	400f	900μ	50.4	-6.036	20.78	1.401e+04	3596	
V(act+,act-)	99.32p	400f	925μ	50.38	-6.035	0.1395		notch shallower than 3	
V(act+,act-)	99.32p	400f	950μ	50.27	-6.035	0.01902		notch shallower than 3	
V(act+,act-)	99.32p	400f	975μ	50.16	-6.035	0.01173		notch shallower than 3	
V(act+,act-)	99.32p	400f	1m	50.05	-6.034	0.0093		notch shallower than 3	
V(act+,act-)	99.32p	500f	900μ	50.37	-6.044	21.11	2.179e+04	2312	
V(act+,act-)	99.32p	500f	925μ	50.37	-6.044	5.692	9088	5542	
V(act+,act-)	99.32p	500f	950μ	50.31	-6.043	0.06873		notch shallower than 3	
V(act+,act-)	99.32p	500f	975μ	50.22	-6.042	0.03037		notch shallower than 3	
V(act+,act-)	99.32p	500f	1m	50.13	-6.042	0.02128		notch shallower than 3	
V(act+,act-)	100.32p	100f	900μ	50.22	-6.022	1.123		notch shallower than 3	
V(act+,act-)	100.32p	100f	925μ	50.13	-6.022	0.0005695		notch shallower than 3	
V(act+,act-)	100.32p	100f	950μ	49.85	-6.022	0.0001646		notch shallower than 3	
V(act+,act-)	100.32p	100f	975μ	49.63	-6.022	0.0001175		notch shallower than 3	
V(act+,act-)	100.32p	100f	1m	49.45	-6.022	0.0001041		notch shallower than 3	
V(act+,act-)	100.32p	200f	900μ	50.19	-6.025	3.5	3139	1.599e+04	
V(act+,act-)	100.32p	200f	925μ	50.18	-6.025	0.0172		notch shallower than 3	
V(act+,act-)	100.32p	200f	950μ	49.99	-6.025	0.001634		notch shallower than 3	
V(act+,act-)	100.32p	200f	975μ	49.81	-6.025	0.0009917		notch shallower than 3	
V(act+,act-)	100.32p	200f	1m	49.66	-6.025	0.0007889		notch shallower than 3	
V(act+,act-)	100.32p	300f	900μ	50.17	-6.03	6.08	1.003e+04	5003	
V(act+,act-)	100.32p	300f	925μ	50.17	-6.03	9.86	4798	1.046e+04	
V(act+,act-)	100.32p	300f	950μ	50.06	-6.03	0.008635		notch shallower than 3	
V(act+,act-)	100.32p	300f	975μ	49.92	-6.03	0.00421		notch shallower than 3	

V(act+,act-) – Quality factor table (page 3/4)




Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100.32p	300f	1m	49.79	-6.029	0.00302		notch shallower than 3	
V(act+,act-)	100.32p	400f	900μ	50.14	-6.037	8.46	1.707e+04	2937	
V(act+,act-)	100.32p	400f	925μ	50.14	-6.037	20.45	1.141e+04	4396	
V(act+,act-)	100.32p	400f	950μ	50.1	-6.037	0.04622		notch shallower than 3	
V(act+,act-)	100.32p	400f	975μ	49.99	-6.037	0.01413		notch shallower than 3	
V(act+,act-)	100.32p	400f	1m	49.88	-6.036	0.008905		notch shallower than 3	
V(act+,act-)	100.32p	500f	900μ	50.12	-6.047	10.56	2.528e+04	1983	
V(act+,act-)	100.32p	500f	925μ	50.12	-6.046	32.44	1.918e+04	2613	
V(act+,act-)	100.32p	500f	950μ	50.12	-6.046	1.652		notch shallower than 3	
V(act+,act-)	100.32p	500f	975μ	50.04	-6.046	0.04681		notch shallower than 3	
V(act+,act-)	100.32p	500f	1m	49.95	-6.045	0.02366		notch shallower than 3	
V(act+,act-)	101.32p	100f	900μ	49.97	-6.022	0.5454		notch shallower than 3	
V(act+,act-)	101.32p	100f	925μ	49.97	-6.022	1.82		notch shallower than 3	
V(act+,act-)	101.32p	100f	950μ	49.81	-6.022	0.0002822		notch shallower than 3	
V(act+,act-)	101.32p	100f	975μ	49.55	-6.022	0.0001049		notch shallower than 3	
V(act+,act-)	101.32p	100f	1m	49.34	-6.022	6.909e-05		notch shallower than 3	
V(act+,act-)	101.32p	200f	900μ	49.95	-6.025	1.909		notch shallower than 3	
V(act+,act-)	101.32p	200f	925μ	49.95	-6.025	5.024	4300	1.162e+04	
V(act+,act-)	101.32p	200f	950μ	49.88	-6.025	0.004308		notch shallower than 3	
V(act+,act-)	101.32p	200f	975μ	49.7	-6.025	0.001152		notch shallower than 3	
V(act+,act-)	101.32p	200f	1m	49.53	-6.025	0.0006973		notch shallower than 3	
V(act+,act-)	101.32p	300f	900μ	49.92	-6.031	3.67	7615	6555	
V(act+,act-)	101.32p	300f	925μ	49.92	-6.03	8.02	9537	5234	
V(act+,act-)	101.32p	300f	950μ	49.91	-6.03	0.1097		notch shallower than 3	
V(act+,act-)	101.32p	300f	975μ	49.78	-6.03	0.00602		notch shallower than 3	
V(act+,act-)	101.32p	300f	1m	49.64	-6.03	0.003166		notch shallower than 3	
V(act+,act-)	101.32p	400f	900μ	49.9	-6.038	5.531	1.736e+04	2874	
V(act+,act-)	101.32p	400f	925μ	49.9	-6.038	10.55	1.591e+04	3137	
V(act+,act-)	101.32p	400f	950μ	49.9	-6.038	8.737	7777	6416	
V(act+,act-)	101.32p	400f	975μ	49.82	-6.038	0.02695		notch shallower than 3	
V(act+,act-)	101.32p	400f	1m	49.72	-6.038	0.01082		notch shallower than 3	
V(act+,act-)	101.32p	500f	900μ	49.87	-6.049	7.338	2.671e+04	1867	

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	101.32p	500f	925μ	49.87	-6.048	12.65	2.364e+04	2110	
V(act+,act-)	101.32p	500f	950μ	49.87	-6.048	15.82	1.617e+04	3085	
V(act+,act-)	101.32p	500f	975μ	49.86	-6.048	0.211		notch shallower than 3	
V(act+,act-)	101.32p	500f	1m	49.77	-6.047	0.03442		notch shallower than 3	

B. V(act+,act-) — Quality factor vs swept parameters



C. V(act+,act-) — Bandwidth (-3 dB) vs swept parameters



D. V(act+,act-) — Q heatmap (rows = C, columns = Itail)

	Itail=900μ	Itail=925μ	Itail=950μ	Itail=975μ	Itail=1m
C=98.32p	no BW	no BW	no BW	no BW	no BW
C=99.32p	no BW	no BW	no BW	no BW	no BW
C=100.32p	no BW	no BW	no BW	no BW	no BW
C=101.32p	no BW	no BW	no BW	no BW	no BW

Red = BW could not be measured | Yellow = Q computed ($Q \leq 1400$) | Green = $Q > 1400$

E. Combined quality-factor table — all signals (page 1/4)

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	98.32p	100f	900μ	50.5	-6.021	0.0004803		notch shallower than 3	
V(act+,act-)	98.32p	100f	925μ	50.24	-6.021	0.0004555		notch shallower than 3	
V(act+,act-)	98.32p	100f	950μ	50.03	-6.021	0.0005202		notch shallower than 3	
V(act+,act-)	98.32p	100f	975μ	49.87	-6.021	0.0006021		notch shallower than 3	
V(act+,act-)	98.32p	100f	1m	49.73	-6.021	0.0006897		notch shallower than 3	
V(act+,act-)	98.32p	200f	900μ	50.59	-6.024	0.004101		notch shallower than 3	
V(act+,act-)	98.32p	200f	925μ	50.4	-6.023	0.002553		notch shallower than 3	
V(act+,act-)	98.32p	200f	950μ	50.23	-6.023	0.002486		notch shallower than 3	
V(act+,act-)	98.32p	200f	975μ	50.08	-6.023	0.00264		notch shallower than 3	
V(act+,act-)	98.32p	200f	1m	49.95	-6.022	0.002867		notch shallower than 3	
V(act+,act-)	98.32p	300f	900μ	50.64	-6.028	0.02995		notch shallower than 3	
V(act+,act-)	98.32p	300f	925μ	50.5	-6.027	0.008781		notch shallower than 3	
V(act+,act-)	98.32p	300f	950μ	50.36	-6.026	0.00709		notch shallower than 3	
V(act+,act-)	98.32p	300f	975μ	50.23	-6.025	0.00683		notch shallower than 3	
V(act+,act-)	98.32p	300f	1m	50.11	-6.025	0.00698		notch shallower than 3	
V(act+,act-)	98.32p	400f	900μ	50.65	-6.033	3.778	3277	1.546e+04	
V(act+,act-)	98.32p	400f	925μ	50.55	-6.032	0.02802		notch shallower than 3	
V(act+,act-)	98.32p	400f	950μ	50.44	-6.031	0.01732		notch shallower than 3	
V(act+,act-)	98.32p	400f	975μ	50.33	-6.03	0.0148		notch shallower than 3	
V(act+,act-)	98.32p	400f	1m	50.23	-6.029	0.01408		notch shallower than 3	
V(act+,act-)	98.32p	500f	900μ	50.62	-6.039	10.93	1.468e+04	3449	
V(act+,act-)	98.32p	500f	925μ	50.59	-6.038	0.122		notch shallower than 3	
V(act+,act-)	98.32p	500f	950μ	50.5	-6.037	0.04199		notch shallower than 3	
V(act+,act-)	98.32p	500f	975μ	50.4	-6.035	0.03038		notch shallower than 3	
V(act+,act-)	98.32p	500f	1m	50.31	-6.034	0.02643		notch shallower than 3	
V(act+,act-)	99.32p	100f	900μ	50.46	-6.022	0.00621		notch shallower than 3	
V(act+,act-)	99.32p	100f	925μ	50.17	-6.022	0.0002593		notch shallower than 3	
V(act+,act-)	99.32p	100f	950μ	49.93	-6.022	0.0002022		notch shallower than 3	
V(act+,act-)	99.32p	100f	975μ	49.74	-6.022	0.0001971		notch shallower than 3	
V(act+,act-)	99.32p	100f	1m	49.58	-6.021	0.0002059		notch shallower than 3	
V(act+,act-)	99.32p	200f	900μ	50.45	-6.025	30.2	3232	1.561e+04	
V(act+,act-)	99.32p	200f	925μ	50.29	-6.024	0.002411		notch shallower than 3	

E. Combined quality-factor table — all signals (page 2/4)

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	99.32p	200f	950μ	50.1	-6.024	0.001451		notch shallower than 3	
V(act+,act-)	99.32p	200f	975μ	49.94	-6.024	0.001231		notch shallower than 3	
V(act+,act-)	99.32p	200f	1m	49.8	-6.024	0.001171		notch shallower than 3	
V(act+,act-)	99.32p	300f	900μ	50.42	-6.029	21.67	7833	6437	
V(act+,act-)	99.32p	300f	925μ	50.35	-6.029	0.01372		notch shallower than 3	
V(act+,act-)	99.32p	300f	950μ	50.2	-6.029	0.005734		notch shallower than 3	
V(act+,act-)	99.32p	300f	975μ	50.07	-6.029	0.004235		notch shallower than 3	
V(act+,act-)	99.32p	300f	1m	49.95	-6.028	0.003692		notch shallower than 3	
V(act+,act-)	99.32p	400f	900μ	50.4	-6.036	20.78	1.401e+04	3596	
V(act+,act-)	99.32p	400f	925μ	50.38	-6.035	0.1395		notch shallower than 3	
V(act+,act-)	99.32p	400f	950μ	50.27	-6.035	0.01902		notch shallower than 3	
V(act+,act-)	99.32p	400f	975μ	50.16	-6.035	0.01173		notch shallower than 3	
V(act+,act-)	99.32p	400f	1m	50.05	-6.034	0.0093		notch shallower than 3	
V(act+,act-)	99.32p	500f	900μ	50.37	-6.044	21.11	2.179e+04	2312	
V(act+,act-)	99.32p	500f	925μ	50.37	-6.044	5.692	9088	5542	
V(act+,act-)	99.32p	500f	950μ	50.31	-6.043	0.06873		notch shallower than 3	
V(act+,act-)	99.32p	500f	975μ	50.22	-6.042	0.03037		notch shallower than 3	
V(act+,act-)	99.32p	500f	1m	50.13	-6.042	0.02128		notch shallower than 3	
V(act+,act-)	100.32p	100f	900μ	50.22	-6.022	1.123		notch shallower than 3	
V(act+,act-)	100.32p	100f	925μ	50.13	-6.022	0.0005695		notch shallower than 3	
V(act+,act-)	100.32p	100f	950μ	49.85	-6.022	0.0001646		notch shallower than 3	
V(act+,act-)	100.32p	100f	975μ	49.63	-6.022	0.0001175		notch shallower than 3	
V(act+,act-)	100.32p	100f	1m	49.45	-6.022	0.0001041		notch shallower than 3	
V(act+,act-)	100.32p	200f	900μ	50.19	-6.025	3.5	3139	1.599e+04	
V(act+,act-)	100.32p	200f	925μ	50.18	-6.025	0.0172		notch shallower than 3	
V(act+,act-)	100.32p	200f	950μ	49.99	-6.025	0.001634		notch shallower than 3	
V(act+,act-)	100.32p	200f	975μ	49.81	-6.025	0.0009917		notch shallower than 3	
V(act+,act-)	100.32p	200f	1m	49.66	-6.025	0.0007889		notch shallower than 3	
V(act+,act-)	100.32p	300f	900μ	50.17	-6.03	6.08	1.003e+04	5003	
V(act+,act-)	100.32p	300f	925μ	50.17	-6.03	9.86	4798	1.046e+04	
V(act+,act-)	100.32p	300f	950μ	50.06	-6.03	0.008635		notch shallower than 3	
V(act+,act-)	100.32p	300f	975μ	49.92	-6.03	0.00421		notch shallower than 3	

E. Combined quality-factor table — all signals (page 3/4)

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100.32p	300f	1m	49.79	-6.029	0.00302		notch shallower than 3	
V(act+,act-)	100.32p	400f	900μ	50.14	-6.037	8.46	1.707e+04	2937	
V(act+,act-)	100.32p	400f	925μ	50.14	-6.037	20.45	1.141e+04	4396	
V(act+,act-)	100.32p	400f	950μ	50.1	-6.037	0.04622		notch shallower than 3	
V(act+,act-)	100.32p	400f	975μ	49.99	-6.037	0.01413		notch shallower than 3	
V(act+,act-)	100.32p	400f	1m	49.88	-6.036	0.008905		notch shallower than 3	
V(act+,act-)	100.32p	500f	900μ	50.12	-6.047	10.56	2.528e+04	1983	
V(act+,act-)	100.32p	500f	925μ	50.12	-6.046	32.44	1.918e+04	2613	
V(act+,act-)	100.32p	500f	950μ	50.12	-6.046	1.652		notch shallower than 3	
V(act+,act-)	100.32p	500f	975μ	50.04	-6.046	0.04681		notch shallower than 3	
V(act+,act-)	100.32p	500f	1m	49.95	-6.045	0.02366		notch shallower than 3	
V(act+,act-)	101.32p	100f	900μ	49.97	-6.022	0.5454		notch shallower than 3	
V(act+,act-)	101.32p	100f	925μ	49.97	-6.022	1.82		notch shallower than 3	
V(act+,act-)	101.32p	100f	950μ	49.81	-6.022	0.0002822		notch shallower than 3	
V(act+,act-)	101.32p	100f	975μ	49.55	-6.022	0.0001049		notch shallower than 3	
V(act+,act-)	101.32p	100f	1m	49.34	-6.022	6.909e-05		notch shallower than 3	
V(act+,act-)	101.32p	200f	900μ	49.95	-6.025	1.909		notch shallower than 3	
V(act+,act-)	101.32p	200f	925μ	49.95	-6.025	5.024	4300	1.162e+04	
V(act+,act-)	101.32p	200f	950μ	49.88	-6.025	0.004308		notch shallower than 3	
V(act+,act-)	101.32p	200f	975μ	49.7	-6.025	0.001152		notch shallower than 3	
V(act+,act-)	101.32p	200f	1m	49.53	-6.025	0.0006973		notch shallower than 3	
V(act+,act-)	101.32p	300f	900μ	49.92	-6.031	3.67	7615	6555	
V(act+,act-)	101.32p	300f	925μ	49.92	-6.03	8.02	9537	5234	
V(act+,act-)	101.32p	300f	950μ	49.91	-6.03	0.1097		notch shallower than 3	
V(act+,act-)	101.32p	300f	975μ	49.78	-6.03	0.00602		notch shallower than 3	
V(act+,act-)	101.32p	300f	1m	49.64	-6.03	0.003166		notch shallower than 3	
V(act+,act-)	101.32p	400f	900μ	49.9	-6.038	5.531	1.736e+04	2874	
V(act+,act-)	101.32p	400f	925μ	49.9	-6.038	10.55	1.591e+04	3137	
V(act+,act-)	101.32p	400f	950μ	49.9	-6.038	8.737	7777	6416	
V(act+,act-)	101.32p	400f	975μ	49.82	-6.038	0.02695		notch shallower than 3	
V(act+,act-)	101.32p	400f	1m	49.72	-6.038	0.01082		notch shallower than 3	
V(act+,act-)	101.32p	500f	900μ	49.87	-6.049	7.338	2.671e+04	1867	

E. Combined quality-factor table — all signals (page 4/4)

Signal	C	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	101.32p	500f	925μ	49.87	-6.048	12.65	2.364e+04	2110	
V(act+,act-)	101.32p	500f	950μ	49.87	-6.048	15.82	1.617e+04	3085	
V(act+,act-)	101.32p	500f	975μ	49.86	-6.048	0.211		notch shallower than 3	
V(act+,act-)	101.32p	500f	1m	49.77	-6.047	0.03442		notch shallower than 3	