

LTSpice Notch Quality Report

CROSS COUPLED_60n

Auto-detected swept parameters and quality-factor ($Q = f_0 / BW$ @ passband-3 dB) analysis

Run summary

Signal columns analyzed: 1

Total simulation steps : 120

V(act+,act-)

swept parameters: Cp, Itail

Report contents (per signal column):

- 1. All curves — Bode plot (magnitude + phase)
- 2. Magnitude grouped by each swept parameter (one subplot per fixed value)
- 3. Phase grouped by each swept parameter (one subplot per fixed value)
- 4. Quality-factor table for that column

End of report (extra analyses):


- A. Cross-signal comparison (act vs pas, if both present)
- B. Q vs each swept parameter (one line per other-param combo)
- C. BW vs each swept parameter
- D. Q heatmap for V(act): rows $\times$ columns swept params, colored
- E. Combined quality-factor table across all signals

Signal: $V(\text{act+}, \text{act-})$


Swept parameters: C_p , I_{tail}

Steps: 120

V(act+,act-) — All curves (120 steps) — Bode




V(act+,act-) — Magnitude grouped by Cp (each subplot fixes Cp; legend = Itail)




V(act+,act-) — Phase grouped by Cp (each subplot fixes Cp; legend = Itail)


Cp = 100f




Cp = 200f




Cp = 300f




Cp = 400f




Cp = 500f




Cp = 600f




Cp = 700f




Cp = 800f



$V(\text{act+}, \text{act-})$ — Magnitude grouped by Itail (each subplot fixes Itail; legend = Cp)



V(act+,act-) — Phase grouped by Itail (each subplot fixes Itail; legend = Cp)



V(act+,act-) – Quality factor table (page 1/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	50μ	49.99	-6.022	0.01822			notch shallower than 3 d
V(act+,act-)	100f	75μ	49.99	-6.022	0.01918			notch shallower than 3 d
V(act+,act-)	100f	100μ	49.99	-6.022	0.02006			notch shallower than 3 d
V(act+,act-)	100f	125μ	49.99	-6.022	0.02091			notch shallower than 3 d
V(act+,act-)	100f	150μ	49.99	-6.022	0.02174			notch shallower than 3 d
V(act+,act-)	100f	175μ	49.99	-6.022	0.02256			notch shallower than 3 d
V(act+,act-)	100f	200μ	49.99	-6.022	0.02338			notch shallower than 3 d
V(act+,act-)	100f	225μ	49.99	-6.022	0.02421			notch shallower than 3 d
V(act+,act-)	100f	250μ	49.99	-6.022	0.02504			notch shallower than 3 d
V(act+,act-)	100f	275μ	49.99	-6.022	0.02589			notch shallower than 3 d
V(act+,act-)	100f	300μ	49.99	-6.022	0.02675			notch shallower than 3 d
V(act+,act-)	100f	325μ	49.99	-6.022	0.02764			notch shallower than 3 d
V(act+,act-)	100f	350μ	49.99	-6.022	0.02854			notch shallower than 3 d
V(act+,act-)	100f	375μ	49.99	-6.022	0.02947			notch shallower than 3 d
V(act+,act-)	100f	400μ	49.99	-6.022	0.03043			notch shallower than 3 d
V(act+,act-)	200f	50μ	49.97	-6.026	0.07252			notch shallower than 3 d
V(act+,act-)	200f	75μ	49.97	-6.026	0.07632			notch shallower than 3 d
V(act+,act-)	200f	100μ	49.97	-6.026	0.07983			notch shallower than 3 d
V(act+,act-)	200f	125μ	49.97	-6.026	0.08319			notch shallower than 3 d
V(act+,act-)	200f	150μ	49.97	-6.026	0.08648			notch shallower than 3 d
V(act+,act-)	200f	175μ	49.97	-6.026	0.08973			notch shallower than 3 d
V(act+,act-)	200f	200μ	49.97	-6.026	0.09297			notch shallower than 3 d
V(act+,act-)	200f	225μ	49.97	-6.026	0.09624			notch shallower than 3 d
V(act+,act-)	200f	250μ	49.97	-6.026	0.09954			notch shallower than 3 d
V(act+,act-)	200f	275μ	49.97	-6.026	0.1029			notch shallower than 3 d
V(act+,act-)	200f	300μ	49.97	-6.026	0.1063			notch shallower than 3 d
V(act+,act-)	200f	325μ	49.97	-6.026	0.1098			notch shallower than 3 d
V(act+,act-)	200f	350μ	49.97	-6.026	0.1134			notch shallower than 3 d
V(act+,act-)	200f	375μ	49.97	-6.026	0.117			notch shallower than 3 d
V(act+,act-)	200f	400μ	49.97	-6.025	0.1208			notch shallower than 3 d
V(act+,act-)	300f	50μ	49.95	-6.033	0.162			notch shallower than 3 d
V(act+,act-)	300f	75μ	49.95	-6.032	0.1704			notch shallower than 3 d

V(act+,act-) – Quality factor table (page 2/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	300f	100μ	49.95	-6.032	0.1782			notch shallower than 3 d
V(act+,act-)	300f	125μ	49.95	-6.032	0.1856			notch shallower than 3 d
V(act+,act-)	300f	150μ	49.95	-6.032	0.1929			notch shallower than 3 d
V(act+,act-)	300f	175μ	49.95	-6.032	0.2001			notch shallower than 3 d
V(act+,act-)	300f	200μ	49.95	-6.032	0.2073			notch shallower than 3 d
V(act+,act-)	300f	225μ	49.95	-6.032	0.2145			notch shallower than 3 d
V(act+,act-)	300f	250μ	49.95	-6.032	0.2218			notch shallower than 3 d
V(act+,act-)	300f	275μ	49.95	-6.032	0.2292			notch shallower than 3 d
V(act+,act-)	300f	300μ	49.95	-6.032	0.2368			notch shallower than 3 d
V(act+,act-)	300f	325μ	49.95	-6.032	0.2445			notch shallower than 3 d
V(act+,act-)	300f	350μ	49.95	-6.032	0.2524			notch shallower than 3 d
V(act+,act-)	300f	375μ	49.95	-6.032	0.2605			notch shallower than 3 d
V(act+,act-)	300f	400μ	49.95	-6.032	0.2688			notch shallower than 3 d
V(act+,act-)	400f	50μ	49.94	-6.042	0.2851			notch shallower than 3 d
V(act+,act-)	400f	75μ	49.94	-6.042	0.2998			notch shallower than 3 d
V(act+,act-)	400f	100μ	49.94	-6.041	0.3134			notch shallower than 3 d
V(act+,act-)	400f	125μ	49.94	-6.041	0.3264			notch shallower than 3 d
V(act+,act-)	400f	150μ	49.94	-6.041	0.3391			notch shallower than 3 d
V(act+,act-)	400f	175μ	49.94	-6.041	0.3516			notch shallower than 3 d
V(act+,act-)	400f	200μ	49.94	-6.041	0.3641			notch shallower than 3 d
V(act+,act-)	400f	225μ	49.94	-6.041	0.3767			notch shallower than 3 d
V(act+,act-)	400f	250μ	49.94	-6.041	0.3894			notch shallower than 3 d
V(act+,act-)	400f	275μ	49.94	-6.041	0.4022			notch shallower than 3 d
V(act+,act-)	400f	300μ	49.94	-6.04	0.4153			notch shallower than 3 d
V(act+,act-)	400f	325μ	49.94	-6.04	0.4287			notch shallower than 3 d
V(act+,act-)	400f	350μ	49.94	-6.04	0.4423			notch shallower than 3 d
V(act+,act-)	400f	375μ	49.94	-6.04	0.4564			notch shallower than 3 d
V(act+,act-)	400f	400μ	49.94	-6.04	0.4708			notch shallower than 3 d
V(act+,act-)	500f	50μ	49.92	-6.054	0.44			notch shallower than 3 d
V(act+,act-)	500f	75μ	49.92	-6.053	0.4625			notch shallower than 3 d
V(act+,act-)	500f	100μ	49.92	-6.053	0.4832			notch shallower than 3 d
V(act+,act-)	500f	125μ	49.92	-6.053	0.5031			notch shallower than 3 d



V(act+,act-) – Quality factor table (page 3/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	500f	150μ	49.92	-6.053	0.5224			notch shallower than 3 d
V(act+,act-)	500f	175μ	49.92	-6.052	0.5415			notch shallower than 3 d
V(act+,act-)	500f	200μ	49.92	-6.052	0.5605			notch shallower than 3 d
V(act+,act-)	500f	225μ	49.92	-6.052	0.5796			notch shallower than 3 d
V(act+,act-)	500f	250μ	49.92	-6.052	0.5989			notch shallower than 3 d
V(act+,act-)	500f	275μ	49.92	-6.052	0.6184			notch shallower than 3 d
V(act+,act-)	500f	300μ	49.92	-6.052	0.6383			notch shallower than 3 d
V(act+,act-)	500f	325μ	49.92	-6.051	0.6585			notch shallower than 3 d
V(act+,act-)	500f	350μ	49.92	-6.051	0.6792			notch shallower than 3 d
V(act+,act-)	500f	375μ	49.92	-6.051	0.7005			notch shallower than 3 d
V(act+,act-)	500f	400μ	49.92	-6.051	0.7223			notch shallower than 3 d
V(act+,act-)	600f	50μ	49.91	-6.068	0.6244			notch shallower than 3 d
V(act+,act-)	600f	75μ	49.91	-6.068	0.656			notch shallower than 3 d
V(act+,act-)	600f	100μ	49.91	-6.067	0.6851			notch shallower than 3 d
V(act+,act-)	600f	125μ	49.91	-6.067	0.7129			notch shallower than 3 d
V(act+,act-)	600f	150μ	49.91	-6.067	0.7399			notch shallower than 3 d
V(act+,act-)	600f	175μ	49.91	-6.066	0.7666			notch shallower than 3 d
V(act+,act-)	600f	200μ	49.91	-6.066	0.7932			notch shallower than 3 d
V(act+,act-)	600f	225μ	49.91	-6.066	0.8198			notch shallower than 3 d
V(act+,act-)	600f	250μ	49.91	-6.066	0.8467			notch shallower than 3 d
V(act+,act-)	600f	275μ	49.91	-6.065	0.8738			notch shallower than 3 d
V(act+,act-)	600f	300μ	49.91	-6.065	0.9015			notch shallower than 3 d
V(act+,act-)	600f	325μ	49.91	-6.065	0.9296			notch shallower than 3 d
V(act+,act-)	600f	350μ	49.91	-6.065	0.9584			notch shallower than 3 d
V(act+,act-)	600f	375μ	49.91	-6.065	0.9878			notch shallower than 3 d
V(act+,act-)	600f	400μ	49.91	-6.064	1.018			notch shallower than 3 d
V(act+,act-)	700f	50μ	49.89	-6.085	0.8358			notch shallower than 3 d
V(act+,act-)	700f	75μ	49.89	-6.085	0.8776			notch shallower than 3 d
V(act+,act-)	700f	100μ	49.89	-6.084	0.916			notch shallower than 3 d
V(act+,act-)	700f	125μ	49.89	-6.084	0.9526			notch shallower than 3 d
V(act+,act-)	700f	150μ	49.89	-6.083	0.9882			notch shallower than 3 d
V(act+,act-)	700f	175μ	49.89	-6.083	1.023			notch shallower than 3 d



V(act+,act-) — Quality factor table (page 4/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	200μ	49.89	-6.083	1.058			notch shallower than 3 d
V(act+,act-)	700f	225μ	49.89	-6.082	1.093			notch shallower than 3 d
V(act+,act-)	700f	250μ	49.89	-6.082	1.129			notch shallower than 3 d
V(act+,act-)	700f	275μ	49.89	-6.082	1.164			notch shallower than 3 d
V(act+,act-)	700f	300μ	49.89	-6.081	1.2			notch shallower than 3 d
V(act+,act-)	700f	325μ	49.89	-6.081	1.237			notch shallower than 3 d
V(act+,act-)	700f	350μ	49.89	-6.081	1.275			notch shallower than 3 d
V(act+,act-)	700f	375μ	49.89	-6.081	1.313			notch shallower than 3 d
V(act+,act-)	700f	400μ	49.89	-6.08	1.353			notch shallower than 3 d
V(act+,act-)	800f	50μ	49.88	-6.105	1.072			notch shallower than 3 d
V(act+,act-)	800f	75μ	49.88	-6.105	1.124			notch shallower than 3 d
V(act+,act-)	800f	100μ	49.88	-6.104	1.173			notch shallower than 3 d
V(act+,act-)	800f	125μ	49.88	-6.103	1.219			notch shallower than 3 d
V(act+,act-)	800f	150μ	49.88	-6.103	1.264			notch shallower than 3 d
V(act+,act-)	800f	175μ	49.88	-6.102	1.308			notch shallower than 3 d
V(act+,act-)	800f	200μ	49.88	-6.102	1.352			notch shallower than 3 d
V(act+,act-)	800f	225μ	49.88	-6.101	1.396			notch shallower than 3 d
V(act+,act-)	800f	250μ	49.88	-6.101	1.44			notch shallower than 3 d
V(act+,act-)	800f	275μ	49.88	-6.101	1.485			notch shallower than 3 d
V(act+,act-)	800f	300μ	49.88	-6.1	1.53			notch shallower than 3 d
V(act+,act-)	800f	325μ	49.88	-6.1	1.576			notch shallower than 3 d
V(act+,act-)	800f	350μ	49.88	-6.1	1.623			notch shallower than 3 d
V(act+,act-)	800f	375μ	49.88	-6.099	1.671			notch shallower than 3 d
V(act+,act-)	800f	400μ	49.88	-6.099	1.72			notch shallower than 3 d

B. V(act+,act-) — Quality factor vs swept parameters



C. V(act+,act-) — Bandwidth (-3 dB) vs swept parameters



D. V(act+,act-) — Q heatmap (rows = Cp, columns = Itail)

	Itail=50	Itail=75	Itail=100	Itail=125	Itail=150	Itail=175	Itail=200	Itail=225	Itail=250	Itail=275	Itail=300	Itail=325	Itail=350	Itail=375	Itail=400
Cp=100f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=200f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=300f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=400f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=500f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=600f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=700f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW
Cp=800f	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW	no BW

Red = BW could not be measured | Yellow = Q computed ($Q \leq 1400$) | Green = $Q > 1400$

E. Combined quality-factor table – all signals (page 1/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	100f	50μ	49.99	-6.022	0.01822			notch shallower than 3 d
V(act+,act-)	100f	75μ	49.99	-6.022	0.01918			notch shallower than 3 d
V(act+,act-)	100f	100μ	49.99	-6.022	0.02006			notch shallower than 3 d
V(act+,act-)	100f	125μ	49.99	-6.022	0.02091			notch shallower than 3 d
V(act+,act-)	100f	150μ	49.99	-6.022	0.02174			notch shallower than 3 d
V(act+,act-)	100f	175μ	49.99	-6.022	0.02256			notch shallower than 3 d
V(act+,act-)	100f	200μ	49.99	-6.022	0.02338			notch shallower than 3 d
V(act+,act-)	100f	225μ	49.99	-6.022	0.02421			notch shallower than 3 d
V(act+,act-)	100f	250μ	49.99	-6.022	0.02504			notch shallower than 3 d
V(act+,act-)	100f	275μ	49.99	-6.022	0.02589			notch shallower than 3 d
V(act+,act-)	100f	300μ	49.99	-6.022	0.02675			notch shallower than 3 d
V(act+,act-)	100f	325μ	49.99	-6.022	0.02764			notch shallower than 3 d
V(act+,act-)	100f	350μ	49.99	-6.022	0.02854			notch shallower than 3 d
V(act+,act-)	100f	375μ	49.99	-6.022	0.02947			notch shallower than 3 d
V(act+,act-)	100f	400μ	49.99	-6.022	0.03043			notch shallower than 3 d
V(act+,act-)	200f	50μ	49.97	-6.026	0.07252			notch shallower than 3 d
V(act+,act-)	200f	75μ	49.97	-6.026	0.07632			notch shallower than 3 d
V(act+,act-)	200f	100μ	49.97	-6.026	0.07983			notch shallower than 3 d
V(act+,act-)	200f	125μ	49.97	-6.026	0.08319			notch shallower than 3 d
V(act+,act-)	200f	150μ	49.97	-6.026	0.08648			notch shallower than 3 d
V(act+,act-)	200f	175μ	49.97	-6.026	0.08973			notch shallower than 3 d
V(act+,act-)	200f	200μ	49.97	-6.026	0.09297			notch shallower than 3 d
V(act+,act-)	200f	225μ	49.97	-6.026	0.09624			notch shallower than 3 d
V(act+,act-)	200f	250μ	49.97	-6.026	0.09954			notch shallower than 3 d
V(act+,act-)	200f	275μ	49.97	-6.026	0.1029			notch shallower than 3 d
V(act+,act-)	200f	300μ	49.97	-6.026	0.1063			notch shallower than 3 d
V(act+,act-)	200f	325μ	49.97	-6.026	0.1098			notch shallower than 3 d
V(act+,act-)	200f	350μ	49.97	-6.026	0.1134			notch shallower than 3 d
V(act+,act-)	200f	375μ	49.97	-6.026	0.117			notch shallower than 3 d
V(act+,act-)	200f	400μ	49.97	-6.025	0.1208			notch shallower than 3 d
V(act+,act-)	300f	50μ	49.95	-6.033	0.162			notch shallower than 3 d
V(act+,act-)	300f	75μ	49.95	-6.032	0.1704			notch shallower than 3 d

E. Combined quality-factor table – all signals (page 2/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	300f	100μ	49.95	-6.032	0.1782			notch shallower than 3 d
V(act+,act-)	300f	125μ	49.95	-6.032	0.1856			notch shallower than 3 d
V(act+,act-)	300f	150μ	49.95	-6.032	0.1929			notch shallower than 3 d
V(act+,act-)	300f	175μ	49.95	-6.032	0.2001			notch shallower than 3 d
V(act+,act-)	300f	200μ	49.95	-6.032	0.2073			notch shallower than 3 d
V(act+,act-)	300f	225μ	49.95	-6.032	0.2145			notch shallower than 3 d
V(act+,act-)	300f	250μ	49.95	-6.032	0.2218			notch shallower than 3 d
V(act+,act-)	300f	275μ	49.95	-6.032	0.2292			notch shallower than 3 d
V(act+,act-)	300f	300μ	49.95	-6.032	0.2368			notch shallower than 3 d
V(act+,act-)	300f	325μ	49.95	-6.032	0.2445			notch shallower than 3 d
V(act+,act-)	300f	350μ	49.95	-6.032	0.2524			notch shallower than 3 d
V(act+,act-)	300f	375μ	49.95	-6.032	0.2605			notch shallower than 3 d
V(act+,act-)	300f	400μ	49.95	-6.032	0.2688			notch shallower than 3 d
V(act+,act-)	400f	50μ	49.94	-6.042	0.2851			notch shallower than 3 d
V(act+,act-)	400f	75μ	49.94	-6.042	0.2998			notch shallower than 3 d
V(act+,act-)	400f	100μ	49.94	-6.041	0.3134			notch shallower than 3 d
V(act+,act-)	400f	125μ	49.94	-6.041	0.3264			notch shallower than 3 d
V(act+,act-)	400f	150μ	49.94	-6.041	0.3391			notch shallower than 3 d
V(act+,act-)	400f	175μ	49.94	-6.041	0.3516			notch shallower than 3 d
V(act+,act-)	400f	200μ	49.94	-6.041	0.3641			notch shallower than 3 d
V(act+,act-)	400f	225μ	49.94	-6.041	0.3767			notch shallower than 3 d
V(act+,act-)	400f	250μ	49.94	-6.041	0.3894			notch shallower than 3 d
V(act+,act-)	400f	275μ	49.94	-6.041	0.4022			notch shallower than 3 d
V(act+,act-)	400f	300μ	49.94	-6.04	0.4153			notch shallower than 3 d
V(act+,act-)	400f	325μ	49.94	-6.04	0.4287			notch shallower than 3 d
V(act+,act-)	400f	350μ	49.94	-6.04	0.4423			notch shallower than 3 d
V(act+,act-)	400f	375μ	49.94	-6.04	0.4564			notch shallower than 3 d
V(act+,act-)	400f	400μ	49.94	-6.04	0.4708			notch shallower than 3 d
V(act+,act-)	500f	50μ	49.92	-6.054	0.44			notch shallower than 3 d
V(act+,act-)	500f	75μ	49.92	-6.053	0.4625			notch shallower than 3 d
V(act+,act-)	500f	100μ	49.92	-6.053	0.4832			notch shallower than 3 d
V(act+,act-)	500f	125μ	49.92	-6.053	0.5031			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 3/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	500f	150μ	49.92	-6.053	0.5224			notch shallower than 3 d
V(act+,act-)	500f	175μ	49.92	-6.052	0.5415			notch shallower than 3 d
V(act+,act-)	500f	200μ	49.92	-6.052	0.5605			notch shallower than 3 d
V(act+,act-)	500f	225μ	49.92	-6.052	0.5796			notch shallower than 3 d
V(act+,act-)	500f	250μ	49.92	-6.052	0.5989			notch shallower than 3 d
V(act+,act-)	500f	275μ	49.92	-6.052	0.6184			notch shallower than 3 d
V(act+,act-)	500f	300μ	49.92	-6.052	0.6383			notch shallower than 3 d
V(act+,act-)	500f	325μ	49.92	-6.051	0.6585			notch shallower than 3 d
V(act+,act-)	500f	350μ	49.92	-6.051	0.6792			notch shallower than 3 d
V(act+,act-)	500f	375μ	49.92	-6.051	0.7005			notch shallower than 3 d
V(act+,act-)	500f	400μ	49.92	-6.051	0.7223			notch shallower than 3 d
V(act+,act-)	600f	50μ	49.91	-6.068	0.6244			notch shallower than 3 d
V(act+,act-)	600f	75μ	49.91	-6.068	0.656			notch shallower than 3 d
V(act+,act-)	600f	100μ	49.91	-6.067	0.6851			notch shallower than 3 d
V(act+,act-)	600f	125μ	49.91	-6.067	0.7129			notch shallower than 3 d
V(act+,act-)	600f	150μ	49.91	-6.067	0.7399			notch shallower than 3 d
V(act+,act-)	600f	175μ	49.91	-6.066	0.7666			notch shallower than 3 d
V(act+,act-)	600f	200μ	49.91	-6.066	0.7932			notch shallower than 3 d
V(act+,act-)	600f	225μ	49.91	-6.066	0.8198			notch shallower than 3 d
V(act+,act-)	600f	250μ	49.91	-6.066	0.8467			notch shallower than 3 d
V(act+,act-)	600f	275μ	49.91	-6.065	0.8738			notch shallower than 3 d
V(act+,act-)	600f	300μ	49.91	-6.065	0.9015			notch shallower than 3 d
V(act+,act-)	600f	325μ	49.91	-6.065	0.9296			notch shallower than 3 d
V(act+,act-)	600f	350μ	49.91	-6.065	0.9584			notch shallower than 3 d
V(act+,act-)	600f	375μ	49.91	-6.065	0.9878			notch shallower than 3 d
V(act+,act-)	600f	400μ	49.91	-6.064	1.018			notch shallower than 3 d
V(act+,act-)	700f	50μ	49.89	-6.085	0.8358			notch shallower than 3 d
V(act+,act-)	700f	75μ	49.89	-6.085	0.8776			notch shallower than 3 d
V(act+,act-)	700f	100μ	49.89	-6.084	0.916			notch shallower than 3 d
V(act+,act-)	700f	125μ	49.89	-6.084	0.9526			notch shallower than 3 d
V(act+,act-)	700f	150μ	49.89	-6.083	0.9882			notch shallower than 3 d
V(act+,act-)	700f	175μ	49.89	-6.083	1.023			notch shallower than 3 d

E. Combined quality-factor table — all signals (page 4/4)

Signal	Cp	Itail	f0 (MHz)	Baseline (dB)	Depth (dB)	BW (Hz)	Q	Note
V(act+,act-)	700f	200μ	49.89	-6.083	1.058			notch shallower than 3 d
V(act+,act-)	700f	225μ	49.89	-6.082	1.093			notch shallower than 3 d
V(act+,act-)	700f	250μ	49.89	-6.082	1.129			notch shallower than 3 d
V(act+,act-)	700f	275μ	49.89	-6.082	1.164			notch shallower than 3 d
V(act+,act-)	700f	300μ	49.89	-6.081	1.2			notch shallower than 3 d
V(act+,act-)	700f	325μ	49.89	-6.081	1.237			notch shallower than 3 d
V(act+,act-)	700f	350μ	49.89	-6.081	1.275			notch shallower than 3 d
V(act+,act-)	700f	375μ	49.89	-6.081	1.313			notch shallower than 3 d
V(act+,act-)	700f	400μ	49.89	-6.08	1.353			notch shallower than 3 d
V(act+,act-)	800f	50μ	49.88	-6.105	1.072			notch shallower than 3 d
V(act+,act-)	800f	75μ	49.88	-6.105	1.124			notch shallower than 3 d
V(act+,act-)	800f	100μ	49.88	-6.104	1.173			notch shallower than 3 d
V(act+,act-)	800f	125μ	49.88	-6.103	1.219			notch shallower than 3 d
V(act+,act-)	800f	150μ	49.88	-6.103	1.264			notch shallower than 3 d
V(act+,act-)	800f	175μ	49.88	-6.102	1.308			notch shallower than 3 d
V(act+,act-)	800f	200μ	49.88	-6.102	1.352			notch shallower than 3 d
V(act+,act-)	800f	225μ	49.88	-6.101	1.396			notch shallower than 3 d
V(act+,act-)	800f	250μ	49.88	-6.101	1.44			notch shallower than 3 d
V(act+,act-)	800f	275μ	49.88	-6.101	1.485			notch shallower than 3 d
V(act+,act-)	800f	300μ	49.88	-6.1	1.53			notch shallower than 3 d
V(act+,act-)	800f	325μ	49.88	-6.1	1.576			notch shallower than 3 d
V(act+,act-)	800f	350μ	49.88	-6.1	1.623			notch shallower than 3 d
V(act+,act-)	800f	375μ	49.88	-6.099	1.671			notch shallower than 3 d
V(act+,act-)	800f	400μ	49.88	-6.099	1.72			notch shallower than 3 d