



TFT2 - Transistor 2

Output Characteristics (Raw) (1/3)


TFT2 Transistor 2
L = 160 μm , W = 10 μm




TFT2 Transistor 2
L = 160 μm , W = 100 μm



TFT2 Transistor 2
L = 160 μm , W = 1000 μm




TFT2 Transistor 2
L = 160 μm , W = 50 μm




TFT2 - Transistor 2

Output Characteristics (Raw) (2/3)


TFT2 Transistor 2
L = 160 μm , W = 500 μm




TFT2 Transistor 2
L = 20 μm , W = 10 μm



TFT2 Transistor 2
L = 40 μm , W = 10 μm




TFT2 Transistor 2
L = 80 μm , W = 10 μm



TFT2 - Transistor 2
Output Characteristics (Raw) (3/3)


TFT2 Transistor 2
 $L = 80\text{ }\mu\text{m}$, $W = 100\text{ }\mu\text{m}$




TFT2 - Transistor 2

Normalized Output (1/3)


TFT2 Transistor 2
L = 160 μm , W = 10 μm (normalized)




TFT2 Transistor 2
L = 160 μm , W = 100 μm (normalized)



TFT2 Transistor 2
L = 160 μm , W = 1000 μm (normalized)




TFT2 Transistor 2
L = 160 μm , W = 50 μm (normalized)




TFT2 - Transistor 2

Normalized Output (2/3)


TFT2 Transistor 2
L = 160 μm , W = 500 μm (normalized)




TFT2 Transistor 2
L = 20 μm , W = 10 μm (normalized)




TFT2 Transistor 2
L = 40 μm , W = 10 μm (normalized)



TFT2 Transistor 2
L = 80 μm , W = 10 μm (normalized)







TFT2 - Transistor 2

Dual-Axis: Raw & Normalized (1/3)


TFT2 Transistor 2
L = 160 μm , W = 10 μm




TFT2 Transistor 2
L = 160 μm , W = 100 μm



TFT2 Transistor 2
L = 160 μm , W = 1000 μm




TFT2 Transistor 2
L = 160 μm , W = 50 μm




TFT2 - Transistor 2

Dual-Axis: Raw & Normalized (2/3)


TFT2 Transistor 2
L = 160 μm , W = 500 μm




TFT2 Transistor 2
L = 20 μm , W = 10 μm




TFT2 Transistor 2
L = 40 μm , W = 10 μm



TFT2 Transistor 2
L = 80 μm , W = 10 μm




TFT2 Transistor 2
L = 80 μm , W = 100 μm




TFT2 - Transistor 2
Normalized - Average by L


TFT2 Transistor 2
L = 160 μm - avg over all W (mean $\pm$ std)




TFT2 Transistor 2
L = 20 μm - avg over all W (mean $\pm$ std)



TFT2 Transistor 2
L = 40 μm - avg over all W (mean $\pm$ std)




TFT2 Transistor 2
L = 80 μm - avg over all W (mean $\pm$ std)




TFT2 - Transistor 2
Normalized - Average by W (1/2)


TFT2 Transistor 2
W = 10 μm - avg over all L (mean $\pm$ std)




TFT2 Transistor 2
W = 100 μm - avg over all L (mean $\pm$ std)




TFT2 Transistor 2
W = 1000 μm - avg over all L (mean $\pm$ std)



TFT2 Transistor 2
W = 50 μm - avg over all L (mean $\pm$ std)




TFT2 Transistor 2
W = 500 μm - avg over all L (mean $\pm$ std)




TFT2 - Transistor 2
Normalized - Global Average

TFT2 Transistor 2
avg over all L and W (mean $\pm$ std)



TFT2 - Transistor 2
Saturation Current vs VGS


TFT2 Transistor 2
Saturation Current vs V_{GS} (mean $\pm$ std)




TFT2 - Transistor 2

Saturation Current vs L (1/2)


TFT2 Transistor 2
 I_{sat} vs L | W = 10 μm (mean $\pm$ std)




TFT2 Transistor 2
 I_{sat} vs L | W = 100 μm (mean $\pm$ std)




TFT2 Transistor 2
 I_{sat} vs L | W = 1000 μm (mean $\pm$ std)



TFT2 Transistor 2
 I_{sat} vs L | W = 50 μm (mean $\pm$ std)







TFT2 - Transistor 2

Saturation Current vs W


TFT2 Transistor 2
 I_{sat} vs W | L = 160 μm (mean $\pm$ std)



TFT2 Transistor 2
 I_{sat} vs W | L = 20 μm (mean $\pm$ std)



TFT2 Transistor 2
 I_{sat} vs W | L = 40 μm (mean $\pm$ std)



TFT2 Transistor 2
 I_{sat} vs W | L = 80 μm (mean $\pm$ std)

