

NPAR TESTS

/K-S(NORMAL)=Difference

/MISSING ANALYSIS.

## NPar Tests

### Notes

Output Created		13-SEP-2020 16:14:18
Comments		
Input	Data	E: \Projects_GitHub\Voluminis\ArticleVoluminis.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	23
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each test are based on all cases with valid data for the variable(s) used in that test.
Syntax		NPAR TESTS /K-S(NORMAL) =Difference /MISSING ANALYSIS.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01
	Number of Cases Allowed <sup>a</sup>	786432

a. Based on availability of workspace memory.

## One-Sample Kolmogorov-Smirnov Test

		Difference
N		21
Normal Parameters <sup>a,b</sup>	Mean	.9048
	Std. Deviation	.94365
Most Extreme Differences	Absolute	.317
	Positive	.317
	Negative	-.254
Test Statistic		.317
Asymp. Sig. (2-tailed)		.000 <sup>c</sup>

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.