

Fika Sync

User Manual

A simple, step-by-step guide to install, configure, and use the app that lets you know when someone on the team needs a break.

Manual version: September 2026 · Based on the real app, screenshots taken in demo mode

Table of Contents

1. What is Fika Sync?
2. Before you start: install and launch
3. Setting up accounts: admin and team
4. First look: the Overview screen
5. Team tab — adding your people
6. Connections tab — the admin view
7. Notifications tab — automatic alerts
8. Workflows tab
9. Log tab
10. Frequently asked questions

1 What is Fika Sync?

Fika Sync is a small web app that looks at how many meeting hours each team member has this week, and lets you know when someone is “overloaded” — so the team can slow down in time, before reaching burnout.

The name comes from the Swedish word *fika*: the coffee break people take together as a team. The app's idea is simple: if nobody has time even for the fika, something's off.

Do I need Google, Slack or Cal.com accounts to try it out?

No. The app starts in demo mode, with sample data already loaded, so you can see how everything works before connecting anything real. The screenshots in this manual were taken in that mode.

What will you be able to do with the app?

- See at a glance who's on track and who's overloaded.
- Add your team and have each person connect their own calendar.
- Publish an automatic summary to a Slack channel.
- Send private alerts (DMs) only to whoever needs one.

2 Before you start: install and launch

If someone already left the application installed and running for you, you can skip straight to section 3. If you're about to install it yourself, follow these steps.

Windows

- 1 Download or clone the project folder.
- 2 Double-click **INSTALL.bat** (only once).
- 3 Double-click **Start Fika Sync.bat** every time you want to use it.
- 4 It'll open on its own in your browser. If not, go to <http://localhost:5000>.

Mac / Linux

- 1 Download or clone the project folder.
- 2 Run **./install.sh** (only once).
- 3 Run **./start_fika_sync.sh** every time you want to use it.
- 4 Open <http://localhost:5000> in your browser.

How do I close it?

With **Stop Fika Sync.bat** on Windows, or **./stop_fika_sync.sh** on Mac/Linux. You can also just close the black window (terminal) it's running in.

3 Setting up accounts: admin and team

This is the part you do just once, before the team starts using the app day to day. Fika Sync distinguishes two kinds of tasks, not two kinds of Google account: there's no “login” to the application, nor an account Google recognizes as “admin.” The difference is made by which screen each person uses.

Admin	Creates the app's credentials (once) and pastes them into Connections.
Team member	Connects their own calendar from their row in Team.

3.1 Admin account — creating the app's credentials

Pick a Google account (and, if you're going to use Slack, a Slack account) to do this step. It can be your regular account or one created specifically to administer the install — Google doesn't care which one it is, only that there's a project where the Client ID and Client Secret can be generated.

A) Google Calendar

- 1 Go to console.cloud.google.com with the admin account and create a new project (you can call it “Fika Sync”).
- 2 In the menu, go to APIs & Services → OAuth consent screen. Choose type **External**, fill in the app name and your email, and save. You'll be left in **Testing** status — that's normal and enough for testing with 3 accounts.
- 3 Scroll down to **Test users** and add the email of every Google account that's going to use the app (your admin one and each team member's). If an email isn't on this list, Google will deny it access when connecting its calendar.
- 4 Go to APIs & Services → Credentials → Create credentials → OAuth client ID. Application type: **Web application**.
- 5 Under **Authorized redirect URIs** paste exactly this URL (changing the domain if your app doesn't run on your own machine):
`http://localhost:5000/oauth/google/callback`
- 6 Save, and Google shows you the Client ID and Client Secret. Copy them.
- 7 In Fika Sync, open the **Connections** tab, paste them into “Google (Calendar + Sheets)” and tap **Save**. Here's what it looks like right before saving, with the data already pasted in:

Fika Sync

Cal.com: demoGoogle Calendar: demoSlack: demo

Overview

Team

Connections

Notifications

Workflows

Log

APP CONFIGURATION

Whoever administers this installation does this **once** (the "Client ID/Secret" that identifies Fika Sync to Google and Slack) — it's not something every team member needs to touch. After saving here, the "Connect" buttons below and on the Team tab work for everyone, without editing any file or restarting the server.

Google (Calendar + Sheets)

Not configured

1. Create the Client ID/Secret at Google Cloud Console ↗

123456789-example.apps.googleu60CSPX-example-secret-valueSave

Slack

Not configured

1. Create the Client ID/Secret at api.slack.com/apps ↗

2. Client ID3. Client SecretSave

Real screenshot: pasting Google's Client ID and Client Secret into the Connections tab (example data, not real).

And here's what it looks like after saving: the Google section now shows “configured from here,” and Google's **Connect** button appears enabled further down, ready for anyone to use.

Fika Sync

Cal.com: demoGoogle Calendar: demoSlack: demo

Overview

Team

Connections

Notifications

Workflows

Log

APP CONFIGURATION

Whoever administers this installation does this **once** (the "Client ID/Secret" that identifies Fika Sync to Google and Slack) — it's not something every team member needs to touch. After saving here, the "Connect" buttons below and on the Team tab work for everyone, without editing any file or restarting the server.

Google (Calendar + Sheets)

✓ configured from here (client_id: 123456789-example.apps.googleusercontent.com)

Remove

Slack

Not configured

1. Create the Client ID/Secret at api.slack.com/apps ↗

2. Client ID3. Client SecretSave

Real screenshot: the Connections tab's state after saving Google's credentials.

B) Slack (optional, only if you're going to use notifications)


- 1 Go to api.slack.com/apps with the admin Slack account and create a new app (“From scratch”), choosing your test workspace.
- 2 Under **OAuth & Permissions**, add the bot scope `chat:write`.
- 3 On the same screen, under **Redirect URLs**, add:
`http://localhost:5000/oauth/slack/callback`
- 4 Under **Basic Information** copy the Client ID and Client Secret.
- 5 In Fika Sync → **Connections** tab, paste them into “Slack” and tap **Save**. Done — you can now install the app to the workspace using the **Connect** button that shows up below.

What about Cal.com?

Cal.com doesn't use this mechanism: there's no need to create any app or paste a Client ID/Secret. Each person generates their own API key from their Cal.com account (“Generate key” button) and pastes it directly into their row on the Team tab, or the admin pastes a shared key in Connections as a fallback.

3.2 Team accounts — each person connects their own

Once the admin saved Google's credentials (and Slack's, if applicable) in Connections, every team member sees the **Connect my calendar** button already enabled on their own row in the Team tab:



Real screenshot: Team tab, with the app's credentials already configured and the connect buttons enabled for each person.

What each team member does:


- 1 Find their own row on the Team tab.
- 2 Tap **Connect my calendar** → it takes them to Google's screen to sign in with their own account and accept calendar permission.
- 3 If they use Cal.com, tap **Generate key** (takes them to their Cal.com account), copy the key and paste it into the field next to it, then tap **Connect**.

Important for testing with 3 new accounts

Every Google account that's going to tap "Connect my calendar" needs to be added as a "Test user" in step 3.1-3 above, including the admin's own if they're also going to connect their own calendar as a team member. If you hit an access-denied error while connecting, check that list first.

4 First look: the Overview screen

This is the first screen you see when you open the app. It tells you, in a single sentence, how many people need a break this week.



Real screenshot of the app in demo mode, Overview tab.

What does each color mean?

- Green** On track. Everything's calm.
- Yellow** Near the limit. Worth keeping an eye on.
- Red** Overloaded. Needs a breather this week.

Below each card you can change from how many weekly hours a person turns yellow or red, with the **Yellow from** and **Red from** fields and the **Save threshold** button. Each person can have their own limit.

The green **Sync now** button fetches the most recent hours from the connected calendars again (or generates new sample data, if you're in demo mode).

5 Team tab — adding your people

This is where you add team members, and each one connects their own calendar and their own Cal.com account.

The screenshot shows the 'Fika Sync' app interface in demo mode. The top navigation bar includes 'Overview', 'Team', 'Connections', 'Notifications', 'Workflows', and 'Log'. The 'Team' tab is selected, showing a list of team members. Each member has a row with input fields for username, email, and Slack ID, followed by 'Save' and 'Remove' buttons. Below each member's row are two status indicators: 'Calendar not connected' with a 'Connect my calendar' button, and 'Cal.com not connected' with 'Generate key', 'Paste key (cal...)', and 'Connect' buttons. A '+ Add person' button is at the top right of the team list.

Real screenshot of the app in demo mode, Team tab.

Step by step to add a person


- 1 Tap **+ Add person** at the top right.
- 2 Fill in their username, email and (optional) their Slack ID.
- 3 Tap **Save**.
- 4 That person can now tap **Connect my calendar** from their own row to link their Google Calendar, and paste their own Cal.com key if they use it.

Why does each person connect their own, instead of one for everyone?

So one person's token can't read another person's calendar or bookings. It's safer, and it also means the app measures each person's real hours, not a made-up average.

6 Connections tab — the admin view

You already saw in section 3 how it's set up the first time. Here's a recap of what everything on this screen is.



Real screenshot of the app in demo mode, Connections tab.

What gets configured here?

- **App configuration** (top): the Client ID and Client Secret that identify Fika Sync to Google and to Slack. Done just once. The “Create the Client ID/Secret...” links take you straight to the page where you generate them.
- **Connections** (bottom): here you can connect a Cal.com, Google or Slack account at the whole-app level, as a fallback in case someone on the team hasn't connected their own yet on the Team tab.

About test Google accounts

If your Google project isn't “published” yet (verified by Google), you'll need to add each test email on the OAuth consent screen as a “Test user,” or the login will fail. Test tokens also expire roughly every 7 days and need to be reconnected.

What do the three badge states mean?

At the top right, each provider (Cal.com, Google Calendar, Slack) shows one of three states. They're not just a visual detail — they indicate whether Fika Sync has already tested that connection against the real API, or whether it's still an unconfirmed promise.

demo	No credential is saved. The data you're seeing is sample data.
connected (not validated)	You saved a key or Client ID/Secret, but it hasn't been tested against the real API yet.
connected ✓	It was genuinely tested and worked: a Cal.com key that passed a real call, or a Google or Slack login completed successfully.

Cal.com is tested with a real API call right when you save the key — if it's wrong (revoked, a typo), Fika Sync lets you know on the spot and doesn't save it. Google and Slack get marked “connected ✓” automatically as soon as the first login completes successfully, with no extra step on your part.

The screenshot shows the Fika Sync dashboard. At the top right, there are three status badges: "Cal.com: demo", "Google Calendar: demo", and "Slack: demo". The main header includes navigation links: Overview, Team, Connections, Notifications, Workflows, and Log. The main content area displays a title "2 people need a break this week" for the week of 2026-08-31, with a note "source: sample data (demo)". A "Sync now" button is present. Below this, four team member cards are shown:


- Ana** (#F-260831): 23.3 h this week. Status: OVERLOADED. Yellow from: 15, Red from: 20.
- Beto** (#F-260831): 11.4 h this week. Status: ON TRACK. Yellow from: 15, Red from: 20.
- Caro** (#F-260831): 19.2 h this week. Status: OVERLOADED. Yellow from: 12, Red from: 18.
- Dani** (#F-260831): 12.9 h this week. Status: ON TRACK. Yellow from: 15, Red from: 20.

Each card has a "Save threshold" button. At the bottom, a note explains that "Connected" data combines Cal.com and Google Calendar with real logic from 'team-health-analyzer', but no external integration has been validated against a real account yet. A "Reset sample data" button is also at the bottom.

Real screenshot: the status badges shown at the top right of every tab — all three read “demo” here, since no real credential has been connected yet in this walkthrough.

7 Notifications tab — automatic alerts

Define how and when Fika Sync notifies the team.




Real screenshot of the app in demo mode, Notifications tab.

- **Slack channel for the summary:** where the team's overall summary gets published.
- **Automatic sync:** choose whether you want the app to update itself every so often, or only when you tap “Sync now.”
- **Publish to Slack automatically:** publishes the channel summary every time it syncs.
- **Send a private DM:** besides the channel summary, sends a private message only to whoever is in yellow or red — nothing is sent to anyone doing fine (green).

The **Publish summary now** and **Send personal DMs now** buttons trigger that send instantly, without waiting for the automatic schedule — useful for testing that everything works before relying on automatic mode.

8 Workflows tab

An overview of the different workflows planned for the project.




Real screenshot of the app in demo mode, Workflows tab.

Only Fika Sync (this dashboard) actually runs — it's the app you're using. The other three (Budget Guardian, Meeting Debt, Onboarding Automator) are declarative: they've been designed and documented, but meant to run on another tool (RailCall), not inside this dashboard. The switch here only saves your preference, it doesn't actually turn them on.

9 Log tab

The history of every sync the app has run.



Real screenshot of the app in demo mode, Log tab.

Each line shows when it synced, whether it came from real data or sample data (“demo”), and whether it finished fine (“ok”) or with an error. It's the first place to look if something isn't working as expected.

10 Frequently asked questions

What does the “demo” label at the top right mean?

That integration (Cal.com, Google Calendar or Slack) isn't connected to a real account yet, and the app is showing sample data instead. Real data is never mixed with sample data.

I tapped “Reset sample data” and lost my test data — is that a problem?

No, that button only clears the sample (demo mode) data and generates new random data. It doesn't touch any real connection you've made or any saved configuration.

What happens if two people connect the same Google Calendar?

Nothing breaks — each connection is independent per person. But it doesn't make much sense: the idea is that each row on the Team tab represents a different person with their own calendar.

I configured Google/Slack in Connections — do I need to restart the server?

No. As soon as you tap Save, it's instantly available to the whole team, without restarting anything or editing any file.

Is the data saved if I close the application?

Yes, everything stays saved in a local database on your computer (a SQLite file). When you reopen the app you'll see everything exactly as you left it.

How many Google accounts can I add as “Test user”?

Up to 100, as long as the Google Cloud project is in Testing mode — plenty for a team. If at some point you need any outside person to connect without adding them by hand, that's when the project needs to go through Google's verification to get published — a separate process that isn't needed to test or use the app within the team.

Manual generated from the real application, running in demo mode. If something on your screen looks different, you might be on a newer version of Fika Sync — the underlying logic (colors, thresholds, per-person connections) stays the same.