Page

1/6

HAMAMATSU PHOTONICS K.K.

									Date:	No	ov. 11, 201	.3
FINAL INSPECTION SHEET								HAMAMATSU PHOTONICS K.K. SOLID STATE DIVISION				
Type N	No.	S8550-02						195				
Quanti	ity	6pcs.										
Note)	No. 111347						2				
		■ Order □ Sample □ Others						□Partial Shipment ■Completed Shipment				
Test Conditi	1 1) ' Donk Curront of M-EO											
M(Rel.) : Relative Gain at VR (average Gain = 50)												
Parame	ter	VBR	VR	ID	Ct	M(Rel.)		VBR	VR	ID	Ct	M(Rel.)
Unit	t	V	V	nA	pF			V	V	nA	pF	
	Max		450	10	11	1.15			450	10	11	1.15
Spec.	Тур	400	400		9	1.00		400	400		9	1.00
	Min		350		7	0.85			350		7	0.85
Array-	1	454	417.0	-	-	-	Array- 2	459	417.6	_	_	-
P												
Array1-	-	_	-	1.0	9		Array2- A3	-	-	2. 2	9	1.02
Array1-	A2	-	-	1.4	9	1.06	Array2- A4	-	_	1.5	8	0.99
Array1-	B1			1.4	8	1.00	Array2- B3	-		2.0	9	1.01
Array1-	-	_	-	2.4	9	1.04	Array2- B4			1.4	8	0.98
Array1-		_	-	2.1	8		Array2- C3	-		1.8	9	1.02
Arrayl- Arrayl-	C2 D1	_	_	3. 4	9 8		Array2- C4	-		1.3	8	0.98
Arrayl-		_	_	2.3	9		Array2- D3 Array2- D4	_		1. 7	8	1. 02 0. 98
Arrayl-	_	_	_	1.2	8		Array2 E3	-		1.6	9	1. 02
Array1-			7 - 1	1.7	9	1.04	Array2 E4	_	_	1. 2	8	0. 98
Array1-		_	-	1. 1	8	0.99	Array2 F3	-	_	1.6	9	1. 03
Array1-		_	_	1.5	9	1.03	Array2- F4	-	_	1. 1	8	0.98
Array1-		-	-	1.1	8		Array2- G3	_	_	1.5	9	1.03
Array1-		-	-	1.5	9	1.01	Array2- G4	-	_	1.0	8	0.99
Array1-		-	-	1.1	8	0.94	Array2- H3	-	-	1.5	9	1.02
Arrayl-	Н2	-	-	1.5	9	0.98	Array2- H4	_	-	1.0	9	0.97
									12 5			
					The Court of the C							
Date	Insp	ected:	Ne	ov. 11, 201	3					25°C		