User Manual

1. First, in the console, navigate to the folder and run the corresponding command to execute the app
   - Backend dotnet run

```
PS C:\Users\sebas\OneDrive\Documentos\Proyectos\Solvo\Prueba Tecnica\Franchises\backend>  dotnet run
Starting the application...
Connecting to the database...
Database connection established successfully.
Server is running on https://localhost:5001
```

   - As a second method to run the backend, in Visual Studio Code



   - Frontend npm run dev

```
PS C:\Users\sebas\OneDrive\Documentos\Proyectos\Solvo\Prueba Tecnica\Franchises\frontend> npm run dev
  VITE v7.3.1  ready in 316 ms

  ➜  Local:   http://localhost:5173/
  ➜  Network: use --host to expose
  ➜  press h + enter to show help
```

2. To perform backend testing, go to https://localhost:5001/swagger/index.html Access this link after running the backend.
   - The available routes are:

     Franchise

     - GET /getFranchises
     - GET /getFranchise/{id}
     - POST /createFranchise
     - PUT /updateFranchise/{id}
     - DELETE /deleteFranchise/{id}

     Branches

     - GET /getBranches
     - GET /getBranchById/{id}
     - GET /getBranchByIdFranchise/{franchiseId}
     - POST /createBranch
     - PUT /updateBranch/{id}
     - DELETE /deleteBranch/{id}

Products

- GET /getProducts
- GET /getProduct/{id}
- GET /getProductByIdBranch/{branchId}
- POST /createProduct
- PUT /updateProduct/{id}
- DELETE /deleteProduct/{id}

3. After running the frontend, you should go to http://localhost:5173/. The first interface is the franchise interface, which allows you to create, delete, and update franchises.



4. Clicking the "Create Franchise" button will open a form to enter the franchise name.





5. Clicking the Branch button allows you to create new branches of that franchise, displaying a form to enter the branch details.



6. In the branch interface, you can create, update, delete, and filter information.



7. In the Branch, if we click on product, we can create new products related to that branch.





8. Finally, we have the product interface where we can perform basic CRUD operations.