




OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

- 1
- 2
- 3



availability losses									
<div><div></div></div> Lower action limit (90% OEE target)	<div><div></div></div> performance losses	<div><div></div></div> Organisational interruptions	<div><div></div></div> Technical Failures	<div><div></div></div> Set-up	<div><div></div></div> quality losses	<div><div></div></div> OEE	<div><div></div></div> OEE target		

OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

- ? 1
- ? 2
- ? 3

Month 2022/01 - 2022/02																		
Month	Count				OEE		Cycle time		quality losses	performance losses			availability losses			Schedule		OEE
	Good	Target	delta	Bad	OT	(POT)	Target	actual		Total	Org.	Tech.	Org.	Tech.	Set-up	POT	OT	target
					[%]	[%]	[s]	[s]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[h]	[h]	[%]
2019	527426	525314	2112	0	90,30	(91,30)	97,83	97,77	0,00	0,01	0,00	0,01	3,95	5,09	0,65	15417,33	15715,28	90,00
2020	373318	373689	-371	0	89,98	(90,89)	100,49	103,71	0,00	0,01	0,00	0,01	1,64	6,44	1,93	11379,78	11537,25	90,00
2021	403035	386924	16110	0	93,20	(94,09)	102,15	104,81	0,00	0,00	0,00	0,00	0,61	5,45	0,74	12004,73	12253,95	90,00
2022/01	32454	31697	757	0	92,22	(93,29)	106,77	109,07	0,00	0,00	0,00	0,00	0,96	6,10	0,73	1025,15	1040,96	90,00
2022/02	19152	17805	1347	0	96,92	(97,66)	106,13	107,79	0,00	0,00	0,00	0,00	0,36	2,43	0,29	573,87	581,15	90,00
2022/03																		
2022/04																		
2022/05																		
2022/06																		
2022/07																		
2022/08																		
2022/09																		
2022/10																		
2022/11																		
2022/12																		
YTD	51606	49502	2104	0	93,90	(94,86)	106,53	108,59	0,00	0,00	0,00	0,00	0,74	4,78	0,57	1599,02	1622,11	90,00

Calendar week 2021/49 - 2022/07																		
	Count				OEE		Cycle time		quality losses	performance losses			availability losses			Schedule		OEE
	Good	Target	delta	Bad	OT	(POT)	Target	actual		Total	Org.	Tech.	Org.	Tech.	Set-up	POT	OT	target
					[%]	[%]	[s]	[s]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[h]	[h]	[%]
2021/49	7594	7225	369	0	94,96	(96,34)	103,45	104,79	0,00	0,00	0,00	0,00	0,71	3,88	0,45	221,42	228,56	90,00
2021/50	7033	6653	379	0	95,60	(97,40)	103,37	105,65	0,00	0,00	0,00	0,00	0,60	3,39	0,40	206,33	211,29	90,00
2021/51	3270	3222	48	0	91,45	(92,35)	106,62	110,09	0,00	0,00	0,00	0,00	1,15	6,61	0,79	104,87	105,90	90,00
2021/52	0	0	0	0												0,00	0,00	90,00
2022/01	5614	5287	328	0	94,44	(94,86)	106,63	108,92	0,00	0,00	0,00	0,00	0,74	4,29	0,53	172,88	175,38	90,00
2022/02	8576	8499	77	0	91,04	(91,70)	106,72	109,11	0,00	0,00	0,00	0,00	1,16	6,97	0,84	276,57	278,94	90,00
2022/03	8065	7942	124	0	91,66	(92,44)	107,25	109,52	0,00	0,00	0,00	0,00	1,00	6,57	0,77	258,10	260,86	90,00
2022/04	8615	8481	134	0	91,73	(93,66)	106,20	108,37	0,00	0,00	0,00	0,00	0,97	6,53	0,78	270,70	276,72	90,00
2022/05	10503	9795	708	0	96,79	(97,72)	106,78	108,43	0,00	0,00	0,00	0,00	0,37	2,53	0,30	316,00	320,43	90,00
2022/06	8878	8215	663	0	97,36	(98,09)	105,20	106,88	0,00	0,00	0,00	0,00	0,30	2,09	0,25	262,10	266,50	90,00
2022/07	1355	1284	71	0	94,97	(96,33)	109,58	112,27	0,00	0,00	0,00	0,00	0,58	3,98	0,47	42,67	43,28	90,00



OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

?

1

?

2

?

3

Day 01/29/9999 - 02/28/2022																		
Day	Count				OEE		Cycle time		quality losses	performance losses			availability losses			Schedule		OEE
	Good	Target	delta	Bad	OT	(POT)	Target	actual		Total	Org.	Tech.	Org.	Tech.	Set-up	POT	OT	target
					[%]	[%]	[s]	[s]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[h]	[h]	[%]
Tu, 02/01/	1824	1701	123	0	96,61	(97,21)	107,00	109,30	0,00	0,00	0,00	0,00	0,39	2,68	0,32	55,70	56,05	90,00
We, 02/02/	1464	1375	89	0	95,75	(96,87)	109,36	111,87	0,00	0,00	0,00	0,00	0,49	3,36	0,40	45,75	46,29	90,00
Th, 02/03/	1919	1768	151	0	98,09	(99,30)	107,61	109,04	0,00	0,00	0,00	0,00	0,22	1,51	0,18	57,12	58,14	90,00
Fr, 02/04/	2033	1875	158	0	97,97	(98,29)	104,71	105,40	0,00	0,00	0,00	0,00	0,24	1,60	0,19	59,67	59,99	90,00
Sa, 02/05/	1678	1587	92	0	95,12	(95,17)	104,53	105,22	0,00	0,00	0,00	0,00	0,57	3,85	0,46	50,87	50,89	90,00
Su, 02/06/	0	0	0	0												0,00		90,00
Mo, 02/07/	0	0	0	0												0,00		90,00
Tu, 02/08/	1260	1145	115	0	98,45	(99,35)	104,09	105,61	0,00	0,00	0,00	0,00	0,18	1,22	0,15	35,93	36,94	90,00
We, 02/09/	1920	1761	158	0	98,36	(99,37)	103,51	104,87	0,00	0,00	0,00	0,00	0,19	1,29	0,15	55,42	56,07	90,00
Th, 02/10/	1728	1595	133	0	97,99	(100,00)	103,91	104,95	0,00	0,00	0,00	0,00	0,23	1,59	0,19	48,78	51,24	90,00
Fr, 02/11/	2099	1949	150	0	97,06	(97,05)	106,85	108,95	0,00	0,00	0,00	0,00	0,34	2,33	0,28	63,93	64,13	90,00
Sa, 02/12/	1871	1764	107	0	95,49	(95,65)	106,93	109,14	0,00	0,00	0,00	0,00	0,52	3,57	0,42	58,03	58,13	90,00
Su, 02/13/	0	0	0	0												0,00		90,00
Mo, 02/14/	1355	1284	71	0	94,97	(96,33)	109,58	112,27	0,00	0,00	0,00	0,00	0,58	3,98	0,47	42,67	43,28	90,00
Tu, 02/15/	0	0	0	0												0,00		90,00
We, 02/16/																		90,00
Th, 02/17/																		90,00
Fr, 02/18/																		90,00
Sa, 02/19/																		90,00
Su, 02/20/																		90,00
Mo, 02/21/																		90,00
Tu, 02/22/																		90,00
We, 02/23/																		90,00
Th, 02/24/																		90,00
Fr, 02/25/																		90,00
Sa, 02/26/																		90,00
Su, 02/27/																		90,00
Mo, 02/28/																		90,00
Fr, 01/29/																		
Sa, 01/30/																		
Su, 01/31/																		
Total	19152	17805	1347	0	96,92	(97,66)	106,13	107,79	0,00	0,00	0,00	0,00	0,36	2,43	0,29	573,87	581,15	90,00



OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

- ? 1
- ? 2
- ? 3

Shift: Day 02/01/2022 - 02/28/2022																			
Day	calendar			Count			OEE	Cycle time		quality losses		performance losses			availability losses			Schedule	
				Good	Target	delta		Target	actual			Total	Org.	Tech.	Org.	Tech.	Set-up	POT	OT
								[s]	[s]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[h]	[h]
Tu, 02/01/	1	X	02/01/2022 07:00 AM 02/01/2022 03:00 PM	923	856	67	0	96,81	106,64	108,54	0,00	0,00	0,00	0,00	0,37	2,52	0,30	28,20	28,20
	2	X	02/01/2022 03:00 PM 02/01/2022 10:30 PM	901	845	56	0	96,40	107,37	110,10	0,00	0,00	0,00	0,00	0,42	2,84	0,34	27,50	27,85
	3	-	02/01/2022 10:30 PM 02/02/2022 07:00 AM	0			0											0,00	
	--		02/01/2022 07:00 AM 02/02/2022 07:00 AM	1824	1701	123	0	96,61	107,00	109,30	0,00	0,00	0,00	0,00	0,39	2,68	0,32	55,70	56,05
We, 02/02/	1	X	02/02/2022 07:00 AM 02/02/2022 03:00 PM	634	608	25	0	93,68	110,63	113,76	0,00	0,00	0,00	0,00	0,73	4,98	0,60	20,42	20,75
	2	X	02/02/2022 03:00 PM 02/02/2022 10:30 PM	830	766	64	0	97,42	108,41	110,45	0,00	0,00	0,00	0,00	0,30	2,03	0,24	25,33	25,53
	3	-	02/02/2022 10:30 PM 02/03/2022 07:00 AM	0			0											0,00	
	--		02/02/2022 07:00 AM 02/03/2022 07:00 AM	1464	1375	89	0	95,75	109,36	111,87	0,00	0,00	0,00	0,00	0,49	3,36	0,40	45,75	46,29
Th, 02/03/	1	X	02/03/2022 07:00 AM 02/03/2022 03:00 PM	964	878	86	0	98,63	107,68	108,97	0,00	0,00	0,00	0,00	0,16	1,08	0,13	29,03	29,03
	2	X	02/03/2022 03:00 PM 02/03/2022 10:30 PM	955	891	65	0	97,55	107,53	109,12	0,00	0,00	0,00	0,00	0,28	1,93	0,23	28,08	29,11
	3	-	02/03/2022 10:30 PM 02/04/2022 07:00 AM	0			0											0,00	
	--		02/03/2022 07:00 AM 02/04/2022 07:00 AM	1919	1768	151	0	98,09	107,61	109,04	0,00	0,00	0,00	0,00	0,22	1,51	0,18	57,12	58,14
Fr, 02/04/	1	X	02/04/2022 07:00 AM 02/04/2022 03:00 PM	749	676	73	0	99,76	103,50	103,37	0,00	0,00	0,00	0,00	0,03	0,19	0,02	21,42	21,42
	2	X	02/04/2022 03:00 PM 02/04/2022 10:30 PM	1005	911	94	0	99,64	105,49	106,73	0,00	0,00	0,00	0,00	0,04	0,28	0,03	29,17	29,40
	3	X	02/04/2022 10:30 PM 02/05/2022 07:00 AM	279	288	-9	0	88,45	105,24	106,17	0,00	0,00	0,00	0,00	1,34	9,11	1,09	9,08	9,17
	--		02/04/2022 07:00 AM 02/05/2022 07:00 AM	2033	1875	158	0	97,97	104,71	105,40	0,00	0,00	0,00	0,00	0,24	1,60	0,19	59,67	59,99
Sa, 02/05/	1	X	02/05/2022 07:00 AM 02/05/2022 03:00 PM	946	907	40	0	93,88	105,48	106,68	0,00	0,00	0,00	0,00	0,71	4,83	0,58	29,37	29,37
	2	X	02/05/2022 03:00 PM 02/05/2022 10:30 PM	732	680	52	0	96,81	103,30	103,34	0,00	0,00	0,00	0,00	0,37	2,52	0,30	21,50	21,53
	3	-	02/05/2022 10:30 PM 02/06/2022 07:00 AM	0			0											0,00	
	--		02/05/2022 07:00 AM 02/06/2022 07:00 AM	1678	1587	92	0	95,12	104,53	105,22	0,00	0,00	0,00	0,00	0,57	3,85	0,46	50,87	50,89
Su, 02/06/	1	-	02/06/2022 07:00 AM 02/06/2022 03:00 PM	0	0	0	0											0,00	
	2	-	02/06/2022 03:00 PM 02/06/2022 10:30 PM	0	0	0	0											0,00	
	3	-	02/06/2022 10:30 PM 02/07/2022 07:00 AM	0	0	0	0											0,00	
	--		02/06/2022 07:00 AM 02/07/2022 07:00 AM	0	0	0	0											0,00	
Mo, 02/07/	1	-	02/07/2022 07:00 AM 02/07/2022 03:00 PM	0	0	0	0											0,00	
	2	-	02/07/2022 03:00 PM 02/07/2022 10:30 PM	0	0	0	0											0,00	
	3	-	02/07/2022 10:30 PM 02/08/2022 07:00 AM	0	0	0	0											0,00	
	--		02/07/2022 07:00 AM 02/08/2022 07:00 AM	0	0	0	0											0,00	
Tu, 02/08/	1	X	02/08/2022 07:00 AM 02/08/2022 03:00 PM	325	292	33	0	100,00	104,16	105,21	0,00	0,00	0,00	0,00	0,00	0,00	0,00	9,02	9,36
	2	X	02/08/2022 03:00 PM 02/08/2022 10:30 PM	666	594	72	0	99,08	104,05	105,83	0,00	0,00	0,00	0,00	0,11	0,72	0,09	19,00	19,41
	3	X	02/08/2022 10:30 PM 02/09/2022 07:00 AM	269	258	11	0	95,21	104,12	105,55	0,00	0,00	0,00	0,00	0,56	3,78	0,45	7,92	8,17
	--		02/08/2022 07:00 AM 02/09/2022 07:00 AM	1260	1145	115	0	98,45	104,09	105,61	0,00	0,00	0,00	0,00	0,18	1,22	0,15	35,93	36,94
We, 02/09/	1	X	02/09/2022 07:00 AM 02/09/2022 03:00 PM	744	692	52	0	96,95	104,06	105,58	0,00	0,00	0,00	0,00	0,35	2,41	0,29	21,83	22,16
	2	X	02/09/2022 03:00 PM 02/09/2022 10:30 PM	819	739	80	0	99,70	103,59	105,01	0,00	0,00	0,00	0,00	0,03	0,23	0,03	23,50	23,62
	3	X	02/09/2022 10:30 PM 02/10/2022 07:00 AM	357	331	26	0	98,32	102,19	103,06	0,00	0,00	0,00	0,00	0,20	1,33	0,16	10,08	10,29
	--		02/09/2022 07:00 AM 02/10/2022 07:00 AM	1920	1761	158	0	98,36	103,51	104,87	0,00	0,00	0,00	0,00	0,19	1,29	0,15	55,42	56,07
Th, 02/10/	1	X	02/10/2022 07:00 AM 02/10/2022 03:00 PM	782	726	55	0	97,21	101,73	101,95	0,00	0,00	0,00	0,00	0,32	2,20	0,26	22,00	22,85
	2	X	02/10/2022 03:00 PM 02/10/2022 10:30 PM	946	869	77	0	98,62	105,77	107,52	0,00	0,00	0,00	0,00	0,16	1,09	0,13	26,78	28,39
	3	-	02/10/2022 10:30 PM 02/11/2022 07:00 AM	0			0											0,00	
	--		02/10/2022 07:00 AM 02/11/2022 07:00 AM	1728	1595	133	0	97,99	103,91	104,95	0,00	0,00	0,00	0,00	0,23	1,59	0,19	48,78	51,24
Fr, 02/11/	1	X	02/11/2022 07:00 AM 02/11/2022 03:00 PM	851	784	67	0	97,59	107,09	109,13	0,00	0,00	0,00	0,00	0,28	1,91	0,23	25,93	25,93
	2	X	02/11/2022 03:00 PM 02/11/2022 10:30 PM	951	891	61	0	95,71	106,62	108,80	0,00	0,00	0,00	0,00	0,50	3,39	0,40	29,42	29,42
	3	X	02/11/2022 10:30 PM 02/12/2022 07:00 AM	297	274	22	0	100,00	106,93	108,93	0,00	0,00	0,00	0,00	0,00	0,00	0,00	8,58	8,78
	--		02/11/2022 07:00 AM 02/12/2022 07:00 AM	2099	1949	150	0	97,06	106,85	108,95	0,00	0,00	0,00	0,00	0,34	2,33	0,28	63,93	64,13



OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

?

1

?

2

?

3

Day	calendar				Count			OEE	Cycle time		quality losses	performance losses			availability losses			Schedule		
					Good	Target	delta	Bad	OT [%]	Target [s]	actual [s]		Total [%]	Org. [%]	Tech. [%]	Org. [%]	Tech. [%]	Set-up [%]	POT [h]	OT [h]
Sa, 02/12/	1	X	02/12/2022 07:00 AM	02/12/2022 03:00 PM	935	880	55	0	95,52	106,96	108,93	0,00	0,00	0,00	0,00	0,52	3,55	0,42	29,03	29,03
	2	X	02/12/2022 03:00 PM	02/12/2022 10:30 PM	936	884	52	0	95,45	106,91	109,35	0,00	0,00	0,00	0,00	0,52	3,60	0,43	29,00	29,10
	3	-	02/12/2022 10:30 PM	02/13/2022 07:00 AM	0			0											0,00	
	--		02/12/2022 07:00 AM	02/13/2022 07:00 AM	1871	1764	107	0	95,49	106,93	109,14	0,00	0,00	0,00	0,00	0,52	3,57	0,42	58,03	58,13
Su, 02/13/	1	-	02/13/2022 07:00 AM	02/13/2022 03:00 PM	0	0	0	0											0,00	
	2	-	02/13/2022 03:00 PM	02/13/2022 10:30 PM	0	0	0	0											0,00	
	3	-	02/13/2022 10:30 PM	02/14/2022 07:00 AM	0	0	0	0											0,00	
	--		02/13/2022 07:00 AM	02/14/2022 07:00 AM	0	0	0	0											0,00	
Mo, 02/14/	1	X	02/14/2022 07:00 AM	02/14/2022 03:00 PM	585	547	38	0	95,90	110,31	112,94	0,00	0,00	0,00	0,00	0,47	3,24	0,38	18,33	18,67
	2	X	02/14/2022 03:00 PM	02/14/2022 10:30 PM	770	737	33	0	94,26	109,02	111,76	0,00	0,00	0,00	0,00	0,66	4,54	0,54	24,33	24,61
	3	-	02/14/2022 10:30 PM	02/15/2022 07:00 AM	0			0											0,00	
	--		02/14/2022 07:00 AM	02/15/2022 07:00 AM	1355	1284	71	0	94,97	109,58	112,27	0,00	0,00	0,00	0,00	0,58	3,98	0,47	42,67	43,28
Tu, 02/15/	1	X	02/15/2022 07:00 AM	02/15/2022 03:00 PM	0	0	0	0											0,00	
	2	X	02/15/2022 03:00 PM	02/15/2022 10:30 PM																
	3	-	02/15/2022 10:30 PM	02/16/2022 07:00 AM																
	--		02/15/2022 07:00 AM	02/16/2022 07:00 AM	0	0	0	0											0,00	
We, 02/16/	1	X	02/16/2022 07:00 AM	02/16/2022 03:00 PM																
	2	X	02/16/2022 03:00 PM	02/16/2022 10:30 PM																
	3	X	02/16/2022 10:30 PM	02/17/2022 07:00 AM																
	--		02/16/2022 07:00 AM	02/17/2022 07:00 AM																
Th, 02/17/	1	X	02/17/2022 07:00 AM	02/17/2022 03:00 PM																
	2	X	02/17/2022 03:00 PM	02/17/2022 10:30 PM																
	3	X	02/17/2022 10:30 PM	02/18/2022 07:00 AM																
	--		02/17/2022 07:00 AM	02/18/2022 07:00 AM																
Fr, 02/18/	1	X	02/18/2022 07:00 AM	02/18/2022 03:00 PM																
	2	X	02/18/2022 03:00 PM	02/18/2022 10:30 PM																
	3	X	02/18/2022 10:30 PM	02/19/2022 07:00 AM																
	--		02/18/2022 07:00 AM	02/19/2022 07:00 AM																
Sa, 02/19/	1	X	02/19/2022 07:00 AM	02/19/2022 03:00 PM																
	2	X	02/19/2022 03:00 PM	02/19/2022 10:30 PM																
	3	-	02/19/2022 10:30 PM	02/20/2022 07:00 AM																
	--		02/19/2022 07:00 AM	02/20/2022 07:00 AM																
Su, 02/20/	1	-	02/20/2022 07:00 AM	02/20/2022 03:00 PM																
	2	-	02/20/2022 03:00 PM	02/20/2022 10:30 PM																
	3	-	02/20/2022 10:30 PM	02/21/2022 07:00 AM																
	--		02/20/2022 07:00 AM	02/21/2022 07:00 AM																
Mo, 02/21/	1	X	02/21/2022 07:00 AM	02/21/2022 03:00 PM																
	2	X	02/21/2022 03:00 PM	02/21/2022 10:30 PM																
	3	X	02/21/2022 10:30 PM	02/22/2022 07:00 AM																
	--		02/21/2022 07:00 AM	02/22/2022 07:00 AM																
Tu, 02/22/	1	X	02/22/2022 07:00 AM	02/22/2022 03:00 PM																
	2	X	02/22/2022 03:00 PM	02/22/2022 10:30 PM																
	3	X	02/22/2022 10:30 PM	02/23/2022 07:00 AM																
	--		02/22/2022 07:00 AM	02/23/2022 07:00 AM																
We, 02/23/	1	X	02/23/2022 07:00 AM	02/23/2022 03:00 PM																

OEE with loss factors PCS



Line: BZ500B-47, BZ500B-45, BZ500B-46, BZ500B-48 (AguP-BZ500B-47, AguP-BZ500B-45, AguP-BZ500B-46, AguP-BZ500B-48) Cell: n.s.
Evaluation date: 14-FEB-2022, Month

?

1

?

2

?

3

Day	calendar				Count		OEE	Cycle time		quality losses	performance losses			availability losses			Schedule			
					Good	Target	delta	Bad	OT	Target	actual		Total	Org.	Tech.	Org.	Tech.	Set-up	POT	OT
									[%]	[s]	[s]	[%]	[%]	[%]	[%]	[%]	[%]	[%]	[h]	[h]
Th, 02/24/	2	X	02/23/2022 03:00 PM	02/23/2022 10:30 PM																
	3	X	02/23/2022 10:30 PM	02/24/2022 07:00 AM																
	--		02/23/2022 07:00 AM	02/24/2022 07:00 AM																
	1	X	02/24/2022 07:00 AM	02/24/2022 03:00 PM																
Fr, 02/25/	2	X	02/24/2022 03:00 PM	02/24/2022 10:30 PM																
	3	X	02/24/2022 10:30 PM	02/25/2022 07:00 AM																
	--		02/24/2022 07:00 AM	02/25/2022 07:00 AM																
	1	X	02/25/2022 07:00 AM	02/25/2022 03:00 PM																
Sa, 02/26/	2	X	02/25/2022 03:00 PM	02/25/2022 10:30 PM																
	3	X	02/25/2022 10:30 PM	02/26/2022 07:00 AM																
	--		02/25/2022 07:00 AM	02/26/2022 07:00 AM																
	1	X	02/26/2022 07:00 AM	02/26/2022 03:00 PM																
Su, 02/27/	2	X	02/26/2022 03:00 PM	02/26/2022 10:30 PM																
	3	-	02/26/2022 10:30 PM	02/27/2022 07:00 AM																
	--		02/26/2022 07:00 AM	02/27/2022 07:00 AM																
	1	-	02/27/2022 07:00 AM	02/27/2022 03:00 PM																
Mo, 02/28/	2	-	02/27/2022 03:00 PM	02/27/2022 10:30 PM																
	3	-	02/27/2022 10:30 PM	02/28/2022 07:00 AM																
	--		02/27/2022 07:00 AM	02/28/2022 07:00 AM																
	1	X	02/28/2022 07:00 AM	02/28/2022 03:00 PM																
Total	2	X	02/28/2022 03:00 PM	02/28/2022 10:30 PM																
	3	X	02/28/2022 10:30 PM	03/01/2022 07:00 AM																
	--		02/28/2022 07:00 AM	03/01/2022 07:00 AM																
	--		02/01/2022 07:00 AM	03/01/2022 07:00 AM	19152	17805	1347	0	96,92	106,13	107,79	0,00	0,00	0,00	0,00	0,36	2,43	0,29	573,87	581,15



Input parameters:

Parameter	Operator	value
database		MDE_H9
NT user		ACO9AGU
Computer name		AGU1AFE31
Database user		/
Report ID		R081
Evaluation date		2/14/2022 12:00:00 AM
Evaluation period		"MM"
Line	in	BZ500B-45;
number of previous years		3
Show shift data		Yes
Limit performance losses tech. [min]		5
Limit performance losses org. [min]		5
Cover sheet		as last page
report header		no official report header
Report language		English

Page count: 7