

East West University

CSE480: Web Database Programming

Lab Manual: Lab (MongoDB)

MongoDB Query Exercises

Structure of 'restaurants' collection:

```
"address": {
  "building": "1007",
  "coord": [ -73.856077, 40.848447 ],
  "street": "Morris Park Ave",
  "zipcode": "10462"
"borough": "Bronx",
"cuisine": "Bakery",
"grades": [
   { "date": { "$date": 1393804800000 }, "grade": "A", "score": 2 },
   { "date": { "$date": 1378857600000 }, "grade": "A",
                                                       "score": 6 },
   { "date": { "$date": 1358985600000 }, "grade": "A", "score": 10 },
   { "date": { "$date": 1322006400000 }, "grade": "A", "score": 9 },
   { "date": { "$date": 1299715200000 }, "grade": "B", "score": 14 }
"name": "Morris Park Bake Shop",
"restaurant id": "30075445"
```

- 1. Write a MongoDB query to display all the documents in the collection restaurants.
- 2. Write a MongoDB query to display the fields restaurant_id, name, borough and cuisine for all the documents in the collection restaurant.
- 3. Write a MongoDB query to display the fields restaurant_id, name, borough and cuisine, but exclude the field _id for all the documents in the collection restaurant.
- 4. Write a MongoDB query to display the fields restaurant_id, name, borough and zip code, but exclude the field _id for all the documents in the collection restaurant.
- 5. Write a MongoDB query to display all the restaurant which is in the borough Bronx.
- 6. Write a MongoDB query to display the first 5 restaurant which is in the borough Bronx.
- 7. Write a MongoDB query to display the next 5 restaurants after skipping first 5 which are in the borough Bronx.
- 8. Write a MongoDB query to find the restaurants who achieved a score more than 90.
- 9. Write a MongoDB query to find the restaurants that achieved a score, more than 80 but less than 100.
- 10. Write a MongoDB query to find the restaurants which locate in latitude value less than -95.754168.

- 11. Write a MongoDB query to find the restaurants that do not prepare any cuisine of 'American' and their grade score more than 70 and latitude less than -65.754168.
- 12. Write a MongoDB query to find the restaurants which do not prepare any cuisine of 'American' and achieved a grade point 'A' not belongs to the borough Brooklyn. The document must be displayed according to the cuisine in descending order.
- 13. Write a MongoDB query to find the restaurant Id, name, borough and cuisine for those restaurants which contain 'Wil' as first three letters for its name.
- 14. Write a MongoDB query to find the restaurants which belong to the borough Bronx and prepared either American or Chinese dish.
- 15. Write a MongoDB query to find the restaurant Id, name, borough and cuisine for those restaurants which belong to the borough Staten Island or Queens or Bronxor Brooklyn.
- 16. Write a MongoDB query to find the restaurant Id, name, borough and cuisine for those restaurants which are not belonging to the borough Staten Island or Queens or Bronxor Brooklyn
- 17. Write a MongoDB query which will select the restaurant Id, name and grades for those restaurants which returns 0 as a remainder after dividing the score by 7.
- 18. Write a MongoDB query to find the restaurant name, borough, longitude and attitude and cuisine for those restaurants which contains 'mon' as three letters somewhere in its name.
- 19. Write a MongoDB query to find the restaurant name, borough, longitude and latitude and cuisine for those restaurants which contain 'Mad' as first three letters of its name.