

Night Shift Reports

Part 1 — Get the Results

Turn the raw All Orders workbook into the four working sheets, with the routing dropdowns set up and ready for the office to fill in.

Prepared for B&R Food Services Inc.

Field	Detail
Input	One raw All Orders workbook: All orders Sheet, Inventory, item list, Shopping History.
Output	Four working sheets plus an empty Driver Setup sheet — all dropdowns ready for the office.
Ends when	The file is handed to the office to make routing decisions.
Next	Part 2 — Apply the Routing (after the office fills in the dropdowns).

1. Compile the All Orders Sheet

Match on the item code and copy data from three source sheets into the All Orders sheet. Codes are compared as normalized text (whitespace trimmed; a number equals its text form).

Code columns

- All Orders — Code column. item list (Web CSV) — SKU CODE. Inventory — Item. Shopping History — Item.
- Shopping History exception:** a code may be missing one trailing letter (U or C). Treat codes as equal when the only difference is one trailing letter.

Column mapping

Source	Source column	Copied to	Header
item list	Category Name	CATEGORY NAME (T)	CATEGORY NAME
item list	Current Cost Price	CURRENT COST PRICE (U)	CURRENT COST PRICE
item list	Current Selling Price	CURRENT SELLING PRICE (V)	CURRENT SELLING PRICE
item list	Unit	UNIT (AF)	UNIT
Shopping History	Product	Product (W)	Product
Shopping History	Bin	New bin (X)	New bin
Shopping History	Unit Price	unit price (Y)	unit price
Shopping History	Case Price	case price (Z)	case price
Inventory	Quantity On Hand	Quantity On Hand (AA)	Quantity On Hand
Inventory	Cost	Cost (AB)	Cost
Inventory	Case Avg Weight	CASE AVG WEIGHT (AC)	CASE AVG WEIGHT
Inventory	BIN (Internal)	BIN(Internal) (AD)	BIN(Internal)

Preserve full decimal precision. Price and weight columns use the number format 0.#### — shows up to four decimals, never rounds or pads.

2. Extract the Orders

From the compiled All Orders sheet, separate the orders. The extractions run in a fixed order so a row lands in exactly one place.

1. **Jetro source first.** Every row whose Bin is numeric is moved to a new Jetro source sheet (a bin of 0 counts as numeric).
2. **PO second.** From the rows that remain, every row whose Quantity On Hand is 0 is moved to a new PO sheet.
3. **All Orders remainder.** What is left (text or blank bins, with stock) stays in the All Orders sheet, minus the shorted rows below.

3. Calculate Shortages — the Warehouse short Sheet

Calculated per item code on the rows remaining in All Orders. The unit type is read from the UNIT column.

- **CASE or Unit items:** total the ordered Qty for the code, then subtract Quantity On Hand. QOH counts once per code.
- **LBS items:** total the ordered Qty for the code, multiply by CASE AVG WEIGHT, then subtract that from Quantity On Hand.
- A negative result is a shortage. Record the value once, on the first row of the code.
- Codes with a blank Quantity On Hand (instruction / fee lines) are skipped.
- Shorted rows are removed from the All Orders sheet; the Warehouse short sheet holds the only copy of each shorted customer row.

The Warehouse short sheet lists every customer row of each shorted code. Columns: A Shortages, B UNIT (CASE / Unit / LBS), C Update vendor (a dropdown), then the order columns.

4. Set Up the Sheets and Dropdowns

Prepare the four sheets so the office can make routing decisions.

4.1 Sheet layout

All Orders, Jetro source and PO share the same front columns:

Column	All Orders	Jetro source	PO
A	Sheet (dropdown)	Sheet (dropdown)	Sheet (dropdown)
B	Vendor (route)	Vendor (route)	Vendor (route)
C	Qty	Qty	Total Qty
D onward	Product Name, Code, Bin, Description, Vendor, Address, Qty, and the compiled columns	same	same

4.2 Dropdowns and columns to add

- **Sheet dropdown (column A):** on All Orders, Jetro source and PO. Three options — All orders, Jetro source, PO. Defaults to the row's own sheet.

- **Vendor (route) dropdown (column B):** on All Orders, Jetro source and PO. List = every vendor name from the PO sheet plus Jetro. Defaults to the row's own vendor. Vendor names are stored with commas removed.
- **Update vendor dropdown (Warehouse short, column C):** list = Jetro, the All Orders bins (COOLER, COOLER-PD, DRY, FREEZER, PICK UP), and every vendor name from the PO sheet.
- **PO Total Qty (column C):** the sum of ordered Qty per item code, shown on the first row of each code.
- **Front Qty column:** on All Orders and Jetro source, column C mirrors the ordered Qty; the original Qty column is kept.
- **Sort:** All Orders rows are sorted by Product Name.
- **Driver Setup sheet:** add an empty Driver Setup sheet — a single 'Order' column with a dropdown of every driver, for the office to fill in. The Freezer group column beside it fills itself (top 3 = Freezer one, the rest = Freezer two).

5. Step-by-Step — Part 1

1. Open the raw All Orders workbook.
2. Compile — copy the mapped columns into All Orders by code match; keep full precision.
3. Extract — numeric-bin rows to Jetro source; then QOH = 0 rows to PO; the rest stays in All Orders.
4. Shortages — calculate per code; build Warehouse short; remove the shorted rows from All Orders.
5. Set up the sheets — add the Sheet and Vendor (route) dropdowns, the front Qty column, PO Total Qty; sort All Orders by Product Name.
6. Add the empty Driver Setup sheet for the office to fill in.
7. Hand the file to the office for its decisions. — End of Part 1.

The office now fills in three things — the Sheet dropdown, the Update vendor column, and the Driver Setup pull sequence. Continue with Part 2 once the file comes back.