

Creació de arxius des de el meu git

```
MINGW32:/c/Users/JuuStudio/GitLab_Judith

JuuStudio@JuuStudio-PC MINGW32 ~ (master)

$ git clone https://gitlab.com/JudithGC/GitLab_Judith.git
Cloning into 'GitLab_Judith'...
warning: You appear to have cloned an empty repository.

JuuStudio@JuuStudio-PC MINGW32 ~ (master)

$ cd GitLab_Judith/

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Judith (master)

$ git add README.md

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Judith (master)

$ git commit -m "add README"

[master (root-commit) 3b38485] add README

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md


JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Judith (master)

$ git push -u origin master
Counting objects: 3, done.
Writing objects: 100% (3/3), 215 bytes | 0 bytes/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://gitlab.com/JudithGC/GitLab_Judith.git
 * [new branch] master -> master
Branch master set up to track remote branch master from origin.
```


Creació d'arxius des de el git d'en Lucas


```
MINGW32:/c/Users/JuuStudio/GitLab Lucas
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
        jacob LucasP nico.txt nicolas.txt README.md sidney sidney.txt
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git branch
* master
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git branch judithgc
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git checkout judithgc
Switched to branch 'judithgc'
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ touch nicolas.txt
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ git add .
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ git commit -m "comit judith"
On branch judithgc
nothing to commit, working tree clean
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ git status
On branch judithgc
nothing to commit, working tree clean
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ git push
fatal: The current branch judithgc has no upstream branch.
To push the current branch and set the remote as upstream, use
      git push --set-upstream origin judithgc
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (judithgc)
$ git push origin judithgc
Counting objects: 16, done.
Delta compression using up to 2 threads.
Compressing objects: 100% (12/12), done.
Writing objects: 100% (16/16), 1.36 KiB | 0 bytes/s, done.
Total 16 (delta 5), reused 0 (delta 0)
remote:
 remote:
remote: Create merge request for judithgc:
remote: https://gitlab.com/lucas.infte/GitLab_Lucas/merge_requests/new?merge_request%5
Bsource_branch%5D=judithgc
 remote:
 To https://gitlab.com/lucas.infte/GitLab_Lucas.git
* [new branch] judithgc -> judithgc
```

Modificacions d'arxius



Vista de conflictes des de GitLab





Conflicte des de Git

```
JuuStudio@JuuStudio-PC MINGW32 ~ (master)
$ cd GitLab_Lucas/
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
$ echo "otra prueba" > nicolas.txt
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
$ git checkout master
error: Your local changes to the following files would be overwritten by checkout:
            nicolas.txt
Please commit your changes or stash them before you switch branches.
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
$ git add.
git: 'add.' is not a git command. See 'git --help'.
Did you mean this?
             add
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
$ git add .
warning: LF will be replaced by CRLF in nicolas.txt.
The file will have its original line endings in your working directory.
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
$ git commit -m "funciona :) "
[prueba 4c7204b] funciona :)
1 file changed, 1 insertion(+), 1 deletion(-)
 JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (prueba)
Substudio@Juustudio=PC MINGW32 ~/GitLab_Lucas (prueba)

$ git push origin prueba
Counting objects: 3, done.
Delta compression using up to 2 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 268 bytes | 0 bytes/s, done.
Total 3 (delta 1), reused 0 (delta 0)
 remote:
remote: View merge request for prueba:
remote: https://gitlab.com/lucas.infte/GitLab_Lucas/merge_requests/1
 remote:
 To https://gitlab.com/lucas.infte/GitLab_Lucas.git
064aed8..4c7204b prueba -> prueba
```

Conflicte: En Lucas ha pujat un arxiu amb canvis que jo no he descarregat i llavors jo al pujar el meu arxiu he tingut un conflicte perquè detecte que hi ha un altre commit anterior.

```
JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ ls
erik jacob LucasP nico.txt nicolas.txt PruebaJudith README.md sidney sidney.txt

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ touch dinnito.txt

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git add .

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git commit -m "commit"
[master da023sG] commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 dinnito.txt

JuuStudio@JuuStudio-PC MINGW32 ~/GitLab_Lucas (master)
$ git push
To https://gitlab.com/lucas.infte/GitLab_Lucas.git
! [rejected] master -> master (fetch first)
error: failed to push some refs to 'https://gitlab.com/lucas.infte/GitLab_Lucas.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```