

Beginner Project 1


Personal Portfolio Website

Objective: Create a Simple personal website that includes sections like about me, Projects, Contact details

Skills: Basic HTML/CSS/JS using git to tract changes and pushing to GitHub

GitHub Concept: git init, git add, git commit, git push, git clone and setting up github pages.


Step1: Created folder name my-portfolio and inside files index.html, about.html, project.html and contact.html.



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>My Portfolio</title>
7   <link rel="stylesheet" href="css/style.css">
8 </head>
9 <body>
10   <header>
11     <nav>
12       <ul>
13         <li><a href=""></a>Home</li>
14         <li><a href=""></a>About Me</li>
15         <li><a href=""></a>My Projects</li>
16         <li><a href=""></a>My Contact</li>
17       </ul>
18     </nav>
19   </header>
20
21   <main>
22     <section>
23       <h1>Welcome to My Portfolio</h1>
24       <p>This is brief introduction about me and the project i am have work on.
```

Step2: added the HTML, CSS code.

1. Index.html code



```
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>My Portfolio</title>
7 <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10   <header>
11     <h1>Welcome To My Portfolio</h1>
12     <ul>
13       <li><a href="">Home</a></li>
14       <li><a href="">About</a></li>
15       <li><a href="">Projects</a></li>
16       <li><a href="">Contact</a></li>
17     </ul>
18   </header>
19
20   <section id="about">
21     <h2>About Me</h2>
22     <p>Hi I'm JuhI Kumar, i/p</p>
23   </section>
24
25   <section id="projects">
26     <h2>My Projects</h2>
27     <ul>
28       <li><a href="https://github.com/JuhI583/webFitness_react">Project 1</a></li>
29       <li><a href="https://github.com/JuhI583/React-Project">Project 2</a></li>
30     </ul>
31   </section>
32
33   <section id="contact">
34     <h2>Contact</h2>
35     <p>Email: juhicshubury98@gmail.com</p>
36     <p>LinkedIn: <a href="https://www.linkedin.com/in/juhI3">LinkedIn</a></p>
37   </section>
38
39   <Footer>
40     <p>©2025 JuhI, All Rights Reserved.</p>
41   </Footer>
42
43   <script src="script.js"></script>
44 </body>
45 </html>
```

2. CSS Code:

```
body {
  font-family: Arial, sans-serif;
  line-height: 1.6;
  margin: 0;
  padding: 0;
  background-color: #f9f9f9;
  color: #333;
}

/* Header Styles */
header {
  background: #333;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  margin: 0;
  font-size: 2.5rem;
}

nav ul {
  list-style: none;
  padding: 0;
  display: flex;
  justify-content: center;
  margin-top: 10px;
}

nav ul li {
  margin: 0 15px;
}

nav ul li a {
  color: #fff;
  text-decoration: none;
  font-size: 1.1rem;
}

/* Section Styles */
section {
  padding: 20px;
  margin: 20px auto;
  max-width: 800px;
  background: #fff;
  border-radius: 8px;
  box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
}

section h2 {
  font-size: 2rem;
  margin-bottom: 15px;
  text-align: center;
}

section p, section ul {
```

```

font-size: 1.1rem;
line-height: 1.8;
text-align: center;
}

section ul li {
margin: 10px 0;
}


section ul li a {
color: #007BFF;
text-decoration: none;
}

section ul li a:hover {
text-decoration: underline;
}

/* Footer Styles */
footer {
text-align: center;
padding: 10px;
background: #333;
color: #fff;
margin-top: 20px;
}

```

Step3: Output of Website look like this



Step4: Open Git bash

1. Cd Dekstop/
2. Cd my-portfolio
3. Git init
4. Git add .
5. Git commit -m "initial commit"

6. Git remote add origin <https://github.com/Juhi5863/my-portfolio>
7. Git push-u origin master

Screenshot – 1

```
Administrator@05d861eca28c5c4 MINGW64 ~ (master)
$ cd Desktop/

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop (master)
$ ls
'Cisco Packet Tracer.lnk*' 'Eclipse IDE for Java Developers - 2024-03.lnk*' 'MongoDBCompass.lnk*' 'Postman.lnk*' 'Visual S
'Blocker Desktop.lnk*' 'Microsoft Edge.lnk*' 'OpenOffice 4.1.15 (en-gb) Installation Files/' ReadME.txt desktop.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop (master)
$ cd my-portfolio/

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git init
reinitialized existing Git repository in C:/Users/Administrator/Desktop/my-portfolio/.git/

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git add .

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git commit -m "Initial commit"
[master (root-commit) 55cabd8] 1 file changed, 1 insertion(+)
create mode 100644 ReadME.txt

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote add origin https://github.com/Juhi5863/myportfolio.git
error: remote origin already exists.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git push -u origin master
fatal: 'github.com/Juhi5863/my-portfolio.git' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote set-url origin https://github.com/Juhi5863/myportfolio.git

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote -v
origin https://github.com/Juhi5863/myportfolio.git (fetch)
origin https://github.com/Juhi5863/myportfolio.git (push)
```

Screenshot -2

```
Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote add origin https://github.com/Juhi5863/myportfolio.git
error: remote origin already exists.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git push -u origin master
fatal: 'github.com/Juhi5863/my-portfolio.git' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote set-url origin https://github.com/Juhi5863/myportfolio.git


Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote -v
origin https://github.com/Juhi5863/myportfolio.git (fetch)
origin https://github.com/Juhi5863/myportfolio.git (push)

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git remote add origin https://github.com/Juhi5863/myportfolio
error: remote origin already exists.


Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$ git push -u origin master
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 1.30 KiB | 333.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote: https://github.com/Juhi5863/myportfolio/pull/new/master
remote:
to https://github.com/Juhi5863/myportfolio.git
* [new branch] master -> master
branch 'master' set up to track 'origin/master'.

Administrator@05d861eca28c5c4 MINGW64 ~/Desktop/my-portfolio (master)
$
```


Screenshot- 3




Screenshot – 4



Screenshot - 5



Screenshot – 6



Screenshot – 7

