

# Example Example

January 15, 2015

## Tuomas Välimäki

tuomas.s.valimaki@tut.fi

Department of Automation Science and Engineering Tampere University of Technology Contents

- 1. First section
- 2. Another section
- 3. Further reading

### FIRST SLIDE

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.





Image courtesy of openphoto.net

Here is some regular text in a column. And there is an equation

$$f(x) = ax^2 + bx + c$$

Here is some **important** text.

### THIRD SLIDE

This slide has a list...

- → First item in a list
- → Second item in a list
- → Third item in a list

descriptions...

First item in a list Second item in a list as well as some enumerations

1. First item in a list

Another section

- 2 Second item in a list
- 3. Third item in a list
- 4. Fourth item in a list



Another section

## **SOME BLOCKS**

# **Example**

This is an example

## Note

This is important

# **Theorem (Pythagoras)**

$$a^2 + b^2 = c^2$$



Another section

## **MORE SLIDES**

There's a listing below

\$ sudo apt—get install texlive



### **FURTHER READING**



»Mountaineering: Freedom of the Hills« Mountaineers Books, 2010

T. Tantau, J. Wright, V. Miletić

"The BEAMER class – user guide for version 3.33«

2013

