

INFO7275 Project

Database for Credit Card System

Jui Ashinkar, NUID:001443824

Summary

For PL/SQL oracle project I wanted to provide easy-to-use Payment interface for both user and merchant to ease the process of bill payments and managing transactions. Unlike traditional commerce that is carried out physically with effort of person to go and pay bills to respective merchants, Credit cards have made it easier for human to reduce physical work and to save time. The main advantage of credit card over traditional cash is that the user can pay bills from anywhere with just a few details of information. Secure registration and profile management facilities for users which helps the user to keep track of their credit score and their expenses. A backend database to store bill, payments and credit data along with all operations required. Providing users with a better way to track their expenses along with lending option. Integrating our system with bill generating systems of major merchants to get all the users bills in one place. This way users can track expenses, set an expense alarm and stop worrying about the expenditures while they are out spending money. Our aim is to make users realize about their financial state and give them insights on how to spend more wisely.

IMPLEMENTATIONS

--PDB-CDB

--APEX APPLICATION

--Stored Procedures(5)

--Triggers(1)

--Function(2)

--Tablespaces and Tablespace quota

--Column Formatting

--Sequence

--Constraints

--VARRAY

--Object

--Materialized View

--Index

--Bitmap Index

--Reverse Key Index

--PL/SQL Table

--Cursor

--Exception Handling

--Package

--Views(5)

--Users and Privileges

--External Table

--Relational view


--Inline View

--Sequence(2)

--Index(3)


ER Diagram

--Generated by reverse Engineering in SQL Developer Data Modeler



--TABLESPACES AND QUOTA

--Checking available TableSpace



SQL Plus

```
Enter user-name: c##Bank
Enter password:
Last Successful login time: Mon Dec 02 2019 03:58:19 -05:00

Connected to:
Oracle Database 18c Enterprise Edition Release 18.0.0.0.0 - Production
Version 18.3.0.0.0

SQL> select tablespace_name,contents from dba_tablespaces
  2  order by tablespace_name
  3  /

TABLESPACE_NAME          CONTENTS
-----
SYSAUX                  PERMANENT
SYSTEM                  PERMANENT
TEMP                   TEMPORARY
UNDOTBS1                UNDO
USERS                  PERMANENT

SQL>
```

--Changing Default Tablespace from SYSTEM to Users

```
SQL> alter user c##bank
  2  default tablespace users
  3  temporary tablespace temp
  4  /
User altered.
```

--Modifying Tablespace Quota

```
SQL> alter user c##bank
  2  quota unlimited on users
  3  /
User altered.
```

--USERS AND PRIVILEGES

--Creating user to grant dba

```
SQL> create user c##bank_admin identified by bank_admin;
User created.

SQL> grant connect to c##bank_admin;
Grant succeeded.

SQL> grant create session,resource,dba to c##bank_admin;
Grant succeeded.
```

--PDB & CDB

--Creating PDB but Container set to PDB\$SEED so error

```
SQL> alter session set container=PDB$SEED;
Session altered.

SQL> select FILE_NAME from dba_data_files;

FILE_NAME
-----
C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADATA\ORCL\PDBSEED\UNDOTBS01.DBF
C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADATA\ORCL\PDBSEED\SYSAUX01.DBF
C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADATA\ORCL\PDBSEED\SYSTEM01.DBF

SQL> CREATE PLUGGABLE DATABASE Bank
  2  ADMIN USER Bank IDENTIFIED BY Bank
  3  FILE_NAME_CONVERT=( 'C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADATA\ORCL\PDBSEED\' , 'C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADA
TA\ORCL\Bank\' );
CREATE PLUGGABLE DATABASE Bank
*
ERROR at line 1:
ORA-16000: database or pluggable database open for read-only access
```

--Confirming container and changing container to CDB\$ROOT

```
SQL> show con_id

CON_ID
-----
2
SQL> alter session set container=CDB$ROOT;

Session altered.
```

--Creating PDB

```
SQL> CREATE PLUGGABLE DATABASE Bank
  2  ADMIN USER Bank IDENTIFIED BY Bank
  3  FILE_NAME_CONVERT=('C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADATA\ORCL\PDBSEED\', 'C:\USERS\GUEST-ACCOUNT\DOWNLOADS\ORADA
TA\ORCL\Bank\'');

Pluggable database created.
```

--Checking for PDB's present

```
SQL> SELECT PDB_NAME,STATUS
  2  FROM DBA_PDBS
  3  ORDER BY PDB_NAME;

PDB_NAME
-----
STATUS
-----
BANK
NEW

ORCLPDB
NORMAL

PDB$SEED
NORMAL
```

--Checking for Open Modes for the PDB's present

```
SQL> SELECT NAME,OPEN_MODE
  2  FROM V$PDBS
  3  ORDER BY NAME;

NAME
-----
OPEN_MODE
-----
BANK
MOUNTED

ORCLPDB
READ WRITE

PDB$SEED
READ ONLY
```

--Opening the Pluggable database to Integrate the PDB to CDB

```
SQL> ALTER PLUGGABLE DATABASE BANK OPEN READ WRITE;
Warning: PDB altered with errors.

SQL> SHOW ERRORS
No errors.
SQL>
```

--TABLE CREATION

```
CREATE TABLE AppInstall(
    Device_ID number(6) PRIMARY KEY,
    IP_Address VARCHAR2(60) NOT NULL,
    App_Store VARCHAR2(30),
    Device_Name VARCHAR2(30),
    Device_Version VARCHAR(30),
    CreatedOn DATE,
    UpdatedOn DATE
);
```

```
CREATE TABLE SignUpInfo(
    Customer_ID NUMBER PRIMARY KEY,
    Device_ID NUMBER(6) NOT NULL,
    First_Name NVARCHAR2(60),
    Last_Name NVARCHAR2(60),
    Email NVARCHAR2(255),
    Date_of_Birth NVARCHAR2(20) NOT NULL,
    Phone_Number NVARCHAR2(20),
    SSN NVARCHAR2(20) NOT NULL,
    IsAgreementSigned CHAR DEFAULT 'N',
    ActiveStatus CHAR DEFAULT 'N',
    SignUpSuccess CHAR DEFAULT 'N',
    CreatedOn DATE,
    UpdatedOn DATE
);
```

```
CREATE TABLE LoginInstances(
    Login_ID NUMBER PRIMARY KEY,
    Customer_ID NUMBER NOT NULL,
    Login_Success INT,
    CreatedOn DATE,
    UpdatedOn DATE
);
```

```
CREATE TABLE Customer(
    Customer_ID NUMBER PRIMARY KEY,
    Income_Group INT DEFAULT 0,
    Credit_Score INT DEFAULT 0,
    Credit_Balance DECIMAL(10,2) DEFAULT 0,
    Address_ID NUMBER NOT NULL,
    Account_Number NUMBER NOT NULL,
    CreatedOn DATE,
    UpdatedOn DATE
);
```

```
CREATE TABLE Address(
    Address_ID NUMBER PRIMARY KEY,
    Address_Line1 VARCHAR2(60) NOT NULL,
    Address_Line2 VARCHAR2(60),
    City VARCHAR2(30),
    State VARCHAR2(30),
    Postal_Code VARCHAR2(30),
    Country VARCHAR2(30)
);
```

```
CREATE TABLE Bank_Account(
    Account_Number NUMBER PRIMARY KEY,
    Category VARCHAR2(30),
    Balance DECIMAL(10,2) DEFAULT 0
);
```

```
CREATE TABLE Branch(
    Branch_ID NUMBER PRIMARY KEY,
    Branch_Name VARCHAR2(30) NOT NULL,
    Swift_Code VARCHAR2(30) NOT NULL,
    Account_Number NUMBER NOT NULL,
    Address_ID NUMBER NOT NULL
);
```

```
CREATE TABLE Bills(
    Bill_ID NUMBER PRIMARY KEY,
    Paid_On DATE,
    Due_ON DATE,
    Status VARCHAR2(30),
    Amount VARCHAR(30),
    IsAutoPayment CHAR DEFAULT 'N'-- #loginid as autopayment
    Merchant_ID NUMBER NOT NULL,
    Customer_ID NUMBER NOT NULL
);
```

```
CREATE TABLE Merchant(  
    Merchant_ID NUMBER PRIMARY KEY,  
    Merchant_Name NVARCHAR2(60) NOT NULL,  
    Account_Number NUMBER NOT NULL  
);
```

```
CREATE TABLE ORDERS(  
    Order_ID NUMBER PRIMARY KEY,  
    Order_Date DATE,  
    Shipped_Date DATE,  
    Status VARCHAR2(30),  
    Product_ID NUMBER NOT NULL,  
    Product_Name VARCHAR2(30),  
    Product_Amount DECIMAL(10,2),  
    Quantity INT,  
    Order_Total DECIMAL(20,2),  
    Customer_ID NUMBER NOT NULL,  
    Transaction_ID NUMBER NOT NULL  
);
```

```
CREATE TABLE Transactions(  
    Transaction_ID NUMBER PRIMARY KEY,  
    Merchant_ID NUMBER NOT NULL,  
    Transaction_Success CHAR DEFAULT 'N',  
    Amount decimal(10,2) NOT NULL CHECK(amount> 0),  
    Merchant_Fees decimal(10,2) DEFAULT 0,  
    Credit_ID NUMBER NOT NULL  
);
```

```

CREATE TABLE CREDIT_CARD(
    CreditCard_ID NUMBER PRIMARY KEY,
    CreditCard_Number VARCHAR2(30) NOT NULL,
    Expiry_Date VARCHAR2(30) NOT NULL,
    CVV INT NOT NULL,
    Card_Holder_Name NVARCHAR2(30),
    Credit_Balance DECIMAL(10,2) DEFAULT 0,
    Account_Number NUMBER NOT NULL
);

```


--Creating table using AS SELECT Statement

```

SQL> create table bank_account_backup as
  2  select *
  3  from c##bank.bank_account
  4  where 1=0
  5  /
Table created.

```

--Table using Check Constraint




```

create table transaction_record(
    tid number,
    account_number number,
    transaction_type char(20) check(transaction_type IN('D','W')),
    Amount NUMBER(8,2));

```

--EXTERNAL TABLE




--Creating directory

```
CREATE DIRECTORY External_Table as 'C:\Users\Guest-Account\Desktop\INFO7275\Transaction_Record.csv';
```

-- Creating External Table

```
create table Transaction_Record(
    id number,
    Account_Number VARCHAR2(30),
    Transaction_Type VARCHAR2(30) DEFAULT 'Withdraw',
    Amount VARCHAR2(30))
ORGANIZATION EXTERNAL(
    Type oracle_loader
    default directory External_Table
    access parameters(
        fields terminated by ',')
    location('Transaction_record.csv')
)
reject limit unlimited;
```

--CONSTRAINTS



The screenshot shows the Oracle SQL Developer interface. The left sidebar displays a database schema tree with tables like APPINSTALL, BANK_ACCOUNT, BILL, BRANCH, CREDIT_CARD, CUSTOMER, LOGININSTANCES, LOGIN_ID, CUSTOMER_ID, LOGIN_SUCCESS, CREATEDON, and UPDATEDON. The main workspace contains a query editor with the following SQL code:

```
ALTER TABLE Bills ADD CONSTRAINT Relationship9 FOREIGN KEY (Customer_ID) REFERENCES Customer (Customer_ID);
ALTER TABLE Bills ADD CONSTRAINT Relationship10 FOREIGN KEY (Merchant_ID) REFERENCES Merchant (Merchant_ID);
ALTER TABLE Orders ADD CONSTRAINT Relationship11 FOREIGN KEY (Customer_ID) REFERENCES Customer (Customer_ID);
ALTER TABLE Orders ADD CONSTRAINT Relationship12 FOREIGN KEY (Transaction_ID) REFERENCES Transactions (Transaction_ID);
ALTER TABLE TRANSACTIONS DROP(CREDIT_ID );
--initially named creditcard_id as credit_id so altered to drop and add new column
ALTER TABLE TRANSACTIONS ADD (CreditCard_ID number not null);
ALTER TABLE Transactions ADD CONSTRAINT Relationship13 FOREIGN KEY (CreditCard_ID) REFERENCES Credit_Card (CreditCard_ID);
ALTER TABLE Transactions ADD CONSTRAINT Relationship14 FOREIGN KEY (Merchant_ID) REFERENCES Merchant (Merchant_ID);
ALTER TABLE Merchant ADD CONSTRAINT Relationship15 FOREIGN KEY (Account_Number) REFERENCES Bank_Account (Account_Number);
ALTER TABLE Customer ADD CONSTRAINT Relationship3 FOREIGN KEY (Address_ID) REFERENCES Address (Address_ID);
```

The status bar at the bottom indicates "Table CUSTOMER altered." and "Task completed in 0.078 seconds".

ALTER TABLE SignUpInfo ADD CONSTRAINT Relationship1 FOREIGN KEY (Device_ID) REFERENCES AppInstall (Device_ID);

ALTER TABLE LoginInstances ADD CONSTRAINT Relationship2 FOREIGN KEY (Customer_ID) REFERENCES Customer (Customer_ID);

ALTER TABLE Customer ADD CONSTRAINT Relationship3 FOREIGN KEY (Address_ID) REFERENCES Address (Address_ID);

ALTER TABLE Customer ADD CONSTRAINT Relationship4 FOREIGN KEY (Account_Number) REFERENCES Bank_Account (Account_Number);

ALTER TABLE Customer ADD CONSTRAINT Relationship5 FOREIGN KEY (Customer_ID) REFERENCES SignUpInfo (Customer_ID);

ALTER TABLE Branch ADD CONSTRAINT Relationship6 FOREIGN KEY (Account_Number) REFERENCES Bank_Account (Account_Number);

ALTER TABLE Branch ADD CONSTRAINT Relationship7 FOREIGN KEY (Address_ID) REFERENCES Address (Address_ID);

ALTER TABLE Credit_Card ADD CONSTRAINT Relationship8 FOREIGN KEY (Account_Number) REFERENCES Bank_Account (Account_Number);

ALTER TABLE Bills ADD CONSTRAINT Relationship9 FOREIGN KEY (Customer_ID) REFERENCES Customer (Customer_ID);

ALTER TABLE Bills ADD CONSTRAINT Relationship10 FOREIGN KEY (Merchant_ID) REFERENCES Merchant (Merchant_ID);

ALTER TABLE Orders ADD CONSTRAINT Relationship11 FOREIGN KEY (Customer_ID) REFERENCES Customer (Customer_ID);

ALTER TABLE Orders ADD CONSTRAINT Relationship12 FOREIGN KEY (Transaction_ID) REFERENCES Transactions (Transaction_ID);

ALTER TABLE TRANSACTIONS DROP(CREDIT_ID);

--initially named creditcard_id as credit_id so altered to drop and add new column

ALTER TABLE TRANSACTIONS ADD (CreditCard_ID number not null);


ALTER TABLE Transactions ADD CONSTRAINT Relationship13 FOREIGN KEY (CreditCard_ID) REFERENCES Credit_Card (CreditCard_ID);

ALTER TABLE Transactions ADD CONSTRAINT Relationship14 FOREIGN KEY (Merchant_ID) REFERENCES Merchant (Merchant_ID);

ALTER TABLE Merchant ADD CONSTRAINT Relationship15 FOREIGN KEY (Account_Number) REFERENCES Bank_Account (Account_Number);

--COLUMN FORMATTING

--(1) Formatting column to show tables C##Bank user owns and the tablespaces in which they exist



SQL Plus

USERS

TABLE_NAME

TABLESPACE_NAME

TRANSACTIONS

USERS

13 rows selected.

SQL> column table_name format a30

SQL> /


TABLE_NAME	TABLESPACE_NAME
ADDRESS	USERS
APPINSTALL	USERS
BANK_ACCOUNT	USERS
BANK_ACCOUNT_BACKUP	USERS
BILLS	USERS
BRANCH	USERS
CREDIT_CARD	USERS
CUSTOMER	USERS
LOGINSTANCES	USERS
MERCHANT	USERS
ORDERS	USERS

--(2) Column Formatting to display Credit_Balance in \$9999.99 format

```
SQL> COLUMN CREDIT_BALANCE FORMAT $9999.99
SQL> SELECT CUSTOMER_ID,CREDIT_BALANCE FROM CUSTOMER
  2 WHERE ROWNUM<=5
  3 ORDER BY CUSTOMER_ID
  4 /
CUSTOMER_ID CREDIT_BALANCE
-----
 1001      $5661.41
 1002      $7461.32
 1003      $3236.04
 1004      $91.77
 1005      $4754.45
```

--FUNCTIONS

--(1) Returns the number of bank account a customer owns



The screenshot shows the Oracle SQL Developer interface. The left sidebar displays a project tree with various database objects like APPINSTALL, BANK_ACCOUNT, BILL, BRANCH, CREDIT_CARD, CUSTOMER, and LOGININSTANCES. The central workspace contains a worksheet with the following PL/SQL code:

```
CREATE OR REPLACE FUNCTION show_number_OF_ACCOUNTS(
    Customer_id_IN IN CUSTOMER.CUSTOMER_ID%TYPE)
RETURN NUMBER
IS
ACCOUNT_count number (10);
BEGIN
    SELECT COUNT(BA.ACCOUNT_NUMBER)
    INTO ACCOUNT_count
    FROM CUSTOMER C INNER JOIN BANK_ACCOUNT BA ON BA.CUSTOMER_ID=C.CUSTOMER_ID
    GROUP BY C.CUSTOMER_ID
    having C.Customer_id=Customer_id_IN;
    RETURN ACCOUNT_count;
EXCEPTION
    WHEN NO_DATA_FOUND THEN RETURN NULL;
END show_number_OF_ACCOUNTS;
```

The bottom right panel shows the "Script Output" tab with the message "Function SHOW_NUMBER_OF_ACCOUNTS compiled".

```
CREATE OR REPLACE FUNCTION show_number_OF_ACCOUNTS(
    Customer_id_IN IN CUSTOMER.CUSTOMER_ID%TYPE)
RETURN NUMBER
IS
ACCOUNT_count number (10);
BEGIN
    SELECT COUNT(BA.ACCOUNT_NUMBER)
    INTO ACCOUNT_count
    FROM CUSTOMER C INNER JOIN BANK_ACCOUNT BA ON BA.CUSTOMER_ID=C.CUSTOMER_ID
    GROUP BY C.CUSTOMER_ID
    having C.Customer_id=Customer_id_IN;
    RETURN ACCOUNT_count;
EXCEPTION
    WHEN NO_DATA_FOUND THEN RETURN NULL;
END show_number_OF_ACCOUNTS;
```

--(2) Creating function to check if credit balance is within limit for different type of accounts

The screenshot shows the Oracle SQL Developer interface. In the top navigation bar, there are tabs for 'Start Page', 'Project', 'Project~1', and 'Project~3'. Below the navigation bar is a toolbar with various icons. The main area is titled 'Worksheet' and contains a 'Query Builder' tab. The code in the query builder is as follows:

```
-- Creating function to check balance
create or replace function Check_Balance
(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
 l_Amount TRANSACTION_RECORD.AMOUNT%type)
Return Boolean
IS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
l_account_type CUSTOMER.ACCOUNT_TYPE%TYPE;
BEGIN
select CREDIT_BALANCE,ACCOUNT_TYPE INTO l_credit_balance,l_account_type
FROM CUSTOMER
WHERE ACCOUNT_NUMBER=l_account_number;
l_credit_balance :=l_credit_balance-l_Amount;
IF l_account_type='Savings' AND l_credit_balance<10000 THEN RETURN(FALSE);
ELSIF l_account_type='Checking' AND l_credit_balance<15000 THEN
RETURN(FALSE);
ELSE
RETURN(TRUE);
END IF;
```

Below the worksheet, there are two tabs: 'Script Output' and 'Query Result'. The 'Script Output' tab shows the message 'Task completed in 0.084 seconds'. At the bottom left, it says 'Function CHECK_BALANCE compiled'.

```
create or replace function Check_Balance
(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
 l_Amount TRANSACTION_RECORD.AMOUNT%type)
Return Boolean
IS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
l_account_type CUSTOMER.ACCOUNT_TYPE%TYPE;
BEGIN
select CREDIT_BALANCE,ACCOUNT_TYPE INTO l_credit_balance,l_account_type
FROM CUSTOMER
WHERE ACCOUNT_NUMBER=l_account_number;
l_credit_balance :=l_credit_balance-l_Amount;
IF l_account_type='Savings' AND l_credit_balance<10000 THEN RETURN(FALSE);
ELSIF l_account_type='Checking' AND l_credit_balance<15000 THEN
```

```

RETURN(FALSE);

ELSE

RETURN(TRUE);

END IF ;

END Check_Balance;

```

--PACKAGE

-- (1) Creating Package to update Balance

```

Create or replace package pckg_upd_bal
AS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
procedure update_credit_balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_transaction_type transaction_record.transaction_type%TYPE,
l_Amount TRANSACTION_record.AMOUNT%type);
Function Check_Balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_Amount TRANSACTION_record.AMOUNT%type)
return boolean;
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
end pckg_upd_bal;

```

Script Output Query Result Task completed in 0.081 seconds
Package PCKG_UPD_BAL compiled

```

Create or replace package pckg_upd_bal
AS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
procedure update_credit_balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_transaction_type transaction_record.transaction_type%TYPE,
l_Amount TRANSACTION_record.AMOUNT%type);
Function Check_Balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_Amount TRANSACTION_record.AMOUNT%type)
return boolean;
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
end pckg_upd_bal;

```

--TRIGGER

--(1) Trigger to update balance

The screenshot shows the Oracle SQL Developer interface. In the top navigation bar, there are tabs for 'Start Page', 'Project', 'Project~1', 'Project~3', and 'CUSTOMER'. Below the tabs, the 'Worksheet' tab is selected, showing a code editor with the following PL/SQL trigger definition:

```
CREATE OR REPLACE TRIGGER BALANCE
BEFORE INSERT
ON TRANSACTION_RECORD
FOR EACH ROW
BEGIN
IF :NEW.TRANSACTION_TYPE='D' THEN
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);
ELSIF :NEW.TRANSACTION_TYPE='W' then
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);
else
Raise_application_error(-20451,'Balance is low for transaction to complete');
END IF;

EXCEPTION
WHEN NO_DATA_FOUND THEN
DBMS_OUTPUT.PUT_LINE(:NEW.ACCOUNT_NUMBER||'DOES NOT EXIST');
END;
```

In the bottom status bar, it says 'Trigger BALANCE compiled' and 'Task completed in 0.068 seconds'.

CREATE OR REPLACE TRIGGER BALANCE

BEFORE INSERT

ON TRANSACTION_RECORD

FOR EACH ROW

BEGIN

IF :NEW.TRANSACTION_TYPE='D' THEN

```
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);
```

ELSIF :NEW.TRANSACTION_TYPE='W' then

```
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);
```

else

Raise_application_error(-20451,'Balance is low for transaction to complete');

END IF;

EXCEPTION


```

WHEN NO_DATA_FOUND THEN
DBMS_OUTPUT.PUT_LINE(:NEW.ACOUNT_NUMBER||'DOES NOT EXIST');
END;

```

--STORED PROCEDURES

--(1) To See which state a customer is from



```

CREATE OR REPLACE PROCEDURE Customer_State(
    c_id IN number, c_name OUT SIGNUPINFO.FIRST_NAME%type,c_lname OUT
    SIGNUPINFO.LAST_NAME%TYPE,s_name OUT ADDRESS.STATE%type) AS
BEGIN
    SELECT Sui.first_name, sui.LAST_NAME,a.state
    INTO c_name,c_lname,s_name
    FROM SignUpInfo sui
    INNER JOIN Customer c
    ON c.customer_id= sui.customer_id
    INNER JOIN address a
    ON a.address_id=c.ADDRESS_ID

```

```
WHERE sui.CUSTOMER_ID=c_id;

EXCEPTION

WHEN NO_DATA_FOUND THEN

c_name :='NULL';

s_name :='NULL';

END Customer_State;

variable Customer_First_Name VARCHAR2(30);

variable Customer_Last_Name VARCHAR2(30);

variable State VARCHAR2(30);

SET serveroutput ON

exec Customer_State('1002',:Customer_First_Name,:Customer_Last_Name,:State);

print Customer_First_Name;

print Customer_Last_Name;

print State;
```

--(2) Procedure to record all the signup instances which occur when a customer enters sign-up information successfully

--creating sequence to auto-increment primary key

The screenshot shows the Oracle SQL Developer interface. The left sidebar displays a project structure with various tables like DEVICE_ID, FIRST_NAME, LAST_NAME, EMAIL, etc. The central workspace contains a query editor with the following PL/SQL code:

```
SSN_in IN SIGNUPINFO.SSN%TYPE
) IS

BEGIN
INSERT INTO SIGNUPINFO (Customer_ID,Last_Name,First_Name,Email,Date_Of_Birth,Phone_Number,SSN,DEVICE_ID)
VALUES (seq_customer.NEXTVAL,Last_Name_in,First_Name_in,Email_in,Date_of_Birth_in,Phone_Number_in,SSN_in,seq_customer.NEXTVAL);
DBMS_OUTPUT.PUT_LINE('Added Customer:' ||First_Name_in|| ' ' ||Last_Name_in);

EXCEPTION
WHEN OTHERS THEN DBMS_OUTPUT.PUT_LINE('Error adding customer:' ||First_Name_in|| ' ' ||Last_Name_in);
END SignUp;

EXEC SignUp('Ashinkar','Jui','ashinkar.j@husky.neu.edu','10-Oct-1995','8579305626','0001110');
```

The bottom pane shows the results of the execution:

```
Procedure SIGNUP compiled
Added Customer:Jui Ashinkar
PL/SQL procedure successfully completed.
```

CREATE SEQUENCE seq_customer

START WITH 100 INCREMENT BY 1

NOMAXVALUE

NOCACHE;

--Procedure

CREATE OR REPLACE PROCEDURE SignUp(

Last_Name_in IN SIGNUPINFO.LAST_NAME%TYPE,

First_Name_in IN SIGNUPINFO.FIRST_NAME%TYPE,

EMAIL_in IN SIGNUPINFO.EMAIL%TYPE,

DATE_OF_BIRTH_in IN SIGNUPINFO.DATE_OF_BIRTH%TYPE,

PHONE_NUMBER_in IN SIGNUPINFO.PHONE_NUMBER%TYPE,

SSN_in IN SIGNUPINFO.SSN%TYPE

) IS

```

BEGIN
  INSERT INTO SIGNUPINFO
  (Customer_ID,Last_Name,First_Name,Email,Date_Of_Birth,Phone_Number,SSN,DEVICE_ID)
  VALUES
  (seq_customer.NEXTVAL,Last_Name_in,First_Name_in,Email_in,Date_Of_Birth_in,Phone_Number_in,SSN_in,seq_customer.NEXTVAL);
  DBMS_OUTPUT.PUT_LINE('Added Customer:' || First_Name_in || ' ' || Last_Name_in);
EXCEPTION
  WHEN OTHERS THEN DBMS_OUTPUT.PUT_LINE('Error adding customer:' || First_Name_in || ' ' || Last_Name_in);
END SignUp;
EXEC SignUp('Ashinkar','Jui','ashinkar.j@husky.neu.edu','10-Oct-1995','8579305626','0001110');

```

(3) To get the number of Accounts a Customer has

-- calling 'show_number_of_accounts' function

The screenshot shows the Oracle SQL Developer interface. On the left, there's a tree view of database objects under 'Connections'. In the center, a 'Worksheet' tab is open with the following PL/SQL code:

```

CREATE OR REPLACE PROCEDURE Cust_Accounts(
  customer_id_in CUSTOMER.CUSTOMER_ID%type) IS
  Account_no NUMBER(4);
BEGIN
  Account_no := show_number_OF_ACCOUNTS(customer_id_in);
  DBMS_OUTPUT.PUT_LINE('The no of accounts with this customer is: ' || Account_no);
end Cust_Accounts;
exec Cust_Accounts(1004);

```

Below the code, the 'Script Output' tab shows the results of running the procedure:

```

Procedure CUST_ACCOUNTS compiled
The no of accounts with this customer is: 2
PL/SQL procedure successfully completed.

```

The screenshot shows the 'Query Result' tab of Oracle SQL Developer displaying the following table:

ACCOUNT_NUMBER	CATEGORY	BALANCE	CUSTOMER_ID
202	450202 Saving	17635	1001
203	450203 Saving	17635	1004
204	450204 checking	17635	1004

```

CREATE OR REPLACE PROCEDURE Cust_Accounts(
customer_id_in CUSTOMER.CUSTOMER_ID%type) IS
Account_no NUMBER(4);
BEGIN
Account_no :=show_number_OF_ACCOUNTS(customer_id_in);
DBMS_OUTPUT.PUT_LINE('The no of accounts with this customer is: ' || Account_no);
end Cust_Accounts;

exec Cust_Accounts(1004);

```

(4) Stored Procedure to Update Credit Balance when a transaction is done --using pre-defined exception

The screenshot shows the Oracle SQL Developer interface with the following details:

- Connections:** A tree view showing various database objects like LOGININSTANCES, MERCHANT, ORDERS, SIGNUPINFO, T_RECORD, TRAN_RECORD, TRAN_RECORD_EXT, TRANSACTION_RECORD (with sub-items TID, ACCOUNT_NUMBER, TRANSACTION_TYPE, AMOUNT), and TRANSACTIONS.
- Reports:** A list of report types including All Reports, Analytic View Reports, Data Dictionary Reports, Data Modeler Reports, OLAP Reports, TimesTen Reports, and User Defined Reports.
- Worksheet:** The main workspace where the PL/SQL code for the stored procedure is written. The code is as follows:

```

create or replace procedure update_credit_balance
(l_account_number CUSTOMER.ACCTNO%type,
 l_Amount TRANSACTION_record.AMOUNT%type) IS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
BEGIN
select CREDIT_BALANCE INTO l_credit_balance
FROM CUSTOMER
WHERE ACCOUNT_NUMBER=l_account_number;
l_credit_balance :=l_credit_balance+l_Amount;
UPDATE CUSTOMER
SET CREDIT_BALANCE=l_credit_balance
WHERE ACCOUNT_NUMBER=l_account_number;
INSERT INTO TRANSACTION_RECORD VALUES(l_account_number,'D',l_Amount);
COMMIT;
EXCEPTION
WHEN NO_DATA_FOUND THEN
DBMS_OUTPUT.PUT_LINE(l_account_number||' does not exist');
end update_credit_balance;

```

- Script Output:** Shows the message "Procedure UPDATE_CREDIT_BALANCE compiled".
- Execution:** In the bottom left, the command "EXECUTE UPDATE_CREDIT_BALANCE(450001,23234)" is entered.
- Results:** In the bottom right, the message "PL/SQL procedure successfully completed." is displayed.

The screenshot shows a SQL developer interface with a query window and a results window.

Query window (top):

```
SELECT * FROM TRANSACTION_RECORD
```

Results window (bottom):

TID	ACCOUNT_NUMBER	TRANSACTION_TYPE	AMOUNT
1	1	450001 D	23234
2	2	540001 W	78352
3	3	540002 W	683
4	4	540002 D	345
5	5	540007 D	1000
6	6	540037 D	5000
7	7	540065 W	200

```

create or replace procedure update_credit_balance
(l_account_number CUSTOMER.ACCT NUMBER%type,
l_amount TRANSACTION_record.AMOUNT%type) IS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
BEGIN
select CREDIT_BALANCE INTO l_credit_balance
FROM CUSTOMER
WHERE ACCOUNT_NUMBER=l_account_number;
l_credit_balance := l_credit_balance+l_amount;
UPDATE CUSTOMER
SET CREDIT_BALANCE=l_credit_balance
WHERE ACCOUNT_NUMBER=l_account_number;
INSERT INTO TRANSACTION_RECORD VALUES(1,l_account_number,'D',l_amount);
COMMIT;
EXCEPTION
WHEN NO_DATA_FOUND THEN
DBMS_OUTPUT.PUT_LINE(l_account_number||' does not exist');
end update_credit_balance;

```

--SEQUENCE

--To auto increment a column used in transaction_record table

The screenshot shows the Oracle SQL Developer interface. The top bar includes icons for file, edit, search, and help, along with a project dropdown and a status bar indicating "0.062 seconds". The main area is divided into two panes: "Worksheet" and "Query Builder". The Worksheet pane contains the following SQL code:

```
--Creating sequence to auto increment
CREATE SEQUENCE S
start with 1
increment by 1
maxvalue 2000
minvalue 0
nocache
nocycle;
commit;
```

The Query Builder pane is currently empty. Below the main workspace is a toolbar with icons for script, output, and other functions. The "Script Output" tab is selected, showing the results of the query:

```
Sequence S created.

Commit complete.
```

--(5) Procedure with Inputs using '&'

Start Page Project Project~1 Project~3

Worksheet Query Builder

```
Declare
  c Customer%rowtype;
  t Transaction_record%rowtype;
begin
  c.account_number:=&Account_number;
  t.transaction_type:='&transaction_type';
  t.amount:=&Amount;

  select Credit_balance into c.credit_balance from customer
  where account_number=c.account_number;
  if t.transaction_type='D' THEN
    c.credit_balance:=c.credit_balance+t.amount;
  END IF;

  UPDATE CUSTOMER SET CREDIT_BALANCE=C.CREDIT_BALANCE WHERE account_number=c.account_number;
  INSERT INTO TRANSACTION_RECORD VALUES(S.NEXTVAL,C.ACOUNT_NUMBER,T.TRANSACTION_TYPE,T.AMOUNT);
  COMMIT;
END;
```

Script Output | Task completed in 27.111 seconds

```
PL/SQL procedure successfully completed.
```

Start Page Project Project~1 Project~3

Worksheet Query Builder

```
c.account_number:=&Account_number;
t.transaction_type:='&transaction_type';
t.amount:=&Amount;

select Credit_balance into c.credit_balance from customer
where account_number=c.account_number;
if t.transaction_type='D' THEN
  c.credit_balance:=c.credit_balance+t.amount;
END IF;

UPDATE CUSTOMER SET CREDIT_BALANCE=C.CREDIT_BALANCE WHERE account_number=c.account_number;
INSERT INTO TRANSACTION_RECORD VALUES(S.NEXTVAL,C.ACOUNT_NUMBER,T.TRANSACTION_TYPE,T.AMOUNT);
COMMIT;
END;
```

Enter Substitution Variable

Enter value for Account_number:

540001

OK Cancel

Script Output | ScriptRunner Task

```
PL/SQL procedure successfully completed.
```

Worksheet Query Builder

```

c.account_number:=&Account_number;
t.transaction_type:='&transaction_type';
t.amount:=&Amount;

select Credit_balance into c.credit_balance from customer
where account_number=c.account_number;
if t.transaction_type='D' T Enter Substitution Variable X
c.credit_balance:=c.credit_
END IF;

UPDATE CUSTOMER SET CREDIT_ 
INSERT INTO TRANSACTION_REC
COMMIT;
END;

```

Enter value for transaction_type:

OK Cancel

Script Output Query Result ScriptRunner Task

```

END;

PL/SQL procedure successfully completed.

```

Worksheet Query Builder

```

c.account_number:=&Account_number;
t.transaction_type:='&transaction_type';
t.amount:=&Amount;

select Credit_balance into c.credit_balance from customer
where account_number=c.account_number;
if t.transaction_type='D' T Enter Substitution Variable X
c.credit_balance:=c.credit_
END IF;

UPDATE CUSTOMER SET CREDIT_ 
INSERT INTO TRANSACTION_REC
COMMIT;
END;

```

Enter value for Amount:

OK Cancel

Script Output Query Result ScriptRunner Task

```

END;

PL/SQL procedure successfully completed.

```

Declare

```

c Customer%rowtype;
t Transaction_record%rowtype;
begin
c.account_number:=&Account_number;
t.transaction_type:='&transaction_type';

```

```
t.amount:=&Amount;


select Credit_balance into c.credit_balance from customer
where account_number=c.account_number;
if t.transaction_type='D' THEN
c.credit_balance:=c.credit_balance+t.amount;
END IF;
```

```
UPDATE CUSTOMER SET CREDIT_BALANCE=C.CREDIT_BALANCE WHERE
account_number=c.account_number;
INSERT INTO TRANSACTION_RECORD
VALUES(S.NEXTVAL,C.ACCOUNT_NUMBER,T.TRANSACTION_TYPE,T.AMOUNT);
COMMIT;
END;
```

--VIEWS

--(1) MATERIALIZED VIEW

--To view Customer Information to get phone numbers



The screenshot shows the Oracle SQL Developer interface. The left sidebar displays a project structure with a connection named 'TRANSACTION_ID' containing a table named 'SIGNUPINFO' with columns: CUSTOMER_ID, DEVICE_ID, FIRST_NAME, LAST_NAME, EMAIL, DATE_OF_BIRTH, PHONE_NUMBER, SSN, ISAGREEMENTSIG, ACTIVESTATUS, and SIGNUPSUCCESS. The main workspace is a 'Worksheet' tab showing the SQL code for creating a materialized view:

```
CREATE MATERIALIZED VIEW Customers
Build Immediate
refresh on commit
enable query rewrite
AS
SELECT FIRST_NAME||' '||LAST_NAME NAME, Phone_Number
from signupinfo;

set timing on
select * from signupinfo;
set autotrace on;
```

The 'Script Output' tab at the bottom shows the execution results:

```
Materialized view CUSTOMERS created.

>>Query Run In:Query Result
Elapsed: 00:00:00.869
Autotrace Enabled
Shows the execution plan as well as statistics of the statement.
```

CREATE MATERIALIZED VIEW Customers

Build Immediate

refresh on commit

enable query rewrite

AS

```
SELECT FIRST_NAME||' '|LAST_NAME NAME, Phone_Number  
from signupinfo;
```

set timing on

```
select * from signupinfo;
```

set autotrace on

--(2) VIEW INSTEAD OF

-- view on branch_account updates

The screenshot shows the Oracle SQL Developer interface. The left sidebar displays the database schema with tables like BANK_ACCOUNT, BANK_ACCOUNT_BACKUP, BANNER, BILLS, and BRANCH. The central workspace contains two code snippets in the 'Worksheet' tab:

```
-- view on branch_account updates  
create or replace view branch_account as  
select branch_name,swift_code, Account_Number  
From branch;  
  
--view INSTEAD OF Trigger on branch_account updates  
@Create or replace trigger update_branch_account  
instead of update on branch_account  
@begin  
@update branch  
@set  
@ swift_code:=new.swift_code,  
@ branch_name:=new.branch_name,  
@ Account_Number:=new.Account_Number  
@ where branch_id=:old.branch_id;  
@end;
```

The bottom pane shows the results of the 'Script Output' tab, indicating the view was created and the trigger was compiled.

The screenshot shows the Oracle SQL Developer interface with the 'Query Result' tab selected. A previous command 'select * from branch' has been run, and the results are displayed in a table:

BRANCH_ID	BRANCH_NAME	SWIFT_CODE	ACCOUNT_NUMBER	ADDRESS_ID
1	201 Laurel	4179895595	450001	648
2	202 Badeau	7708298237	450002	649
3	203 Veith	4406802797	450003	650

The screenshot shows a MySQL Workbench window. In the top query editor, there is an UPDATE statement:

```
UPDATE BRANCH SET BRANCH_NAME='Thane Local' where branch_id=201;
select * from branch;
```

Below the editor is a table titled "Query Result" with the following data:

	BRANCH_ID	BRANCH_NAME	SWIFT_CODE	ACCOUNT_NUMBER	ADDRESS_ID
1	201	Thane Local	4179895595	450001	648
2	202	Badeau	7708298237	450002	649
3	203	Veith	4406802797	450003	650

create or replace view branch_account as

select branch_name,swift_code, Account_Number

From branch;

-- Trigger to update branch_account details

Create or replace trigger update_branch_account

instead of update on branch_account

begin

update branch

set

swift_code=:new.swift_code,

branch_name=:new.branch_name,

Account_Number=:new.Account_Number

where branch_id=:old.branch_id;

end;

--(3) RELATIONAL VIEW

--View to get customers credit score

The screenshot shows the Oracle SQL Developer interface. In the Connections pane, there is a tree view of database objects under 'BANK_ACCOUNT_BACKUP'. The 'CUSTOMER' node is expanded, showing 'CUSTOMER_ID', 'INCOME_GROUP', 'CREDIT_SCORE', 'CREDIT_BALANCE', 'ADDRESS_ID', 'ACCOUNT_NUMBER', and 'CREATEDON'. The 'Reports' pane shows a list of report types: All Reports, Analytic View Reports, Data Dictionary Reports, Data Modeler Reports, OLAP Reports, TimesTen Reports, and User Defined Reports.

In the central area, the 'Worksheet' tab is active. It contains the following SQL code:

```
--Relational View
--View to get customers credit score
create or replace view credit_score_view
as
SELECT sui.first_name,sui.LAST_NAME,c.CREDIT_SCORE
from signupinfo sui
inner join customer c
on c.customer_id=sui.customer_id
order by c.CREDIT_SCORE desc;

select * from credit_score_view;
```

The 'Query Result' tab shows the output of the query, which is a table with three columns: FIRST_NAME, LAST_NAME, and CREDIT_SCORE. The data is as follows:

	FIRST_NAME	LAST_NAME	CREDIT_SCORE
1	Roslyn	Sawell	840
2	Ilyssa	Urpeth	840
3	Doe	Montague	839
4	Agneta	Whardley	838
5	Beverly	Queripel	838
6	Gwenore	Lerway	836
7	Hannie	Dimitriades	835
8	Simonne	Muddimer	835

create or replace view credit_score_view


as

```
SELECT sui.first_name,sui.LAST_NAME,c.CREDIT_SCORE
from signupinfo sui
inner join customer c
on c.customer_id=sui.customer_id
order by c.CREDIT_SCORE desc;
```

select * from credit_score_view;

--(4) INLINE VIEW

--To get credit balance for first five customers



The screenshot shows the Oracle SQL Developer interface. In the top navigation bar, 'File', 'Edit', 'View', 'Navigate', 'Run', 'Source', 'Tools', 'Window', and 'Help' are visible. Below the menu is a toolbar with various icons. On the left, there's a 'Connections' tree view showing several schemas like BANK_ACCOUNT_BACKUP, BANKER, BILLS, BRANCH, CREDIT_CARD, CUST_INFO, and CUSTOMER. The CUSTOMER node is expanded, showing fields such as CUSTOMER_ID, INCOME_GROUP, CREDIT_SCORE, CREDIT_BALANCE, ADDRESS_ID, ACCOUNT_NUMBER, and CREATEDON. To the right of the tree is a 'Worksheet' tab where a query is being typed:

```
--Inline view  
--To get credit balance for first five customers  
SELECT * FROM (SELECT CUSTOMER_ID,CREDIT_BALANCE FROM CUSTOMER ORDER BY CUSTOMER_ID)  
WHERE ROWNUM<=5;
```


Below the worksheet is a 'Script Output' tab showing the execution results:

CUSTOMER_ID	CREDIT_BALANCE	
1	1001	5661.41
2	1002	7461.32
3	1003	3236.04
4	1004	91.77
5	1005	4754.45

```
SELECT * FROM (SELECT CUSTOMER_ID,CREDIT_BALANCE FROM CUSTOMER ORDER BY  
CUSTOMER_ID)
```

```
WHERE ROWNUM<=5;
```

--(5) View to get records



The screenshot shows the Oracle SQL Developer interface. In the top navigation bar, 'File', 'Edit', 'View', 'Navigate', 'Run', 'Source', 'Tools', 'Window', and 'Help' are visible. Below the menu is a toolbar with various icons. On the left, there's a 'Connections' tree view showing several schemas like BANK_ACCOUNT_BACKUP, BANKER, BILLS, BRANCH, CREDIT_CARD, CUST_INFO, and CUSTOMER. To the right of the tree is a 'Worksheet' tab where a view creation script is being typed:

```
CREATE OR REPLACE VIEW RECORD AS  
SELECT c.account_number,t.transaction_type,c.credit_balance  from customer c  
inner join transaction_record t on t.account_number=c.account_number;
```

Below the worksheet is a 'Script Output' tab showing the execution results:

```
Procedure UPDATE_CREDIT_BALANCE compiled  
View RECORD created.
```

```
CREATE OR REPLACE VIEW RECORD AS
```

```
SELECT c.account_number,t.transaction_type,c.credit_balance  from customer c  
inner join transaction_record t on t.account_number=c.account_number;
```

--INDEXES

--(1) Creating Index on Customer_Name

The screenshot shows the Oracle SQL Developer interface. The left sidebar displays database connections and objects, including a tree view of tables like ORDERS and SIGNUPINFO, and a reports section. The central workspace has a title bar "Start Page" and tabs for "Project~2", "CUST_TRANSACTIONS", and "BILLS". A "Worksheet" tab is active, containing the SQL command:

```
--Creating Index on Customer_Name
Create INDEX Cust_name_Index
ON SignUpInfo(FIRST_Name);
```

The "Script Output" tab at the bottom shows the execution results:

```
Index CUST_NAME_INDEX created.
Elapsed: 00:00:00.020
```

Create INDEX Cust_name_Index ON SignUpInfo(FIRST_Name);

--(2) BITMAP INDEX

The screenshot shows the Oracle SQL Developer interface. The left sidebar displays database connections and objects, including a tree view of tables like ORDERS and SIGNUPINFO, and a reports section. The central workspace has a title bar "Start Page" and tabs for "Project~2", "CUST_TRANSACTIONS", and "BILLS". A "Worksheet" tab is active, containing the SQL command:

```
--BITMAP INDEX
--ON Bills table with low cardinality column like IsAutoPayment
CREATE BITMAP INDEX IsAutoPayment_Index
ON BILLS(IsAutoPayment);
```

The "Script Output" tab at the bottom shows the execution results:

```
INDEX ISAUTOPAYMENT_INDEX created.
Elapsed: 00:00:00.014

Elapsed: 00:00:00.021
```

--ON Bills table with low cardinality column like IsAutoPayment


CREATE BITMAP INDEX IsAutoPayment_Index

ON BILLS(IsAutoPayment);

--(3) REVERSE KEY INDEX

--Reverse key index appinstall table as it is possible that many users download the app at the same time and

--will create traffic in order to avoid that creating reverse key index on ip address



The screenshot shows the Oracle SQL Developer interface. In the top-left pane, there is a code editor window containing the following SQL code:

```
--REVERSE KEY INDEX
--Reverse key index appinstall table as it is possible that many users download the app at the same time and
--will create traffic in order to avoid that creating reverse key index on ip address
CREATE INDEX INSTALL_INDEX
ON APPINSTALL(IP_ADDRESS)REVERSE;
```

In the bottom-left pane, there is a log window showing the execution results:


```
Script Output X | Query Result X
Elapsed: 00:00:00.027
Index INSTALL_INDEX created.
Elapsed: 00:00:00.015
```

CREATE INDEX INSTALL_INDEX

ON APPINSTALL(IP_ADDRESS)REVERSE;

--COLLECTIONS

-- (1) PL/SQL TABLE



The screenshot shows the SQL*Plus command-line interface. The session starts with the standard Oracle startup message:

```
SQL*Plus: Release 18.0.0.0.0 - Production on Wed Dec 11 19:58:20 2019
Version 18.3.0.0.0

Copyright (c) 1982, 2018, Oracle. All rights reserved.
```

Then, the user logs in:

```
Enter user-name: C##Bank
Enter password:
Last Successful login time: Wed Dec 11 2019 19:25:03 -05:00
```

After connecting to the database:

```
Connected to:
Oracle Database 18c Enterprise Edition Release 18.0.0.0.0 - Production
Version 18.3.0.0.0
```

The user runs a PL/SQL block to create a collection:

```
SQL> set serverout on
SQL> declare
  2  type merchant_backup is table of merchant%rowtype
  3  index by binary_integer;
  4  l_merchant_backup merchant_backup;
  5  begin
  6  l_merchant_backup(27).merchant_id:='8765458';
  7  l_merchant_backup(27).merchant_name:='Prashant';
  8  l_merchant_backup(27).account_number:='11111';
  9  end;
10 /
```

The output shows the procedure was successfully completed:

```
PL/SQL procedure successfully completed.
```


```


set serverout on
declare
type merchant_backup is table of merchant%rowtype
index by binary_integer;
l_merchant_backup merchant_backup;
begin
l_merchant_backup(27).merchant_id:='8765458';
l_merchant_backup(27).merchant_name:='Prashant';
l_merchant_backup(27).account_number:='11111';
end;
/

```

--(2)VARRAY

--To keep record of each banker, their customers and bank accounts





```
CREATE TYPE Banker_Employee AS OBJECT(
```

```
Id_Number NUMBER,
```

```
First_name VARCHAR2(30),
```

```
Last_Name VARCHAR2(30)
```

```
);
```

```
CREATE TYPE Customer_list as VARRAY(50) of Banker_Employee;
```

```
CREATE TABLE BANKER(
```

```
Account_Number NUMBER,
```

```
Banker Banker_Employee,
```

```
Customers Customer_list);
```

```
INSERT INTO BANKER(
```


```
Account_Number,Banker,Customers)
```

VALUES

```
(450001,  
Banker_Employee(1,'Pinal','Thakkar'),  
Customer_list(  
Banker_Employee(1001,'JUI','ASHINKAR'),  
Banker_Employee(1002,'Abhishek','Nilajgi'),  
Banker_Employee(1003,'Lamya','Kagalwala'),  
Banker_Employee(1004,'Gauri','Chavan')  
));
```

--CURSOR

--Creating cursor to integrate sql into stored procedure logic



The screenshot shows the Oracle SQL Developer interface. The left sidebar displays a project structure with a 'TRANSACTIONS' node expanded, showing tables like ORDERS and SIGNUPINFO, and their columns such as CUSTOMER_ID, FIRST_NAME, LAST_NAME, etc. The main workspace contains a 'Worksheet' tab where a PL/SQL procedure is being written:

```
create or replace procedure cursor is cursor CUST_DETAILS  
is  
SELECT CUSTOMER_ID,FIRST_NAME,LAST_NAME  
FROM SIGNUPINFO  
WHERE CUSTOMER_ID=1322;  
  
Customer_Id_Variable SIGNUPINFO.CUSTOMER_ID%TYPE;  
First_Name_Variable SIGNUPINFO.FIRST_NAME%TYPE;  
Last_Name_Variable SIGNUPINFO.LAST_NAME%TYPE;  
  
BEGIN  
OPEN CUST_DETAILS;  
LOOP  
FETCH CUST_DETAILS INTO Customer_Id_Variable,First_Name_Variable,Last_Name_Variable;  
exit when CUST_DETAILS%notfound;  
dbms_output.put_line(Customer_Id_Variable||' '||First_Name_Variable||' '||Last_Name_Variable);  
END LOOP;  
CLOSE CUST_DETAILS;  
END;
```

The bottom status bar indicates "Procedure CURSOR compiled" and "Task completed in 0.229 seconds". The bottom right corner shows the compiler log: "Project: C:\Users\phadk\AppData\Roaming\SQL Developer\system17.3.2.341.0937\p.sqldeveloper\projects\deConnections#Project.jpr".

create or replace procedure cursor is cursor CUST_DETAILS

is

```
SELECT CUSTOMER_ID,FIRST_NAME, LAST_NAME  
FROM SIGNUPINFO  
WHERE CUSTOMER_ID=1322;
```

Customer_Id_Variable SIGNUPINFO.CUSTOMER_ID%TYPE;

First_Name_Variable SIGNUPINFO.FIRST_NAME%TYPE;

Last_Name_Variable SIGNUPINFO.LAST_NAME%TYPE;

BEGIN

OPEN CUST_DETAILS;

LOOP

FETCH CUST_DETAILS INTO Customer_Id_Variable,First_Name_Variable,Last_Name_Variable;

exit when CUST_DETAILS%notfound;

dbms_out.put_line(Customer_Id_Variable||' '||First_Name_Variable||'
'||Last_Name_Variable);

END LOOP;

CLOSE CUST_DETAILS;

END;

APEX APPLICATION

This screenshot shows a page titled "SignUpInfo" within an "Bank" application. The left sidebar contains navigation links for "Bank", "SignUpInfo", and "Administration". The main content area displays several input fields:

- Customer_ID: 9999
- Device ID: 1212
- First Name: Jui
- Last Name: Ashinkar
- Email: ashinkar.j@husky.neu.edu
- Date of Birth: 10/17/1995
- Phone Number: 8579305626

At the bottom of the page are standard APEX navigation buttons: Home, Application 122345, Edit Page 2, Session, View Debug, Debug, Page Info, Quick Edit, Theme Roller, and a gear icon.

This screenshot shows the same "SignUpInfo" page as the first one, but it includes additional fields and a "Create" button at the bottom. The extra fields are:

- Email: ashinkar.j@husky.neu.edu
- Date of Birth: 10/17/1995
- Phone Number: 8579305626
- SSN: 111111
- Createdon: 12/13/2019 (with a calendar icon)

The "Create" button is located at the bottom right of the form. The rest of the interface, including the sidebar and bottom buttons, remains consistent with the first screenshot.

ORACLE APEX App Builder SQL Workshop Team Development App Gallery Schema JUI

SQL Commands Rows 10 Clear Command Find Tables Save Run

SELECT * FROM SIGNUPINFO

Results	Explain	Describe	Saved SQL	History					
1002	402	Aleksandr	Rodenborsch	arodenborsch1@soundcloud.com	05-26-1987	(838) 4385854	448-80-3226	N	Y
1001	401	Nappie	Dimitriades	ndimitriades0@pen.io	10-10-1995	(612) 4144798	10-06-0478	N	N
0	0	TRY	TEST	TRY@TEST.COM	10/17/1995	8787878787	8787878787	Y	Y
1005	405	Ilyssa	Urpath	iurpath4@elpais.com	23-12-1995	(157) 8956347	727-24-6395	N	N
9999	1212	Jui	Ashinkar	ashinkar.j@husky.neu.edu	10/17/1995	8579305626	111111	N	N
8782	12332	PRIYANKA	ASHINKAR	ashinkar.P@GMAIL.COM	12/25/1991	8579305626	128939183	N	N
1003	403	Stillmann	Bradbury	sbradbury2@wsj.com	08-27-1981	(368) 5688380	818-88-8850	N	Y
1004	404	Pansy	Bennet	pbennet3@amazon.com	12-12-1994	(173) 1257365	489-39-4214	Y	N

ashinkar.j@husky.neu.edu jui en Copyright © 1999, 2019, Oracle. All rights reserved. Application Express 19.2.0.00.18

ORACLE APEX App Builder SQL Workshop Team Development App Gallery Schema JUI

SQL Commands Rows 10 Clear Command Find Tables Save Run

SELECT * FROM credit_score_view

Results	Explain	Describe	Saved SQL	History
FIRST_NAME	LAST_NAME	CREDIT_SCORE		
Ilyssa	Urpath	840		
Nappie	Dimitriades	835		
Jui	Ashinkar	835		
Pansy	Bennet	821		
Aleksandr	Rodenborsch	775		
Stillmann	Bradbury	685		

6 rows returned in 0.04 seconds Download

ashinkar.j@husky.neu.edu jui en Copyright © 1999, 2019, Oracle. All rights reserved. Application Express 19.2.0.00.18

DATA LOADING IN APEX

Bank

ashinkarj@husky.neu.edu

Bank

SignUpInfo

Customer Address Form

Customer Address Form

Administration

Address_ID
11111

Address Line1
108 huntington ave

Address Line2

City
boston

State
ma

Postal Code
02120

Country
United States

Cancel

Create

Home Application 122345 Edit Page 3 Session View Debug Debug Page Info Quick Edit Theme Roller

Bank

ashinkarj@husky.neu.edu

Bank

SignUpInfo

Customer Address Form

Customer Address Form

Administration

Customer Address

Search: All Text Columns Go Actions Edit Save Add Row Reset

	Address Id	Address Line1	Address Line2	City	State	Postal Code	Country
<input type="checkbox"/>	657	5 Sunbrook Trail	-	Harrisburg	Pennsylvania	17105	United States
<input type="checkbox"/>	656	739 Vidon Crossing	-	Topeka	Kansas	66606	United States
<input type="checkbox"/>	648	756 Caliangt Alley	-	Montgomery	Alabama	36109	United States
<input type="checkbox"/>	651	3128 Atwood Park...	-	Cleveland	Ohio	44197	United States
<input type="checkbox"/>	649	096 Barnett Avenue	-	North Little Rock	Arkansas	72118	United States
<input checked="" type="checkbox"/>	11111	108 huntington ave	-	boston	ma	02120	usa
<input type="checkbox"/>	652	14576 Kingsford A...	-	Bridgeport	Connecticut	06606	United States
<input type="checkbox"/>	650	92236 Fairview Terr...	-	Buffalo	New York	14220	United States

1 rows selected Total 8

Home Application 122345 Edit Page 4 Session View Debug Debug Page Info Quick Edit Theme Roller

ORACLE APEX | App Builder | SQL Workshop | Team Development | App Gallery | Search | Help | Logout

Object Browser

Tables

ADDRESS

APPINSTALL
BANK_ACCOUNT
BILLS
BRANCH
CREDIT_CARD
CUSTOMER
DEMO_CONSTRAINT_LOOKUP
DEMO_CUSTOMERS
DEMO_ORDERS
DEMO_ORDER_ITEMS
DEMO_PRODUCT_INFO
DEMO_STATES
DEMO_TAGS
DEMO_TAGS_SLIM

Schema: JUI ?

Object: ADDRESS ?

Action: Truncate Table ADDRESS ?

Cancel Finish

SQL

Copyright © 1999, 2019, Oracle. All rights reserved.

Application Express 19.2.0.0.18

Show all X

customer_address_csv ^

This screenshot shows the Oracle APEX SQL Workshop interface. The top navigation bar includes links for ORACLE APEX, App Builder, SQL Workshop, Team Development, and App Gallery, along with search and help functions. The main area is titled 'Object Browser' and shows a list of tables under the schema 'JUI'. A specific table, 'ADDRESS', is selected. A confirmation dialog box is open, asking 'Confirm your request' to perform a 'Truncate Table ADDRESS'. The dialog provides details about the schema ('JUI'), object ('ADDRESS'), and action ('Truncate Table ADDRESS'). It includes 'Cancel' and 'Finish' buttons. Below the dialog, there's a 'SQL' section and a copyright notice for Oracle. At the bottom, there are links for 'Show all' and 'customer_address_csv'.

Bank

Bank

SignUpInfo

Customer Address Form

Customer Address Form

Data Loading

Administration

Customer Address

Search: All Text Columns Go Actions Edit Save Add Row Reset

	Address Id	Address Line1	Address Line2	City	State	Postal Code	Country
<input checked="" type="checkbox"/>							

1 rows selected Total 1

Release 1.0

Home Edit Page 4 Session View Debug Debug Page Info Quick Edit Theme Roller Show all X

customer_address_csv ^

This screenshot shows an Oracle APEX application named 'Bank'. The left sidebar contains navigation links for 'Bank', 'SignUpInfo', 'Customer Address Form', 'Data Loading', and 'Administration'. The main content area is titled 'Customer Address' and displays a table of address records. The table has columns for Address Id, Address Line1, Address Line2, City, State, Postal Code, and Country. One row is selected, indicated by a checkmark in the first column. The footer indicates 'Release 1.0' and provides various application navigation links like Home, Edit Page 4, Session, View Debug, Debug, Page Info, Quick Edit, Theme Roller, Show all, and a close button.

← → 🔍 apex.oracle.com/pls/apex/f?p=122345:20:634856950353:::: ashinkarj@husky.neu.edu

Bank

Bank SignUpInfo Customer Address Form Customer Address Form Data Loading Administration

Data Load Wizard Progress

Data Load Source Data / Table Mapping Data Validation Data Load Results

Data / Table Mapping

Previous Cancel Next

Target Column	ADDRESS_ID - number *	ADDRESS_LINE1 - varchar2(60) *	ADDRESS_LINE2 - varchar2(60)	CITY - varchar2(30)	STATE - varchar
Source Column	ADDRESS_ID	ADDRESS_LINE1	ADDRESS_LINE2	CITY	STATE
Row 1	657	5 Sunbrook Trail		Harrisburg	Pennsylvania
Row 2	656	739 Vidon Crossing		Topeka	Kansas
Row 3	648	756 Caliangt Alley		Montgomery	Alabama
Row 4	651	3128 Atwood Parkway		Cleveland	Ohio

Home Application 122345 Edit Page 20 Session View Debug Debug Page Info Quick Edit Theme Roller Show all X

customer_address_csv ^

APPENDIX

```
-- File created - Friday-December-13-2019
```

```
-- DDL for View BRANCH_ACCOUNT
```

```
CREATE OR REPLACE FORCE EDITIONABLE VIEW "C##BANK"."BRANCH_ACCOUNT" ("BRANCH_NAME",  
"SWIFT_CODE", "ACCOUNT_NUMBER") AS
```

```
select branch_name,swift_code, Account_Number
```

```
From branch
```

```
;
```

```
-- DDL for View CREDIT_SCORE_VIEW
```

```
CREATE OR REPLACE FORCE EDITIONABLE VIEW "C##BANK"."CREDIT_SCORE_VIEW" ("FIRST_NAME",  
"LAST_NAME", "CREDIT_SCORE") AS
```

```
SELECT sui.first_name,sui.LAST_NAME,c.CREDIT_SCORE
```

```
from signupinfo sui
```

```
inner join customer c
```

```
on c.customer_id=sui.customer_id
```

```
order by c.CREDIT_SCORE desc
```

```
;
```

```
-- DDL for View RECORD
```

```
CREATE OR REPLACE FORCE EDITIONABLE VIEW "C##BANK"."RECORD" ("ACCOUNT_NUMBER",  
"TRANSACTION_TYPE", "CREDIT_BALANCE") AS
```

```
SELECT c.account_number,t.transaction_type,c.credit_balance from customer c  
inner join transaction_record t on t.account_number=c.account_number  
;
```

```
-- DDL for Type BANKER_EMPLOYEE
```

```
CREATE OR REPLACE EDITIONABLE TYPE "C##BANK"."BANKER_EMPLOYEE" AS OBJECT(  
Id_Number NUMBER,  
First_name VARCHAR2(30),  
Last_Name VARCHAR2(30)  
);
```

```
/
```

```
-- DDL for Type CUSTOMER_LIST
```

```
CREATE OR REPLACE EDITIONABLE TYPE "C##BANK"."CUSTOMER_LIST" as VARRAY(50) of Banker_Employee;
```

```
/
```

```
-- DDL for Table ADDRESS
```

```
CREATE TABLE "C##BANK"."ADDRESS"  
( "ADDRESS_ID" NUMBER,  
  "ADDRESS_LINE1" VARCHAR2(60 BYTE),  
  "ADDRESS_LINE2" VARCHAR2(60 BYTE),  
  "CITY" VARCHAR2(30 BYTE),  
  "STATE" VARCHAR2(30 BYTE),
```

```
"POSTAL_CODE" VARCHAR2(30 BYTE),
"COUNTRY" VARCHAR2(30 BYTE)

) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
```

```
-- DDL for Table APPINSTALL
```

```
CREATE TABLE "C##BANK"."APPINSTALL"
(
    "DEVICE_ID" NUMBER(6,0),
    "IP_ADDRESS" VARCHAR2(60 BYTE),
    "APP_STORE" VARCHAR2(30 BYTE),
    "DEVICE_NAME" VARCHAR2(30 BYTE),
    "DEVICE_VERSION" VARCHAR2(30 BYTE),
    "CREATEDON" DATE,
    "UPDATEDON" DATE
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
```

```
-- DDL for Table BANKER
```

```
CREATE TABLE "C##BANK"."BANKER"
(
    "ACCOUNT_NUMBER" NUMBER,
    "BANKER" "C##BANK"."BANKER_EMPLOYEE",
    "CUSTOMERS" "C##BANK"."CUSTOMER_LIST"
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS"
VARRAY "CUSTOMERS" STORE AS SECUREFILE LOB
( TABLESPACE "USERS" ENABLE STORAGE IN ROW CHUNK 8192
CACHE NOCOMPRESS KEEP_DUPLICATES
STORAGE(INITIAL 106496 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)) ;
```

```
-- DDL for Table BANK_ACCOUNT
```

```
CREATE TABLE "C##BANK"."BANK_ACCOUNT"
(
    "ACCOUNT_NUMBER" NUMBER,
    "CATEGORY" VARCHAR2(30 BYTE),
    "BALANCE" NUMBER(10,2) DEFAULT 0,
    "CUSTOMER_ID" NUMBER
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1  
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)  
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table BANK_ACCOUNT_BACKUP  
-----
```

```
CREATE TABLE "C##BANK"."BANK_ACCOUNT_BACKUP"  
(      "ACCOUNT_NUMBER" NUMBER,  
        "CATEGORY" VARCHAR2(30 BYTE),  
        "BALANCE" NUMBER(10,2),  
        "CUSTOMER_ID" NUMBER  
) SEGMENT CREATION DEFERRED  
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255  
NOCOMPRESS LOGGING  
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table BILLS  
-----
```

```
CREATE TABLE "C##BANK"."BILLS"  
(      "BILL_ID" NUMBER,  
        "PAID_ON" DATE,  
        "DUE_ON" DATE,  
        "STATUS" VARCHAR2(30 BYTE),  
        "AMOUNT" VARCHAR2(30 BYTE),  
        "ISAUTOPAYMENT" CHAR(1 BYTE) DEFAULT 'N',  
        "MERCHANT_ID" NUMBER,  
        "CUSTOMER_ID" NUMBER  
) SEGMENT CREATION IMMEDIATE  
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
```

```
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table BRANCH  
-----
```

```
CREATE TABLE "C##BANK"."BRANCH"
(
    "BRANCH_ID" NUMBER,
    "BRANCH_NAME" VARCHAR2(30 BYTE),
    "SWIFT_CODE" VARCHAR2(30 BYTE),
    "ACCOUNT_NUMBER" NUMBER,
    "ADDRESS_ID" NUMBER
) SEGMENT CREATION IMMEDIATE
```

```
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
```

```
NOCOMPRESS LOGGING
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table CREDIT_CARD  
-----
```

```
CREATE TABLE "C##BANK"."CREDIT_CARD"
(
    "CREDITCARD_ID" NUMBER,
    "CREDITCARD_NUMBER" VARCHAR2(30 BYTE),
    "EXPIRY_DATE" VARCHAR2(30 BYTE),
    "CVV" NUMBER(*,0),
```

```

"CARD HOLDER NAME" NVARCHAR2(30),
"CREDIT_BALANCE" NUMBER(10,2) DEFAULT 0,
"ACCOUNT_NUMBER" NUMBER

) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
-----
```

-- DDL for Table CUSTOMER

```

CREATE TABLE "C##BANK"."CUSTOMER"
(
    "CUSTOMER_ID" NUMBER,
    "INCOME_GROUP" NUMBER(*,0) DEFAULT 0,
    "CREDIT_SCORE" NUMBER(*,0) DEFAULT 0,
    "CREDIT_BALANCE" NUMBER(10,2) DEFAULT 0,
    "ADDRESS_ID" NUMBER,
    "ACCOUNT_NUMBER" NUMBER,
    "CREATEDON" DATE,
    "UPDATEDON" DATE,
    "ACCOUNT_TYPE" VARCHAR2(30 BYTE) DEFAULT 'Savings'
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
```

```
-- DDL for Table LOGININSTANCES
```

```
CREATE TABLE "C##BANK"."LOGININSTANCES"
(
    "LOGIN_ID" NUMBER,
    "CUSTOMER_ID" NUMBER,
    "LOGIN_SUCCESS" CHAR(1 BYTE) DEFAULT 'N',
    "CREATEDON" DATE,
    "UPDATEDON" DATE
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
```

```
-- DDL for Table MERCHANT
```

```
CREATE TABLE "C##BANK"."MERCHANT"
(
    "MERCHANT_ID" NUMBER,
    "MERCHANT_NAME" NVARCHAR2(60),
    "ACCOUNT_NUMBER" NUMBER
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table ORDERS  
-----
```

```
CREATE TABLE "C##BANK"."ORDERS"
```

```
(      "ORDER_ID" NUMBER,  
      "ORDER_DATE" DATE,  
      "SHIPPED_DATE" DATE,  
      "STATUS" VARCHAR2(30 BYTE),  
      "PRODUCT_ID" NUMBER,  
      "PRODUCT_NAME" VARCHAR2(30 BYTE),  
      "PRODUCT_AMOUNT" NUMBER(10,2),  
      "QUANTITY" NUMBER(*,0),  
      "ORDER_TOTAL" NUMBER(20,2),  
      "CUSTOMER_ID" NUMBER,  
      "TRANSACTION_ID" NUMBER
```

```
) SEGMENT CREATION IMMEDIATE
```

```
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
```

```
NOCOMPRESS LOGGING
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ;
```

```
-----  
-- DDL for Table SIGNUPINFO  
-----
```

```
CREATE TABLE "C##BANK"."SIGNUPINFO"
```

```
(      "CUSTOMER_ID" NUMBER,  
      "DEVICE_ID" NUMBER(6,0),
```

```

    "FIRST_NAME" NVARCHAR2(60),
    "LAST_NAME" NVARCHAR2(60),
    "EMAIL" NVARCHAR2(255),
    "DATE_OF_BIRTH" NVARCHAR2(20),
    "PHONE_NUMBER" NVARCHAR2(20),
    "SSN" NVARCHAR2(20),
    "ISAGREEMENTSIGNED" CHAR(1 BYTE) DEFAULT 'N',
    "ACTIVESTATUS" CHAR(1 BYTE) DEFAULT 'N',
    "SIGNUPSUCCESS" CHAR(1 BYTE) DEFAULT 'N',
    "CREATEDON" DATE,
    "UPDATEDON" DATE
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS";
-----
```

-- DDL for Table TRANSACTIONS

```

CREATE TABLE "C##BANK"."TRANSACTIONS"
(
    "TRANSACTION_ID" NUMBER,
    "MERCHANT_ID" NUMBER,
    "TRANSACTION_SUCCESS" CHAR(1 BYTE) DEFAULT 'N',
    "AMOUNT" NUMBER(10,2),
    "MERCHANT_FEES" NUMBER(10,2) DEFAULT 0,
    "CREDITCARD_ID" NUMBER
) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255
```

```
NOCOMPRESS LOGGING  
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645  
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1  
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)  
TABLESPACE "USERS";
```

```
-- DDL for Table TRANSACTION_RECORD
```

```
CREATE TABLE "C##BANK"."TRANSACTION_RECORD"  
(      "TID" NUMBER,  
      "ACCOUNT_NUMBER" NUMBER,  
      "TRANSACTION_TYPE" CHAR(20 BYTE),  
      "AMOUNT" NUMBER(8,2)  
) SEGMENT CREATION IMMEDIATE  
PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255  
NOCOMPRESS LOGGING  
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645  
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1  
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)  
TABLESPACE "USERS";
```

```
-- DDL for Table TRAN_RECORD
```

```
CREATE TABLE "C##BANK"."TRAN_RECORD"  
(      "ID" NUMBER,  
      "ACCOUNT_NUMBER" VARCHAR2(30 BYTE),  
      "TRANSACTION_TYPE" VARCHAR2(30 BYTE) DEFAULT 'Withdraw',  
      "AMOUNT" VARCHAR2(30 BYTE)  
)
```

```
ORGANIZATION EXTERNAL
( TYPE ORACLE_LOADER
  DEFAULT DIRECTORY "EXT_DIR"
  ACCESS PARAMETERS
  ( fields terminated by',' )
  LOCATION
  ( 'Transaction_record.csv'
  )
)
REJECT LIMIT UNLIMITED ;
```

```
-- DDL for Table TRAN_RECORD_EXT
```

```
CREATE TABLE "C##BANK"."TRAN_RECORD_EXT"
(
  "ID" NUMBER,
  "ACCOUNT_NUMBER" VARCHAR2(30 BYTE),
  "TRANSACTION_TYPE" VARCHAR2(30 BYTE) DEFAULT 'Withdraw',
  "AMOUNT" VARCHAR2(30 BYTE)
)
ORGANIZATION EXTERNAL
( TYPE ORACLE_LOADER
  DEFAULT DIRECTORY "EXTERNAL_TABLE"
  ACCESS PARAMETERS
  ( fields terminated by',' )
  LOCATION
  ( 'Transaction_record.csv'
  )
)
REJECT LIMIT UNLIMITED ;
```

```

-- DDL for Table T_RECORD
-----
-----



CREATE TABLE "C##BANK"."T_RECORD"
(
    "ID" NUMBER,
    "ACCOUNT_NUMBER" VARCHAR2(30 BYTE),
    "TRANSACTION_TYPE" VARCHAR2(30 BYTE) DEFAULT 'Withdraw',
    "AMOUNT" VARCHAR2(30 BYTE)
)
ORGANIZATION EXTERNAL
(
    TYPE ORACLE_LOADER
    DEFAULT DIRECTORY "EXT_TAB_DIR"
    ACCESS PARAMETERS
    (
        records delimited by newline
        badfile dhhsmapsis:'rec.bad'
        logfile dhhsmapsis:'rec.log'
        fields terminated by(',')
    )
    LOCATION
    (
        'Transaction_record.dat'
    )
)
REJECT LIMIT UNLIMITED;

-----



-- DDL for Sequence S
-----



CREATE SEQUENCE "C##BANK"."S" MINVALUE 0 MAXVALUE 2000 INCREMENT BY 1 START WITH 2 NOCACHE
NOORDER NOCYCLE NOKEEP NOSCALE GLOBAL;

-----



-- DDL for Sequence SEQ_CUSTOMER
-----
```

-- DDL for Materialized View CUST_INFO

```
CREATE MATERIALIZED VIEW "C##BANK"."CUST_INFO" ("NAME", "PHONE_NUMBER")  
SEGMENT CREATION IMMEDIATE  
ORGANIZATION HEAP PCTFREE 10 PCTUSED 40 INITTRANS 1 MAXTRANS 255  
NOCOMPRESS LOGGING  
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645  
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1  
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)  
TABLESPACE "USERS"  
BUILD IMMEDIATE  
USING INDEX  
REFRESH FORCE ON COMMIT  
USING DEFAULT LOCAL ROLLBACK SEGMENT  
USING ENFORCED CONSTRAINTS DISABLE ON QUERY COMPUTATION ENABLE QUERY R  
AS SELECT FIRST_NAME||' '|LAST_NAME NAME, Phone_Number  
from signupinfo;
```

```
COMMENT ON MATERIALIZED VIEW "C##BANK"."CUST_INFO" IS 'snapshot table for snapshot
C##BANK.CUST_INFO';

REM INSERTING into C##BANK.ADDRESS

SET DEFINE OFF;

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (964,'5350 Meadow
Vale Plaza','APT3','Tacoma','Washington','98417','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (965,'0455 Center
Junction',null,'Anchorage','Alaska','99522','United States');
```

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (966,'3 Barnett Trail',null,'Sioux Falls','South Dakota','57193','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (967,'2 Twin Pines Plaza',null,'Springfield','Massachusetts','01105','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (968,'1287 Division Plaza',null,'Berkeley','California','94712','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (969,'79055 Glendale Road',null,'Knoxville','Tennessee','37939','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (970,'43 Sachs Drive',null,'Colorado Springs','Colorado','80945','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (971,'62101 Basil Crossing',null,'Tulsa','Oklahoma','74126','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (972,'701 Corscot Alley',null,'Palmdale','California','93591','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (973,'90 Westport Circle',null,'Newton','Massachusetts','02162','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (974,'8475 Nova Parkway',null,'New York City','New York','10175','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (975,'1 Crownhardt Terrace',null,'Atlanta','Georgia','30351','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (976,'3 Nevada Parkway','APT683','Sunnyvale','California','94089','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (977,'8 Killdeer Avenue',null,'Charlotte','North Carolina','28230','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (978,'03 Del Mar Crossing',null,'New Bedford','Massachusetts','02745','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (979,'60 Melody Junction',null,'Roanoke','Virginia','24029','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (980,'54784 Meadow Valley Park',null,'Seattle','Washington','98121','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (981,'21664 Brickson Park Trail',null,'Salt Lake City','Utah','84145','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (982,'9 Eagan Pass',null,'San Francisco','California','94137','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (983,'043 Vera Center',null,'Nashville','Tennessee','37245','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (984,'6 Doe Crossing Street',null,'Syracuse','New York','13224','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (985,'8995 Ronald Regan Parkway',null,'Wichita','Kansas','67230','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (986,'904 Lukken Terrace',null,'Boulder','Colorado','80328','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (987,'888 Paget Trail',null,'Brooklyn','New York','11236','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (988,'7482 Anhalt Circle',null,'Long Beach','California','90810','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (989,'18432 Prairiewood Street',null,'Trenton','New Jersey','08695','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (990,'5 Saint Paul Trail',null,'Tampa','Florida','33694','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (991,'4512 Trailsway Trail',null,'Arvada','Colorado','80005','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (992,'9 Banding Avenue',null,'Sacramento','California','95828','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (993,'0918 International Avenue',null,'Boston','Massachusetts','02109','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (994,'3706 Elgar Pass',null,'Springfield','Massachusetts','01129','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (995,'871 Dahle Parkway','APT3','Detroit','Michigan','48206','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (996,'89 Division Parkway',null,'Ogden','Utah','84403','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (997,'59 Scofield Parkway',null,'Irving','Texas','75062','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (998,'881 Linden Parkway',null,'Tuscaloosa','Alabama','35487','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (999,'7189 Thackeray Pass',null,'Austin','Texas','78726','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1000,'14 Linden Street',null,'Boston','Massachusetts','02109','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1001,'480 Johnson Pass',null,'Sparks','Nevada','89436','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1002,'76 Pennsylvania Alley',null,'Boston','Massachusetts','02298','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1003,'00 Clyde Gallagher Alley',null,'Brea','California','92822','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1004,'0 Ilene Avenue','APT683','Montgomery','Alabama','36125','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1005,'966 Main Alley',null,'Cincinnati','Ohio','45296','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1006,'9156 Norway Maple Trail',null,'Atlanta','Georgia','30311','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1007,'2901 Caliangt Drive',null,'Indianapolis','Indiana','46278','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1008,'7675 Swallow Point',null,'Las Vegas','Nevada','89145','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1009,'9988 Dryden Center','APT23','Bowie','Maryland','20719','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1010,'24 Anderson Pass',null,'Brooklyn','New York','11254','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1011,'39095 Becker Avenue',null,'Houston','Texas','77060','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1012,'2 Jana Place',null,'Fresno','California','93721','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1013,'6970 Johnson Crossing',null,'Kansas City','Missouri','64179','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1014,'7 International Center',null,'Evansville','Indiana','47732','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1015,'7904 Walton Crossing',null,'Harrisburg','Pennsylvania','17105','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1016,'35678 Forest Dale Lane',null,'Evansville','Indiana','47719','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1017,'75 Prentice Lane',null,'Fort Wayne','Indiana','46867','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1018,'450 Northfield Center',null,'Merrifield','Virginia','22119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1019,'033 Dayton Parkway',null,'Naperville','Illinois','60567','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1020,'7441 Sheridan Alley',null,'Raleigh','North Carolina','27605','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1021,'5007 Darwin Street',null,'Tacoma','Washington','98481','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1022,'01 Ridge Oak Terrace',null,'Memphis','Tennessee','38150','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1023,'616 High Crossing Crossing',null,'Dallas','Texas','75372','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1024,'59 Maple Road',null,'Nashville','Tennessee','37210','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1025,'7 Donald Alley',null,'Kansas City','Missouri','64199','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1026,'82 Bluejay Road',null,'Kansas City','Missouri','64101','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1027,'423 Briar Crest Park',null,'Seattle','Washington','98121','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1028,'49 Center Place',null,'Charleston','West Virginia','25389','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1029,'3695 Carberry Parkway',null,'San Francisco','California','94164','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1030,'87 West Lane',null,'Fort Wayne','Indiana','46852','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1031,'42667 Artisan Junction',null,'Dallas','Texas','75205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1032,'53 Hagan Parkway',null,'New York City','New York','10024','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1033,'73 Sutteridge Terrace',null,'Los Angeles','California','90015','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1034,'20 Tony Lane',null,'San Francisco','California','94105','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1035,'9 Old Gate Alley',null,'Terre Haute','Indiana','47805','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1036,'8436 Packers Court',null,'London','Kentucky','40745','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1037,'0 Kensington Center',null,'Indianapolis','Indiana','46295','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1038,'8495 Meadow Vale Pass',null,'Providence','Rhode Island','02912','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1039,'375 East Plaza',null,'San Antonio','Texas','78215','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1040,'1971 Maple Alley',null,'Madison','Wisconsin','53726','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1041,'31 Sunbrook Parkway',null,'Delray Beach','Florida','33448','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1042,'8 Butterfield Center',null,'San Jose','California','95138','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1043,'470 Springview Alley',null,'Des Moines','Iowa','50305','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1044,'03041 Carpenter Park',null,'Tempe','Arizona','85284','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1045,'1114 Kenwood Pass',null,'Charleston','South Carolina','29424','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1046,'42 Fairview Park',null,'Saint Paul','Minnesota','55146','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (1047,'9 Dennis Plaza',null,'San Francisco','California','94116','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (648,'756 Caliangt Alley',null,'Montgomery','Alabama','36109','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (649,'096 Barnett Avenue',null,'North Little Rock','Arkansas','72118','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (650,'92236 Fairview Terrace',null,'Buffalo','New York','14220','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (651,'3128 Atwood Parkway',null,'Cleveland','Ohio','44197','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (652,'14576 Kingsford Avenue',null,'Bridgeport','Connecticut','06606','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (653,'962 Jackson Center',null,'Washington','District of Columbia','20210','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (654,'426 Saint Paul Park',null,'Hollywood','Florida','33028','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (655,'34 Transport Place',null,'Peoria','Illinois','61651','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (656,'739 Vidon Crossing',null,'Topeka','Kansas','66606','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (657,'5 Sunbrook Trail',null,'Harrisburg','Pennsylvania','17105','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (658,'9536 Superior Circle','APT782','Orlando','Florida','32808','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (659,'88108 Novick Road','APT89','El Paso','Texas','79916','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (660,'99035 Carey Pass',null,'Newark','New Jersey','07104','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (661,'97010 Rieder Circle',null,'New York City','New York','10131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (662,'7342 Marcy Drive',null,'Wichita','Kansas','67260','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (663,'2 Sundown Lane',null,'Orlando','Florida','32819','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (664,'311 West Pass',null,'Austin','Texas','78732','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (665,'08124 Fisk Park',null,'Albany','New York','12210','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (666,'68127 Barby Way',null,'Dallas','Texas','75358','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (667,'08 Prentice Circle',null,'Columbia','South Carolina','29240','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (668,'6 Nevada Drive',null,'Corpus Christi','Texas','78410','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (669,'3 Cherokee Pass',null,'Richmond','Virginia','23293','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (670,'0625 Dahle Court',null,'Las Vegas','Nevada','89110','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (671,'884 Anthes Alley',null,'Frederick','Maryland','21705','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (672,'9371 Oakridge Terrace',null,'San Francisco','California','94177','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (673,'535 Fallview Street',null,'Washington','District of Columbia','20580','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (674,'536 Hayes Hill',null,'Miami','Florida','33196','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (675,'73365 Calypso Hill',null,'Louisville','Kentucky','40215','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (676,'0 Wayridge Parkway',null,'Winston Salem','North Carolina','27157','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (677,'70 Vernon Way',null,'New York City','New York','10184','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (678,'1802 Orin Place',null,'Vancouver','Washington','98682','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (679,'566 Glacier Hill Junction',null,'Austin','Texas','78710','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (680,'20165 6th Junction',null,'Pensacola','Florida','32575','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (681,'10738 Coolidge Avenue',null,'Las Vegas','Nevada','89178','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (682,'48488 6th Park',null,'Sacramento','California','94286','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (683,'9806 Arizona Court',null,'Washington','District of Columbia','20599','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (684,'8 Morrow Crossing',null,'Van Nuys','California','91499','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (685,'543 Sherman Hill',null,'Maple Plain','Minnesota','55572','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (686,'502 Miller Alley',null,'Bellevue','Washington','98008','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (687,'2 Holmberg Place',null,'Madison','Wisconsin','53779','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (688,'322 Rockefeller Place',null,'New York City','New York','10131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (689,'31467 Granby Circle',null,'Dallas','Texas','75231','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (690,'1268 Bunting Street',null,'New York City','New York','10120','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (691,'9 Anniversary Alley',null,'San Antonio','Texas','78265','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (692,'4108 Erie Point',null,'Fort Worth','Texas','76178','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (693,'347 Carpenter Circle',null,'Louisville','Kentucky','40215','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (694,'493 Annamark Alley',null,'Birmingham','Alabama','35295','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (695,'5 Jenifer Circle',null,'Kansas City','Kansas','66112','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (696,'65086 Dunning Street',null,'Charlotte','North Carolina','28289','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (697,'790 Texas Place',null,'Phoenix','Arizona','85025','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (698,'700 Merchant Road',null,'Marietta','Georgia','30061','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (699,'16750 Shopko Circle',null,'Birmingham','Alabama','35242','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (700,'84 Lighthouse Bay Terrace',null,'Honolulu','Hawaii','96820','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (701,'2871 Miller Point',null,'Jacksonville','Florida','32277','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (702,'425 Pleasure Center',null,'Albany','New York','12205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (703,'75 Hintze Lane',null,'Portland','Oregon','97255','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (704,'8 Grayhawk Way',null,'Young America','Minnesota','55564','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (705,'889 Superior Place',null,'Santa Barbara','California','93150','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (706,'143 Michigan Hill',null,'Amarillo','Texas','79171','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (707,'3387 Fallview Hill',null,'Memphis','Tennessee','38109','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (708,'2 Oriole Crossing',null,'Oklahoma City','Oklahoma','73119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (709,'191 Lakeland Park',null,'Dallas','Texas','75287','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (710,'4 Sachtjen Junction',null,'Springfield','Ohio','45505','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (711,'4177 Oak Parkway',null,'Orlando','Florida','32819','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (712,'50247 East Point',null,'Mobile','Alabama','36616','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (713,'69 Valley Edge Drive',null,'Corona','California','92883','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (714,'35182 Northport Court',null,'Shawnee Mission','Kansas','66286','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (715,'63 Acker Road',null,'Albany','New York','12242','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (716,'69171 Shasta Plaza',null,'Corona','California','92883','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (717,'925 Crescent Oaks Park',null,'Nashville','Tennessee','37210','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (718,'89 Fuller Point',null,'San Antonio','Texas','78230','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (719,'03344 Arapahoe Lane',null,'Pasadena','California','91131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (720,'18225 Shoshone Lane',null,'Erie','Pennsylvania','16522','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (721,'2 Eastlawn Point',null,'Salt Lake City','Utah','84152','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (722,'4 Ruskin Place',null,'Seattle','Washington','98175','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (723,'1741 Eagan Circle',null,'Hartford','Connecticut','06183','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (724,'22477 Kenwood Crossing',null,'Amarillo','Texas','79188','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (725,'4 Aberg Junction',null,'Metairie','Louisiana','70033','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (726,'78664 Sachtjen Circle',null,'Pittsburgh','Pennsylvania','15274','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (727,'21 Summer Ridge Pass',null,'Arlington','Virginia','22217','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (728,'9643 Sommers Point','APT3','Cleveland','Ohio','44105','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (729,'1950 Duke Street',null,'San Francisco','California','94116','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (730,'9 Thierer Park',null,'Riverside','California','92505','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (731,'304 Haas Park',null,'Saint Louis','Missouri','63143','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (732,'52294 Bultman Road',null,'Harrisburg','Pennsylvania','17110','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (733,'308 Waywood Park',null,'Naperville','Illinois','60567','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (734,'7 Hintze Terrace',null,'Memphis','Tennessee','38119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (735,'51 Randy Hill',null,'Huntington','West Virginia','25721','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (736,'158 Gina Trail',null,'Fort Lauderdale','Florida','33325','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (737,'01 Knutson Parkway',null,'Richmond','Virginia','23237','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (738,'99 Clemons Parkway',null,'Philadelphia','Pennsylvania','19125','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (739,'4 Anhalt Street',null,'Paterson','New Jersey','07544','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (740,'28092 Fairfield Pass',null,'Lexington','Kentucky','40596','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (741,'81 Gale Place','APT683','Washington','District of Columbia','20029','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (742,'13671 Kinsman Alley',null,'Spring','Texas','77388','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (743,'3 Ronald Regan Way',null,'Memphis','Tennessee','38126','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (744,'921 Sheridan Drive',null,'San Jose','California','95150','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (745,'1923 Corscot Drive',null,'Memphis','Tennessee','38119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (746,'7 Stone Corner Circle','APT3','Milwaukee','Wisconsin','53225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (747,'55 Lyons Drive',null,'Austin','Texas','78789','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (748,'0478 Golden Leaf Plaza',null,'Las Vegas','Nevada','89125','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (749,'233 Canary Road',null,'Pittsburgh','Pennsylvania','15225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (750,'11175 Mallory Junction','APT683','Orlando','Florida','32835','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (751,'04 Pepper Wood Terrace',null,'Asheville','North Carolina','28805','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (752,'41 Elmside Lane',null,'Arlington','Texas','76004','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (753,'381 Stoughton Circle',null,'Brea','California','92822','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (754,'0 Marcy Crossing',null,'El Paso','Texas','88589','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (755,'46 Dottie Lane',null,'Baton Rouge','Louisiana','70836','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (756,'56481 Sommers Drive',null,'Spokane','Washington','99260','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (757,'0 Longview Plaza',null,'Ann Arbor','Michigan','48107','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (758,'7 Glendale Drive',null,'Metairie','Louisiana','70033','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (759,'55 Hagan Court',null,'West Hartford','Connecticut','06127','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (760,'07143 Donald Point',null,'Memphis','Tennessee','38181','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (761,'56638 Sauthoff Place',null,'Rochester','New York','14614','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (762,'4 Killdeer Plaza',null,'Milwaukee','Wisconsin','53263','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (763,'7209 Goodland Trail',null,'Murfreesboro','Tennessee','37131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (764,'55419 Chive Park',null,'Albany','New York','12242','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (765,'1545 Washington Parkway',null,'North Little Rock','Arkansas','72118','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (766,'25 Utah Alley',null,'Fort Lauderdale','Florida','33355','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (767,'8099 Artisan Place',null,'Albany','Georgia','31704','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (768,'06448 Grover Terrace',null,'Arlington','Virginia','22225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (769,'30566 Arizona Parkway',null,'Nashville','Tennessee','37245','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (770,'4 Buhler Point',null,'Sioux Falls','South Dakota','57193','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (771,'27403 Dennis Court',null,'San Jose','California','95155','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (772,'96895 Marquette Street',null,'Kansas City','Missouri','64190','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (773,'7 Summit Junction',null,'Saint Louis','Missouri','63104','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (774,'00210 Katie Junction',null,'Hot Springs National Park','Arkansas','71914','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (775,'33 Saint Paul Junction',null,'Charleston','West Virginia','25356','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (776,'2043 Sycamore Pass',null,'Austin','Texas','78754','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (777,'46 Claremont Parkway',null,'New Orleans','Louisiana','70160','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (778,'0299 Northwestern Center',null,'Boston','Massachusetts','02119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (779,'99775 Stang Way',null,'Atlanta','Georgia','31119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (780,'991 Hayes Parkway',null,'Aurora','Illinois','60505','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (781,'1324 Moulton Plaza',null,'Los Angeles','California','90035','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (782,'6916 Katie Avenue','APT782','San Diego','California','92127','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (783,'6 Mesta Court',null,'Anniston','Alabama','36205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (784,'92 Springs Hill',null,'Pasadena','California','91125','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (785,'285 Schmedeman Junction',null,'Shawnee Mission','Kansas','66286','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (786,'7718 Jana Road',null,'Arlington','Virginia','22225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (787,'774 Riverside Alley',null,'Washington','District of Columbia','20041','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (788,'7302 Cardinal Plaza',null,'Topeka','Kansas','66611','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (789,'55 Grover Center',null,'Memphis','Tennessee','38188','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (790,'1 Dennis Alley',null,'Charleston','West Virginia','25336','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (791,'46 Nevada Junction',null,'Phoenix','Arizona','85062','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (792,'26319 Oak Valley Street',null,'Pasadena','California','91131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (793,'5 Vernon Pass',null,'San Jose','California','95160','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (794,'40 Dapin Junction',null,'Springfield','Missouri','65898','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (795,'9 Oakridge Street',null,'New Orleans','Louisiana','70129','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (796,'10 Kensington Hill',null,'Dayton','Ohio','45432','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (797,'57497 Roth Hill',null,'Milwaukee','Wisconsin','53285','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (798,'6922 Stone Corner Pass',null,'Philadelphia','Pennsylvania','19178','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (799,'3061 Hovde Street',null,'Boston','Massachusetts','02119','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (800,'49128 Hudson Way',null,'Henderson','Nevada','89074','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (801,'5996 Grover Hill',null,'Atlanta','Georgia','30316','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (802,'749 East Park','APT89','Shreveport','Louisiana','71151','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (803,'2068 Florence Alley',null,'Saint Cloud','Minnesota','56398','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (804,'08 Hollow Ridge Lane',null,'New Orleans','Louisiana','70160','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (805,'566 Kinsman Point',null,'Erie','Pennsylvania','16505','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (806,'9192 Lukken Parkway',null,'Largo','Florida','33777','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (807,'63 Prentice Pass','APT23','Atlanta','Georgia','30343','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (808,'1 Hollow Ridge Hill',null,'Sacramento','California','94280','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (809,'7053 Merry Plaza',null,'El Paso','Texas','79911','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (810,'63432 Dorton Crossing',null,'Tucson','Arizona','85732','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (811,'00984 Corben Point',null,'Lexington','Kentucky','40576','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (812,'85 Sutteridge Way',null,'Chicago','Illinois','60630','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (813,'794 Quincy Pass',null,'Charleston','West Virginia','25356','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (814,'71 Golf View Junction',null,'Whittier','California','90610','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (815,'29 Riverside Crossing',null,'Mobile','Alabama','36622','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (816,'346 Spohn Trail',null,'Charlotte','North Carolina','28225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (817,'1923 Knutson Point',null,'Albany','New York','12242','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (818,'538 Larry Road',null,'Amarillo','Texas','79118','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (819,'9250 Kropf Way',null,'Tampa','Florida','33633','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (820,'72187 Lawn Court',null,'Washington','District of Columbia','20205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (821,'869 Fisk Park',null,'Santa Barbara','California','93150','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (822,'748 Nelson Junction',null,'New Bedford','Massachusetts','02745','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (823,'9 Spaight Plaza',null,'Durham','North Carolina','27717','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (824,'3229 Lindbergh Point',null,'Baltimore','Maryland','21203','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (825,'035 Prairie Rose Plaza',null,'Port Washington','New York','11054','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (826,'1557 Pepper Wood Center',null,'Philadelphia','Pennsylvania','19178','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (827,'19950 Loomis Drive',null,'Tuscaloosa','Alabama','35487','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (828,'39090 Huxley Junction',null,'Asheville','North Carolina','28805','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (829,'57 Carpenter Drive',null,'Saint Louis','Missouri','63104','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (830,'54 Glacier Hill Junction',null,'Long Beach','California','90847','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (831,'2234 Golf View Parkway',null,'Macon','Georgia','31217','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (832,'2682 Brown Park',null,'Springfield','Illinois','62718','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (833,'32914 Ramsey Drive',null,'Corpus Christi','Texas','78470','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (834,'1 Gina Park',null,'Birmingham','Alabama','35205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (835,'8 Kensington Avenue',null,'Spokane','Washington','99205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (836,'8132 Amoth Center',null,'Shawnee Mission','Kansas','66276','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (837,'656 Northport Street',null,'Washington','District of Columbia','20215','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (838,'611 Di Loreto Alley',null,'Orlando','Florida','32859','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (839,'438 Jackson Terrace',null,'Rochester','New York','14609','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (840,'8285 South Junction',null,'Richmond','Virginia','23208','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (841,'869 Darwin Plaza',null,'Shawnee Mission','Kansas','66205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (842,'5674 Havey Avenue','APT23','Fort Wayne','Indiana','46857','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (843,'3 Gerald Trail',null,'Little Rock','Arkansas','72231','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (844,'65992 Sunbrook Road',null,'Omaha','Nebraska','68144','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (845,'17211 Crescent Oaks Circle',null,'Tuscaloosa','Alabama','35405','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (846,'73 Esch Place',null,'Memphis','Tennessee','38114','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (847,'4678 Lien Center',null,'Lubbock','Texas','79410','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (848,'05613 Riverside Parkway',null,'Charlotte','North Carolina','28284','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (849,'7 Forest Run Center',null,'Honolulu','Hawaii','96835','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (850,'2740 Melvin Way',null,'Boise','Idaho','83722','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (851,'960 Hanover Avenue',null,'Washington','District of Columbia','20580','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (852,'384 Mandrake Court',null,'Boise','Idaho','83757','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (853,'746 Red Cloud Trail',null,'Grand Rapids','Michigan','49560','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (854,'68723 Eastwood Parkway',null,'Chicago','Illinois','60646','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (855,'77926 Beifuss Park',null,'Monroe','Louisiana','71208','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (856,'440 Glacier Hill Plaza','APT782','Buffalo','New York','14225','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (857,'2829 Green Trail',null,'San Francisco','California','94154','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (858,'61870 Graedel Road',null,'Knoxville','Tennessee','37939','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (859,'02686 Caliangt Junction',null,'Tampa','Florida','33680','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (860,'6772 Orin Pass',null,'Kissimmee','Florida','34745','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (861,'6 Clemons Trail',null,'Boca Raton','Florida','33432','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (862,'763 Darwin Crossing',null,'San Luis Obispo','California','93407','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (863,'325 Morningstar Junction',null,'North Little Rock','Arkansas','72118','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (864,'8410 Mayfield Junction',null,'Juneau','Alaska','99812','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (865,'7691 Packers Park',null,'Nashville','Tennessee','37240','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (866,'65 Nova Plaza',null,'Kansas City','Missouri','64130','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (867,'640 Dapin Parkway',null,'Aurora','Colorado','80045','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (868,'73324 Vermont Point',null,'Jacksonville','Florida','32244','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (869,'9 Steensland Road',null,'San Francisco','California','94169','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (870,'7 Becker Trail',null,'Monticello','Minnesota','55590','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (871,'52 Oakridge Road',null,'Springfield','Massachusetts','01114','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (872,'12 Prairiewood Pass',null,'Chattanooga','Tennessee','37450','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (873,'316 Badeau Center',null,'Odessa','Texas','79764','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (874,'75660 Stephen Alley',null,'Stockton','California','95298','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (875,'969 Sunfield Court',null,'Austin','Texas','78749','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (876,'061 Thackeray Terrace',null,'Honolulu','Hawaii','96810','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (877,'3 Chive Alley',null,'Fort Wayne','Indiana','46852','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (878,'42335 Mockingbird Trail',null,'Saint Louis','Missouri','63131','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (879,'931 North Junction',null,'Chicago','Illinois','60624','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (880,'47 Fulton Street',null,'North Hollywood','California','91606','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (881,'63920 Hovde Point',null,'Winter Haven','Florida','33884','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (882,'24 Stoughton Junction',null,'Saint Louis','Missouri','63121','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (883,'4973 Hansons Lane',null,'Harrisburg','Pennsylvania','17126','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (884,'79 Victoria Road',null,'Long Beach','California','90805','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (885,'02467 Morning Point',null,'Loretto','Minnesota','55598','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (886,'3200 Knutson Park',null,'Schaumburg','Illinois','60193','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (887,'93 Montana Terrace',null,'Knoxville','Tennessee','37914','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (888,'56 Mockingbird Parkway',null,'San Antonio','Texas','78235','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (889,'74 Paget Trail',null,'El Paso','Texas','79940','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (890,'5 Bunting Park',null,'Tulsa','Oklahoma','74108','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (891,'84 Loeprich Plaza',null,'Evansville','Indiana','47737','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (892,'8217 Northview Crossing',null,'Tulsa','Oklahoma','74149','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (893,'0264 Elka Street',null,'Gatesville','Texas','76598','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (894,'03 Columbus Trail',null,'Buffalo','New York','14220','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (895,'944 Dunning Place',null,'Des Moines','Iowa','50369','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (896,'68770 Browning Alley',null,'Pompano Beach','Florida','33069','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (897,'42 McGuire Parkway',null,'Salt Lake City','Utah','84140','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (898,'56677 Talisman Place',null,'Gastonia','North Carolina','28055','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (899,'057 Milwaukee Way',null,'Corpus Christi','Texas','78470','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (900,'579 Lerdahl Junction',null,'Saint Louis','Missouri','63126','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (901,'44 Beilfuss Drive',null,'Waterloo','Iowa','50706','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (902,'838 Rockefeller Plaza',null,'Miami','Florida','33124','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (903,'49520 Monterey Crossing',null,'Knoxville','Tennessee','37931','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (904,'742 Heffernan Drive',null,'Lakeland','Florida','33811','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (905,'87580 Graedel Hill',null,'Santa Clara','California','95054','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (906,'81 Sunbrook Crossing',null,'Decatur','Georgia','30033','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (907,'605 Veith Circle',null,'Portland','Oregon','97232','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (908,'7431 Becker Avenue',null,'Greensboro','North Carolina','27499','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (909,'49260 Upham Parkway',null,'Saint Louis','Missouri','63110','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (910,'2 Spohn Point',null,'Baton Rouge','Louisiana','70826','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (911,'93 Westerfield Road',null,'Syracuse','New York','13210','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (912,'00866 Ramsey Point',null,'Santa Monica','California','90405','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (913,'5 Vidon Circle',null,'Houston','Texas','77260','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (914,'98 Bobwhite Place',null,'Des Moines','Iowa','50936','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (915,'766 Kropf Court','APT3','Birmingham','Alabama','35205','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (916,'32 Summer Ridge Road',null,'Pueblo','Colorado','81005','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (917,'9728 Rusk Terrace',null,'Atlanta','Georgia','30328','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (918,'258 Di Loreto Plaza',null,'Bryan','Texas','77806','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (919,'15 Crest Line Plaza',null,'Birmingham','Alabama','35285','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (920,'9 Division Center',null,'Birmingham','Alabama','35295','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (921,'3 Johnson Road',null,'El Paso','Texas','88558','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (922,'810 Mitchell Circle',null,'Denver','Colorado','80228','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (923,'1 Becker Crossing',null,'Pensacola','Florida','32595','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (924,'4568 Anthes Park',null,'Mansfield','Ohio','44905','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (925,'2 Red Cloud Lane',null,'Fort Collins','Colorado','80525','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (926,'9 Melvin Court',null,'South Bend','Indiana','46634','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (927,'71409 Memorial Way',null,'Dallas','Texas','75221','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (928,'8969 Elmside Trail',null,'Tulsa','Oklahoma','74184','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (929,'43 Texas Place',null,'Waco','Texas','76705','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (930,'24318 Sachs Point',null,'Boise','Idaho','83722','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (931,'38641 Duke Terrace',null,'Brockton','Massachusetts','02305','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (932,'1009 Burning Wood Point',null,'Denver','Colorado','80291','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (933,'9 Ridgeway Place',null,'Rochester','Minnesota','55905','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (934,'4 Westerfield Lane','APT89','Honolulu','Hawaii','96850','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (935,'80 Beilfuss Avenue',null,'Juneau','Alaska','99812','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (936,'6 Monica Lane',null,'Hartford','Connecticut','06160','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (937,'83681 Sullivan Place',null,'Lansing','Michigan','48919','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (938,'91 Westerfield Plaza',null,'Washington','District of Columbia','20244','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (939,'6 Washington Lane',null,'Beaverton','Oregon','97075','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (940,'9188 Maple Street',null,'Washington','District of Columbia','20299','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (941,'9 Sauthoff Avenue',null,'Inglewood','California','90398','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (942,'4275 Morningstar Trail',null,'San Antonio','Texas','78245','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (943,'89 Northport Road',null,'Chicago','Illinois','60686','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (944,'94289 Shasta Drive',null,'Greensboro','North Carolina','27404','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (945,'69 Russell Crossing',null,'Santa Cruz','California','95064','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (946,'95 Donald Hill',null,'Bowie','Maryland','20719','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (947,'462 Bartillon Crossing',null,'Beaumont','Texas','77713','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (948,'2232 Green Ridge Junction',null,'Indianapolis','Indiana','46231','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (949,'6612 Almo Point',null,'Colorado Springs','Colorado','80940','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (950,'6 Fieldstone Junction',null,'Baton Rouge','Louisiana','70894','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (951,'4028 Basil Junction',null,'Louisville','Kentucky','40256','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (952,'443 Sullivan Way',null,'North Port','Florida','34290','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (953,'9 Harbort Way',null,'Hot Springs National Park','Arkansas','71914','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (954,'9 Sachtjen Drive',null,'Roanoke','Virginia','24020','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (955,'7 Hanson Park',null,'Dallas','Texas','75221','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (956,'12451 Summer Ridge Center',null,'Lehigh Acres','Florida','33972','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (957,'175 Buhler Street',null,'Chicago','Illinois','60652','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (958,'7504 Fallview Place',null,'Cape Coral','Florida','33915','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (959,'28584 Ilene Court',null,'Fresno','California','93740','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (960,'498 Mallory Place',null,'Boulder','Colorado','80305','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (961,'06066 Esch Center',null,'Cincinnati','Ohio','45249','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (962,'97 Buena Vista Center',null,'Detroit','Michigan','48224','United States');

Insert into C##BANK.ADDRESS
(ADDRESS_ID,ADDRESS_LINE1,ADDRESS_LINE2,CITY,STATE,POSTAL_CODE,COUNTRY) values (963,'94579 Gateway Crossing',null,'Stamford','Connecticut','06905','United States');

REM INSERTING into C##BANK.APPINSTALL

SET DEFINE OFF;

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values (727,'96.251.211.99','AppStore','Computer','2588886671,to_date('24-OCT-17','DD-MON-RR'),to_date('04-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values (728,'29.214.247.160','MicrosoftStore','Phone','8256231351,to_date('01-NOV-16','DD-MON-RR'),to_date('21-SEP-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values (729,'61.81.179.60','MicrosoftStore','Laptop','0554492741,to_date('29-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values (730,'230.129.238.22','AppStore','Computer','1953400787,to_date('09-SEP-17','DD-MON-RR'),to_date('14-JUN-18','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(731,'160.116.33.203','AppStore','Laptop','5644175855',to_date('06-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(732,'130.200.50.114','GooglePlay','Tablet','4605744576',to_date('26-NOV-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(733,'110.109.52.252','AppStore','Tablet','0673360121',to_date('23-AUG-16','DD-MON-RR'),to_date('26-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(734,'157.153.15.23','AppStore','Tablet','8748158275',to_date('27-JUL-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(735,'84.170.100.234','GooglePlay','Tablet','6392004815',to_date('15-FEB-17','DD-MON-RR'),to_date('14-JUL-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(736,'237.60.51.185','GooglePlay','Laptop','7614254236',to_date('05-DEC-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(737,'92.238.100.1','AppStore','Tablet','5784051113',to_date('03-AUG-17','DD-MON-RR'),to_date('18-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(738,'15.190.166.229','MicrosoftStore','Laptop','2110043342',to_date('12-JUN-17','DD-MON-RR'),to_date('01-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(739,'19.205.219.186','MicrosoftStore','Tablet','7352982582',to_date('04-MAY-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(740,'167.55.60.132','AppStore','Tablet','6107987797',to_date('12-OCT-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(741,'166.212.40.103','GooglePlay','Tablet','1565250060',to_date('11-JUN-16','DD-MON-RR'),to_date('09-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(742,'234.3.180.164','GooglePlay','Tablet','8904972981',to_date('27-JUL-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(743,'184.216.55.117','AppStore','Tablet','7276267350',to_date('15-AUG-17','DD-MON-RR'),to_date('08-MAY-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(744,'81.190.166.216','GooglePlay','Computer','0111892201',to_date('05-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(745,'235.131.215.72','GooglePlay','Laptop','1996047167',to_date('27-MAY-17','DD-MON-RR'),to_date('20-JUN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(746,'238.2.221.61','GooglePlay','Computer','7214594110',to_date('22-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(747,'205.42.49.154','GooglePlay','Laptop','2125573466',to_date('30-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(748,'66.205.173.5','GooglePlay','Computer','4078606636',to_date('01-JAN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(749,'151.156.51.18','AppStore','Phone','6563549330',to_date('17-JUL-16','DD-MON-RR'),to_date('11-SEP-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(750,'123.232.197.214','GooglePlay','Tablet','7688254558',to_date('04-MAY-17','DD-MON-RR'),to_date('17-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(751,'56.157.243.77','AppStore','Computer','5257319683',to_date('21-SEP-17','DD-MON-RR'),to_date('30-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(752,'33.157.202.145','GooglePlay','Phone','8918531591',to_date('24-MAR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(753,'156.62.122.95','AppStore','Phone','5562846756',to_date('20-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(754,'101.132.229.147','GooglePlay','Laptop','1586397982',to_date('25-OCT-17','DD-MON-RR'),null);
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(755,'189.12.39.152','AppStore','Laptop','9935358739',to_date('19-FEB-16','DD-MON-RR'),to_date('09-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(756,'38.157.6.210','MicrosoftStore','Computer','5789841317',to_date('24-AUG-17','DD-MON-RR'),to_date('17-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(757,'166.223.74.5','AppStore','Laptop','1116780739',to_date('03-APR-16','DD-MON-RR'),to_date('08-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(758,'13.80.247.65','GooglePlay','Computer','2810269653',to_date('29-DEC-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(759,'168.72.57.140','AppStore','Computer','7753756591',to_date('27-OCT-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(760,'193.152.80.109','GooglePlay','Computer','3581645815',to_date('29-AUG-17','DD-MON-RR'),to_date('19-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(761,'44.12.140.239','MicrosoftStore','Computer','0674113926',to_date('23-JUN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(762,'106.222.217.129','AppStore','Phone','1750623080',to_date('30-NOV-17','DD-MON-RR'),to_date('04-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(763,'111.109.109.125','GooglePlay','Laptop','8048608758',to_date('24-JUN-17','DD-MON-RR'),to_date('11-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(764,'172.22.216.105','GooglePlay','Laptop','2845306261',to_date('10-APR-17','DD-MON-RR'),to_date('10-APR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(765,'68.55.136.73','AppStore','Tablet','3070428932',to_date('06-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values

```
(766,'167.37.226.106','GooglePlay','Laptop','7817499985',to_date('27-JUL-17','DD-MON-RR'),to_date('26-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(767,'226.66.22.224','GooglePlay','Laptop','7855699767',to_date('08-APR-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(768,'135.53.255.128','GooglePlay','Tablet','6374196929',to_date('02-MAR-17','DD-MON-RR'),to_date('22-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(769,'126.120.173.255','MicrosoftStore','Laptop','7674751171',to_date('01-FEB-17','DD-MON-RR'),to_date('04-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(770,'69.40.163.4','AppStore','Laptop','3509865391',to_date('12-DEC-17','DD-MON-RR'),to_date('30-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(771,'105.102.195.73','MicrosoftStore','Tablet','9858728476',to_date('12-DEC-16','DD-MON-RR'),to_date('23-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(772,'117.95.1.160','AppStore','Tablet','2455698890',to_date('12-JUN-17','DD-MON-RR'),to_date('06-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(773,'237.141.60.182','MicrosoftStore','Tablet','5994830917',to_date('19-JUN-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(774,'151.164.9.170','MicrosoftStore','Laptop','9331877633',to_date('05-JAN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(775,'69.213.83.119','AppStore','Tablet','4819480510',to_date('17-AUG-17','DD-MON-RR'),to_date('13-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(776,'240.108.180.148','GooglePlay','Phone','3243880130',to_date('23-NOV-16','DD-MON-RR'),to_date('20-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(777,'56.65.187.60','GooglePlay','Computer','3434773134',to_date('23-SEP-17','DD-MON-RR'),null);
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(778,'237.28.175.110','AppStore','Tablet','5502661466',to_date('01-JUN-17','DD-MON-RR'),to_date('27-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(779,'178.131.62.139','AppStore','Computer','6039307560',to_date('31-JUL-17','DD-MON-RR'),to_date('18-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(780,'34.111.120.116','AppStore','Laptop','9361091360',to_date('16-SEP-17','DD-MON-RR'),to_date('09-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(781,'106.110.4.207','GooglePlay','Tablet','9535913506',to_date('23-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(782,'182.94.210.172','MicrosoftStore','Phone','5568101868',to_date('19-NOV-17','DD-MON-RR'),to_date('04-SEP-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(783,'0.207.255.225','AppStore','Phone','3099381713',to_date('08-NOV-16','DD-MON-RR'),to_date('29-APR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(784,'153.28.57.27','AppStore','Computer','1515371662',to_date('09-OCT-16','DD-MON-RR'),to_date('15-APR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(785,'80.85.21.125','GooglePlay','Phone','2959409825',to_date('16-OCT-16','DD-MON-RR'),to_date('08-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(786,'49.211.190.141','AppStore','Laptop','8919322430',to_date('23-JAN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(787,'175.172.177.59','AppStore','Laptop','0063413760',to_date('01-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(788,'95.218.28.54','AppStore','Computer','0404869335',to_date('24-MAY-16','DD-MON-RR'),to_date('02-FEB-19','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(789,'13.17.248.111','AppStore','Laptop','5035628191',to_date('24-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(790,'79.184.4.71','GooglePlay','Computer','5726520238',to_date('30-JUL-16','DD-MON-RR'),to_date('04-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(791,'210.207.191.51','AppStore','Tablet','8139570419',to_date('01-OCT-17','DD-MON-RR'),to_date('12-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(792,'99.134.219.19','GooglePlay','Phone','6917813222',to_date('11-SEP-16','DD-MON-RR'),to_date('29-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(793,'5.82.201.18','MicrosoftStore','Computer','3608534784',to_date('26-FEB-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(794,'146.183.99.255','MicrosoftStore','Laptop','3088732587',to_date('01-APR-16','DD-MON-RR'),to_date('01-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(795,'44.66.102.249','MicrosoftStore','Computer','1776208005',to_date('28-APR-17','DD-MON-RR'),to_date('12-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(796,'117.114.24.29','AppStore','Phone','7850151518',to_date('28-JAN-17','DD-MON-RR'),to_date('05-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(797,'240.3.13.89','AppStore','Computer','4006579713',to_date('21-MAY-17','DD-MON-RR'),to_date('06-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(798,'91.221.225.171','MicrosoftStore','Phone','4568629012',to_date('11-MAY-16','DD-MON-RR'),to_date('16-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(799,'145.73.194.111','MicrosoftStore','Computer','1140179217',to_date('04-JUN-17','DD-MON-RR'),to_date('17-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(800,'90.28.172.140','GooglePlay','Laptop','7611950495',to_date('17-JUN-17','DD-MON-RR'),to_date('27-NOV-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(801,'80.5.102.129','AppStore','Laptop','7350472374',to_date('08-OCT-17','DD-MON-RR'),to_date('12-MAR-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(802,'139.181.61.205','MicrosoftStore','Tablet','0941485005',to_date('25-FEB-16','DD-MON-RR'),to_date('14-JUN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(803,'131.94.110.160','MicrosoftStore','Laptop','9450539472',to_date('28-NOV-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(804,'109.53.159.146','MicrosoftStore','Phone','5026456588',to_date('13-JUL-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(805,'7.138.31.27','MicrosoftStore','Phone','6601123269',to_date('16-MAR-17','DD-MON-RR'),to_date('01-JAN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(806,'124.68.82.1','GooglePlay','Laptop','1836257783',to_date('02-JUN-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(807,'37.37.193.228','MicrosoftStore','Computer','9017029951',to_date('03-APR-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(808,'26.164.234.224','MicrosoftStore','Computer','8434449056',to_date('25-FEB-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(809,'54.166.172.28','MicrosoftStore','Laptop','1264199317',to_date('20-AUG-16','DD-MON-RR'),to_date('04-SEP-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(810,'227.162.64.187','MicrosoftStore','Tablet','5732735666',to_date('13-DEC-16','DD-MON-RR'),to_date('02-MAR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

(811,'59.60.24.42','GooglePlay','Laptop','0765911817',to_date('27-JAN-16','DD-MON-RR'),to_date('23-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(812,'213.92.6.221','MicrosoftStore','Tablet','5077430861',to_date('30-AUG-17','DD-MON-RR'),to_date('31-JUL-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(813,'59.231.183.246','GooglePlay','Computer','0218455321',to_date('14-OCT-17','DD-MON-RR'),to_date('09-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(814,'45.64.148.178','MicrosoftStore','Computer','3316713344',to_date('26-MAY-16','DD-MON-RR'),to_date('01-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(815,'48.94.98.208','MicrosoftStore','Computer','2351512545',to_date('19-FEB-17','DD-MON-RR'),to_date('16-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(816,'124.205.39.140','MicrosoftStore','Tablet','3081999391',to_date('21-MAR-17','DD-MON-RR'),to_date('01-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(817,'98.97.182.170','GooglePlay','Laptop','1947947877',to_date('18-SEP-17','DD-MON-RR'),to_date('12-JUN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(818,'192.189.200.183','MicrosoftStore','Laptop','7911371946',to_date('09-JAN-16','DD-MON-RR'),to_date('15-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(819,'69.112.178.132','GooglePlay','Laptop','0516213164',to_date('01-MAR-16','DD-MON-RR'),to_date('12-APR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(820,'206.204.227.60','MicrosoftStore','Phone','3982705568',to_date('13-OCT-16','DD-MON-RR'),to_date('15-SEP-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(821,'37.13.145.52','MicrosoftStore','Computer','9203359397',to_date('26-DEC-17','DD-MON-RR'),to_date('09-FEB-19','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(822,'84.143.79.167','MicrosoftStore','Phone','1386027820',to_date('23-JUL-17','DD-MON-RR'),to_date('15-DEC-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(823,'94.109.154.227','AppStore','Tablet','9259407079',to_date('14-OCT-17','DD-MON-RR'),to_date('29-NOV-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(824,'44.126.250.60','GooglePlay','Laptop','8005614527',to_date('24-DEC-17','DD-MON-RR'),to_date('03-APR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(825,'13.199.180.44','MicrosoftStore','Tablet','2816227812',to_date('31-AUG-17','DD-MON-RR'),to_date('30-MAY-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(826,'214.111.184.25','AppStore','Phone','2654855201',to_date('26-JUN-16','DD-MON-RR'),to_date('10-JUL-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(827,'50.159.201.214','MicrosoftStore','Phone','1057889555',to_date('10-APR-16','DD-MON-RR'),to_date('12-DEC-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(828,'115.253.136.148','GooglePlay','Phone','5830131110',to_date('14-MAR-16','DD-MON-RR'),to_date('05-APR-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(829,'156.209.240.241','AppStore','Laptop','0913823465',to_date('15-FEB-17','DD-MON-RR'),to_date('22-AUG-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(830,'51.57.211.233','GooglePlay','Tablet','0838262457',to_date('07-FEB-16','DD-MON-RR'),to_date('16-JAN-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(831,'20.24.27.155','MicrosoftStore','Computer','2277414875',to_date('15-APR-16','DD-MON-RR'),to_date('17-  
MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

```
(832,'83.50.211.172','AppStore','Phone','4194349717',to_date('13-FEB-17','DD-MON-RR'),to_date('08-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(833,'249.95.85.86','AppStore','Laptop','2664967762',to_date('17-DEC-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(834,'12.139.214.188','AppStore','Computer','4284890689',to_date('23-SEP-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(835,'232.73.203.133','AppStore','Laptop','6095260701',to_date('04-DEC-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(836,'175.36.38.255','AppStore','Laptop','1681192896',to_date('28-MAY-17','DD-MON-RR'),to_date('11-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(837,'253.128.79.71','GooglePlay','Tablet','7616306217',to_date('03-DEC-17','DD-MON-RR'),to_date('22-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(838,'189.121.222.47','MicrosoftStore','Laptop','7402269620',to_date('10-MAR-17','DD-MON-RR'),to_date('28-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(839,'30.83.154.117','AppStore','Phone','0722274769',to_date('09-DEC-16','DD-MON-RR'),to_date('01-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(840,'79.55.95.42','AppStore','Laptop','1800934521',to_date('05-NOV-17','DD-MON-RR'),to_date('13-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(841,'5.207.183.191','MicrosoftStore','Computer','2823812652',to_date('08-OCT-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(842,'5.226.61.137','MicrosoftStore','Laptop','6014105832',to_date('21-OCT-16','DD-MON-RR'),to_date('07-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(843,'113.132.133.237','MicrosoftStore','Tablet','1000444333',to_date('24-JUL-16','DD-MON-RR'),to_date('02-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(844,'132.83.72.233','AppStore','Computer','9420320421',to_date('15-MAR-17','DD-MON-RR'),to_date('08-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(845,'190.83.174.171','AppStore','Computer','1548636274',to_date('13-JUL-16','DD-MON-RR'),to_date('28-JUN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(846,'211.59.218.167','AppStore','Tablet','6094150872',to_date('06-OCT-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(847,'237.33.251.172','AppStore','Computer','8206849378',to_date('12-SEP-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(848,'111.99.187.62','AppStore','Laptop','5878436280',to_date('24-JAN-16','DD-MON-RR'),to_date('10-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(849,'111.213.89.162','MicrosoftStore','Tablet','8465348723',to_date('06-NOV-17','DD-MON-RR'),to_date('14-JUN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(850,'207.149.101.172','MicrosoftStore','Phone','5774774546',to_date('14-APR-17','DD-MON-RR'),to_date('04-APR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(851,'253.55.255.164','MicrosoftStore','Computer','7760761570',to_date('18-NOV-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(852,'106.162.229.10','GooglePlay','Phone','4229790732',to_date('06-OCT-17','DD-MON-RR'),to_date('20-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(853,'69.72.41.18','GooglePlay','Phone','9715372619',to_date('21-JAN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(854,'39.177.73.236','AppStore','Computer','8757416400',to_date('22-NOV-16','DD-MON-RR'),to_date('22-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(855,'79.61.56.174','AppStore','Phone','8705577039',to_date('26-AUG-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(856,'164.10.215.74','AppStore','Computer','1118409450',to_date('23-JUL-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(857,'217.222.139.174','GooglePlay','Computer','5806015009',to_date('18-APR-16','DD-MON-RR'),to_date('12-  
APR-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(858,'83.19.123.39','AppStore','Laptop','8261615529',to_date('18-JUN-16','DD-MON-RR'),to_date('30-SEP-19','DD-  
MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(859,'120.233.242.68','MicrosoftStore','Phone','6711387899',to_date('16-JUL-16','DD-MON-RR'),to_date('08-AUG-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(860,'236.146.91.239','GooglePlay','Phone','7526818863',to_date('02-AUG-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(861,'179.162.184.39','MicrosoftStore','Tablet','1765535581',to_date('03-DEC-17','DD-MON-RR'),to_date('13-APR-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(862,'76.255.10.79','MicrosoftStore','Tablet','0879575689',to_date('29-AUG-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(863,'3.128.167.234','AppStore','Laptop','3812945118',to_date('30-AUG-16','DD-MON-RR'),to_date('12-FEB-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(864,'254.32.195.82','GooglePlay','Phone','7950565160',to_date('21-MAR-17','DD-MON-RR'),to_date('25-MAR-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(865,'135.24.49.89','MicrosoftStore','Laptop','8453497486',to_date('08-MAY-16','DD-MON-RR'),to_date('23-SEP-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

```
(866,'93.89.229.227','GooglePlay','Laptop','4130674978',to_date('09-MAR-16','DD-MON-RR'),to_date('16-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(867,'142.175.205.243','MicrosoftStore','Tablet','5652653442',to_date('27-JUL-16','DD-MON-RR'),to_date('12-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(868,'219.117.141.180','AppStore','Tablet','6302137144',to_date('29-APR-16','DD-MON-RR'),to_date('19-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(869,'214.243.164.153','GooglePlay','Phone','0448796767',to_date('17-SEP-16','DD-MON-RR'),to_date('02-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(870,'109.160.27.233','AppStore','Laptop','8244022744',to_date('08-DEC-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(871,'21.166.153.243','AppStore','Tablet','8627861080',to_date('05-OCT-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(872,'157.212.190.157','GooglePlay','Phone','7871393944',to_date('30-JAN-16','DD-MON-RR'),to_date('29-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(873,'7.41.30.15','MicrosoftStore','Tablet','8243975853',to_date('16-OCT-16','DD-MON-RR'),to_date('28-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(874,'106.216.9.29','AppStore','Computer','3703065907',to_date('30-MAY-17','DD-MON-RR'),to_date('17-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(875,'251.253.129.107','MicrosoftStore','Laptop','1346642907',to_date('19-APR-16','DD-MON-RR'),to_date('28-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(876,'129.159.215.236','MicrosoftStore','Tablet','9869771246',to_date('29-OCT-17','DD-MON-RR'),to_date('04-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(877,'181.209.101.109','MicrosoftStore','Computer','5491373176',to_date('03-APR-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(878,'165.143.65.153','MicrosoftStore','Laptop','0871195704',to_date('29-NOV-17','DD-MON-RR'),to_date('14-JUN-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(879,'214.55.15.56','GooglePlay','Tablet','0925245585',to_date('10-JUN-16','DD-MON-RR'),to_date('28-NOV-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(880,'179.147.14.11','GooglePlay','Phone','9836618570',to_date('18-APR-17','DD-MON-RR'),to_date('15-MAR-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(881,'207.255.152.66','MicrosoftStore','Laptop','8315668315',to_date('20-SEP-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(882,'203.84.18.104','AppStore','Phone','6254392461',to_date('14-OCT-17','DD-MON-RR'),to_date('18-MAR-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(883,'222.13.97.47','MicrosoftStore','Tablet','6012204264',to_date('17-MAR-17','DD-MON-RR'),to_date('02-OCT-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(884,'98.31.161.206','MicrosoftStore','Computer','9086843425',to_date('30-MAR-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(885,'47.179.175.24','MicrosoftStore','Laptop','8789977262',to_date('23-DEC-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(886,'25.2.86.200','AppStore','Tablet','1470772353',to_date('14-JUN-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(887,'136.225.145.110','GooglePlay','Phone','4982577811',to_date('12-SEP-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(888,'9.188.227.75','MicrosoftStore','Computer','1250597560',to_date('01-JUL-17','DD-MON-RR'),null);
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(889,'131.215.62.160','MicrosoftStore','Phone','8633287153',to_date('26-DEC-16','DD-MON-RR'),to_date('25-MAY-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(890,'185.34.43.73','GooglePlay','Laptop','2764082525',to_date('03-JUL-16','DD-MON-RR'),to_date('10-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(891,'223.100.214.96','AppStore','Laptop','0675182239',to_date('23-NOV-17','DD-MON-RR'),to_date('19-JUN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(892,'212.249.253.95','AppStore','Laptop','8037219860',to_date('04-MAR-16','DD-MON-RR'),to_date('09-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(893,'88.191.108.43','MicrosoftStore','Phone','9659422776',to_date('12-NOV-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(894,'184.10.206.43','MicrosoftStore','Phone','0021810729',to_date('20-DEC-16','DD-MON-RR'),to_date('09-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(895,'251.115.209.1','GooglePlay','Phone','6114285514',to_date('07-JUL-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(896,'125.37.243.186','GooglePlay','Phone','1385654333',to_date('23-DEC-16','DD-MON-RR'),to_date('12-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(897,'222.187.125.54','AppStore','Tablet','6488500546',to_date('19-JUL-17','DD-MON-RR'),to_date('16-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(898,'101.217.211.106','GooglePlay','Computer','5999149592',to_date('06-MAY-17','DD-MON-RR'),to_date('11-FEB-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(899,'132.180.37.63','MicrosoftStore','Tablet','5059292436',to_date('09-JUN-16','DD-MON-RR'),to_date('21-AUG-19','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(900,'137.242.7.126','GooglePlay','Computer','2088430687',to_date('04-OCT-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(401,'188.104.158.162','MicrosoftStore','Phone','1374028452',to_date('21-JUN-16','DD-MON-RR'),to_date('23-JUN-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(402,'95.171.60.101','GooglePlay','Phone','0534390706',to_date('04-MAR-16','DD-MON-RR'),to_date('06-FEB-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(403,'80.115.163.75','AppStore','Laptop','7749374795',to_date('25-MAY-17','DD-MON-RR'),to_date('22-JUN-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(404,'105.141.255.68','GooglePlay','Laptop','4667301805',to_date('08-APR-17','DD-MON-RR'),to_date('07-OCT-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(405,'26.197.137.237','AppStore','Tablet','2810079544',to_date('21-JUL-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(406,'247.201.242.129','AppStore','Phone','4504367351',to_date('03-JUL-16','DD-MON-RR'),to_date('06-MAR-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(407,'8.12.38.26','AppStore','Computer','1557882800',to_date('16-SEP-17','DD-MON-RR'),to_date('19-FEB-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(408,'235.102.218.112','GooglePlay','Phone','6986937407',to_date('27-SEP-16','DD-MON-RR'),to_date('14-JAN-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(409,'175.231.154.3','GooglePlay','Tablet','9731693920',to_date('19-FEB-17','DD-MON-RR'),to_date('21-SEP-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(410,'36.180.56.189','MicrosoftStore','Laptop','3693648824',to_date('17-DEC-17','DD-MON-RR'),to_date('14-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(411,'76.156.230.237','AppStore','Phone','7885380521',to_date('14-MAY-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(412,'83.101.136.63','AppStore','Phone','2429712938',to_date('02-DEC-16','DD-MON-RR'),to_date('29-NOV-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(413,'146.206.215.18','MicrosoftStore','Tablet','7547555837',to_date('26-DEC-17','DD-MON-RR'),to_date('22-JAN-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(414,'158.75.97.67','MicrosoftStore','Laptop','2937675263',to_date('07-MAY-17','DD-MON-RR'),to_date('03-FEB-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(415,'220.161.240.131','GooglePlay','Laptop','4849099890',to_date('24-FEB-17','DD-MON-RR'),to_date('30-MAR-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(416,'37.47.101.240','GooglePlay','Laptop','6639171201',to_date('13-JUL-17','DD-MON-RR'),to_date('01-AUG-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(417,'126.33.100.80','MicrosoftStore','Laptop','0176630023',to_date('21-NOV-16','DD-MON-RR'),to_date('24-SEP-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(418,'208.206.158.163','GooglePlay','Laptop','2415582565',to_date('24-JAN-17','DD-MON-RR'),to_date('06-OCT-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(419,'15.117.108.228','GooglePlay','Phone','9373222236',to_date('13-DEC-16','DD-MON-RR'),to_date('04-FEB-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(420,'64.170.171.58','AppStore','Laptop','4990025261',to_date('10-APR-17','DD-MON-RR'),to_date('22-SEP-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(421,'182.247.232.129','MicrosoftStore','Computer','3237337072',to_date('14-JUN-16','DD-MON-RR'),to_date('29-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(422,'104.173.42.248','GooglePlay','Computer','4364525103',to_date('25-JUL-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(423,'166.211.176.169','AppStore','Tablet','9750089820',to_date('10-FEB-17','DD-MON-RR'),to_date('02-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(424,'208.248.96.80','AppStore','Computer','5430308552',to_date('27-SEP-17','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(425,'25.79.244.194','AppStore','Computer','8128822004',to_date('30-SEP-16','DD-MON-RR'),to_date('13-SEP-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(426,'188.97.130.125','MicrosoftStore','Tablet','5374526472',to_date('14-JAN-17','DD-MON-RR'),to_date('28-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(427,'24.80.99.30','MicrosoftStore','Laptop','7326633282',to_date('05-DEC-16','DD-MON-RR'),to_date('07-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(428,'103.125.79.29','MicrosoftStore','Laptop','5121365691',to_date('26-APR-17','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(429,'184.98.233.175','AppStore','Computer','1912389576',to_date('04-MAR-16','DD-MON-RR'),to_date('14-APR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(430,'60.240.12.179','GooglePlay','Computer','8706600352',to_date('15-MAY-17','DD-MON-RR'),to_date('08-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(431,'84.213.132.74','AppStore','Computer','3296327983',to_date('24-JUN-16','DD-MON-RR'),to_date('06-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(432,'9.127.243.31','GooglePlay','Tablet','9816305933',to_date('02-JAN-16','DD-MON-RR'),to_date('01-MAY-18','DD-MON-RR'));
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(433,'14.136.216.58','MicrosoftStore','Computer','2225525587',to_date('01-FEB-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(434,'26.173.17.192','GooglePlay','Computer','1114465704',to_date('24-DEC-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(435,'238.206.68.186','GooglePlay','Phone','9072213823',to_date('08-SEP-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(436,'13.158.147.254','GooglePlay','Tablet','3096785120',to_date('26-JUN-16','DD-MON-RR'),to_date('16-JUL-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(437,'32.104.9.188','GooglePlay','Computer','0612461947',to_date('28-MAR-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(438,'37.39.65.66','GooglePlay','Computer','4429441588',to_date('12-MAY-16','DD-MON-RR'),to_date('16-MAY-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(439,'43.72.147.223','GooglePlay','Laptop','0825659329',to_date('27-MAY-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(440,'156.172.186.230','GooglePlay','Computer','1780611587',to_date('23-SEP-17','DD-MON-RR'),to_date('17-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(441,'64.23.31.133','GooglePlay','Computer','4858011895',to_date('24-APR-17','DD-MON-RR'),to_date('07-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(442,'153.124.225.143','GooglePlay','Computer','6718121339',to_date('26-MAR-17','DD-MON-RR'),to_date('03-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(443,'89.29.110.129','AppStore','Computer','2536888932',to_date('25-APR-17','DD-MON-RR'),to_date('18-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(444,'171.32.21.115','GooglePlay','Tablet','3212244607',to_date('06-DEC-16','DD-MON-RR'),null);

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(445,'218.63.106.193','AppStore','Phone','6176577985',to_date('07-JUL-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(446,'90.112.123.235','MicrosoftStore','Laptop','3232836143',to_date('13-NOV-16','DD-MON-RR'),to_date('24-OCT-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(447,'186.156.223.34','GooglePlay','Phone','7903713191',to_date('23-AUG-17','DD-MON-RR'),to_date('21-FEB-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(448,'245.128.87.251','MicrosoftStore','Phone','2597798224',to_date('09-APR-16','DD-MON-RR'),to_date('02-OCT-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(449,'3.29.110.41','AppStore','Laptop','9563962680',to_date('10-APR-16','DD-MON-RR'),to_date('14-JUL-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(450,'246.159.172.135','GooglePlay','Tablet','0061307246',to_date('19-JAN-16','DD-MON-RR'),to_date('25-SEP-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(451,'74.174.19.112','AppStore','Phone','7351391882',to_date('06-OCT-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(452,'124.191.133.82','AppStore','Tablet','2431968995',to_date('18-MAR-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(453,'12.135.152.5','MicrosoftStore','Phone','6124805405',to_date('21-FEB-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(454,'229.39.203.253','MicrosoftStore','Phone','6608203381',to_date('15-FEB-17','DD-MON-RR'),to_date('18-JUN-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(455,'217.221.52.9','AppStore','Tablet','3025968648',to_date('28-MAR-17','DD-MON-RR'),to_date('17-DEC-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

(456,'74.121.255.190','AppStore','Tablet','9037627560',to_date('13-MAR-17','DD-MON-RR'),to_date('12-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(457,'108.34.59.81','MicrosoftStore','Tablet','6141211283',to_date('11-FEB-16','DD-MON-RR'),to_date('11-MAY-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(458,'58.48.131.108','AppStore','Computer','9550731995',to_date('02-JAN-17','DD-MON-RR'),to_date('16-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(459,'185.2.215.224','MicrosoftStore','Laptop','3799601538',to_date('24-JAN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(460,'142.158.27.223','AppStore','Phone','4148033524',to_date('29-JAN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(461,'221.1.147.233','GooglePlay','Phone','0624280055',to_date('17-OCT-16','DD-MON-RR'),to_date('27-JUN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(462,'234.17.157.140','GooglePlay','Computer','3181126233',to_date('16-JAN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(463,'91.14.83.96','MicrosoftStore','Tablet','4707238637',to_date('17-FEB-17','DD-MON-RR'),to_date('10-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(464,'45.36.10.170','MicrosoftStore','Computer','3013273852',to_date('29-JUL-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(465,'186.49.109.25','AppStore','Laptop','3389974075',to_date('08-JUL-16','DD-MON-RR'),to_date('23-MAY-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(466,'19.155.216.110','AppStore','Computer','2808438958',to_date('02-FEB-17','DD-MON-RR'),to_date('10-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(467,'138.66.123.192','MicrosoftStore','Computer','7650659755',to_date('04-MAY-16','DD-MON-RR'),to_date('26-DEC-18','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(468,'249.22.209.113','AppStore','Laptop','6548549252',to_date('19-SEP-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(469,'108.246.54.6','GooglePlay','Laptop','9406360160',to_date('05-OCT-16','DD-MON-RR'),to_date('29-MAR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(470,'175.2.49.190','AppStore','Laptop','5873982775',to_date('28-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(471,'222.8.26.111','AppStore','Tablet','5509034211',to_date('08-SEP-17','DD-MON-RR'),to_date('15-APR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(472,'107.239.127.76','MicrosoftStore','Computer','5082564021',to_date('13-MAY-16','DD-MON-RR'),to_date('01-JUN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(473,'76.243.17.185','GooglePlay','Laptop','5721083352',to_date('18-JUL-16','DD-MON-RR'),to_date('05-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(474,'235.107.248.119','AppStore','Computer','9391576591',to_date('06-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(475,'132.244.67.188','MicrosoftStore','Tablet','7033715706',to_date('25-JUN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(476,'14.214.224.176','MicrosoftStore','Laptop','7762234764',to_date('26-DEC-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(477,'97.22.197.44','AppStore','Computer','7103564388',to_date('13-DEC-17','DD-MON-RR'),to_date('02-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(478,'209.165.171.147','MicrosoftStore','Computer','2457267986',to_date('15-JAN-16','DD-MON-RR'),to_date('09-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(479,'68.180.110.235','GooglePlay','Tablet','6650413313',to_date('09-MAY-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(480,'4.247.219.177','MicrosoftStore','Laptop','7065458296',to_date('19-APR-17','DD-MON-RR'),to_date('26-FEB-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(481,'187.113.40.9','MicrosoftStore','Phone','7300840035',to_date('24-MAR-16','DD-MON-RR'),to_date('21-DEC-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(482,'48.216.241.146','AppStore','Computer','3444114214',to_date('25-MAR-16','DD-MON-RR'),to_date('08-SEP-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(483,'69.200.203.212','GooglePlay','Phone','6487172146',to_date('25-DEC-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(484,'36.198.145.241','MicrosoftStore','Laptop','1344246443',to_date('25-FEB-16','DD-MON-RR'),to_date('17-FEB-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(485,'172.169.211.221','MicrosoftStore','Computer','5523613037',to_date('26-JAN-17','DD-MON-RR'),to_date('10-  
FEB-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(486,'111.220.36.72','GooglePlay','Phone','0382632605',to_date('20-APR-16','DD-MON-RR'),to_date('05-MAY-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(487,'132.142.2.244','AppStore','Laptop','9409938430',to_date('30-APR-16','DD-MON-RR'),to_date('12-DEC-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(488,'182.118.71.98','AppStore','Computer','8422673088',to_date('26-AUG-16','DD-MON-RR'),to_date('09-AUG-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(489,'183.224.118.8','MicrosoftStore','Laptop','3535581567',to_date('28-MAY-17','DD-MON-RR'),to_date('03-DEC-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(490,'4.254.132.94','GooglePlay','Tablet','4023871869',to_date('11-SEP-16','DD-MON-RR'),to_date('06-MAY-  
19','DD-MON-RR'));
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(491,'22.172.169.205','MicrosoftStore','Phone','3162224594',to_date('18-DEC-17','DD-MON-RR'),to_date('22-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(492,'54.115.41.243','GooglePlay','Tablet','3697688189',to_date('12-OCT-17','DD-MON-RR'),to_date('30-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(493,'168.254.92.67','MicrosoftStore','Tablet','6048510233',to_date('09-OCT-17','DD-MON-RR'),to_date('13-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(494,'209.153.3.20','AppStore','Laptop','0599196432',to_date('02-OCT-16','DD-MON-RR'),to_date('13-SEP-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(495,'168.68.143.237','GooglePlay','Computer','4130998994',to_date('26-JUL-16','DD-MON-RR'),to_date('17-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(496,'33.221.168.15','AppStore','Tablet','8785925055',to_date('12-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(497,'220.36.246.229','AppStore','Computer','6509671212',to_date('29-JUN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(498,'15.216.206.224','MicrosoftStore','Computer','4352232750',to_date('19-MAY-16','DD-MON-RR'),to_date('06-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(499,'73.134.202.214','AppStore','Phone','3716625159',to_date('19-JUL-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(500,'226.228.82.93','MicrosoftStore','Phone','4452398499',to_date('02-DEC-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(501,'173.44.246.241','MicrosoftStore','Tablet','8140879525',to_date('04-OCT-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values

(502,'188.188.247.46','MicrosoftStore','Phone','7906595424',to_date('14-AUG-16','DD-MON-RR'),to_date('14-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(503,'138.33.97.204','AppStore','Computer','4089064597',to_date('22-MAR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(504,'110.191.73.179','AppStore','Tablet','7118814229',to_date('29-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(505,'20.68.45.12','MicrosoftStore','Laptop','5756086587',to_date('23-MAY-17','DD-MON-RR'),to_date('23-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(506,'224.186.252.191','MicrosoftStore','Tablet','7040063638',to_date('10-OCT-16','DD-MON-RR'),to_date('03-JUN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(507,'6.183.8.213','GooglePlay','Tablet','6461001107',to_date('28-NOV-17','DD-MON-RR'),to_date('31-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(508,'36.13.234.24','AppStore','Tablet','5676393718',to_date('19-MAR-17','DD-MON-RR'),to_date('15-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(509,'232.180.119.48','AppStore','Laptop','0431553386',to_date('24-JAN-16','DD-MON-RR'),to_date('19-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(510,'15.72.95.72','MicrosoftStore','Phone','3294147449',to_date('09-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(511,'210.106.84.241','GooglePlay','Computer','1448153689',to_date('02-FEB-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(512,'103.56.69.43','GooglePlay','Laptop','1034160117',to_date('01-JUL-16','DD-MON-RR'),to_date('10-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(513,'213.23.96.47','MicrosoftStore','Computer','9156921187',to_date('04-SEP-17','DD-MON-RR'),to_date('03-DEC-18','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(514,'248.225.178.46','MicrosoftStore','Phone','6770572923',to_date('15-AUG-17','DD-MON-RR'),to_date('28-SEP-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(515,'135.137.77.9','MicrosoftStore','Tablet','1780869150',to_date('23-OCT-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(516,'154.92.96.103','GooglePlay','Laptop','4638734936',to_date('10-NOV-16','DD-MON-RR'),to_date('03-APR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(517,'169.36.148.48','AppStore','Phone','2372256246',to_date('14-JAN-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(518,'156.74.96.13','GooglePlay','Phone','2599822777',to_date('07-OCT-16','DD-MON-RR'),to_date('04-APR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(519,'118.232.164.12','GooglePlay','Computer','9201029764',to_date('08-OCT-17','DD-MON-RR'),to_date('05-MAY-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(520,'108.135.201.78','MicrosoftStore','Computer','1418945951',to_date('31-MAY-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(521,'153.96.69.226','AppStore','Tablet','8316628031',to_date('01-FEB-17','DD-MON-RR'),to_date('27-JUN-19','DD-  
MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(522,'91.109.237.67','AppStore','Phone','0815620810',to_date('20-NOV-17','DD-MON-RR'),to_date('04-OCT-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(523,'143.246.26.30','AppStore','Tablet','5027079818',to_date('06-DEC-17','DD-MON-RR'),to_date('14-MAR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(524,'34.252.213.188','MicrosoftStore','Computer','4504465191',to_date('03-JUN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

```
(525,'140.189.50.137','AppStore','Laptop','2451895047',to_date('06-MAY-16','DD-MON-RR'),to_date('05-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(526,'14.18.54.60','AppStore','Laptop','3119971065',to_date('31-DEC-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(527,'64.128.83.98','AppStore','Laptop','0872390578',to_date('05-MAY-16','DD-MON-RR'),to_date('10-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(528,'211.26.50.38','GooglePlay','Phone','3239636476',to_date('19-JUL-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(529,'97.38.215.126','MicrosoftStore','Tablet','9611358350',to_date('07-APR-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(530,'225.27.166.122','GooglePlay','Computer','2282909453',to_date('20-SEP-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(531,'3.245.225.8','GooglePlay','Tablet','9377151058',to_date('01-JUL-16','DD-MON-RR'),to_date('27-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(532,'233.211.22.5','MicrosoftStore','Tablet','7794978076',to_date('19-NOV-16','DD-MON-RR'),to_date('19-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(533,'181.105.209.38','MicrosoftStore','Computer','6639118254',to_date('15-JUL-17','DD-MON-RR'),to_date('14-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(534,'4.53.163.22','MicrosoftStore','Phone','0984813071',to_date('05-JAN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(535,'62.92.170.64','MicrosoftStore','Laptop','4626592694',to_date('17-MAY-16','DD-MON-RR'),to_date('01-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(536,'152.62.77.147','GooglePlay','Phone','7575174273',to_date('09-OCT-16','DD-MON-RR'),to_date('21-DEC-18','DD-MON-RR'));
```

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(537,'94.63.144.19','GooglePlay','Computer','8474668956',to_date('14-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(538,'30.14.206.106','GooglePlay','Laptop','5374232932',to_date('02-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(539,'66.70.164.19','AppStore','Computer','4529900967',to_date('28-AUG-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(540,'246.195.190.89','AppStore','Laptop','2922410420',to_date('02-MAY-17','DD-MON-RR'),to_date('08-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(541,'41.223.253.15','MicrosoftStore','Computer','9780737804',to_date('18-JAN-16','DD-MON-RR'),to_date('13-FEB-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(542,'155.194.79.220','AppStore','Laptop','5459973473',to_date('11-MAY-16','DD-MON-RR'),to_date('04-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(543,'192.88.150.204','AppStore','Phone','5457826694',to_date('18-SEP-17','DD-MON-RR'),to_date('30-SEP-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(544,'90.194.27.244','AppStore','Phone','4528886960',to_date('28-OCT-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(545,'95.214.217.108','GooglePlay','Computer','8586154024',to_date('30-APR-17','DD-MON-RR'),to_date('25-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(546,'169.175.81.204','GooglePlay','Laptop','7882019054',to_date('05-FEB-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(547,'4.11.218.62','AppStore','Computer','3841413978',to_date('21-JUL-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(548,'73.212.67.139','MicrosoftStore','Computer','4105948733',to_date('07-AUG-16','DD-MON-RR'),to_date('08-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(549,'42.99.170.151','MicrosoftStore','Computer','1856245578',to_date('16-NOV-16','DD-MON-RR'),to_date('13-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(550,'233.213.34.10','MicrosoftStore','Laptop','0697051870',to_date('28-MAR-16','DD-MON-RR'),to_date('25-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(551,'249.212.57.120','AppStore','Computer','9410763584',to_date('17-JUN-16','DD-MON-RR'),to_date('17-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(552,'252.250.207.46','AppStore','Tablet','5335021128',to_date('19-JAN-16','DD-MON-RR'),to_date('20-APR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(553,'251.93.45.64','GooglePlay','Computer','6156852336',to_date('28-AUG-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(554,'7.217.101.3','AppStore','Phone','3754258435',to_date('29-JUL-16','DD-MON-RR'),to_date('17-JUL-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(555,'71.124.232.0','MicrosoftStore','Phone','5884295995',to_date('13-MAR-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(556,'112.224.21.117','MicrosoftStore','Tablet','2437743723',to_date('08-FEB-16','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(557,'129.101.87.78','GooglePlay','Tablet','6769931044',to_date('26-JUN-16','DD-MON-RR'),to_date('27-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(558,'183.255.137.101','MicrosoftStore','Computer','3894793872',to_date('23-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(559,'197.151.126.62','AppStore','Phone','4966192374',to_date('28-JUL-17','DD-MON-RR'),to_date('15-AUG-19','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(560,'155.208.201.222','MicrosoftStore','Tablet','4782374038',to_date('07-MAR-17','DD-MON-RR'),to_date('19-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(561,'239.128.156.57','GooglePlay','Computer','1770736328',to_date('16-JUL-17','DD-MON-RR'),to_date('26-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(562,'12.76.162.36','MicrosoftStore','Tablet','8029434790',to_date('15-JUL-17','DD-MON-RR'),to_date('06-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(563,'46.150.240.191','AppStore','Tablet','7680100470',to_date('17-DEC-16','DD-MON-RR'),to_date('20-MAR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(564,'48.240.244.146','GooglePlay','Phone','7524125771',to_date('19-JAN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(565,'175.187.211.180','AppStore','Laptop','2904272100',to_date('12-OCT-16','DD-MON-RR'),to_date('08-OCT-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(566,'1.68.156.142','MicrosoftStore','Tablet','5042548874',to_date('24-AUG-16','DD-MON-RR'),to_date('12-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(567,'42.67.40.22','GooglePlay','Tablet','9305076580',to_date('21-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(568,'205.38.175.106','AppStore','Laptop','0930390156',to_date('10-JUN-17','DD-MON-RR'),to_date('09-JUN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(569,'75.192.243.90','MicrosoftStore','Laptop','9150392875',to_date('21-APR-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(570,'222.160.10.140','MicrosoftStore','Laptop','9830490068',to_date('20-OCT-17','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(571,'30.228.5.12','AppStore','Computer','9665152661',to_date('01-OCT-17','DD-MON-RR'),to_date('21-JUN-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(572,'48.207.109.249','GooglePlay','Computer','0551447230',to_date('30-JUN-16','DD-MON-RR'),to_date('31-JUL-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(573,'64.177.93.81','GooglePlay','Phone','6339723748',to_date('28-JAN-17','DD-MON-RR'),to_date('13-MAY-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(574,'204.105.90.21','AppStore','Laptop','6272871023',to_date('06-JUN-16','DD-MON-RR'),to_date('25-MAY-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(575,'3.187.227.116','MicrosoftStore','Laptop','7006476992',to_date('08-APR-17','DD-MON-RR'),to_date('29-NOV-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(576,'105.192.120.71','GooglePlay','Tablet','3872493140',to_date('18-JUN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(577,'61.17.44.133','AppStore','Phone','5987140358',to_date('03-APR-16','DD-MON-RR'),to_date('07-AUG-18','DD-  
MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(578,'182.208.100.31','AppStore','Laptop','1113376856',to_date('05-JUL-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(579,'231.28.106.112','AppStore','Phone','2566279365',to_date('22-SEP-17','DD-MON-RR'),to_date('21-FEB-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(580,'240.11.87.35','AppStore','Computer','5080807628',to_date('31-OCT-17','DD-MON-RR'),to_date('08-NOV-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(581,'254.86.205.117','GooglePlay','Phone','4988968189',to_date('02-SEP-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(582,'253.211.193.49','MicrosoftStore','Computer','5818295869',to_date('04-SEP-17','DD-MON-RR'),to_date('21-JUL-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(583,'200.6.137.12','GooglePlay','Computer','4711777172',to_date('20-FEB-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(584,'97.108.162.81','GooglePlay','Tablet','6954612596',to_date('07-NOV-17','DD-MON-RR'),to_date('02-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(585,'233.213.77.4','AppStore','Tablet','2855917395',to_date('22-MAY-17','DD-MON-RR'),to_date('30-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(586,'154.42.99.123','AppStore','Computer','5401455577',to_date('03-JUL-17','DD-MON-RR'),to_date('24-JAN-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(587,'242.88.221.200','AppStore','Tablet','7784758731',to_date('19-JAN-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(588,'49.161.28.123','AppStore','Tablet','0730868249',to_date('05-OCT-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(589,'209.92.228.120','MicrosoftStore','Computer','6239844489',to_date('18-JAN-17','DD-MON-RR'),to_date('11-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(590,'80.32.175.84','GooglePlay','Laptop','6387416965',to_date('02-JUL-16','DD-MON-RR'),to_date('16-JUN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(591,'72.22.4.48','MicrosoftStore','Tablet','9276066136',to_date('20-OCT-17','DD-MON-RR'),to_date('26-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(592,'13.65.89.8','GooglePlay','Laptop','5282317907',to_date('10-DEC-17','DD-MON-RR'),to_date('01-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(593,'158.4.155.139','AppStore','Tablet','6717239344',to_date('18-JUL-17','DD-MON-RR'),to_date('11-JUL-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(594,'84.200.38.134','MicrosoftStore','Laptop','3326684169',to_date('20-JUL-16','DD-MON-RR'),to_date('13-NOV-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(595,'76.226.66.150','AppStore','Laptop','0025065491',to_date('30-MAR-16','DD-MON-RR'),to_date('11-NOV-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(596,'143.135.217.191','AppStore','Computer','0488156769',to_date('08-MAY-16','DD-MON-RR'),to_date('22-MAY-18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(597,'231.227.115.44','MicrosoftStore','Tablet','6373819728',to_date('23-MAY-16','DD-MON-RR'),to_date('10-SEP-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(598,'219.136.155.119','MicrosoftStore','Laptop','9516634567',to_date('21-JUN-17','DD-MON-RR'),to_date('17-APR-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(599,'115.136.113.34','AppStore','Computer','2154395279',to_date('08-OCT-17','DD-MON-RR'),to_date('31-AUG-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(600,'13.122.99.157','MicrosoftStore','Phone','2848539879',to_date('03-DEC-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(601,'181.169.241.44','MicrosoftStore','Laptop','3888643872',to_date('02-JUN-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(602,'93.78.95.185','MicrosoftStore','Tablet','4092238991',to_date('24-APR-16','DD-MON-RR'),to_date('21-AUG-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(603,'103.75.246.50','MicrosoftStore','Computer','4461270513',to_date('12-APR-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(604,'222.253.164.242','MicrosoftStore','Tablet','7823684764',to_date('06-FEB-16','DD-MON-RR'),to_date('15-JUN-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(605,'14.136.105.236','AppStore','Tablet','9580758077',to_date('03-JUN-17','DD-MON-RR'),to_date('01-JAN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(606,'93.136.252.51','MicrosoftStore','Phone','5201070477',to_date('07-APR-16','DD-MON-RR'),to_date('15-JUL-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(607,'52.56.185.177','MicrosoftStore','Phone','6944596180',to_date('29-NOV-16','DD-MON-RR'),to_date('21-SEP-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(608,'178.29.126.133','MicrosoftStore','Tablet','1466947985',to_date('10-DEC-17','DD-MON-RR'),to_date('15-JAN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(609,'41.152.8.126','AppStore','Tablet','1655468138',to_date('07-NOV-17','DD-MON-RR'),to_date('29-JUL-18','DD-  
MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(610,'165.2.23.177','AppStore','Computer','2461427453',to_date('04-SEP-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(611,'64.226.81.28','AppStore','Computer','8983364491',to_date('14-MAR-16','DD-MON-RR'),to_date('18-MAR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(612,'110.7.177.212','MicrosoftStore','Tablet','5880207323',to_date('10-APR-17','DD-MON-RR'),to_date('04-AUG-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(613,'253.158.128.143','AppStore','Laptop','3474464590',to_date('28-JUL-17','DD-MON-RR'),to_date('19-AUG-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(614,'204.101.60.234','AppStore','Phone','4931824412',to_date('28-MAR-16','DD-MON-RR'),to_date('19-JAN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(615,'125.65.147.35','GooglePlay','Tablet','9285835376',to_date('31-OCT-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(616,'201.90.1.174','AppStore','Phone','3422701168',to_date('23-OCT-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(617,'5.11.23.5','MicrosoftStore','Tablet','3882132256',to_date('13-NOV-17','DD-MON-RR'),to_date('15-JUN-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(618,'40.249.93.63','MicrosoftStore','Phone','8457699350',to_date('31-OCT-17','DD-MON-RR'),to_date('03-JAN-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(619,'123.86.213.84','GooglePlay','Tablet','2104455871',to_date('02-FEB-16','DD-MON-RR'),to_date('29-OCT-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(620,'130.189.125.31','AppStore','Phone','9662079394',to_date('16-MAR-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(621,'54.192.117.18','GooglePlay','Computer','2918772720',to_date('18-APR-16','DD-MON-RR'),to_date('04-NOV-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(622,'252.250.148.251','GooglePlay','Phone','0636140172',to_date('23-JAN-17','DD-MON-RR'),to_date('17-NOV-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(623,'80.101.149.87','MicrosoftStore','Phone','3707694526',to_date('04-SEP-16','DD-MON-RR'),to_date('20-OCT-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(624,'246.67.142.136','MicrosoftStore','Phone','9738688183',to_date('16-AUG-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(625,'102.190.13.222','GooglePlay','Laptop','1356629350',to_date('21-AUG-16','DD-MON-RR'),to_date('05-MAY-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

(626,'76.255.169.18','AppStore','Computer','3078953874',to_date('26-MAR-17','DD-MON-RR'),to_date('27-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(627,'86.253.132.121','MicrosoftStore','Phone','8260600013',to_date('27-NOV-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(628,'89.6.112.189','MicrosoftStore','Laptop','4450553144',to_date('31-JUL-17','DD-MON-RR'),to_date('16-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(629,'175.146.146.7','MicrosoftStore','Tablet','0204324270',to_date('18-SEP-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(630,'184.254.9.186','AppStore','Laptop','6675149385',to_date('22-OCT-16','DD-MON-RR'),to_date('14-MAY-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(631,'229.166.91.219','AppStore','Laptop','7291995744',to_date('06-NOV-16','DD-MON-RR'),to_date('26-FEB-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(632,'177.163.118.81','MicrosoftStore','Tablet','1564662349',to_date('12-JUN-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(633,'255.229.79.89','GooglePlay','Computer','9591661614',to_date('03-AUG-17','DD-MON-RR'),to_date('08-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(634,'219.232.211.155','MicrosoftStore','Tablet','1666655155',to_date('20-APR-16','DD-MON-RR'),to_date('09-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(635,'35.63.216.67','AppStore','Tablet','1835019242',to_date('29-FEB-16','DD-MON-RR'),to_date('24-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(636,'194.220.171.63','AppStore','Phone','1056599634',to_date('22-FEB-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL

(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(637,'234.86.161.116','MicrosoftStore','Computer','4205260334',to_date('01-FEB-16','DD-MON-RR'),to_date('09-NOV-19','DD-MON-RR'));

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(638,'216.237.94.64','MicrosoftStore','Laptop','4907098596',to_date('17-DEC-17','DD-MON-RR'),to_date('13-JUL-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(639,'209.8.42.216','AppStore','Laptop','5821277647',to_date('15-AUG-16','DD-MON-RR'),to_date('15-FEB-18','DD-  
MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(640,'57.100.152.96','MicrosoftStore','Laptop','7284910313',to_date('14-NOV-17','DD-MON-RR'),to_date('18-MAR-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(641,'34.243.6.135','GooglePlay','Laptop','9741301413',to_date('01-FEB-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(642,'22.146.108.17','AppStore','Phone','0493916164',to_date('07-MAR-16','DD-MON-RR'),to_date('31-MAR-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(643,'211.109.225.101','MicrosoftStore','Laptop','9587300459',to_date('10-SEP-17','DD-MON-RR'),to_date('04-JUL-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(644,'52.248.169.132','GooglePlay','Phone','2970519364',to_date('27-FEB-16','DD-MON-RR'),to_date('14-JUN-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(645,'17.42.2.11','MicrosoftStore','Phone','6019919781',to_date('28-JAN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(646,'100.187.63.30','GooglePlay','Laptop','2610463642',to_date('05-NOV-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(647,'148.205.6.178','MicrosoftStore','Phone','9311006025',to_date('10-JUN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(648,'59.125.5.204','MicrosoftStore','Tablet','5720835962',to_date('09-MAY-17','DD-MON-RR'),to_date('07-MAY-  
18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

(649,'249.59.233.150','MicrosoftStore','Phone','9631818675',to_date('25-JUN-17','DD-MON-RR'),to_date('24-MAR-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(650,'222.195.117.177','AppStore','Tablet','5642162438',to_date('26-AUG-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(651,'252.200.217.247','MicrosoftStore','Laptop','3406068332',to_date('21-SEP-16','DD-MON-RR'),to_date('07-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(652,'160.180.226.169','GooglePlay','Phone','7129943068',to_date('17-JUL-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(653,'46.19.72.40','GooglePlay','Computer','9416146102',to_date('11-NOV-17','DD-MON-RR'),to_date('22-OCT-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(654,'30.34.244.6','MicrosoftStore','Tablet','4392840247',to_date('14-SEP-17','DD-MON-RR'),to_date('31-JAN-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(655,'246.240.79.241','AppStore','Tablet','9683236928',to_date('10-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(656,'208.9.69.44','GooglePlay','Phone','7393980940',to_date('17-MAR-17','DD-MON-RR'),to_date('25-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(657,'88.180.77.167','AppStore','Computer','7754949091',to_date('09-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(658,'200.125.5.186','AppStore','Phone','6473714537',to_date('21-SEP-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(659,'193.88.56.162','GooglePlay','Laptop','7218042023',to_date('09-FEB-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(660,'203.145.186.210','GooglePlay','Computer','3255123909',to_date('18-APR-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(661,'153.148.15.206','AppStore','Phone','8984819395',to_date('02-AUG-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(662,'189.104.199.89','AppStore','Laptop','8429967389',to_date('29-SEP-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(663,'3.248.173.16','MicrosoftStore','Laptop','7815162398',to_date('03-NOV-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(664,'233.47.97.93','MicrosoftStore','Tablet','2501087941',to_date('07-AUG-17','DD-MON-RR'),to_date('12-AUG-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(665,'56.95.111.176','MicrosoftStore','Phone','2987450036',to_date('28-AUG-17','DD-MON-RR'),to_date('01-NOV-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(666,'66.174.188.11','MicrosoftStore','Tablet','2333714727',to_date('20-JUL-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(667,'144.80.236.28','MicrosoftStore','Laptop','2658783892',to_date('05-MAY-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(668,'115.14.235.241','GooglePlay','Laptop','4626494226',to_date('12-JAN-17','DD-MON-RR'),to_date('17-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(669,'91.88.43.212','AppStore','Phone','5606944898',to_date('15-DEC-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(670,'123.42.156.107','GooglePlay','Tablet','2147014516',to_date('11-JUL-17','DD-MON-RR'),to_date('21-JUL-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(671,'187.117.231.22','AppStore','Phone','3027362453',to_date('08-OCT-16','DD-MON-RR'),to_date('01-FEB-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(672,'247.123.199.252','AppStore','Tablet','8722869212',to_date('22-JUN-16','DD-MON-RR'),null);

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(673,'232.82.191.193','MicrosoftStore','Laptop','4142597213',to_date('04-OCT-17','DD-MON-RR'),to_date('29-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(674,'201.26.10.23','GooglePlay','Laptop','4436991512',to_date('14-AUG-17','DD-MON-RR'),to_date('04-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(675,'166.148.56.71','MicrosoftStore','Computer','7563186131',to_date('15-JAN-17','DD-MON-RR'),to_date('23-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(676,'250.30.224.116','AppStore','Computer','1981170200',to_date('09-JAN-17','DD-MON-RR'),to_date('03-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(677,'205.61.86.23','MicrosoftStore','Laptop','5489325860',to_date('03-JAN-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(678,'135.24.251.227','MicrosoftStore','Phone','4245382201',to_date('23-OCT-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(679,'194.155.14.207','MicrosoftStore','Tablet','7356611112',to_date('22-JAN-17','DD-MON-RR'),to_date('01-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(680,'84.212.47.72','GooglePlay','Laptop','8741984404',to_date('07-OCT-16','DD-MON-RR'),to_date('07-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(681,'35.129.219.10','GooglePlay','Phone','8135422083',to_date('18-JAN-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(682,'16.219.116.209','MicrosoftStore','Tablet','7396439396',to_date('16-JUN-16','DD-MON-RR'),to_date('03-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(683,'132.99.187.91','GooglePlay','Tablet','6052157771',to_date('27-DEC-17','DD-MON-RR'),to_date('14-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(684,'204.114.163.213','AppStore','Phone','3750362262',to_date('08-JAN-16','DD-MON-RR'),to_date('24-SEP-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(685,'242.83.227.97','GooglePlay','Computer','9052474281',to_date('28-NOV-16','DD-MON-RR'),to_date('12-JUL-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(686,'166.160.59.92','GooglePlay','Phone','6090599751',to_date('24-SEP-17','DD-MON-RR'),to_date('24-OCT-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(687,'185.13.167.188','MicrosoftStore','Laptop','2298010056',to_date('20-MAY-17','DD-MON-RR'),to_date('24-  
AUG-19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(688,'130.245.250.61','AppStore','Laptop','1220398152',to_date('23-AUG-17','DD-MON-RR'),to_date('20-APR-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(689,'121.163.72.104','GooglePlay','Tablet','1244515566',to_date('17-JAN-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(690,'17.8.226.159','AppStore','Computer','3689471613',to_date('05-AUG-17','DD-MON-RR'),to_date('04-APR-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(691,'251.155.231.122','AppStore','Computer','4453341075',to_date('07-JAN-16','DD-MON-RR'),to_date('01-JUN-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(692,'241.119.70.250','AppStore','Phone','6009359090',to_date('30-MAR-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(693,'94.15.213.224','MicrosoftStore','Tablet','3552898956',to_date('31-MAR-17','DD-MON-RR'),to_date('25-MAY-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(694,'5.202.60.68','MicrosoftStore','Tablet','6109385395',to_date('21-NOV-17','DD-MON-RR'),to_date('01-DEC-  
19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(695,'26.191.129.112','MicrosoftStore','Laptop','5510834749',to_date('13-JUN-16','DD-MON-RR'),to_date('24-FEB-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(696,'16.59.242.112','GooglePlay','Phone','6823962771',to_date('15-SEP-16','DD-MON-RR'),to_date('19-SEP-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(697,'187.172.114.223','AppStore','Tablet','3564461566',to_date('20-JUN-16','DD-MON-RR'),to_date('21-APR-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(698,'153.119.221.253','AppStore','Phone','8024230801',to_date('05-JUN-17','DD-MON-RR'),to_date('28-DEC-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(699,'47.73.41.206','AppStore','Tablet','1062366611',to_date('27-MAR-16','DD-MON-RR'),to_date('26-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(700,'184.246.113.109','MicrosoftStore','Phone','2125962519',to_date('16-DEC-16','DD-MON-RR'),to_date('15-FEB-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(701,'28.217.57.200','MicrosoftStore','Computer','1820595676',to_date('10-DEC-16','DD-MON-RR'),to_date('23-AUG-18','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(702,'190.199.141.167','GooglePlay','Computer','7731005828',to_date('12-DEC-16','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(703,'37.240.241.157','MicrosoftStore','Laptop','3639215974',to_date('14-NOV-17','DD-MON-RR'),null);

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(704,'191.100.49.166','MicrosoftStore','Phone','5214911769',to_date('16-SEP-16','DD-MON-RR'),to_date('28-NOV-19','DD-MON-RR'));

Insert into C##BANK.APPINSTALL
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
(705,'80.120.188.64','AppStore','Laptop','7562832706',to_date('19-APR-17','DD-MON-RR'),to_date('05-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(706,'224.204.0.218','GooglePlay','Phone','2084540909',to_date('03-JUL-16','DD-MON-RR'),to_date('07-OCT-  
19','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(707,'14.10.236.246','MicrosoftStore','Tablet','5035854221',to_date('20-FEB-17','DD-MON-RR'),to_date('09-NOV-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(708,'182.122.181.170','AppStore','Laptop','8024275309',to_date('10-JUL-16','DD-MON-RR'),to_date('04-JUL-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(709,'84.203.95.50','AppStore','Computer','1394286422',to_date('13-FEB-17','DD-MON-RR'),to_date('30-AUG-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(710,'71.221.159.43','MicrosoftStore','Phone','9231104748',to_date('13-AUG-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(711,'233.167.83.245','AppStore','Laptop','7296027592',to_date('26-JUL-17','DD-MON-RR'),to_date('23-JAN-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(712,'59.136.103.39','AppStore','Laptop','2496796293',to_date('13-SEP-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(713,'236.52.117.87','GooglePlay','Phone','7084134999',to_date('19-MAY-16','DD-MON-RR'),to_date('26-SEP-  
18','DD-MON-RR'));  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(714,'9.84.33.68','AppStore','Tablet','8977996716',to_date('15-DEC-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(715,'50.112.12.103','MicrosoftStore','Phone','0563381000',to_date('06-JAN-16','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(716,'71.130.116.139','MicrosoftStore','Laptop','0132982765',to_date('20-MAR-17','DD-MON-RR'),null);  
  
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values
```

```
(717,'3.204.100.214','MicrosoftStore','Laptop','1887233296',to_date('06-MAR-16','DD-MON-RR'),to_date('17-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(718,'244.10.184.87','GooglePlay','Laptop','2860249028',to_date('30-JUN-16','DD-MON-RR'),to_date('02-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(719,'16.126.216.101','MicrosoftStore','Computer','2064198407',to_date('11-MAR-16','DD-MON-RR'),to_date('30-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(720,'145.86.222.24','GooglePlay','Phone','6080729709',to_date('04-JUL-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(721,'243.1.110.156','GooglePlay','Computer','9010764524',to_date('22-SEP-17','DD-MON-RR'),to_date('15-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(722,'130.101.195.226','GooglePlay','Phone','0676992692',to_date('14-APR-17','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(723,'88.164.165.132','AppStore','Computer','3115728492',to_date('31-JAN-17','DD-MON-RR'),to_date('22-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(724,'162.139.158.133','GooglePlay','Tablet','7039871475',to_date('08-NOV-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(725,'168.219.79.72','MicrosoftStore','Tablet','2333026146',to_date('26-AUG-16','DD-MON-RR'),null);
```

```
Insert into C##BANK.APPINSTALL  
(DEVICE_ID,IP_ADDRESS,APP_STORE,DEVICE_NAME,DEVICE_VERSION,CREATEDON,UPDATEDON) values  
(726,'220.241.239.80','GooglePlay','Phone','9280821679',to_date('02-DEC-16','DD-MON-RR'),to_date('28-NOV-19','DD-MON-RR'));
```

```
REM INSERTING into C##BANK.BANKER
```

```
SET DEFINE OFF;
```

```
Insert into C##BANK.BANKER (ACCOUNT_NUMBER,BANKER,CUSTOMERS) values  
(450001,C##BANK.BANKER_EMPLOYEE(1, 'Pinal',  
'Thakkar'),C##BANK.CUSTOMER_LIST(C##BANK.BANKER_EMPLOYEE(1001, 'JUI', 'ASHINKAR'),  
C##BANK.BANKER_EMPLOYEE(1002, 'Abhishek', 'Nilajgi'), C##BANK.BANKER_EMPLOYEE(1003, 'Lamyा',  
'Kagalwala'), C##BANK.BANKER_EMPLOYEE(1004, 'Gauri', 'Chavan')));
```

```
Insert into C##BANK.BANKER (ACCOUNT_NUMBER,BANKER,CUSTOMERS) values  
(450001,C##BANK.BANKER_EMPLOYEE(1, 'Pinal',  
'Thakkar'),C##BANK.CUSTOMER_LIST(C##BANK.BANKER_EMPLOYEE(1001, 'JUI', 'ASHINKAR'),  
C##BANK.BANKER_EMPLOYEE(1002, 'Abhishek', 'Nilajgi'), C##BANK.BANKER_EMPLOYEE(1003, 'Lamya',  
'Kagalwala'), C##BANK.BANKER_EMPLOYEE(1004, 'Gauri', 'Chavan')));  
  
REM INSERTING into C##BANK.BANK_ACCOUNT  
  
SET DEFINE OFF;  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450001,'IRA',584756.61,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450002,'Saving',168243.82,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450003,'Saving',552218.94,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450004,'Saving',177427.8,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450005,'Checking',488462,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450006,'IRA',609432.74,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450007,'Saving',199393.78,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450008,'IRA',604610.43,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450009,'IRA',823800.22,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450010,'Saving',9881.9,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450011,'Checking',237043.85,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450012,'IRA',95188.33,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450013,'Checking',66326,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450014,'IRA',26509.28,null);  
  
Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values  
(450015,'IRA',261341.82,null);
```

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450016,'IRA',952360.59,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450017,'Saving',711170.79,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450018,'Saving',727325.55,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450019,'Saving',812927.1,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450020,'Saving',468629.58,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450021,'Checking',304942.47,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450022,'Checking',628996.12,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450023,'Checking',7119.07,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450024,'Checking',150565.77,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450025,'IRA',281790.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450026,'Checking',373959.69,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450027,'Saving',575585.57,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450028,'IRA',180861.52,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450029,'Saving',911932.33,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450030,'IRA',93725.59,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450031,'Checking',300830.6,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450032,'Saving',104931.14,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450033,'Checking',614053.69,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450034,'Saving',120304.14,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450035,'Checking',260975.88,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450036,'Saving',925924.55,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450037,'Checking',76584.95,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450038,'Saving',519787.94,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450039,'Saving',605504.95,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450040,'IRA',519074.57,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450041,'Checking',704947.33,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450042,'Saving',896935.57,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450043,'IRA',156216.16,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450044,'Saving',607993.72,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450045,'Checking',809765.76,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450046,'IRA',713034.48,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450047,'IRA',706281.2,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450048,'Saving',700915.52,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450049,'Checking',84052.01,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450050,'IRA',644030.05,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450051,'IRA',570335.7,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450052,'IRA',307624.95,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450053,'IRA',459309.09,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450054,'IRA',664685.19,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450055,'IRA',414941,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450056,'IRA',282524.84,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450057,'IRA',624268.58,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450058,'Checking',576757.45,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450059,'Checking',468579.66,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450060,'Checking',129958.5,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450061,'Saving',142117.09,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450062,'IRA',891136.73,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450063,'Saving',643355.23,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450064,'Saving',784910.83,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450065,'Saving',198587.04,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450066,'Saving',288928.33,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450067,'Saving',75023.16,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450068,'Saving',100338.82,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450069,'Checking',769177.05,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450070,'Checking',592213,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450071,'IRA',634685.6,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450072,'IRA',942551.5,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450073,'Saving',422178.25,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450074,'Saving',424391.45,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450075,'IRA',428297.99,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450076,'Saving',8779.06,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450077,'Saving',550546.21,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450078,'Checking',338610.31,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450079,'IRA',211059.96,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450080,'Checking',307679.28,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450081,'IRA',327350.18,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450082,'IRA',382805.83,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450083,'IRA',950717.17,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450084,'Checking',357273,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450085,'Checking',282284.25,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450086,'Checking',610501.31,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450087,'IRA',934278,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450088,'Checking',745504.27,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450089,'Checking',609111.81,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450090,'Saving',679267.75,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450091,'Saving',127338.17,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450092,'IRA',447367.52,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450093,'IRA',195157.07,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450094,'Saving',457611.89,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450095,'Checking',190615.31,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450096,'IRA',920511.95,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450097,'Saving',225542.59,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450098,'Saving',353781.74,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450099,'IRA',499560.14,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450100,'IRA',725834.9,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450101,'Saving',395655.68,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450102,'Checking',302623.83,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450103,'Saving',678161.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450104,'IRA',700956.71,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450105,'Saving',488029.4,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450106,'Saving',553368.49,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450107,'IRA',356442.3,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450108,'Checking',976480.44,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450109,'Saving',20812.84,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450110,'IRA',125007.19,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450111,'IRA',156346.41,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450112,'Saving',180657.32,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450113,'Saving',191031.88,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450114,'Saving',138563.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450115,'Checking',930397.74,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450116,'Checking',697002.42,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450117,'IRA',63173.61,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450118,'IRA',845856.13,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450119,'Saving',889113.6,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450120,'IRA',802978,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450121,'IRA',310276.69,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450122,'Saving',271483.2,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450123,'IRA',282495.82,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450124,'Checking',702636.11,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450125,'Checking',728152.7,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450126,'Saving',947253.48,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450127,'IRA',273664.34,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450128,'Checking',72901,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450129,'Checking',409756.56,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450130,'Checking',466905.86,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450131,'Checking',4090.68,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450132,'IRA',347557.28,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450133,'IRA',204556.7,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450134,'IRA',990642.99,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450135,'IRA',647653.59,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450136,'IRA',532452.4,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450137,'IRA',765326,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450138,'IRA',37181.05,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450139,'IRA',223776.44,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450140,'IRA',760475.06,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450141,'IRA',306797.54,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450142,'Saving',290635.21,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450143,'Checking',44177.92,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450144,'IRA',230534.47,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450145,'Saving',436480.43,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450146,'IRA',342390.75,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450147,'IRA',472858.26,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450148,'Saving',558197,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450149,'Saving',705180.08,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450150,'IRA',839517.47,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450151,'Checking',694255.5,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450152,'IRA',670250.35,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450153,'IRA',319992.2,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450154,'IRA',371300.35,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450155,'IRA',42547.8,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450156,'IRA',992639.6,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450157,'Checking',318352.5,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450158,'IRA',200171.42,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450159,'IRA',552435.98,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450160,'Checking',534271.29,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450161,'Checking',586479.87,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450162,'Checking',97748.43,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450163,'Saving',530400.49,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450164,'Saving',603881,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450165,'IRA',891401.02,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450166,'Checking',27912.43,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450167,'Saving',851917.8,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450168,'IRA',556375.5,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450169,'Saving',21151.56,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450170,'IRA',788520.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450171,'Saving',443491.43,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450172,'Checking',757832.1,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450173,'Checking',486087.76,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450174,'Checking',79304.41,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450175,'IRA',291713,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450176,'Checking',313028.9,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450177,'Checking',482560.39,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450178,'IRA',487254.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450179,'Saving',387361.64,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450180,'IRA',539272.85,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450181,'Checking',998339.25,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450182,'Checking',655961.83,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450183,'IRA',358775.26,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450184,'Checking',919757.41,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450185,'IRA',741311.84,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values (450186,'Checking',458796.07,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450187,'IRA',736365.81,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450188,'Saving',44076.98,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450189,'Saving',645951.1,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450190,'IRA',622956.01,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450191,'Saving',543369.3,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450192,'Saving',758187.33,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450193,'Checking',270513.64,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450194,'IRA',507511.94,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450195,'Saving',291988.96,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450196,'Saving',328492.27,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450197,'Saving',778873.17,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450198,'IRA',809581.96,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450199,'Checking',781833.9,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450200,'IRA',928451.14,null);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450201,'Saving',17635,1001);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450202,'Saving',17635,1001);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450203,'Saving',17635,1004);

Insert into C##BANK.BANK_ACCOUNT (ACCOUNT_NUMBER,CATEGORY,BALANCE,CUSTOMER_ID) values
(450204,'checking',17635,1004);

REM INSERTING into C##BANK.BANK_ACCOUNT_BACKUP

```
SET DEFINE OFF;

REM INSERTING into C##BANK.BILLS

SET DEFINE OFF;

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(21,to_date('03-NOV-19','DD-MON-RR'),to_date('25-JUN-16','DD-MON-
RR'),'Processing','84290.53','N',8765433,1001);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(22,to_date('27-OCT-16','DD-MON-RR'),to_date('13-MAY-16','DD-MON-
RR'),'Pending','45667.27','N',8765434,1002);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(23,to_date('19-JUN-16','DD-MON-RR'),to_date('11-FEB-16','DD-MON-
RR'),'Complete','83137.38','Y',8765435,1003);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(24,to_date('15-JUN-18','DD-MON-RR'),to_date('21-SEP-18','DD-MON-
RR'),'Complete','85462.69','N',8765436,1004);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(25,to_date('02-JUL-17','DD-MON-RR'),to_date('27-SEP-16','DD-MON-
RR'),'Complete','93537.78','Y',8765437,1005);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(26,to_date('13-FEB-17','DD-MON-RR'),to_date('13-JUL-18','DD-MON-
RR'),'Processing','98658.46','N',8765438,1006);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(27,to_date('10-OCT-17','DD-MON-RR'),to_date('08-MAY-17','DD-MON-
RR'),'Processing','91292.9','Y',8765439,1007);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(28,to_date('24-APR-16','DD-MON-RR'),to_date('04-MAY-19','DD-MON-
RR'),'Complete','83706.59','N',8765440,1008);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(29,to_date('28-NOV-16','DD-MON-RR'),to_date('10-SEP-16','DD-MON-RR'),'Pending','23501.61','Y',8765441,1009);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
```

(30,to_date('29-APR-18','DD-MON-RR'),to_date('28-MAY-18','DD-MON-RR'),'Complete','16405.17','N',8765442,1010);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(31,to_date('20-APR-17','DD-MON-RR'),to_date('02-MAR-17','DD-MON-RR'),'Pending','98385.39','Y',8765443,1011);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(32,to_date('30-MAY-17','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'),'Pending','52550.49','N',8765444,1012);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(33,to_date('30-JAN-17','DD-MON-RR'),to_date('02-APR-17','DD-MON-RR'),'Pending','96963.67','N',8765445,1013);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(34,to_date('01-APR-19','DD-MON-RR'),to_date('11-JUL-19','DD-MON-RR'),'Complete','30633.5','N',8765446,1014);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(35,to_date('21-APR-19','DD-MON-RR'),to_date('01-JUN-17','DD-MON-RR'),'Processing','2402.44','N',8765447,1015);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(36,to_date('10-FEB-16','DD-MON-RR'),to_date('09-FEB-19','DD-MON-RR'),'Processing','90985.25','Y',8765448,1016);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(37,to_date('30-AUG-17','DD-MON-RR'),to_date('22-JAN-16','DD-MON-RR'),'Complete','2547.5','N',8765449,1017);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(38,to_date('08-JUL-18','DD-MON-RR'),to_date('06-JUN-16','DD-MON-RR'),'Processing','19810.34','Y',8765450,1018);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(39,to_date('17-MAR-18','DD-MON-RR'),to_date('11-JUN-17','DD-MON-RR'),'Pending','83420.37','N',8765451,1019);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(40,to_date('17-DEC-18','DD-MON-RR'),to_date('08-APR-18','DD-MON-RR'),'Pending','23635.11','N',8765452,1020);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values

(41,to_date('12-FEB-17','DD-MON-RR'),to_date('04-JUN-19','DD-MON-RR'),'Complete','49172.46','N',8765453,1021);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(42,to_date('11-JUN-17','DD-MON-RR'),to_date('09-OCT-16','DD-MON-RR'),'Complete','59648.85','Y',8765454,1022);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(43,to_date('21-SEP-19','DD-MON-RR'),to_date('10-NOV-16','DD-MON-RR'),'Complete','70229.38','N',8765455,1023);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(44,to_date('10-JAN-18','DD-MON-RR'),to_date('16-JAN-18','DD-MON-RR'),'Processing','15039.09','N',8765456,1024);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(45,to_date('28-FEB-16','DD-MON-RR'),to_date('09-MAR-19','DD-MON-RR'),'Processing','94377.05','N',8765457,1025);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(46,to_date('26-FEB-17','DD-MON-RR'),to_date('03-SEP-17','DD-MON-RR'),'Processing','15708.96','Y',8765458,1026);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(47,to_date('06-APR-17','DD-MON-RR'),to_date('03-NOV-17','DD-MON-RR'),'Complete','47831.32','N',8765459,1027);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(48,to_date('04-APR-17','DD-MON-RR'),to_date('22-APR-17','DD-MON-RR'),'Processing','17124.21','Y',8765460,1028);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(49,to_date('17-JAN-18','DD-MON-RR'),to_date('19-MAY-16','DD-MON-RR'),'Pending','7850.51','N',8765461,1029);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(50,to_date('07-OCT-16','DD-MON-RR'),to_date('20-NOV-17','DD-MON-RR'),'Pending','32269.78','N',8765462,1030);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(51,to_date('28-AUG-18','DD-MON-RR'),to_date('06-APR-19','DD-MON-RR'),'Complete','32099.44','N',8765463,1031);

```
Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(52,to_date('17-MAY-19','DD-MON-RR'),to_date('25-MAY-16','DD-MON-
RR'),'Pending','13987.49','N',8765464,1032);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(53,to_date('11-AUG-17','DD-MON-RR'),to_date('03-FEB-19','DD-MON-RR'),'Pending','32610.69','Y',8765465,1033);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(54,to_date('26-JUN-17','DD-MON-RR'),to_date('25-JAN-17','DD-MON-RR'),'Complete','52501.5','Y',8765466,1034);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(55,to_date('02-MAY-17','DD-MON-RR'),to_date('28-MAY-19','DD-MON-
RR'),'Processing','22582.68','N',8765467,1035);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(56,to_date('28-OCT-16','DD-MON-RR'),to_date('19-JUL-19','DD-MON-RR'),'Pending','54176.23','Y',8765468,1036);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(57,to_date('12-MAY-19','DD-MON-RR'),to_date('12-MAY-19','DD-MON-
RR'),'Pending','75359.24','Y',8765469,1037);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(58,to_date('15-NOV-18','DD-MON-RR'),to_date('09-JUL-17','DD-MON-RR'),'Pending','58618.48','Y',8765470,1038);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(59,to_date('27-MAR-19','DD-MON-RR'),to_date('23-OCT-18','DD-MON-
RR'),'Pending','77122.61','N',8765471,1039);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(60,to_date('23-JAN-19','DD-MON-RR'),to_date('19-MAR-18','DD-MON-
RR'),'Processing','8514.79','N',8765472,1040);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(61,to_date('17-MAY-16','DD-MON-RR'),to_date('01-APR-17','DD-MON-
RR'),'Pending','72079.75','N',8765473,1041);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(62,to_date('26-OCT-19','DD-MON-RR'),to_date('11-JUN-16','DD-MON-
RR'),'Processing','35913.34','N',8765474,1042);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
```

```
(63,to_date('25-JUL-18','DD-MON-RR'),to_date('07-MAY-17','DD-MON-RR'),'Processing','10098.39','Y',8765475,1043);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(64,to_date('08-NOV-19','DD-MON-RR'),to_date('18-MAR-17','DD-MON-RR'),'Complete','48998.39','Y',8765476,1044);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(65,to_date('01-MAY-18','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'),'Complete','59710.36','N',8765477,1045);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(66,to_date('23-JAN-18','DD-MON-RR'),to_date('17-OCT-17','DD-MON-RR'),'Pending','55601.98','Y',8765478,1046);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(67,to_date('24-SEP-19','DD-MON-RR'),to_date('23-NOV-19','DD-MON-RR'),'Pending','14417.12','N',8765479,1047);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(68,to_date('05-APR-16','DD-MON-RR'),to_date('25-JUN-16','DD-MON-RR'),'Pending','84977.06','Y',8765480,1048);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(69,to_date('22-JUN-19','DD-MON-RR'),to_date('27-FEB-16','DD-MON-RR'),'Pending','62284.53','N',8765481,1049);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(70,to_date('25-MAR-19','DD-MON-RR'),to_date('08-JAN-18','DD-MON-RR'),'Processing','66042.16','N',8765482,1050);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(71,to_date('21-APR-18','DD-MON-RR'),to_date('15-MAR-17','DD-MON-RR'),'Processing','2924.45','N',8765483,1051);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(72,to_date('23-NOV-19','DD-MON-RR'),to_date('25-JAN-19','DD-MON-RR'),'Pending','41186.87','N',8765484,1052);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(73,to_date('19-SEP-18','DD-MON-RR'),to_date('19-JUN-16','DD-MON-RR'),'Complete','24815.99','N',8765485,1053);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(74,to_date('01-JUL-18','DD-MON-RR'),to_date('29-JAN-18','DD-MON-RR'),'Complete','74057.1','Y',8765486,1054);
```

```
Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(75,to_date('26-OCT-18','DD-MON-RR'),to_date('14-DEC-17','DD-MON-
RR'),'Complete','50660.75','Y',8765487,1055);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(76,to_date('01-NOV-18','DD-MON-RR'),to_date('06-DEC-18','DD-MON-
RR'),'Processing','22336.74','N',8765488,1056);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(77,to_date('07-OCT-17','DD-MON-RR'),to_date('25-FEB-16','DD-MON-
RR'),'Processing','99765.43','Y',8765489,1057);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(78,to_date('20-MAR-18','DD-MON-RR'),to_date('05-MAR-19','DD-MON-
RR'),'Pending','46836.29','Y',8765490,1058);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(79,to_date('18-AUG-19','DD-MON-RR'),to_date('02-MAY-19','DD-MON-
RR'),'Pending','60855.7','N',8765491,1059);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(80,to_date('10-JAN-17','DD-MON-RR'),to_date('04-SEP-16','DD-MON-RR'),'Pending','35974.91','Y',8765492,1060);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(81,to_date('02-AUG-17','DD-MON-RR'),to_date('24-JAN-16','DD-MON-
RR'),'Pending','95935.42','N',8765493,1061);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(82,to_date('22-AUG-19','DD-MON-RR'),to_date('28-APR-16','DD-MON-
RR'),'Pending','78510.47','Y',8765494,1062);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(83,to_date('15-SEP-18','DD-MON-RR'),to_date('19-OCT-16','DD-MON-
RR'),'Complete','46362.84','Y',8765495,1063);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(84,to_date('08-MAR-18','DD-MON-RR'),to_date('23-MAY-18','DD-MON-
RR'),'Complete','28454.75','N',8765496,1064);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(85,to_date('16-JUN-19','DD-MON-RR'),to_date('01-AUG-19','DD-MON-
RR'),'Pending','70836.09','Y',8765497,1065);
```

```
Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(86,to_date('06-DEC-16','DD-MON-RR'),to_date('19-APR-19','DD-MON-
RR'),'Pending','96361.98','N',8765498,1066);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(87,to_date('15-JUN-17','DD-MON-RR'),to_date('19-FEB-18','DD-MON-RR'),'Pending','24454.52','Y',8765499,1067);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(88,to_date('30-MAY-18','DD-MON-RR'),to_date('13-JUL-16','DD-MON-
RR'),'Pending','42223.41','N',8765500,1068);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(89,to_date('16-MAY-19','DD-MON-RR'),to_date('18-AUG-17','DD-MON-
RR'),'Pending','66613.52','Y',8765501,1069);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(90,to_date('10-SEP-17','DD-MON-RR'),to_date('05-JUN-19','DD-MON-
RR'),'Processing','50468.9','Y',8765502,1070);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(91,to_date('10-AUG-18','DD-MON-RR'),to_date('04-NOV-19','DD-MON-
RR'),'Processing','87299.53','N',8765503,1071);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(92,to_date('03-JUL-19','DD-MON-RR'),to_date('27-MAY-19','DD-MON-
RR'),'Complete','7937.51','Y',8765504,1072);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(93,to_date('25-MAY-18','DD-MON-RR'),to_date('25-MAR-19','DD-MON-
RR'),'Processing','90925.45','N',8765505,1073);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(94,to_date('02-AUG-16','DD-MON-RR'),to_date('01-NOV-17','DD-MON-
RR'),'Processing','25015.71','N',8765506,1074);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(95,to_date('04-AUG-17','DD-MON-RR'),to_date('03-DEC-16','DD-MON-
RR'),'Complete','61095.41','Y',8765507,1075);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(96,to_date('05-NOV-19','DD-MON-RR'),to_date('21-APR-18','DD-MON-
RR'),'Complete','63374.17','N',8765508,1076);
```

```
Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(97,to_date('12-OCT-16','DD-MON-RR'),to_date('07-DEC-18','DD-MON-
RR'),'Complete','31727.84','Y',8765509,1077);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(98,to_date('27-FEB-16','DD-MON-RR'),to_date('21-FEB-18','DD-MON-RR'),'Pending','50721.99','N',8765510,1078);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(99,to_date('08-JUN-17','DD-MON-RR'),to_date('11-APR-16','DD-MON-
RR'),'Processing','53855.13','N',8765511,1079);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(100,to_date('14-APR-18','DD-MON-RR'),to_date('16-JAN-16','DD-MON-
RR'),'Processing','48179.2','N',8765512,1080);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(101,to_date('25-SEP-18','DD-MON-RR'),to_date('04-JUL-19','DD-MON-
RR'),'Processing','71803.53','Y',8765513,1081);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(102,to_date('14-SEP-16','DD-MON-RR'),to_date('15-OCT-16','DD-MON-
RR'),'Complete','11883.56','N',8765514,1082);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(103,to_date('09-AUG-18','DD-MON-RR'),to_date('12-JUL-18','DD-MON-
RR'),'Pending','36853.42','Y',8765515,1083);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(104,to_date('07-DEC-17','DD-MON-RR'),to_date('30-JUL-18','DD-MON-
RR'),'Processing','90523.23','N',8765516,1084);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(105,to_date('09-APR-18','DD-MON-RR'),to_date('29-JAN-17','DD-MON-
RR'),'Complete','88521.79','N',8765517,1085);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(106,to_date('29-MAY-19','DD-MON-RR'),to_date('16-NOV-19','DD-MON-
RR'),'Processing','8101.04','N',8765518,1086);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(107,to_date('20-SEP-18','DD-MON-RR'),to_date('22-MAR-17','DD-MON-
RR'),'Complete','20595.78','N',8765519,1087);
```

```
Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(108,to_date('01-FEB-18','DD-MON-RR'),to_date('11-OCT-16','DD-MON-RR'),'Pending','120.44','N',8765520,1088);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(109,to_date('18-APR-19','DD-MON-RR'),to_date('05-MAR-18','DD-MON-
RR'),'Processing','21889.87','Y',8765521,1089);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(110,to_date('22-JUL-19','DD-MON-RR'),to_date('04-NOV-17','DD-MON-
RR'),'Processing','58094.15','Y',8765522,1090);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(111,to_date('25-APR-16','DD-MON-RR'),to_date('26-JAN-18','DD-MON-
RR'),'Processing','90508.25','N',8765523,1091);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(112,to_date('26-NOV-17','DD-MON-RR'),to_date('28-APR-18','DD-MON-
RR'),'Processing','72597.55','N',8765524,1092);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(113,to_date('14-DEC-18','DD-MON-RR'),to_date('12-NOV-16','DD-MON-
RR'),'Pending','9362.51','Y',8765525,1093);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(114,to_date('01-AUG-19','DD-MON-RR'),to_date('02-JUL-17','DD-MON-
RR'),'Processing','26088.85','N',8765526,1094);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(115,to_date('26-JUN-17','DD-MON-RR'),to_date('01-OCT-16','DD-MON-
RR'),'Processing','40176.27','Y',8765527,1095);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(116,to_date('12-DEC-17','DD-MON-RR'),to_date('31-AUG-19','DD-MON-
RR'),'Processing','71475.49','Y',8765528,1096);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(117,to_date('14-AUG-18','DD-MON-RR'),to_date('08-JUL-16','DD-MON-
RR'),'Pending','47695.06','N',8765529,1097);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(118,to_date('14-FEB-18','DD-MON-RR'),to_date('18-SEP-19','DD-MON-RR'),'Pending','91005','Y',8765530,1098);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(119,to_date('19-AUG-16','DD-MON-RR'),to_date('20-NOV-19','DD-MON-  
RR'),'Processing','87218.62','N',8765531,1099);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(120,to_date('12-DEC-17','DD-MON-RR'),to_date('18-FEB-19','DD-MON-  
RR'),'Complete','91494.41','Y',8765532,1100);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(121,to_date('15-APR-18','DD-MON-RR'),to_date('29-JUN-16','DD-MON-  
RR'),'Processing','28201.27','Y',8765533,1101);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(122,to_date('02-FEB-18','DD-MON-RR'),to_date('13-NOV-19','DD-MON-  
RR'),'Processing','50364.61','Y',8765534,1102);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(123,to_date('22-JAN-17','DD-MON-RR'),to_date('12-JUN-18','DD-MON-  
RR'),'Complete','97117.42','Y',8765535,1103);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(124,to_date('31-AUG-17','DD-MON-RR'),to_date('14-SEP-16','DD-MON-  
RR'),'Pending','60689.89','N',8765536,1104);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(125,to_date('05-FEB-18','DD-MON-RR'),to_date('10-MAR-16','DD-MON-  
RR'),'Pending','80973.39','N',8765537,1105);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(126,to_date('10-FEB-18','DD-MON-RR'),to_date('18-APR-18','DD-MON-  
RR'),'Complete','64884.05','N',8765538,1106);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(127,to_date('07-SEP-18','DD-MON-RR'),to_date('31-OCT-17','DD-MON-  
RR'),'Pending','60369.64','N',8765539,1107);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values  
(128,to_date('17-AUG-16','DD-MON-RR'),to_date('30-JAN-16','DD-MON-  
RR'),'Complete','37443.73','N',8765540,1108);
```

```
Insert into C##BANK.BILLS  
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
```

(129,to_date('17-OCT-19','DD-MON-RR'),to_date('25-MAR-17','DD-MON-RR'),'Pending','25908.03','Y',8765541,1109);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(130,to_date('26-JUN-18','DD-MON-RR'),to_date('02-MAR-17','DD-MON-RR'),'Processing','60681.74','N',8765542,1110);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(131,to_date('02-JAN-19','DD-MON-RR'),to_date('01-OCT-17','DD-MON-RR'),'Pending','485.29','N',8765543,1111);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(132,to_date('10-FEB-19','DD-MON-RR'),to_date('14-MAY-16','DD-MON-RR'),'Pending','47.74','N',8765544,1112);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(133,to_date('28-NOV-19','DD-MON-RR'),to_date('05-AUG-17','DD-MON-RR'),'Complete','50445.85','Y',8765545,1113);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(134,to_date('27-FEB-16','DD-MON-RR'),to_date('23-NOV-19','DD-MON-RR'),'Pending','91211.2','N',8765546,1114);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(135,to_date('28-JUL-18','DD-MON-RR'),to_date('27-SEP-16','DD-MON-RR'),'Pending','38842.13','Y',8765547,1115);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(136,to_date('25-FEB-18','DD-MON-RR'),to_date('20-JAN-19','DD-MON-RR'),'Processing','5991.68','Y',8765548,1116);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(137,to_date('10-MAY-17','DD-MON-RR'),to_date('17-OCT-18','DD-MON-RR'),'Processing','43576.25','N',8765549,1117);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(138,to_date('27-JUN-16','DD-MON-RR'),to_date('09-NOV-18','DD-MON-RR'),'Processing','35586.79','Y',8765550,1118);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values
(139,to_date('26-NOV-18','DD-MON-RR'),to_date('29-JUL-16','DD-MON-RR'),'Pending','80452.74','N',8765551,1119);

Insert into C##BANK.BILLS
(BILL_ID,PAID_ON,DUE_ON,STATUS,AMOUNT,ISAUTOPAYMENT,MERCHANT_ID,CUSTOMER_ID) values

(140,to_date('12-JAN-19','DD-MON-RR'),to_date('16-MAY-19','DD-MON-RR'),'Complete','18397.44','Y',8765552,1120);

REM INSERTING into C##BANK.BRANCH

SET DEFINE OFF;

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (201,'Thane Local','4179895595',450001,648);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (202,'Badeau','7708298237',450002,649);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (203,'Veith','4406802797',450003,650);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (204,'Riverside','6470572766',450004,651);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (205,'Warner','2995453790',450005,652);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (206,'Weeping Birch','6172061402',450006,653);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (207,'Vermont','2905044616',450007,654);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (208,'Thierer','5796309668',450008,655);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (209,'Carey','7804528450',450009,656);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (210,'Russell','9978236708',450010,657);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (211,'Fairfield','1416097252',450011,658);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (212,'Lakewood','5217134569',450012,659);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (213,'Superior','4620549789',450013,660);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (214,'Sundown','1209133792',450014,661);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (215,'Clove','1339348071',450015,662);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (216,'Debs','3259774319',450016,663);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (217,'Vidon','8531784026',450017,664);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (218,'Stephen','4275118316',450018,665);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (219,'Petterle','8275759927',450019,666);

Insert into C##BANK.BRANCH (BRANCH_ID,BRANCH_NAME,SWIFT_CODE,ACCOUNT_NUMBER,ADDRESS_ID) values (220,'Maple','7431781369',450020,667);

REM INSERTING into C##BANK.CREDIT_CARD

SET DEFINE OFF;

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10001,'3584601928390130','12-Aug-2025',926,'Evn Le Strange',3272.64,450001);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10002,'345130846450046','23-Mar-2027',361,'Torr Bayston',1407.62,450002);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10003,'3539368287841006','20-Jul-2026',408,'Timothea Ceely',6698.91,450003);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10004,'30397835687744','26-Oct-2027',607,'Thornie Mair',504.79,450004);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10005,'3570170435235150','09-Dec-2021',993,'Fleurette Willstrop',5525.37,450005);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10006,'676193134427388542','30-Oct-2023',156,'Clyde Blyde',7675.09,450006);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10007,'5100175891179390','24-Oct-2030',707,'Solomon Mortlock',3294.46,450007);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10008,'3581290441198114','08-Jun-2025',120,'Loy Saltman',1209.11,450008);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10009,'4936527132674667','28-Feb-2022',634,'Hall Sergean',8944.82,450009);

Insert into C##BANK.CREDIT_CARD
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N
NUMBER) values (10010,'4405523572525123','03-Dec-2024',292,'Juliana Hindmoor',5762.11,450010);

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10011,'3586226112230872','03-May-2027',750,'Alix Paladino',3119.05,450011);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10012,'3531371948371338','05-May-2022',348,'Gordie Maciunas',3301.02,450012);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10013,'67622515577213295','25-Oct-2020',772,'Starlene Beardmore',1921.46,450013);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10014,'349419420699813','27-May-2029',561,'Trev Markovich',1237.31,450014);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10015,'6761720887857911465','17-Jan-2027',383,'Christoph MacAindreis',13.93,450015);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10016,'56022245961406524','25-Dec-2023',997,'Noella Copes',6281.3,450016);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10017,'5048372924372275','09-Nov-2027',991,'Mile Byart',4073.49,450017);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10018,'30476805637283','26-Jun-2029',238,'Kennedy Bullingham',1588.52,450018);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10019,'3559447129285807','02-Oct-2024',714,'Tarrance Griffith',6712.67,450019);
```

```
Insert into C##BANK.CREDIT_CARD  
(CREDITCARD_ID,CREDITCARD_NUMBER,EXPIRY_DATE,CVV,CARD HOLDER_NAME,CREDIT_BALANCE,ACCOUNT_N  
UMBER) values (10020,'3564742896639035','30-Mar-2023',194,'Alvy Peyzer',8991.15,450020);
```

```
REM INSERTING into C##BANK.CUSTOMER
```

```
SET DEFINE OFF;
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1001,1,835,52129.41,648,450001,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1002,1,775,7461.32,649,450002,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1003,4,685,3236.04,650,450003,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1004,2,821,91.77,651,450004,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1005,2,840,4754.45,652,450005,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1006,4,701,4346.53,653,450006,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1007,2,754,8437.35,654,450007,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1008,4,724,6971.07,655,450008,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1009,1,768,7773.89,656,450009,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1010,2,783,8954.91,657,450010,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1011,3,720,371.97,658,450011,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1012,3,667,8910.95,659,450012,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1013,2,652,583.9,660,450013,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1014,2,778,3849.57,661,450014,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1015,3,836,397.59,662,450015,null,null,'Savings');
```

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1016,1,724,8889.56,663,450016,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1017,2,782,285.13,664,450017,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1018,4,702,7230.5,665,450018,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1019,4,621,9279.89,666,450019,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1020,4,631,8555.79,667,450020,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1021,1,678,4701.44,668,450021,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1022,2,708,3683.13,669,450022,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1023,3,758,5641.93,670,450023,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1024,3,752,7189.61,671,450024,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1025,4,661,2381.23,672,450025,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1026,2,699,5563.86,673,450026,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1027,3,832,132.87,674,450027,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1028,4,820,1167.26,675,450028,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1029,3,789,8938.07,676,450029,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1030,3,804,8456.79,677,450030,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1031,1,745,5503.66,678,450031,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1032,4,750,3784.18,679,450032,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1033,2,775,3762.03,680,450033,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1034,4,669,7522.26,681,450034,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1035,2,776,8173.17,682,450035,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1036,1,824,9311.4,683,450036,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1037,2,735,309.89,684,450037,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1038,2,808,1679.56,685,450038,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1039,2,788,3250.29,686,450039,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1040,2,729,3128.59,687,450040,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1041,4,714,5207.54,688,450041,null,null,'Savings');

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1042,4,642,6878.27,689,450042,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1043,4,838,112.67,690,450043,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1044,3,762,8710.53,691,450044,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1045,2,742,7590.44,692,450045,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1046,2,700,2352.76,693,450046,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1047,3,730,221.36,694,450047,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1048,4,622,7688.12,695,450048,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1049,4,681,3785.39,696,450049,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1050,3,784,5989.27,697,450050,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1051,1,794,8998.98,698,450051,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1052,2,792,3172.27,699,450052,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1053,2,802,1492.67,700,450053,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1054,2,799,7819.13,701,450054,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1055,4,625,4994.23,702,450055,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1056,2,664,7011.47,703,450056,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1057,1,802,8016.53,704,450057,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1058,2,760,8715.28,705,450058,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1059,3,808,8063.63,706,450059,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1060,3,700,2366.59,707,450060,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1061,2,663,8951.73,708,450061,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1062,1,830,4665.13,709,450062,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1063,4,716,9013.89,710,450063,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1064,2,698,5047.87,711,450064,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1065,3,812,3706.19,712,450065,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1066,4,731,8980.54,713,450066,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1067,4,826,9197.78,714,450067,null,null,'Savings');
```

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1068,3,829,856.28,715,450068,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1069,1,766,7729.52,716,450069,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1070,3,738,8098.2,717,450070,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1071,2,733,5010.56,718,450071,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1072,4,742,4978.74,719,450072,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1073,4,797,561.48,720,450073,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1074,4,817,9607.24,721,450074,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1075,2,777,6854.98,722,450075,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1076,3,631,4688.43,723,450076,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1077,2,745,7512.87,724,450077,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1078,4,653,1316.33,725,450078,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1079,3,754,3979.72,726,450079,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1080,2,810,6471.25,727,450080,null,null,'Savings');

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1081,1,820,3745,728,450081,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1082,2,735,3477.62,729,450082,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1083,3,783,2085.85,730,450083,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1084,2,626,9209.07,731,450084,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1085,3,702,2559.76,732,450085,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1086,3,824,4755.03,733,450086,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1087,2,812,9618.92,734,450087,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1088,4,711,8519.48,735,450088,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1089,4,772,86.44,736,450089,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1090,1,763,6359.21,737,450090,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1091,4,621,5699.32,738,450091,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1092,3,814,6153.32,739,450092,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1093,1,835,7452.64,740,450093,null,null,'Savings');
```

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1094,3,679,5738.67,741,450094,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1095,1,785,7236.49,742,450095,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1096,2,627,3946.2,743,450096,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1097,3,695,3622.26,744,450097,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1098,2,818,2243.05,745,450098,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1099,3,679,3899.68,746,450099,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1100,1,772,7516.3,747,450100,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1101,3,752,623.04,748,450101,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1102,4,819,6711.89,749,450102,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1103,1,700,3708.42,750,450103,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1104,1,627,5258.16,751,450104,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1105,2,703,8892.97,752,450105,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1106,3,745,499.21,753,450106,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1107,2,774,5571.88,754,450107,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1108,1,627,4805.42,755,450108,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1109,2,760,1094.74,756,450109,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1110,3,829,2595.98,757,450110,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1111,4,803,8555.38,758,450111,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1112,1,828,7046.28,759,450112,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1113,4,826,1325.98,760,450113,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1114,2,626,4475.53,761,450114,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1115,4,786,1259.55,762,450115,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1116,4,741,5682.93,763,450116,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1117,1,838,2624.19,764,450117,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1118,3,726,2081.68,765,450118,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1119,4,647,2509.93,766,450119,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1120,2,789,4340.83,767,450120,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1121,4,839,8055.76,768,450121,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1122,1,696,587.67,769,450122,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1123,3,635,8297.25,770,450123,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1124,4,775,1661.89,771,450124,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1125,1,721,4074.77,772,450125,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1126,3,803,6238.1,773,450126,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1127,1,779,2586.99,774,450127,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1128,3,678,1469.25,775,450128,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1129,1,700,7665.09,776,450129,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1130,1,647,6301.35,777,450130,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1131,4,783,1955.76,778,450131,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1132,1,741,1878.08,779,450132,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1133,4,695,609.84,780,450133,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1134,4,705,3633.43,781,450134,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1135,1,783,1868.13,782,450135,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1136,2,659,9749.38,783,450136,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1137,3,654,4198.84,784,450137,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1138,1,807,601.84,785,450138,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1139,3,823,8072.42,786,450139,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1140,2,657,6331.62,787,450140,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1141,4,809,4855.56,788,450141,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1142,3,792,768.78,789,450142,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1143,2,636,2825.64,790,450143,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1144,4,762,2217.77,791,450144,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1145,4,699,6144.61,792,450145,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1146,2,706,397.92,793,450146,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1147,2,834,1479.28,794,450147,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1148,2,738,3870.56,795,450148,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1149,3,709,1913.32,796,450149,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1150,3,669,4840.04,797,450150,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1151,2,817,5564.08,798,450151,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1152,3,819,8255.54,799,450152,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1153,1,823,1865.02,800,450153,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1154,1,760,696.56,801,450154,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1155,3,679,1344.99,802,450155,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1156,2,822,1011.11,803,450156,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1157,1,649,3508.99,804,450157,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1158,2,630,1480.83,805,450158,null,null,'Savings');

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1159,3,716,877.23,806,450159,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1160,1,693,8546.8,807,450160,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1161,1,819,3089.89,808,450161,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1162,2,725,114.13,809,450162,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1163,1,687,8881.85,810,450163,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1164,4,740,3736.52,811,450164,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1165,2,746,751.03,812,450165,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1166,1,685,8011.76,813,450166,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1167,2,824,3975.73,814,450167,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1168,2,717,6984.45,815,450168,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1169,1,806,5698.69,816,450169,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1170,3,675,9957.99,817,450170,null,null,'Savings');
```

```
Insert into C##BANK.CUSTOMER  
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,  
UPDATEDON,ACCOUNT_TYPE) values (1171,2,700,3549.13,818,450171,null,null,'Savings');
```

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1172,3,665,593.6,819,450172,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1173,3,698,6913.81,820,450173,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1174,1,710,9560.29,821,450174,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1175,2,695,6521.91,822,450175,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1176,1,709,2114.51,823,450176,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1177,2,707,6580.77,824,450177,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1178,3,707,2507.97,825,450178,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1179,4,707,601.58,826,450179,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1180,3,631,7484.88,827,450180,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1181,4,774,3323.22,828,450181,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1182,2,668,6256.53,829,450182,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1183,1,706,7149.71,830,450183,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1184,3,808,9160.71,831,450184,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1185,1,737,3258.88,832,450185,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1186,4,777,6371.9,833,450186,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1187,1,831,1480.01,834,450187,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1188,1,711,1704.3,835,450188,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1189,1,653,9173.42,836,450189,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1190,4,840,9075.01,837,450190,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1191,1,755,4622.07,838,450191,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1192,4,633,8185.34,839,450192,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1193,1,701,3894.28,840,450193,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1194,1,769,434.31,841,450194,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1195,2,649,2900.44,842,450195,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1196,1,749,9755.55,843,450196,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1197,2,799,5084.41,844,450197,null,null,'Savings');

```
Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1198,4,750,4880.48,845,450198,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1199,4,722,1253.31,846,450199,null,null,'Savings');

Insert into C##BANK.CUSTOMER
(CUSTOMER_ID,INCOME_GROUP,CREDIT_SCORE,CREDIT_BALANCE,ADDRESS_ID,ACCOUNT_NUMBER,CREATEDON,
UPDATEDON,ACCOUNT_TYPE) values (1200,1,625,8650.25,847,450200,null,null,'Savings');

REM INSERTING into C##BANK.LOGININSTANCES

SET DEFINE OFF;

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (1,1001,'N',to_date('11-MAY-17','DD-MON-RR'),to_date('23-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (2,1002,'N',to_date('15-FEB-16','DD-MON-RR'),to_date('19-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (3,1003,'Y',to_date('17-JUN-17','DD-MON-RR'),to_date('02-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (4,1004,'Y',to_date('10-FEB-17','DD-MON-RR'),to_date('15-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (5,1005,'N',to_date('19-APR-17','DD-MON-RR'),to_date('16-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (6,1006,'Y',to_date('09-MAR-17','DD-MON-RR'),to_date('12-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (7,1007,'Y',to_date('05-OCT-17','DD-MON-RR'),to_date('20-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (8,1008,'N',to_date('09-JUN-17','DD-MON-RR'),to_date('02-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (9,1009,'Y',to_date('19-AUG-17','DD-MON-RR'),to_date('21-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (10,1010,'Y',to_date('25-SEP-17','DD-MON-RR'),to_date('03-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (11,1011,'Y',to_date('18-OCT-16','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (12,1012,'Y',to_date('23-JUL-16','DD-MON-RR'),to_date('27-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (13,1013,'Y',to_date('24-SEP-16','DD-MON-RR'),to_date('06-SEP-19','DD-MON-RR'));
```

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (14,1014,'Y',to_date('16-APR-16','DD-MON-RR'),to_date('07-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (15,1015,'Y',to_date('10-SEP-17','DD-MON-RR'),to_date('18-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (16,1016,'Y',to_date('05-JUL-17','DD-MON-RR'),to_date('30-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (17,1017,'N',to_date('24-AUG-16','DD-MON-RR'),to_date('15-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (18,1018,'N',to_date('05-OCT-17','DD-MON-RR'),to_date('04-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (19,1019,'Y',to_date('28-FEB-17','DD-MON-RR'),to_date('30-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (20,1020,'Y',to_date('05-JUN-17','DD-MON-RR'),to_date('11-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (21,1021,'Y',to_date('12-DEC-16','DD-MON-RR'),to_date('18-JAN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (22,1022,'N',to_date('15-MAR-16','DD-MON-RR'),to_date('24-NOV-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (23,1023,'N',to_date('06-APR-17','DD-MON-RR'),to_date('22-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (24,1024,'N',to_date('09-MAY-16','DD-MON-RR'),to_date('12-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (25,1025,'N',to_date('25-DEC-17','DD-MON-RR'),to_date('03-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (26,1026,'Y',to_date('30-OCT-17','DD-MON-RR'),to_date('09-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (27,1027,'Y',to_date('21-JUL-17','DD-MON-RR'),to_date('07-JAN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (28,1028,'N',to_date('09-OCT-17','DD-MON-RR'),to_date('29-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (29,1029,'Y',to_date('12-JUL-16','DD-MON-RR'),to_date('27-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (30,1030,'N',to_date('10-DEC-17','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (31,1031,'N',to_date('26-JUL-16','DD-MON-RR'),to_date('26-JAN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (32,1032,'Y',to_date('24-DEC-16','DD-MON-RR'),to_date('13-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (33,1033,'N',to_date('11-MAR-16','DD-MON-RR'),to_date('12-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (34,1034,'Y',to_date('17-MAR-16','DD-MON-RR'),to_date('06-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (35,1035,'N',to_date('27-SEP-17','DD-MON-RR'),to_date('27-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (36,1036,'N',to_date('08-OCT-17','DD-MON-RR'),to_date('29-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (37,1037,'Y',to_date('27-JAN-17','DD-MON-RR'),to_date('26-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (38,1038,'N',to_date('14-JUL-17','DD-MON-RR'),to_date('20-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (39,1039,'N',to_date('22-DEC-17','DD-MON-RR'),to_date('24-NOV-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (40,1040,'Y',to_date('18-MAY-16','DD-MON-RR'),to_date('21-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (41,1041,'Y',to_date('24-NOV-17','DD-MON-RR'),to_date('15-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (42,1042,'Y',to_date('02-APR-16','DD-MON-RR'),to_date('30-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (43,1043,'Y',to_date('09-JUL-17','DD-MON-RR'),to_date('23-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (44,1044,'Y',to_date('20-SEP-16','DD-MON-RR'),to_date('17-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (45,1045,'N',to_date('05-JUN-17','DD-MON-RR'),to_date('12-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (46,1046,'N',to_date('13-JAN-16','DD-MON-RR'),to_date('03-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (47,1047,'Y',to_date('13-JAN-17','DD-MON-RR'),to_date('02-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (48,1048,'Y',to_date('06-OCT-17','DD-MON-RR'),to_date('13-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (49,1049,'Y',to_date('29-SEP-17','DD-MON-RR'),to_date('24-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (50,1050,'N',to_date('17-MAY-16','DD-MON-RR'),to_date('14-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (51,1051,'N',to_date('03-OCT-17','DD-MON-RR'),to_date('19-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (52,1052,'Y',to_date('25-SEP-16','DD-MON-RR'),to_date('09-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (53,1053,'N',to_date('30-JUL-16','DD-MON-RR'),to_date('29-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (54,1054,'N',to_date('14-FEB-17','DD-MON-RR'),to_date('21-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (55,1055,'N',to_date('13-JUN-17','DD-MON-RR'),to_date('13-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (56,1056,'Y',to_date('23-OCT-17','DD-MON-RR'),to_date('21-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (57,1057,'N',to_date('04-DEC-16','DD-MON-RR'),to_date('06-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (58,1058,'N',to_date('24-JAN-17','DD-MON-RR'),to_date('16-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (59,1059,'N',to_date('12-SEP-16','DD-MON-RR'),to_date('31-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (60,1060,'Y',to_date('10-MAY-17','DD-MON-RR'),to_date('30-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (61,1061,'N',to_date('15-DEC-16','DD-MON-RR'),to_date('26-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (62,1062,'N',to_date('12-OCT-17','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (63,1063,'Y',to_date('03-FEB-17','DD-MON-RR'),to_date('02-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (64,1064,'N',to_date('25-JUN-17','DD-MON-RR'),to_date('16-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (65,1065,'N',to_date('28-MAY-16','DD-MON-RR'),to_date('16-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (66,1066,'Y',to_date('10-MAR-17','DD-MON-RR'),to_date('04-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (67,1067,'Y',to_date('09-JUL-17','DD-MON-RR'),to_date('24-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (68,1068,'N',to_date('09-MAR-17','DD-MON-RR'),to_date('11-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (69,1069,'N',to_date('28-JUN-17','DD-MON-RR'),to_date('20-NOV-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (70,1070,'N',to_date('16-JAN-17','DD-MON-RR'),to_date('17-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (71,1071,'N',to_date('14-NOV-16','DD-MON-RR'),to_date('28-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (72,1072,'Y',to_date('03-APR-16','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (73,1073,'Y',to_date('22-JUL-16','DD-MON-RR'),to_date('17-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (74,1074,'N',to_date('26-JUN-16','DD-MON-RR'),to_date('29-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (75,1075,'N',to_date('30-APR-17','DD-MON-RR'),to_date('29-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (76,1076,'N',to_date('15-AUG-16','DD-MON-RR'),to_date('21-MAR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (77,1077,'Y',to_date('01-JUN-16','DD-MON-RR'),to_date('08-NOV-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (78,1078,'Y',to_date('30-SEP-17','DD-MON-RR'),to_date('30-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (79,1079,'Y',to_date('08-AUG-16','DD-MON-RR'),to_date('08-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (80,1080,'Y',to_date('11-JAN-16','DD-MON-RR'),to_date('01-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (81,1081,'N',to_date('21-DEC-17','DD-MON-RR'),to_date('08-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (82,1082,'N',to_date('14-OCT-17','DD-MON-RR'),to_date('05-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (83,1083,'Y',to_date('01-AUG-17','DD-MON-RR'),to_date('29-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (84,1084,'Y',to_date('16-MAY-17','DD-MON-RR'),to_date('16-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (85,1085,'N',to_date('21-NOV-17','DD-MON-RR'),to_date('21-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (86,1086,'N',to_date('31-JUL-17','DD-MON-RR'),to_date('04-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (87,1087,'N',to_date('08-SEP-17','DD-MON-RR'),to_date('21-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (88,1088,'N',to_date('09-OCT-17','DD-MON-RR'),to_date('10-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (89,1089,'N',to_date('13-JAN-16','DD-MON-RR'),to_date('05-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (90,1090,'Y',to_date('16-OCT-16','DD-MON-RR'),to_date('21-AUG-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (91,1091,'Y',to_date('18-DEC-17','DD-MON-RR'),to_date('13-OCT-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (92,1092,'Y',to_date('25-OCT-17','DD-MON-RR'),to_date('19-FEB-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (93,1093,'Y',to_date('15-DEC-16','DD-MON-RR'),to_date('12-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (94,1094,'Y',to_date('23-JUL-17','DD-MON-RR'),to_date('17-NOV-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (95,1095,'N',to_date('18-JAN-17','DD-MON-RR'),to_date('25-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (96,1096,'N',to_date('09-SEP-17','DD-MON-RR'),to_date('08-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (97,1097,'N',to_date('03-JUL-17','DD-MON-RR'),to_date('13-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (98,1098,'Y',to_date('15-OCT-17','DD-MON-RR'),to_date('22-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (99,1099,'Y',to_date('10-APR-17','DD-MON-RR'),to_date('14-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (100,1100,'N',to_date('18-JUN-16','DD-MON-RR'),to_date('06-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (101,1101,'N',to_date('09-JAN-16','DD-MON-RR'),to_date('31-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (102,1102,'Y',to_date('31-MAY-17','DD-MON-RR'),to_date('06-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (103,1103,'N',to_date('30-NOV-16','DD-MON-RR'),to_date('04-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (104,1104,'N',to_date('16-OCT-17','DD-MON-RR'),to_date('15-MAR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (105,1105,'Y',to_date('17-SEP-17','DD-MON-RR'),to_date('21-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (106,1106,'N',to_date('07-APR-16','DD-MON-RR'),to_date('08-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (107,1107,'N',to_date('09-MAY-17','DD-MON-RR'),to_date('04-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (108,1108,'N',to_date('07-MAY-17','DD-MON-RR'),to_date('04-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (109,1109,'N',to_date('14-SEP-17','DD-MON-RR'),to_date('13-APR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (110,1110,'N',to_date('03-SEP-16','DD-MON-RR'),to_date('06-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (111,1111,'Y',to_date('05-JAN-17','DD-MON-RR'),to_date('14-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (112,1112,'N',to_date('17-JUN-17','DD-MON-RR'),to_date('27-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (113,1113,'N',to_date('30-DEC-16','DD-MON-RR'),to_date('14-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (114,1114,'N',to_date('21-AUG-17','DD-MON-RR'),to_date('27-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (115,1115,'N',to_date('05-MAR-16','DD-MON-RR'),to_date('15-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (116,1116,'Y',to_date('16-OCT-16','DD-MON-RR'),to_date('11-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (117,1117,'Y',to_date('01-OCT-16','DD-MON-RR'),to_date('27-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (118,1118,'N',to_date('02-MAR-17','DD-MON-RR'),to_date('16-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (119,1119,'Y',to_date('27-SEP-16','DD-MON-RR'),to_date('11-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (120,1120,'Y',to_date('23-MAY-16','DD-MON-RR'),to_date('27-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (121,1121,'N',to_date('25-APR-17','DD-MON-RR'),to_date('26-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (122,1122,'N',to_date('20-AUG-16','DD-MON-RR'),to_date('31-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (123,1123,'N',to_date('14-JAN-17','DD-MON-RR'),to_date('08-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (124,1124,'Y',to_date('29-MAY-17','DD-MON-RR'),to_date('21-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (125,1125,'N',to_date('01-JAN-16','DD-MON-RR'),to_date('23-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (126,1126,'Y',to_date('03-SEP-16','DD-MON-RR'),to_date('24-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (127,1127,'N',to_date('27-JUL-17','DD-MON-RR'),to_date('16-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (128,1128,'N',to_date('30-MAY-17','DD-MON-RR'),to_date('23-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (129,1129,'Y',to_date('15-MAY-16','DD-MON-RR'),to_date('13-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (130,1130,'Y',to_date('14-OCT-17','DD-MON-RR'),to_date('16-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (131,1131,'N',to_date('03-JAN-16','DD-MON-RR'),to_date('01-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (132,1132,'Y',to_date('27-MAY-16','DD-MON-RR'),to_date('02-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (133,1133,'Y',to_date('10-NOV-16','DD-MON-RR'),to_date('04-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (134,1134,'Y',to_date('24-JAN-17','DD-MON-RR'),to_date('27-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (135,1135,'Y',to_date('10-APR-16','DD-MON-RR'),to_date('25-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (136,1136,'N',to_date('28-MAR-16','DD-MON-RR'),to_date('17-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (137,1137,'Y',to_date('27-APR-16','DD-MON-RR'),to_date('05-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (138,1138,'N',to_date('11-MAR-16','DD-MON-RR'),to_date('04-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (139,1139,'Y',to_date('23-MAY-17','DD-MON-RR'),to_date('18-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (140,1140,'N',to_date('06-FEB-17','DD-MON-RR'),to_date('05-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (141,1141,'Y',to_date('11-MAY-17','DD-MON-RR'),to_date('17-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (142,1142,'N',to_date('30-MAR-17','DD-MON-RR'),to_date('27-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (143,1143,'Y',to_date('22-JUN-16','DD-MON-RR'),to_date('10-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (144,1144,'N',to_date('22-JUN-17','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (145,1145,'N',to_date('02-JUN-16','DD-MON-RR'),to_date('10-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (146,1146,'Y',to_date('18-JAN-17','DD-MON-RR'),to_date('28-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (147,1147,'N',to_date('16-APR-17','DD-MON-RR'),to_date('24-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (148,1148,'Y',to_date('13-SEP-17','DD-MON-RR'),to_date('30-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (149,1149,'Y',to_date('24-JUN-16','DD-MON-RR'),to_date('29-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (150,1150,'N',to_date('11-OCT-16','DD-MON-RR'),to_date('29-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (151,1151,'Y',to_date('23-SEP-16','DD-MON-RR'),to_date('28-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (152,1152,'Y',to_date('24-MAY-17','DD-MON-RR'),to_date('26-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (153,1153,'N',to_date('04-AUG-16','DD-MON-RR'),to_date('13-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (154,1154,'Y',to_date('17-FEB-17','DD-MON-RR'),to_date('08-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (155,1155,'N',to_date('13-DEC-17','DD-MON-RR'),to_date('13-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (156,1156,'N',to_date('26-DEC-16','DD-MON-RR'),to_date('14-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (157,1157,'Y',to_date('18-APR-17','DD-MON-RR'),to_date('17-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (158,1158,'N',to_date('07-MAY-17','DD-MON-RR'),to_date('23-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (159,1159,'N',to_date('06-MAY-17','DD-MON-RR'),to_date('04-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (160,1160,'Y',to_date('15-NOV-16','DD-MON-RR'),to_date('26-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (161,1161,'N',to_date('30-AUG-16','DD-MON-RR'),to_date('19-DEC-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (162,1162,'Y',to_date('25-OCT-16','DD-MON-RR'),to_date('27-FEB-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (163,1163,'N',to_date('04-OCT-17','DD-MON-RR'),to_date('20-NOV-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (164,1164,'Y',to_date('03-SEP-16','DD-MON-RR'),to_date('16-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (165,1165,'N',to_date('30-DEC-17','DD-MON-RR'),to_date('10-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (166,1166,'N',to_date('28-SEP-16','DD-MON-RR'),to_date('23-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (167,1167,'Y',to_date('21-MAR-16','DD-MON-RR'),to_date('04-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (168,1168,'Y',to_date('09-MAR-16','DD-MON-RR'),to_date('29-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (169,1169,'N',to_date('05-JAN-16','DD-MON-RR'),to_date('30-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (170,1170,'Y',to_date('27-AUG-17','DD-MON-RR'),to_date('04-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (171,1171,'Y',to_date('08-APR-17','DD-MON-RR'),to_date('01-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (172,1172,'N',to_date('25-JUL-16','DD-MON-RR'),to_date('18-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (173,1173,'N',to_date('08-NOV-16','DD-MON-RR'),to_date('02-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (174,1174,'N',to_date('08-SEP-17','DD-MON-RR'),to_date('05-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (175,1175,'Y',to_date('18-JUL-16','DD-MON-RR'),to_date('04-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (176,1176,'Y',to_date('03-MAY-17','DD-MON-RR'),to_date('20-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (177,1177,'Y',to_date('30-NOV-17','DD-MON-RR'),to_date('07-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (178,1178,'N',to_date('16-APR-17','DD-MON-RR'),to_date('18-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (179,1179,'Y',to_date('27-JUN-17','DD-MON-RR'),to_date('05-JUN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (180,1180,'Y',to_date('13-MAR-16','DD-MON-RR'),to_date('23-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (181,1181,'Y',to_date('22-AUG-16','DD-MON-RR'),to_date('26-JAN-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (182,1182,'Y',to_date('02-FEB-16','DD-MON-RR'),to_date('09-JAN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (183,1183,'N',to_date('15-AUG-17','DD-MON-RR'),to_date('06-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (184,1184,'N',to_date('15-SEP-17','DD-MON-RR'),to_date('18-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (185,1185,'Y',to_date('26-SEP-16','DD-MON-RR'),to_date('19-MAR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (186,1186,'N',to_date('27-DEC-17','DD-MON-RR'),to_date('02-JUN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (187,1187,'N',to_date('17-FEB-16','DD-MON-RR'),to_date('18-JAN-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (188,1188,'N',to_date('14-JUL-17','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (189,1189,'Y',to_date('19-DEC-17','DD-MON-RR'),to_date('27-MAY-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (190,1190,'N',to_date('18-MAY-17','DD-MON-RR'),to_date('30-MAY-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (191,1191,'N',to_date('05-OCT-16','DD-MON-RR'),to_date('08-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (192,1192,'Y',to_date('04-MAY-17','DD-MON-RR'),to_date('21-SEP-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (193,1193,'N',to_date('15-DEC-17','DD-MON-RR'),to_date('02-OCT-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (194,1194,'N',to_date('12-OCT-16','DD-MON-RR'),to_date('17-JUL-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (195,1195,'Y',to_date('28-MAR-17','DD-MON-RR'),to_date('09-AUG-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (196,1196,'Y',to_date('02-AUG-17','DD-MON-RR'),to_date('19-MAR-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (197,1197,'N',to_date('23-SEP-16','DD-MON-RR'),to_date('22-JUL-19','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (198,1198,'Y',to_date('20-MAY-16','DD-MON-RR'),to_date('11-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (199,1199,'N',to_date('03-MAR-16','DD-MON-RR'),to_date('14-SEP-18','DD-MON-RR'));

Insert into C##BANK.LOGININSTANCES (LOGIN_ID,CUSTOMER_ID,LOGIN_SUCCESS,CREATEDON,UPDATEDON)
values (200,1200,'N',to_date('23-JUN-16','DD-MON-RR'),to_date('08-OCT-19','DD-MON-RR'));

REM INSERTING into C##BANK.MERCHANT

SET DEFINE OFF;

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765433,'Gutmann, Ryan and Kris',450001);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765434,'Stokes-Ullrich',450002);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765435,'Marquardt-Boehm',450003);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765436,'Bradtke, Nolan and Rosenbaum',450004);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765437,'Beer Inc',450005);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765438,'Raynor-McCullough',450006);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765439,'Hackett-Frami',450007);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765440,'Gusikowski, D"Amore and Wolff',450008);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765441,'Lind LLC',450009);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765442,'Bednar, Kunde and Cummerata',450010);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765443,'Hauck, Sipes and Koss',450011);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765444,'Flatley-Armstrong',450012);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765445,'Sanford, Rempel and Torphy',450013);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765446,'Rohan, Grant and Koelpin',450014);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765447,'Yost Group',450015);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765448,'Fay Inc',450016);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765449,'Torp-Kerluke',450017);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765450,'Bechtelar, Gleason and Bayer',450018);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765451,'Reilly Inc',450019);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values (8765452,'Dickens, Shields and Anderson',450020);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765453,'Schmeler and Sons',450021);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765454,'Schmidt, Dickens and Jakubowski',450022);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765455,'Dooley-Dare',450023);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765456,'Abbott-Pacocha',450024);

Insert into C##BANK.MERCHANT (MERCHANT_ID,MERCHANT_NAME,ACCOUNT_NUMBER) values
(8765457,'Volkman-Auer',450025);

REM INSERTING into C##BANK.ORDERS

SET DEFINE OFF;

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (1,to_date('10-FEB-16','DD-MON-RR'),to_date('13-JAN-
17','DD-MON-RR'),'Complete',6617331028,'Pork - Back Ribs',60.35,4,602.81,1001,1235);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (2,to_date('06-MAR-16','DD-MON-RR'),to_date('24-APR-
17','DD-MON-RR'),'Complete',7862137213,'Kolrabi',21.06,2,508.25,1002,1236);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (3,to_date('07-NOV-16','DD-MON-RR'),to_date('30-SEP-
17','DD-MON-RR'),'Processing',6750002455,'Chicken Breast Halal',87.24,1,740.91,1003,1237);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (4,to_date('31-MAR-16','DD-MON-RR'),to_date('17-JUL-
17','DD-MON-RR'),'Pending',3293902723,'Grenadillo',89.77,9,892.3,1004,1238);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (5,to_date('31-JAN-16','DD-MON-RR'),to_date('27-NOV-
17','DD-MON-RR'),'Processing',9744275049,'Tea - Orange Pekoe',14.3,5,527.07,1005,1239);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (6,to_date('04-NOV-16','DD-MON-RR'),to_date('04-JUL-
17','DD-MON-RR'),'Pending',2171616121,'Water - Perrier',64.88,4,726.36,1006,1240);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (7,to_date('20-JAN-16','DD-MON-RR'),to_date('28-JUN-
17','DD-MON-RR'),'Pending',8416885370,'Crush - Cream Soda',98.03,1,305.55,1007,1241);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (8,to_date('15-JUN-16','DD-MON-RR'),to_date('15-FEB-
17','DD-MON-RR'),'Pending',1797069098,'Sesame Seed',79.34,10,224.05,1008,1242);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (9,to_date('11-MAY-16','DD-MON-RR'),to_date('20-FEB-
17','DD-MON-RR'),'Pending',2405430169,'Tart Shells - Sweet, 2',21.35,5,242.85,1009,1243);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (10,to_date('19-JUL-16','DD-MON-RR'),to_date('19-SEP-
17','DD-MON-RR'),'Pending',5401334095,'Tandoori Curry Paste',88.87,5,897.86,1010,1244);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (11,to_date('02-MAR-16','DD-MON-RR'),to_date('27-APR-
17','DD-MON-RR'),'Processing',6767942995,'Guinea Fowl',61.17,9,151.92,1011,1245);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (12,to_date('25-JUL-16','DD-MON-RR'),to_date('26-NOV-
17','DD-MON-RR'),'Complete',3573882234,'Cheese - Goat',56.77,2,682.06,1012,1246);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (13,to_date('13-OCT-16','DD-MON-RR'),to_date('15-JUL-
17','DD-MON-RR'),'Processing',3707127729,'Dried Peach',43.92,3,125.14,1013,1247);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (14,to_date('16-AUG-16','DD-MON-RR'),to_date('23-MAY-
17','DD-MON-RR'),'Pending',4919601131,'Wine - Maipo Valle Cabernet',43.2,2,76.16,1014,1248);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (15,to_date('11-MAR-16','DD-MON-RR'),to_date('06-APR-
17','DD-MON-RR'),'Pending',8839146768,'Cheese - Brie',79.22,8,200.96,1015,1249);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (16,to_date('12-SEP-16','DD-MON-RR'),to_date('16-NOV-
17','DD-MON-RR'),'Processing',1812330685,'Cup - 8oz Coffee Perforated',51.76,7,95.32,1016,1250);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (17,to_date('16-MAR-16','DD-MON-RR'),to_date('25-JUN-
17','DD-MON-RR'),'Processing',6657110847,'Spoon - Soup, Plastic',23.94,2,766.29,1017,1251);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,

ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (18,to_date('06-MAR-16','DD-MON-RR'),to_date('09-APR-17','DD-MON-RR'),'Processing',2145159428,'Chip - Potato Dill Pickle',84.92,7,974.68,1018,1252);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (19,to_date('11-JUN-16','DD-MON-RR'),to_date('15-OCT-17','DD-MON-RR'),'Processing',865777810,'Pork - Kidney',44.83,3,440.56,1019,1253);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (21,to_date('23-AUG-16','DD-MON-RR'),to_date('05-MAY-17','DD-MON-RR'),'Complete',3989894838,'Wine - Ice Wine',94.75,3,603.09,1021,1255);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (23,to_date('14-JAN-16','DD-MON-RR'),to_date('30-JUN-17','DD-MON-RR'),'Complete',7692258546,'Juice - Propel Sport',92.54,8,215.92,1023,1257);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (24,to_date('21-FEB-16','DD-MON-RR'),to_date('28-MAY-17','DD-MON-RR'),'Pending',4024770179,'Straw - Regular',8.45,1,135.22,1024,1258);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (25,to_date('20-MAR-16','DD-MON-RR'),to_date('25-SEP-17','DD-MON-RR'),'Processing',8326673382,'Ice Cream - Fudge Bars',8.44,5,239.14,1025,1259);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (26,to_date('24-OCT-16','DD-MON-RR'),to_date('29-SEP-17','DD-MON-RR'),'Pending',8167269469,'Potatoes - Instant, Mashed',2.81,9,294.07,1026,1260);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (29,to_date('04-JAN-16','DD-MON-RR'),to_date('24-OCT-17','DD-MON-RR'),'Processing',7327850430,'Longos - Greek Salad',3.89,3,494.74,1029,1263);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (30,to_date('18-NOV-16','DD-MON-RR'),to_date('30-APR-17','DD-MON-RR'),'Processing',3628308429,'Parsley - Fresh',27.23,4,617.07,1030,1264);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (32,to_date('10-APR-16','DD-MON-RR'),to_date('26-FEB-17','DD-MON-RR'),'Complete',4745933347,'Chicken - Diced, Cooked',58.3,5,556.99,1032,1266);

Insert into C##BANK.ORDERS

(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY, ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (34,to_date('19-NOV-16','DD-MON-RR'),to_date('01-JUN-17','DD-MON-RR'),'Pending',8401643406,'Salmon - Canned',40.05,5,64.1,1034,1268);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (35,to_date('15-JUL-16','DD-MON-RR'),to_date('30-NOV-
17','DD-MON-RR'),'Complete',136085733,'Wine - White, Antinore Orvieto',64.46,9,577.55,1035,1269);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (36,to_date('10-MAR-16','DD-MON-RR'),to_date('23-
MAY-17','DD-MON-RR'),'Complete',6736924235,'Aspic - Amber',39.24,2,498.76,1036,1270);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (37,to_date('16-JAN-16','DD-MON-RR'),to_date('17-FEB-
17','DD-MON-RR'),'Complete',5677522414,'Pepper - Red, Finger Hot',76.57,4,586.04,1037,1271);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (38,to_date('27-APR-16','DD-MON-RR'),to_date('19-JUL-
17','DD-MON-RR'),'Pending',5951877237,'Rum - Cream, Amarula',91.9,7,522.14,1038,1272);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (39,to_date('14-OCT-16','DD-MON-RR'),to_date('19-MAY-
17','DD-MON-RR'),'Pending',6138344154,'Lid Tray - 16in Dome',67.77,5,964.09,1039,1273);

Insert into C##BANK.ORDERS
(ORDER_ID,ORDER_DATE,SHIPPED_DATE,STATUS,PRODUCT_ID,PRODUCT_NAME,PRODUCT_AMOUNT,QUANTITY,
ORDER_TOTAL,CUSTOMER_ID,TRANSACTION_ID) values (40,to_date('24-MAY-16','DD-MON-RR'),to_date('29-JUN-
17','DD-MON-RR'),'Pending',3410732314,'Raisin - Golden',65.32,3,264.92,1040,1274);

REM INSERTING into C##BANK.SIGNUPINFO

SET DEFINE OFF;

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1321,721,'Morgan','Wrixon','mwrixon8w@wix.com','13-Jan-1996','(580) 4159567','399-53-
1598','N','N','N',to_date('17-MAY-16','DD-MON-RR'),to_date('13-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1322,722,'Perceval','Boult','pboult8x@bizjournals.com','30-Dec-1993','(774) 9795484','840-22-
2428','Y','Y','Y',to_date('08-SEP-17','DD-MON-RR'),to_date('27-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1323,723,'Stacee','Rheaume','srheaueme8y@php.net','09-Mar-1984','(385) 9466173','856-44-
9805','Y','N','N',to_date('05-OCT-16','DD-MON-RR'),to_date('14-OCT-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1324,724,'Noni','Weatherhead','nweatherhead8z@soup.io','12-Mar-1987','(580) 7946988','764-27-
3633','Y','Y','Y',to_date('31-AUG-17','DD-MON-RR'),to_date('23-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1325,725,'Orsa','Trew','otrew90@whitehouse.gov','13-Jul-1996','(545) 4103756','454-12-
3582','N','Y','N',to_date('19-APR-17','DD-MON-RR'),to_date('07-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1326,726,'Camellia','Pashba','cpashba91@sitemeter.com','30-Aug-1997','(583) 1363894','728-69-
7017','Y','Y','N',to_date('04-JUL-16','DD-MON-RR'),to_date('11-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1327,727,'Keelia','McElwee','kmcelwee92@nih.gov','30-Sep-1983','(417) 3542280','592-72-
7572','N','Y','N',to_date('29-AUG-17','DD-MON-RR'),to_date('10-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1328,728,'Rosette','Dawson','rdawson93@51.la','11-Oct-1981','(521) 4442689','663-53-
4240','Y','N','Y',to_date('30-MAR-17','DD-MON-RR'),to_date('06-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1329,729,'Chickie','Gow','cgow94@cmu.edu','16-Jul-1989','(650) 9254203','630-90-5158','Y','Y','Y',to_date('02-
OCT-17','DD-MON-RR'),to_date('22-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1330,730,'Carmelle','Robertelli','crobertelli95@nytimes.com','25-Jun-1981','(700) 5395946','289-98-
8888','Y','N','N',to_date('06-OCT-17','DD-MON-RR'),to_date('28-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1331,731,'Aleen','Mandal','amandal96@soup.io','06-Apr-1989','(224) 8592567','414-62-
8935','N','N','N',to_date('25-JUN-16','DD-MON-RR'),to_date('23-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1332,732,'Gradey','Naden','gnaden97@washingtonpost.com','08-May-1995','(738) 3465203','529-36-2984','N','N','N',to_date('10-OCT-16','DD-MON-RR'),to_date('02-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1333,733,'Emmalee','Jewiss','ejewiss98@netscape.com','02-Apr-1980','(790) 6613547','738-62-7835','Y','N','Y',to_date('08-APR-16','DD-MON-RR'),to_date('13-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1334,734,'Beatrix','Lude','blude99@noaa.gov','17-Sep-1992','(469) 1333571','685-69-7248','N','N','N',to_date('05-JUL-17','DD-MON-RR'),to_date('06-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1335,735,'Maryanne','Baroc','mbaroc9a@discuz.net','08-Jun-1984','(620) 7404116','509-97-0740','Y','N','Y',to_date('01-JUN-16','DD-MON-RR'),to_date('23-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1336,736,'Christian','Bernardoux','cbernardoux9b@w3.org','04-Mar-1982','(671) 6874010','858-03-7915','Y','Y','N',to_date('20-APR-17','DD-MON-RR'),to_date('24-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1337,737,'Viviana','Darch','vdarch9c@ibm.com','20-Jan-1987','(443) 6966757','493-22-4645','N','Y','N',to_date('20-FEB-17','DD-MON-RR'),to_date('25-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1338,738,'Angel','Normadell','anormadell9d@examiner.com','17-Jan-1996','(674) 4445008','362-43-3193','Y','Y','N',to_date('13-OCT-16','DD-MON-RR'),to_date('19-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1339,739,'Jaye','Jurasz','jjurasz9e@discovery.com','29-Sep-1980','(532) 1429215','266-92-1565','Y','Y','Y',to_date('23-NOV-16','DD-MON-RR'),to_date('30-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1340,740,'Cleon','Minshull','cmminshull9f@miiibeian.gov.cn','25-Nov-1986','(639) 5247698','594-19-0416','Y','Y','N',to_date('27-APR-17','DD-MON-RR'),to_date('05-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1341,741,'Celina','Tizard','ctizard9g@xrea.com','04-Dec-1994','(503) 9769025','245-05-2529','N','Y','Y',to_date('08-AUG-17','DD-MON-RR'),to_date('10-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1342,742,'Joceline','McLucky','jmclucky9h@sourceforge.net','20-May-1994','(401) 9452534','242-87-9442','N','Y','N',to_date('03-OCT-17','DD-MON-RR'),to_date('26-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1343,743,'Alika','Stopp','astopp9i@walmart.com','24-Jul-1985','(538) 8398049','829-54-9008','Y','N','N',to_date('14-SEP-17','DD-MON-RR'),to_date('28-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1344,744,'Becka','Wilber','bwilber9j@gizmodo.com','19-Oct-1990','(500) 8333833','301-97-5691','N','Y','Y',to_date('22-NOV-17','DD-MON-RR'),to_date('23-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1345,745,'Jessa','Umfrey','jumfrey9k@sun.com','17-Feb-1996','(977) 7072105','709-26-6618','N','Y','Y',to_date('29-APR-17','DD-MON-RR'),to_date('17-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1346,746,'Karlotta','Paulat','kpaulat9l@jigsy.com','23-Feb-1982','(148) 2951949','253-91-7579','N','Y','Y',to_date('15-OCT-17','DD-MON-RR'),to_date('23-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1347,747,'Modesta','Oldridge','moldridge9m@uiuc.edu','21-Mar-1991','(168) 5815109','214-10-4299','Y','Y','Y',to_date('20-JUN-17','DD-MON-RR'),to_date('24-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1348,748,'Joshia','Founds','jfounds9n@google.cn','08-Nov-1992','(139) 6700498','159-01-5190','N','N','Y',to_date('28-OCT-17','DD-MON-RR'),to_date('01-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values

(1349,749,'Britni','Battersby','bbattersby9o@paginegialle.it','02-Feb-1993','(912) 8160774','404-62-1635','N','Y','Y,to_date('14-FEB-17','DD-MON-RR'),to_date('05-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1350,750,'Myrilla','Balden','mbalden9p@tripod.com','14-Jun-1987','(103) 8172278','137-62-3406','Y','Y','N,to_date('01-OCT-16','DD-MON-RR'),to_date('12-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1351,751,'Jerrilee','Exter','jexter9q@imgur.com','04-Sep-1990','(227) 4715108','652-46-6976','Y','N','N,to_date('13-JAN-17','DD-MON-RR'),to_date('06-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1352,752,'Gabriel','Winckworth','gwinckworth9r@illinois.edu','02-Jan-1982','(606) 9311597','714-79-3336','Y','Y','N,to_date('26-MAY-16','DD-MON-RR'),to_date('09-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1353,753,'Millisent','Schwartz','mschwartz9s@infoseek.co.jp','01-Jul-1988','(324) 3205761','491-58-3300','Y','Y','Y,to_date('04-OCT-16','DD-MON-RR'),to_date('24-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1354,754,'Mortimer','Cassella','mcassella9t@google.com.hk','10-Aug-1990','(264) 2923621','116-17-5184','Y','Y','Y,to_date('04-JAN-17','DD-MON-RR'),to_date('06-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1355,755,'Thomasina','Brisco','tbrisco9u@telegraph.co.uk','02-Jan-1989','(283) 6119169','426-51-6295','N','N','N,to_date('17-OCT-16','DD-MON-RR'),to_date('19-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1356,756,'Linda','Obington','lobington9v@reverbnation.com','28-Apr-1988','(318) 8020644','394-11-8181','N','Y','N,to_date('07-AUG-16','DD-MON-RR'),to_date('08-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1357,757,'Martino','MacGuffie','mmacguffie9w@ebay.com','29-Nov-1992','(653) 8302346','277-73-0256','Y','N','Y,to_date('03-MAR-16','DD-MON-RR'),to_date('24-SEP-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1358,758,'Aluin','Newlands','anewlands9x@nbcnews.com','25-Jun-1991','(351) 3636394','105-59-5059','N','Y','N',to_date('15-MAY-17','DD-MON-RR'),to_date('14-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1359,759,'Tamarah','Jobbins','tjobbins9y@accuweather.com','27-Dec-1987','(472) 1207755','337-29-6899','Y','Y','N',to_date('20-JAN-17','DD-MON-RR'),to_date('04-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1360,760,'Whitney','Zellmer','wzellmer9z@smh.com.au','15-Nov-1992','(286) 3068632','459-39-3957','N','N','N',to_date('18-DEC-16','DD-MON-RR'),to_date('27-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1361,761,'Jeth','Berrisford','jberrisforda0@1und1.de','08-Apr-1987','(125) 5585034','789-16-4228','Y','N','N',to_date('20-FEB-17','DD-MON-RR'),to_date('27-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1362,762,'Glenden','Robelin','gobelina1@opera.com','08-Aug-1982','(668) 9917655','662-09-1688','N','N','Y',to_date('10-MAR-16','DD-MON-RR'),to_date('24-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1363,763,'Keir','Ruggen','kruggena2@infoseek.co.jp','23-Jun-1985','(937) 8825988','716-44-2958','Y','Y','Y',to_date('16-JUL-16','DD-MON-RR'),to_date('01-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1364,764,'Marcelle','Rewcastle','mrewcastlea3@bloombberg.com','25-Jan-1986','(731) 2751957','330-50-4004','N','Y','Y',to_date('11-JUL-16','DD-MON-RR'),to_date('20-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1365,765,'Allys','Insall','ainsalla4@prnewswire.com','25-Sep-1982','(528) 1629208','674-28-5359','Y','N','Y',to_date('17-AUG-17','DD-MON-RR'),to_date('22-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1366,766,'Antoinette','McKeevers','amckeeversa5@usgs.gov','02-Nov-1983','(782) 6755481','417-97-7174','N','N','Y,to_date('26-AUG-17','DD-MON-RR'),to_date('22-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1367,767,'Romonda','Wipermann','rwippermanna6@1688.com','09-Dec-1996','(715) 1351963','475-76-4064','Y','Y','Y,to_date('03-NOV-17','DD-MON-RR'),to_date('14-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1368,768,'Teena','Kryszka','tkryszkaa7@exblog.jp','29-Jun-1991','(561) 1931006','283-72-4045','Y','Y','Y,to_date('04-JAN-17','DD-MON-RR'),to_date('06-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1369,769,'Jeanie','Hurch','jhurcha8@salon.com','18-Jul-1998','(917) 6509404','239-22-9964','Y','N','Y,to_date('05-JAN-17','DD-MON-RR'),to_date('15-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1370,770,'Andy','Roycroft','aroycrofta9@jimdo.com','19-Apr-1993','(643) 4972666','133-05-6790','N','N','N,to_date('15-APR-16','DD-MON-RR'),to_date('23-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1371,771,'Killian','Prendergrast','kprendergrastaa@cbslocal.com','19-Jun-1996','(498) 4683937','289-97-4508','Y','Y','N,to_date('12-JAN-17','DD-MON-RR'),to_date('25-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1372,772,'Oralle','Millyard','omillyardab@bandcamp.com','13-Jun-1996','(928) 2467711','153-98-3450','N','Y','Y,to_date('22-MAY-16','DD-MON-RR'),to_date('13-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1373,773,'Reese','Willshire','rwillshireac@wix.com','13-Jan-1993','(198) 1136655','524-55-5189','Y','Y','N,to_date('01-DEC-16','DD-MON-RR'),to_date('23-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1374,774,'Bob','Biaggelli','bbiaggelliad@house.gov','24-Oct-1989','(525) 7967062','472-38-5027','Y','N','N,to_date('27-OCT-16','DD-MON-RR'),to_date('17-APR-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1375,775,'Felice','Van Der Weedenburg','fvanderweedenburgae@nifty.com','27-Jul-1984','(166) 5737074','395-17-4105','Y','N','N',to_date('28-DEC-16','DD-MON-RR'),to_date('27-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1376,776,'Tamara','Ballister','tballisteraf@senate.gov','18-Jun-1992','(842) 1811311','882-69-6936','N','N','N',to_date('21-JUL-17','DD-MON-RR'),to_date('07-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1377,777,'Doti','Fagence','dfagenceag@yellowbook.com','05-Dec-1992','(277) 5711064','343-95-5433','Y','N','Y',to_date('11-AUG-16','DD-MON-RR'),to_date('28-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1378,778,'Maureene','Clipston','mclipstonah@freewebs.com','25-Dec-1994','(510) 6625735','546-02-8787','N','Y','N',to_date('11-MAY-17','DD-MON-RR'),to_date('11-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1379,779,'Anatol','Girardot','agirardotai@list-manage.com','27-Apr-1992','(145) 9048037','736-27-1922','Y','Y','N',to_date('26-JUL-16','DD-MON-RR'),to_date('18-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1380,780,'Letisha','Ollerenshaw','lollerenshawaj@google.com','17-Aug-1996','(954) 2428649','768-02-0840','N','Y','Y',to_date('02-AUG-16','DD-MON-RR'),to_date('06-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1381,781,'Dallas','Jewes','djewesak@auda.org.au','13-Sep-1989',null,'184-26-8885','N','Y','Y',to_date('20-APR-17','DD-MON-RR'),to_date('13-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1382,782,'Jae','Keyzman','jkeyzmanal@bing.com','02-Aug-1982','(629) 2757333','706-37-3782','Y','N','N',to_date('17-AUG-17','DD-MON-RR'),to_date('18-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1383,783,'Robinson','Dukelow','rdukelowam@technorati.com','03-Jan-1980','(860) 9686069','583-52-6206','N','Y','N,to_date('21-MAY-16','DD-MON-RR'),to_date('21-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1384,784,'Katrine','Riddett','kriddettan@pen.io','31-Mar-1983','(150) 5699396','836-22-7361','N','N','N,to_date('01-MAY-16','DD-MON-RR'),to_date('03-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1385,785,'Clarabelle','Haggis','chaggisao@umn.edu','01-Jan-1997','(836) 5860280','176-18-2028','Y','N','N,to_date('30-JAN-17','DD-MON-RR'),to_date('18-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1386,786,'Darin','Dalgardno','ddalgardnoap@irs.gov','05-May-1994','(118) 8591807','606-21-8090','N','Y','N,to_date('13-OCT-16','DD-MON-RR'),to_date('18-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1387,787,'Bliss','Duny','bdunyaq@domainmarket.com','01-Aug-1993','(774) 6174437','211-74-5490','Y','Y','Y,to_date('07-JAN-17','DD-MON-RR'),to_date('27-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1388,788,'Daffi','Boorer','dboorerar@arstechnica.com','01-Jun-1991',null,'200-05-3758','N','N','N,to_date('09-MAY-16','DD-MON-RR'),to_date('01-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1389,789,'Harrietta','Owbridge','howbridgeas@alibaba.com','04-Feb-1997','(710) 4084409','879-84-4377','N','N','N,to_date('25-JUN-16','DD-MON-RR'),to_date('26-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1390,790,'Lise','Matschke','lmatschkeat@nps.gov','04-Dec-1992','(941) 6414760','325-85-7729','N','Y','N,to_date('14-APR-16','DD-MON-RR'),to_date('08-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1391,791,'Tedi','Ebunoluwa','tebunoluwaau@dion.ne.jp','25-Jan-1995','(990) 7222722','844-31-5575','Y','Y','N,to_date('02-SEP-17','DD-MON-RR'),to_date('22-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1392,792,'Ave','Purrington','apurringtonav@sfgate.com','26-Jul-1998','(481) 1850184','426-78-8385','N','N','Y',to_date('06-AUG-17','DD-MON-RR'),to_date('22-JAN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1393,793,'Darlene','Keys','dkeysaw@etsy.com','05-Mar-1996','(396) 1670463','304-26-3223','N','Y','N',to_date('28-AUG-16','DD-MON-RR'),to_date('27-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1394,794,'Ibby','Elener','ielenerax@dedecms.com','05-Sep-1994','(103) 5768194','757-36-2578','N','N','N',to_date('02-AUG-16','DD-MON-RR'),to_date('27-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1395,795,'Chicky','Coghill','ccoghillay@nifty.com','29-Oct-1984','(488) 6281594','483-22-5613','N','Y','N',to_date('28-NOV-17','DD-MON-RR'),to_date('03-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1396,796,'Aurelea','Kubczak','akubczakaz@digg.com','27-Nov-1994','(548) 7361277','647-31-7004','N','N','Y',to_date('12-OCT-17','DD-MON-RR'),to_date('02-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1397,797,'Mable','Alabone','malaboneb0@ning.com','03-May-1993','(740) 4172908','452-38-0876','N','Y','Y',to_date('14-OCT-16','DD-MON-RR'),to_date('12-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1398,798,'Gaby','Kid','gkidb1@techcrunch.com','30-Apr-1982','(860) 5199084','277-80-2891','N','Y','N',to_date('20-AUG-17','DD-MON-RR'),to_date('11-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1399,799,'Lynn','Henworth','lhenworthb2@macromedia.com','17-Oct-1993',null,'698-27-6802','Y','Y','N',to_date('05-JUL-17','DD-MON-RR'),to_date('12-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values

(1400,800,'Simone','Swinford','sswinfordb3@archive.org','22-May-1991','(570) 1948050','576-99-9877','Y','Y','N,to_date('24-FEB-17','DD-MON-RR'),to_date('05-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1401,801,'Darb','Couchman','dcouchmanb4@tamu.edu','05-Jan-1991','(170) 4412233','444-48-6186','Y','N','Y,to_date('07-APR-16','DD-MON-RR'),to_date('29-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1442,842,'Hester','Collaton','hcollandc9@elegantthemes.com','08-Jul-1989','(618) 6456369','164-98-3020','N','N','Y,to_date('25-JUN-16','DD-MON-RR'),to_date('08-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1443,843,'Eloise','Piatti','epiattica@washington.edu','05-Feb-1997','(613) 7986456','379-31-2208','N','N','N,to_date('04-OCT-17','DD-MON-RR'),to_date('22-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1444,844,'Zared','Sackes','zsackescb@godaddy.com','31-Jan-1988','(462) 1055477','264-87-0235','Y','Y','Y,to_date('20-NOV-17','DD-MON-RR'),to_date('16-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1445,845,'Petrica','Edelmann','pedelmanncc@bravesites.com','10-Feb-1987','(481) 3780134','840-56-7412','N','Y','N,to_date('20-JUN-16','DD-MON-RR'),to_date('15-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1446,846,'Dougy','Brauns','dbraunscd@mail.ru','16-Feb-1980','(830) 9475179','322-11-1419','N','Y','Y,to_date('20-FEB-17','DD-MON-RR'),to_date('17-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1447,847,'Bernardine','O'Dornan','bodornance@ycombinator.com','30-Oct-1997','(304) 9135827','709-42-6573','Y','N','N,to_date('09-JAN-16','DD-MON-RR'),to_date('01-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1448,848,'Jean','Delamar','jdelamarcf@theglobeandmail.com','09-Sep-1989','(540) 8284118','702-34-5774','N','Y','N,to_date('25-SEP-17','DD-MON-RR'),to_date('14-JUN-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1449,849,'Sherry','Remmers','sremmerscg@live.com','25-Jan-1990',null,'636-47-3640','Y','N','Y',to_date('05-SEP-16','DD-MON-RR'),to_date('07-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1450,850,'Antin','Ogley','aogleych@pagesperso-orange.fr','03-Aug-1986','(821) 5488358','827-26-3342','Y','Y','Y',to_date('17-APR-17','DD-MON-RR'),to_date('27-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1451,851,'Dorotea','Pleven','dplevenci@tripadvisor.com','19-Jun-1985',null,'300-24-1090','N','N','Y',to_date('15-JUN-16','DD-MON-RR'),to_date('11-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1452,852,'Valida','Munro','vmunrocj@people.com.cn','08-Jan-1996','(290) 5437988','804-27-0863','N','N','N',to_date('30-JUN-17','DD-MON-RR'),to_date('29-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1453,853,'Lenna','Barthram','lbarthramck@imageshack.us','05-Apr-1991','(101) 5420811','110-27-5457','Y','Y','Y',to_date('09-AUG-17','DD-MON-RR'),to_date('05-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1454,854,'Jephthah','Patshull','jpatshullcl@sciencedirect.com','05-Jun-1997','(892) 6987925','122-29-4117','N','N','N',to_date('08-OCT-16','DD-MON-RR'),to_date('10-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1455,855,'Colly','Wintle','cwintlecm@skyrock.com','24-Mar-1989','(787) 6785832','255-49-5034','Y','N','N',to_date('07-JUL-16','DD-MON-RR'),to_date('05-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1456,856,'Klarrisa','Beynon','kbeynoncn@nhs.uk','14-Feb-1981','(333) 4632144','604-49-7577','N','Y','N',to_date('21-APR-16','DD-MON-RR'),to_date('04-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1457,857,'Buffy','Connow','bconnowco@nbcnews.com','12-Jun-1988','(201) 9691264','872-30-8555','N','N','Y',to_date('13-JAN-17','DD-MON-RR'),to_date('03-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1458,858,'Christie','Goodnow','cgoodnowcp@nifty.com','30-Aug-1985',null,'635-53-8602','N','Y','N',to_date('26-FEB-16','DD-MON-RR'),to_date('11-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1459,859,'Pepita','Fiveash','pfiveashcq@shutterfly.com','23-Jul-1989','(581) 7579303','330-31-2524','N','Y','N',to_date('22-FEB-16','DD-MON-RR'),to_date('28-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1460,860,'Jerad','Ambrosoni','jambrosonicr@last.fm','11-Feb-1988','(729) 2428555','237-60-7463','N','N','N',to_date('24-NOV-16','DD-MON-RR'),to_date('10-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1461,861,'Berri','Sautter','bsauttercs@nymag.com','22-Jul-1985','(872) 8046497','357-12-4522','N','N','Y',to_date('27-AUG-16','DD-MON-RR'),to_date('30-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1462,862,'Noby','Gladdolph','ngladdolphct@shutterfly.com','18-Nov-1991','(126) 8435943','659-14-7947','Y','N','Y',to_date('07-JUL-17','DD-MON-RR'),to_date('29-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1463,863,'Mandi','Bryers','mbryerscu@businesswire.com','09-Jan-1985','(193) 6175519','386-92-7828','N','N','Y',to_date('28-AUG-16','DD-MON-RR'),to_date('28-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1464,864,'Neal','MacMichael','nmacmichaelcv@constantcontact.com','08-Oct-1994','(798) 7451729','765-22-7177','N','Y','Y',to_date('06-FEB-16','DD-MON-RR'),to_date('04-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1465,865,'Arny','Weinham','aweinhamicw@oracle.com','10-Jan-1987','(688) 5767486','308-20-0168','Y','Y','Y',to_date('31-JUL-17','DD-MON-RR'),to_date('22-MAR-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1466,866,'Gerry','Waumsley','gwaumsleycx@livejournal.com','02-Aug-1997','(162) 7769763','800-93-
8418','N','Y','N',to_date('08-SEP-16','DD-MON-RR'),to_date('08-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1467,867,'Constantina','McCuffie','cmccuffiecy@fda.gov','29-Sep-1989','(703) 2308814','269-27-
4729','N','N','N',to_date('02-NOV-17','DD-MON-RR'),to_date('21-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1468,868,'Barrie','Hollingdale','bhollingdalecz@bloglovin.com','06-Apr-1980','(705) 1145727','468-07-
8329','Y','Y','Y',to_date('02-NOV-17','DD-MON-RR'),to_date('16-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1469,869,'Launce','Shrubb','lshrubbd0@msn.com','12-Sep-1992','(200) 9570499','124-63-
8805','Y','Y','Y',to_date('25-JAN-16','DD-MON-RR'),to_date('17-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1470,870,'Harcourt','Saddler','hsaddlerd1@alibaba.com','02-Jun-1988','(910) 2526340','715-61-
8908','Y','N','N',to_date('17-MAY-16','DD-MON-RR'),to_date('22-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1471,871,'Rosaleen','Moncur','rmoncurd2@jiathis.com','26-Oct-1991','(869) 6881941','868-06-
0851','N','N','N',to_date('02-AUG-16','DD-MON-RR'),to_date('07-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1472,872,'Lebbie','Custed','lcustedd3@mail.ru','25-Jan-1983','(250) 4252765','497-90-2798','N','N','Y',to_date('17-
JAN-17','DD-MON-RR'),to_date('10-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1473,873,'Zachery','Snap','zsnapd4@woothemes.com','03-Nov-1983','(391) 5149787','754-70-
6121','N','Y','N',to_date('08-AUG-17','DD-MON-RR'),to_date('25-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1474,874,'Martina','Beevors','mbeevorsd5@java.com','08-May-1993',null,'707-51-7079','N','Y','N',to_date('10-JUN-16','DD-MON-RR'),to_date('20-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1475,875,'Theresita','Lethibridge','tlethibridged6@theatlantic.com','14-Mar-1998','(570) 3222280','121-47-8241','Y','N','Y',to_date('05-DEC-16','DD-MON-RR'),to_date('17-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1476,876,'Rozelle','Janusik','rjanusikd7@fastcompany.com','29-Aug-1980','(747) 9996455','374-26-0652','N','Y','Y',to_date('25-JAN-17','DD-MON-RR'),to_date('12-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1477,877,'Lynnea','Wellum','lwellumd8@exblog.jp','26-Nov-1998','(106) 4803735','682-69-9943','N','Y','Y',to_date('05-APR-17','DD-MON-RR'),to_date('25-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1478,878,'Cyndie','Totterdell','cttotterdelld9@unicef.org','20-Mar-1990','(636) 8455807','616-82-2152','N','Y','Y',to_date('10-MAY-17','DD-MON-RR'),to_date('12-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1479,879,'Lem','Holtaway','lholtawayda@senate.gov','26-Apr-1992','(897) 2533584','352-25-8775','Y','Y','N',to_date('14-MAR-17','DD-MON-RR'),to_date('25-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1480,880,'Farand','Hollow','fhollowdb@house.gov','20-Sep-1989','(868) 3005127','394-09-8766','Y','N','N',to_date('09-JUN-17','DD-MON-RR'),to_date('04-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1481,881,'Bud','Itzchaki','bitzchakidc@paypal.com','17-Mar-1995','(549) 1234052','527-26-1200','N','N','Y',to_date('03-NOV-17','DD-MON-RR'),to_date('28-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1482,882,'Leonie','Yair','lyairdd@altervista.org','14-Nov-1995','(131) 3840371','476-45-6739','Y','Y','N',to_date('12-JUN-17','DD-MON-RR'),to_date('22-JUL-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1483,883,'Gaelan','Calton','gcaltonde@amazon.co.jp','07-Sep-1987',null,'880-25-3904','Y','N','Y',to_date('07-DEC-17','DD-MON-RR'),to_date('13-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1484,884,'Hortense','Hickinbottom','hhickinbottomdf@dot.gov','26-Jun-1994','(296) 9523611','485-66-8436','Y','N','Y',to_date('19-JUL-16','DD-MON-RR'),to_date('14-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1485,885,'Hercules','Skunes','hskunesdg@skype.com','21-Jul-1986','(173) 1059284','196-07-8186','N','N','Y',to_date('24-NOV-16','DD-MON-RR'),to_date('30-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1486,886,'Perla','Yole','pyoledh@cdbaby.com','16-Sep-1988','(160) 7302846','689-36-4564','N','N','N',to_date('18-NOV-16','DD-MON-RR'),to_date('09-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1487,887,'Karlee','Matashkin','kmatashkindi@oaic.gov.au','08-Jun-1998','(439) 5476193','181-09-8519','N','Y','Y',to_date('06-JUL-16','DD-MON-RR'),to_date('20-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1488,888,'Effie','Hainey','ehaineydj@answers.com','30-Nov-1996','(371) 5232495','221-77-6039','Y','Y','N',to_date('08-MAR-17','DD-MON-RR'),to_date('13-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1489,889,'Arleta','Canto','acantodk@intel.com','31-May-1996','(699) 8321441','853-14-8537','N','Y','Y',to_date('01-MAR-16','DD-MON-RR'),to_date('31-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1490,890,'Berenice','Bascombe','bbascombebl@time.com','04-Mar-1988',null,'449-31-3175','Y','Y','N',to_date('24-JUN-17','DD-MON-RR'),to_date('06-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1491,891,'Juditha','Sultan','jsultandm@ning.com','02-Nov-1998','(673) 5193665','729-82-9486','Y','Y','N,to_date('26-SEP-16','DD-MON-RR'),to_date('08-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1492,892,'Dell','Berkery','dberkerydn@prlog.org','24-Jan-1997','(785) 2159367','427-98-6707','N','N','N,to_date('12-JUL-16','DD-MON-RR'),to_date('02-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1493,893,'Kasey','Goldine','kgoldinedo@cdc.gov','30-Jun-1993','(689) 2610264','314-55-2581','N','N','Y,to_date('05-OCT-17','DD-MON-RR'),to_date('11-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1494,894,'Parnell','Momery','pmomerydp@msu.edu','24-Jan-1991','(477) 7451971','606-78-1932','Y','N','Y,to_date('09-JAN-17','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1495,895,'Crissy','Cambell','ccambelldq@redcross.org','31-Jul-1982','(825) 4027398','507-46-5684','N','Y','Y,to_date('27-JAN-17','DD-MON-RR'),to_date('15-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1496,896,'Lynde','Dixon','ldixondr@uol.com.br','17-Jun-1995','(805) 5172878','683-40-1752','Y','Y','N,to_date('08-AUG-16','DD-MON-RR'),to_date('09-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1497,897,'Ardyce','Eschalotte','aeschalotteds@comcast.net','20-Dec-1995','(830) 8977611','737-17-5702','Y','N','Y,to_date('28-APR-16','DD-MON-RR'),to_date('25-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1498,898,'Maridel','Jeppensen','mjeppensendt@netscape.com','02-Aug-1993','(679) 7295652','256-40-8290','Y','N','N,to_date('21-NOV-17','DD-MON-RR'),to_date('03-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1499,899,'Audrey','Booler','aboolerdu@redcross.org','18-Sep-1985','(293) 7663299','218-69-1399','Y','Y','Y,to_date('27-APR-16','DD-MON-RR'),to_date('11-JAN-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1500,900,'Penni','Varns','pvarnsdv@barnesandnoble.com','18-Jan-1984',null,'878-24-2662','N','Y','N',to_date('31-MAR-16','DD-MON-RR'),to_date('04-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(100,100,'Jui','Ashinkar','ashinkar.j@husky.neu.edu','10-Oct-1995','8579305626','0001110','N','N','N',null,null);
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1402,802,'Kimmie','Diche','kdicheb5@dedecms.com','20-Apr-1985','(947) 3166649','714-43-2232','Y','N','Y',to_date('18-APR-17','DD-MON-RR'),to_date('23-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1403,803,'Harriet','Finlater','hfinlaterb6@deliciousdays.com','11-Oct-1990','(388) 4969097','878-73-2811','N','N','N',to_date('19-DEC-17','DD-MON-RR'),to_date('18-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1404,804,'Gillie','Cutting','gcuttingb7@friendfeed.com','28-Feb-1991','(188) 8235522','770-35-6226','N','Y','Y',to_date('11-JUL-16','DD-MON-RR'),to_date('26-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1405,805,'Jennifer','Lafford','jlaffordb8@slideshare.net','23-Aug-1984','(680) 8177665','249-32-7051','Y','N','N',to_date('29-DEC-17','DD-MON-RR'),to_date('22-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1406,806,'Jamie','Halston','jhalstonb9@princeton.edu','23-Jul-1992','(668) 8247817','328-59-2877','Y','N','N',to_date('13-MAY-17','DD-MON-RR'),to_date('27-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1407,807,'Grier','Stainton','gstaintonba@arizona.edu','06-Apr-1991','(382) 5755953','288-08-3706','N','N','N',to_date('05-MAY-16','DD-MON-RR'),to_date('21-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1408,808,'Alexio','Tyrer','atyrerbb@about.me','27-Mar-1985','(477) 9739023','436-64-8988','Y','Y','Y',to_date('19-AUG-16','DD-MON-RR'),to_date('15-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1409,809,'Odey','Chambley','ochambleybc@arstechnica.com','30-Oct-1995','(362) 3810315','435-72-0371','Y','N','N',to_date('27-JUN-16','DD-MON-RR'),to_date('28-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1410,810,'Titus','Took','ttookbd@harvard.edu','02-Mar-1990','(766) 7248866','728-88-2634','Y','Y','N',to_date('30-NOV-17','DD-MON-RR'),to_date('03-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1411,811,'Osborn','Olley','oolleybe@php.net','16-Oct-1991','(486) 3036712','145-08-6032','Y','N','Y',to_date('19-NOV-17','DD-MON-RR'),to_date('27-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1412,812,'Lydon','Garrett','lgerrettb@gizmodo.com','16-Mar-1987','(395) 1115626','111-28-0858','Y','Y','N',to_date('30-OCT-17','DD-MON-RR'),to_date('24-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1413,813,'Maxie','Balint','mbalintbg@hexun.com','12-Dec-1996','(693) 5623525','606-20-3949','Y','Y','Y',to_date('25-JUN-16','DD-MON-RR'),to_date('31-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1414,814,'Winston','Aurelius','waureliusbh@bigcartel.com','02-Sep-1997','(863) 4102976','248-63-5622','N','N','N',to_date('19-SEP-16','DD-MON-RR'),to_date('20-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1415,815,'Even','Cornehl','ecornehlbi@unblog.fr','31-Aug-1992','(695) 1023120','437-81-0281','Y','Y','Y',to_date('12-MAR-16','DD-MON-RR'),to_date('03-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1416,816,'Tasha','Roarty','troartybj@zimbio.com','10-Jan-1983','(687) 2015321','881-27-4287','N','Y','N',to_date('01-MAY-16','DD-MON-RR'),to_date('04-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1417,817,'Therine','Dyzart','tdyzartbk@acquirethisname.com','28-Nov-1985','(683) 8953256','611-78-9099','Y','N','N',to_date('05-AUG-17','DD-MON-RR'),to_date('24-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1418,818,'Arlyne','Kuhnt','akuhntbl@sciencedaily.com','07-Nov-1980','(556) 7125865','630-97-6660','N','Y','Y',to_date('21-NOV-17','DD-MON-RR'),to_date('22-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1419,819,'Walther','Bonnette','wbonnettebm@over-blog.com','28-Apr-1995','(453) 6835184','162-34-4961','Y','Y','Y',to_date('29-APR-17','DD-MON-RR'),to_date('15-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1420,820,'Michelle','Giannassi','mgiannassibn@usgs.gov','01-May-1987','(793) 3284608','683-50-4541','N','N','Y',to_date('23-MAY-17','DD-MON-RR'),to_date('21-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1421,821,'Lexy','Johanning','ljohanningbo@npr.org','31-Dec-1984','(304) 9775743','127-04-5239','N','Y','N',to_date('27-JUN-17','DD-MON-RR'),to_date('27-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1422,822,'Trevar','Moyer','tmoyerbp@prlog.org','23-Mar-1985','(917) 6293893','577-68-9959','N','Y','N',to_date('23-JAN-16','DD-MON-RR'),to_date('14-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1423,823,'Kermit','Ohanessian','kohanessianbq@eventbrite.com','08-Jun-1992','(702) 9152435','706-28-5868','Y','N','N',to_date('22-AUG-16','DD-MON-RR'),to_date('16-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1424,824,'Beverlie','Bumpus','bbumpusbr@printfriendly.com','11-Aug-1980','(875) 7015249','467-18-6240','Y','Y','N',to_date('06-AUG-16','DD-MON-RR'),to_date('28-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1425,825,'Crawford','Cholerton','ccholertonbs@1688.com','01-Jul-1986','(703) 8277550','619-21-0657','Y','Y','N',to_date('31-OCT-16','DD-MON-RR'),to_date('04-OCT-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1426,826,'Jens','Tackell','jtackellbt@biglobe.ne.jp','30-Sep-1994','(843) 1948764','160-27-2831','N','N','N',to_date('14-DEC-17','DD-MON-RR'),to_date('22-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1427,827,'Clara','Callar','ccallarbu@constantcontact.com','04-May-1993',null,'463-65-4798','Y','N','N',to_date('20-MAR-17','DD-MON-RR'),to_date('27-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1428,828,'Carolyne','Reuben','creubenbv@nsw.gov.au','16-May-1982','(678) 6294517','763-38-8735','Y','Y','N',to_date('25-OCT-17','DD-MON-RR'),to_date('18-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1429,829,'Shadow','Bracey','sbraceybw@cbsnews.com','09-Jan-1982','(229) 3387979','552-37-3169','N','N','Y',to_date('18-AUG-17','DD-MON-RR'),to_date('16-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1430,830,'Dorie','Scorer','dscorerbx@skype.com','13-Oct-1993','(689) 2529599','394-38-8745','N','Y','N',to_date('19-SEP-17','DD-MON-RR'),to_date('14-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1431,831,'Maris','Rawlin','mrawlinby@cam.ac.uk','29-Jan-1996','(581) 5078298','213-52-9127','N','Y','Y',to_date('08-DEC-17','DD-MON-RR'),to_date('31-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1432,832,'Fredra','Hannon','fhannonbz@time.com','15-Feb-1980','(469) 8216935','573-32-4146','Y','Y','Y',to_date('25-NOV-16','DD-MON-RR'),to_date('22-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1433,833,'Fax','Ibell','fibellc0@adobe.com','02-Jun-1982','(788) 4529203','250-98-4291','Y','N','N',to_date('19-SEP-17','DD-MON-RR'),to_date('26-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1434,834,'Joly','Boorer','jboorerc1@4shared.com','08-Dec-1993','(247) 8137179','254-45-5862','Y','Y','N',to_date('01-APR-17','DD-MON-RR'),to_date('23-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1435,835,'Izaak','Gaine of England','igaineofenglandc2@tuttocitta.it','31-May-1990','(968) 7657110','776-76-9910','Y','Y','N',to_date('08-NOV-16','DD-MON-RR'),to_date('26-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1436,836,'Paolina','Aucutt','paucuttc3@cbslocal.com','07-Apr-1997','(472) 3721141','477-52-7525','N','N','N',to_date('26-JUN-17','DD-MON-RR'),to_date('17-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1437,837,'Nobe','Huffey','nhuffeyc4@ca.gov','23-Feb-1983','(933) 1384340','898-21-5780','Y','N','Y',to_date('21-SEP-17','DD-MON-RR'),to_date('15-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1438,838,'Orville','Shaylor','oshaylorc5@ucoz.com','07-Jan-1983','(662) 6779353','114-06-2122','N','Y','Y',to_date('25-FEB-17','DD-MON-RR'),to_date('02-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1439,839,'Harrison','Keir','hkeirc6@uiuc.edu','25-Aug-1995','(399) 2913244','313-28-9513','Y','Y','Y',to_date('13-OCT-17','DD-MON-RR'),to_date('21-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1440,840,'Jimmie','Orman','jormanc7@usnews.com','13-Jul-1988','(204) 3623896','793-91-0568','Y','N','N',to_date('04-NOV-16','DD-MON-RR'),to_date('06-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1441,841,'Judye','Duley','jduleyc8@tinyurl.com','19-Aug-1989','(580) 4059424','724-27-6239','Y','Y','Y',to_date('30-OCT-17','DD-MON-RR'),to_date('13-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1001,401,'Nappie','Dimitriades','ndimitriades0@pen.io','27-Jan-1995','(612) 4144798','147-06-0478','N','N','Y',to_date('18-FEB-17','DD-MON-RR'),to_date('18-OCT-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1002,402,'Aleksandr','Rodenborch','arodenborch1@soundcloud.com','05-Jan-1987','(838) 4385854','448-80-3226','N','Y','N',to_date('17-SEP-17','DD-MON-RR'),to_date('04-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1003,403,'Stillmann','Bradbury','sbradbury2@wsj.com','08-Nov-1981','(368) 5688380','818-88-8850','N','Y','Y',to_date('06-JUN-16','DD-MON-RR'),to_date('05-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1004,404,'Pansy','Bennet','pbennet3@amazon.com','12-Mar-1994','(173) 1257365','489-39-4214','Y','N','Y',to_date('18-MAY-16','DD-MON-RR'),to_date('28-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1005,405,'Illyssa','Urpath','iurpath4@elpais.com','23-Sep-1995','(157) 8956347','727-24-6395','N','N','Y',to_date('23-MAR-16','DD-MON-RR'),to_date('22-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1006,406,'Roseanne','Popham','rpopham5@freewebs.com','01-Jun-1981',null,'122-04-8937','Y','Y','N',to_date('05-OCT-16','DD-MON-RR'),to_date('20-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1007,407,'Sloane','Notton','snotton6@last.fm','31-Jan-1997','(699) 7400364','589-01-5079','N','Y','N',to_date('18-NOV-16','DD-MON-RR'),to_date('26-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1008,408,'Halsey','Perotti','hperotti7@360.cn','01-Nov-1997','(261) 9535375','347-81-7456','N','N','N',to_date('14-MAR-17','DD-MON-RR'),to_date('23-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1009,409,'Chiquia','Mouncher','cmouncher8@chronoengine.com','05-Mar-1997','(107) 2317409','505-17-1685','Y','Y','Y',to_date('21-MAR-17','DD-MON-RR'),to_date('31-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1010,410,'Thomasina','Burkart','tburkart9@npr.org','28-Sep-1989',null,'670-46-5068','Y','Y','Y',to_date('20-JUN-16','DD-MON-RR'),to_date('20-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1011,411,'Alleyn','Ottley','aottleya@hugedomains.com','05-Dec-1988','(174) 6469811','235-28-7474','N','Y','Y',to_date('04-DEC-16','DD-MON-RR'),to_date('27-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1012,412,'Nicolette','Lathey','nlatheyb@ustream.tv','16-Feb-1989','(724) 8303653','175-74-2497','Y','Y','Y',to_date('01-MAR-16','DD-MON-RR'),to_date('26-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1013,413,'Alexandre','Hick','ahickc@i2i.jp','28-Oct-1988','(100) 8343372','326-09-5368','Y','Y','Y',to_date('04-FEB-16','DD-MON-RR'),to_date('12-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1014,414,'Teri','Tremelling','ttremellingd@issuu.com','06-Sep-1985','(906) 5077131','162-36-9929','N','Y','Y',to_date('30-MAY-17','DD-MON-RR'),to_date('24-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1015,415,'Gwenore','Lerway','glerwaye@tiny.cc','22-Nov-1996','(888) 5376381','460-78-8050','N','N','Y',to_date('15-AUG-17','DD-MON-RR'),to_date('14-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1016,416,'Kore','Chatin','kchatinf@163.com','26-Nov-1984','(529) 8627857','110-61-5951','N','N','N',to_date('11-SEP-16','DD-MON-RR'),to_date('08-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1017,417,'Oralia','Brundall','obrundallg@tuttocitta.it','15-Jan-1991','(645) 5870854','404-95-9043','N','N','Y',to_date('16-JUN-17','DD-MON-RR'),to_date('06-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1018,418,'Justinn','Medley','jmedleyh@php.net','09-Apr-1991','(423) 1565536','440-74-5316','Y','N','Y',to_date('20-AUG-16','DD-MON-RR'),to_date('28-JAN-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1019,419,'Lannie','Elis','lelisi@comcast.net','10-Jul-1990','(360) 6380689','458-89-2468','N','Y','N',to_date('29-JUN-17','DD-MON-RR'),to_date('30-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1020,420,'Trisha','Gripton','tgriptonj@friendfeed.com','24-Oct-1985','(285) 5933890','440-30-4249','N','N','N',to_date('12-NOV-16','DD-MON-RR'),to_date('18-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1021,421,'Sybilla','Ballentime','sballentimek@devhub.com','19-Apr-1991','(376) 9356438','423-39-9614','Y','Y','N',to_date('14-MAR-16','DD-MON-RR'),to_date('04-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1022,422,'Isac','Samett','isamettl@sbwire.com','27-May-1993',null,'818-87-4447','Y','Y','N',to_date('17-JUL-17','DD-MON-RR'),to_date('17-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1023,423,'Saunders','Huntley','shuntleym@google.ru','14-Sep-1988','(855) 3780381','240-32-8053','N','Y','N',to_date('09-DEC-16','DD-MON-RR'),to_date('24-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1024,424,'Vivi','Gemmill','vgemmilln@imdb.com','19-Nov-1987','(405) 9347892','878-69-5775','Y','Y','Y',to_date('23-SEP-17','DD-MON-RR'),to_date('25-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1025,425,'Sydney','Descroix','sdescroixo@unesco.org','19-Nov-1982','(901) 8228376','171-94-7248','N','N','N',to_date('16-MAR-16','DD-MON-RR'),to_date('19-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1026,426,'Tyrone','Fillan','tfillanp@webs.com','10-Mar-1994','(659) 4822990','536-43-0374','N','Y','N',to_date('11-APR-17','DD-MON-RR'),to_date('07-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1027,427,'Bette','Danser','bdanserq@taobao.com','04-Sep-1993','(649) 2698757','350-28-5548','Y','N','Y,to_date('23-JUN-17','DD-MON-RR'),to_date('07-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1028,428,'Marion','Sparshatt','msparshattr@com.com','11-Dec-1992','(606) 2209071','780-27-9791','N','N','N,to_date('10-MAR-16','DD-MON-RR'),to_date('02-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1029,429,'Hildegarde','Schoenfisch','hschoenfischs@un.org','08-Dec-1986','(230) 1639781','115-59-0937','Y','N','N,to_date('28-DEC-17','DD-MON-RR'),to_date('23-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1030,430,'Alejandro','Echalie','aechaliet@creativecommons.org','18-May-1996','(642) 9522131','753-78-0332','Y','N','N,to_date('29-DEC-16','DD-MON-RR'),to_date('15-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1031,431,'Kristo','Jados','kjadosu@nyu.edu','21-Dec-1984','(381) 3338257','634-43-9149','Y','N','Y,to_date('09-JUL-16','DD-MON-RR'),to_date('07-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1032,432,'Levin','Matteo','lmatteov@statcounter.com','08-Jul-1998','(256) 4647822','386-07-5446','Y','N','N,to_date('05-NOV-16','DD-MON-RR'),to_date('28-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1033,433,'Filmer','Reeson','freesonw@ihg.com','13-Oct-1991','(944) 8339364','795-43-7159','N','N','Y,to_date('14-MAR-16','DD-MON-RR'),to_date('21-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1034,434,'Durand','Coper','dcoperx@sogou.com','25-Jul-1998','(771) 6958528','878-26-1565','Y','Y','Y,to_date('16-DEC-16','DD-MON-RR'),to_date('09-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1035,435,'Ronni','Hotton','rhottony@freewebs.com','25-Sep-1992','(228) 2423995','800-41-5133','N','N','Y,to_date('13-MAY-16','DD-MON-RR'),to_date('13-OCT-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1036,436,'Ransom','Sharratt','rsharrattz@shutterfly.com','17-Aug-1997','(756) 8468414','390-07-
7255','N','N','N',to_date('04-APR-17','DD-MON-RR'),to_date('25-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1037,437,'Bevvy','Springell','bspringell10@vimeo.com','09-Aug-1996','(472) 5926041','689-48-
4878','N','Y','N',to_date('25-AUG-17','DD-MON-RR'),to_date('19-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1038,438,'Aubry','Ghone','aghione11@boston.com','15-May-1990','(643) 7074722','298-28-
3091','Y','N','Y',to_date('05-JUL-16','DD-MON-RR'),to_date('24-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1039,439,'Imogen','Cowoppe','icowoppe12@bing.com','12-Mar-1994','(687) 9998438','577-45-
8586','Y','N','Y',to_date('12-MAY-17','DD-MON-RR'),to_date('17-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1040,440,'Sigmund','Kunat','skunat13@statcounter.com','11-Jan-1992','(422) 4927278','436-07-
6959','N','N','Y',to_date('27-DEC-17','DD-MON-RR'),to_date('17-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1041,441,'Bowie','Krause','bkrause14@ibm.com','15-Dec-1995','(236) 1216826','522-32-
5805','Y','N','Y',to_date('11-JUL-17','DD-MON-RR'),to_date('01-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1042,442,'Cecil','Wintersgill','cwintersgill15@census.gov','23-Aug-1988','(788) 3072969','609-12-
9315','N','N','Y',to_date('15-MAR-16','DD-MON-RR'),to_date('18-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1043,443,'Agneta','Whardley','awhardley16@wiley.com','10-Mar-1997','(663) 2124693','843-29-
8102','Y','N','N',to_date('09-JUN-16','DD-MON-RR'),to_date('03-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1044,444,'Ardis','Cavnor','acavnor17@mapy.cz','28-Aug-1980','(105) 6296021','629-25-8852','N','Y','Y',to_date('20-FEB-16','DD-MON-RR'),to_date('18-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1045,445,'Linell','Dobrowski','ldobrowski18@army.mil','24-Apr-1998',null,'853-44-2474','N','N','Y',to_date('26-MAY-17','DD-MON-RR'),to_date('27-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1046,446,'Ashlee','Pilsbury','apilsbury19@netscape.com','16-Aug-1993','(669) 4817647','651-07-6014','Y','Y','Y',to_date('26-JUN-17','DD-MON-RR'),to_date('29-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1047,447,'Burtie','Greatbatch','bgreatbatch1a@macromedia.com','08-May-1987','(902) 8389933','603-05-5093','N','Y','N',to_date('15-MAY-17','DD-MON-RR'),to_date('24-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1048,448,'Marcello','MacGregor','mmacgregor1b@ycombinator.com','23-Aug-1980','(181) 2352963','395-14-9091','N','N','N',to_date('20-JUL-17','DD-MON-RR'),to_date('16-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1049,449,'Pansie','While','pwhile1c@freewebs.com','10-Jan-1985','(843) 4705308','655-10-8919','N','N','N',to_date('28-NOV-17','DD-MON-RR'),to_date('13-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1050,450,'Sonja','Lipmann','slipmann1d@jalbum.net','17-Feb-1981','(408) 1168617','204-52-0435','Y','N','Y',to_date('15-JUL-16','DD-MON-RR'),to_date('23-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1051,451,'Ainsley','Gumbley','agumbley1e@wordpress.org','16-Mar-1987','(359) 5418141','769-13-4277','N','Y','Y',to_date('30-SEP-16','DD-MON-RR'),to_date('28-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1052,452,'Lauren','Goymer','lgoymer1f@paypal.com','19-Oct-1981','(771) 3229144','446-20-1812','N','Y','Y',to_date('13-SEP-17','DD-MON-RR'),to_date('16-JUN-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1053,453,'Mallissa','Pavluk','mpavluk1g@reddit.com','01-Nov-1998','(437) 6719449','210-35-4758','N','N','N',to_date('07-SEP-16','DD-MON-RR'),to_date('16-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1054,454,'Madelin','Gaitskell','mgaitskell1h@google.pl','11-Jan-1995','(250) 8559085','502-09-6932','Y','N','Y',to_date('12-JUL-17','DD-MON-RR'),to_date('23-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1055,455,'Ronny','Kuschke','rkuschke1i@t.co','02-Nov-1997','(417) 4770994','855-74-8035','N','N','Y',to_date('14-NOV-17','DD-MON-RR'),to_date('07-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1056,456,'Haydon','Buckie','hbuckie1j@cafepress.com','28-Nov-1992','(553) 6633793','766-85-4307','Y','N','N',to_date('25-NOV-17','DD-MON-RR'),to_date('17-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1057,457,'Romola','Vasyutichev','rvasyutichev1k@state.tx.us','31-Mar-1990','(966) 6405210','790-26-7078','Y','N','N',to_date('13-DEC-16','DD-MON-RR'),to_date('22-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1058,458,'Donn','Milby','dmilby1l@bloglovin.com','27-Dec-1980','(950) 4272470','305-49-8679','N','Y','Y',to_date('22-FEB-17','DD-MON-RR'),to_date('01-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1059,459,'Jaime','Morales','jmorales1m@amazonaws.com','12-Dec-1983','(896) 2172508','662-62-1072','Y','N','Y',to_date('25-DEC-16','DD-MON-RR'),to_date('18-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1060,460,'Aime','Lossman','alossman1n@hostgator.com','28-Feb-1989','(787) 2461925','537-04-8625','N','N','Y',to_date('18-JUN-16','DD-MON-RR'),to_date('21-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1061,461,'Bradley','Keech','bkeech1o@studiopress.com','05-Jul-1997','(638) 6450110','223-44-8655','Y','N','N',to_date('26-MAY-16','DD-MON-RR'),to_date('03-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1062,462,'Wyndham','Halbard','whalbard1p@ehow.com','25-Jan-1981','(940) 1040994','112-82-8901','Y','Y','Y',to_date('16-JUN-16','DD-MON-RR'),to_date('29-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1063,463,'Granger','Skilling','gskilling1q@shareasale.com','30-Oct-1986','(827) 8342962','187-50-8457','N','N','Y',to_date('21-JUN-17','DD-MON-RR'),to_date('15-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1064,464,'Colette','Prestwich','cprestwich1r@seattletimes.com','03-Jul-1984','(158) 5161956','485-76-8283','N','N','N',to_date('26-FEB-17','DD-MON-RR'),to_date('15-JAN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1065,465,'Elsbeth','Kellog','ekellog1s@tamu.edu','29-Jun-1995','(310) 8512609','662-83-4159','Y','Y','N',to_date('25-APR-17','DD-MON-RR'),to_date('16-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1066,466,'Theodora','Garrick','tgarrison1t@sbwire.com','22-Jul-1996','(123) 6903311','895-10-8278','N','Y','Y',to_date('21-MAY-17','DD-MON-RR'),to_date('29-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1067,467,'Cairistiona','Heed','cheed1u@unc.edu','11-Dec-1993','(513) 3154046','894-03-7940','N','Y','N',to_date('08-OCT-17','DD-MON-RR'),to_date('25-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1068,468,'Rouvin','MacKenzie','rmackenzie1v@yolasite.com','05-Jul-1981','(321) 5788924','709-45-6563','Y','Y','N',to_date('23-JUN-17','DD-MON-RR'),to_date('15-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1069,469,'Yvette','Newell','ynewell1w@tripod.com','19-Jul-1984','(480) 6477212','579-67-9675','N','N','Y',to_date('22-JAN-17','DD-MON-RR'),to_date('03-FEB-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1070,470,'Helene','Leinthall','hleinthal1x@godaddy.com','18-Jul-1998','(257) 6023608','462-36-  
6593','Y','N','Y,to_date('17-JUN-16','DD-MON-RR'),to_date('06-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values (1071,471,'Killie','Flear','kflear1y@sonet.ne.jp','26-Sep-1994','(772) 5308094','335-29-8185','N','Y','N,to_date('15-JUL-16','DD-MON-RR'),to_date('26-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1072,472,'Alyisia','Lawty','alawty1z@hatena.ne.jp','13-Jun-1991','(288) 9222588','313-69-  
4043','Y','Y','N,to_date('22-APR-17','DD-MON-RR'),to_date('30-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1073,473,'Wilie','Kubelka','wkubelka20@is.gd','24-Jan-1997','(815) 8700540','522-70-5284','Y','N','Y,to_date('12-JUL-16','DD-MON-RR'),to_date('09-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1074,474,'Cahra','Birrane','cbirrane21@usda.gov','10-Feb-1984','(622) 3905839','112-72-  
3143','Y','N','Y,to_date('25-MAY-16','DD-MON-RR'),to_date('11-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1075,475,'Daveta','Braundt','dbraundt22@domainmarket.com','23-Sep-1985','(772) 7168111','231-33-  
6476','N','Y','N,to_date('27-NOV-17','DD-MON-RR'),to_date('14-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1076,476,'Whit','Tookill','wtookill23@github.com','13-Oct-1980','(422) 8163751','183-01-  
1345','Y','N','Y,to_date('01-MAR-16','DD-MON-RR'),to_date('29-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1077,477,'Valentina','Scuse','vscuse24@tuttocitta.it','19-Jun-1982','(605) 1959483','361-55-  
7659','Y','Y','N,to_date('09-NOV-17','DD-MON-RR'),to_date('12-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1078,478,'Donalt','Darrow','ddarrow25@nymag.com','27-Mar-1981','(908) 7377786','112-29-3314','N','N','N',to_date('10-AUG-16','DD-MON-RR'),to_date('17-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1079,479,'Rica','Mackerel','rmackerel26@loc.gov','02-Apr-1995','(225) 9596958','298-64-7009','N','Y','Y',to_date('17-JAN-16','DD-MON-RR'),to_date('09-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1080,480,'Oralee','Dachs','odachs27@blog.com','05-Jan-1982','(168) 9140095','877-29-2013','Y','Y','Y',to_date('31-DEC-16','DD-MON-RR'),to_date('28-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1081,481,'Aylmer','Finneran','afinneran28@nationalgeographic.com','12-Oct-1998','(829) 5884573','183-92-5297','Y','Y','Y',to_date('24-DEC-16','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1082,482,'Brit','Gartery','bgartery29@fotki.com','03-Mar-1981','(131) 7933481','707-16-2726','Y','Y','Y',to_date('02-JUN-17','DD-MON-RR'),to_date('09-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1083,483,'Burg','Duckels','bduckels2a@com.com','18-Nov-1986','(653) 9671265','417-43-7534','Y','N','Y',to_date('30-JAN-16','DD-MON-RR'),to_date('09-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1084,484,'Missie','Keeble','mkeebel2b@ocn.ne.jp','30-Aug-1981','(580) 5554882','282-88-6980','N','Y','Y',to_date('27-JUN-16','DD-MON-RR'),to_date('31-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1085,485,'Lyda','Rosenhaus','lrosenhaus2c@dailymotion.com','27-Feb-1980','(856) 7724140','148-17-1044','N','Y','Y',to_date('04-NOV-17','DD-MON-RR'),to_date('27-JAN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1086,486,'Guntar','Gregersen','ggregersen2d@kickstarter.com','15-Jul-1998','(832) 5240395','889-93-7307','N','Y','N',to_date('26-JUN-17','DD-MON-RR'),to_date('05-OCT-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1087,487,'Claudette','Gillhespy','cgillhespy2e@desdev.cn','19-Mar-1986','(498) 1767876','180-06-
4711','Y','Y','Y',to_date('19-DEC-17','DD-MON-RR'),to_date('06-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1088,488,'Maryjo','Goldhawk','mgoldhawk2f@icq.com','27-Feb-1980','(507) 5608545','777-77-
0943','Y','Y','N',to_date('25-MAY-16','DD-MON-RR'),to_date('27-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1089,489,'Gloria','Hilldrop','ghilldrop2g@discuz.net','17-Aug-1983','(283) 5830336','275-58-
0447','Y','Y','Y',to_date('20-JUL-17','DD-MON-RR'),to_date('23-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1090,490,'Kym','Leachman','kleachman2h@last.fm','19-May-1986','(143) 7509989','702-06-
1983','N','N','Y',to_date('14-JUN-16','DD-MON-RR'),to_date('10-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1091,491,'Brandie','Pellamonuten','bpellamonuten2i@unblog.fr','27-Apr-1998',null,'869-32-
4409','N','Y','N',to_date('29-DEC-16','DD-MON-RR'),to_date('16-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1092,492,'Codie','Benadette','cbenadette2j@loc.gov','04-Jul-1989','(515) 4451240','370-24-
6743','Y','N','N',to_date('12-JAN-16','DD-MON-RR'),to_date('13-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1093,493,'Simonne','Muddimer','smuddimer2k@cnet.com','12-Sep-1992','(326) 7957459','690-56-
6308','N','Y','N',to_date('12-FEB-16','DD-MON-RR'),to_date('03-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1094,494,'Mill','Goman','mgoman2l@scientificamerican.com','16-Sep-1990','(163) 8408721','643-31-
4043','Y','N','Y',to_date('11-AUG-17','DD-MON-RR'),to_date('29-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1095,495,'Dougie','Poole','dpoole2m@storify.com','15-Oct-1994','(696) 3187259','428-18-1588','N','Y','N,to_date('26-MAY-16','DD-MON-RR'),to_date('28-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1096,496,'Brooke','Soffe','bsoffe2n@4shared.com','23-Aug-1991','(101) 4070416','895-51-8939','N','Y','Y,to_date('12-APR-16','DD-MON-RR'),to_date('20-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1097,497,'Martainn','Bennie','mbennie2o@techcrunch.com','01-Feb-1995','(142) 6114214','331-80-4786','N','N','Y,to_date('31-MAY-17','DD-MON-RR'),to_date('15-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1098,498,'Normy','Gavagan','ngavagan2p@dmoz.org','03-Aug-1995','(266) 2478068','317-31-3457','Y','N','N,to_date('26-JUL-17','DD-MON-RR'),to_date('10-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1099,499,'Cecilia','Huyche','chuyche2q@netlog.com','21-Jun-1989','(150) 2875606','350-39-9635','Y','Y','Y,to_date('20-JAN-17','DD-MON-RR'),to_date('30-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1100,500,'George','Mullan','gmullan2r@yahoo.com','29-Dec-1991','(364) 9302723','204-28-1105','Y','N','N,to_date('02-APR-16','DD-MON-RR'),to_date('17-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1101,501,'Vern','Corner','vcorner2s@dropbox.com','01-Jan-1982','(901) 1733816','401-55-3587','N','N','N,to_date('15-JUN-16','DD-MON-RR'),to_date('01-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1102,502,'Dennet','Troke','dtroke2t@bbb.org','12-Mar-1984','(970) 9068190','110-23-9957','Y','Y','N,to_date('18-MAR-17','DD-MON-RR'),to_date('14-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1103,503,'Ambros','Massingham','amassingham2u@flavors.me','03-Jun-1997','(763) 2374165','475-65-2341','Y','N','Y,to_date('28-JAN-17','DD-MON-RR'),to_date('27-MAR-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1104,504,'Dre','Woffinden','dwoffinden2v@amazon.com','05-Feb-1995','(953) 5918451','565-79-0191','Y','N','N',to_date('03-APR-17','DD-MON-RR'),to_date('19-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1105,505,'Alonso','Mann','amann2w@ed.gov','28-Sep-1995','(704) 5569189','210-59-6083','Y','Y','Y',to_date('29-JUL-16','DD-MON-RR'),to_date('26-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1106,506,'Elga','Welsby','ewelsby2x@acquirethisname.com','10-Dec-1987','(413) 7848246','164-44-1212','Y','N','N',to_date('19-MAR-17','DD-MON-RR'),to_date('29-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1107,507,'Nellie','Clayfield','nclayfield2y@trellian.com','13-Oct-1992','(802) 8399947','364-97-3560','Y','Y','Y',to_date('04-APR-17','DD-MON-RR'),to_date('04-FEB-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1108,508,'Talbot','Dyter','tdyter2z@prlog.org','23-Aug-1985','(248) 8640335','509-69-3171','N','N','Y',to_date('27-FEB-16','DD-MON-RR'),to_date('02-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1109,509,'Wilek','Arnolds','warnolds30@diigo.com','17-Mar-1995','(303) 1639161','168-19-3254','Y','Y','N',to_date('02-APR-16','DD-MON-RR'),to_date('10-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1110,510,'Max','MacSherry','mmacsherry31@latimes.com','18-May-1995','(658) 1635649','222-77-9636','Y','N','Y',to_date('22-MAY-17','DD-MON-RR'),to_date('26-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values  
(1111,511,'Rolando','Brewood','rbrewood32@comsenz.com','03-Apr-1982','(530) 2396011','522-92-2770','Y','Y','N',to_date('26-AUG-16','DD-MON-RR'),to_date('13-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO  
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1112,512,'Sibyl','Seebert','sseebert33@sourceforge.net','30-Oct-1980','(170) 1159111','434-53-6588','Y','Y','Y',to_date('22-JUN-17','DD-MON-RR'),to_date('26-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1113,513,'Victor','Mellmoth','vmellmoth34@51.la','03-Nov-1995','(642) 3410219','405-98-4056','Y','Y','N',to_date('21-JUL-16','DD-MON-RR'),to_date('21-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1114,514,'Archibaldo','Blamphin','ablamphin35@amazon.co.uk','06-Jul-1988','(613) 4728149','898-93-4528','Y','Y','N',to_date('20-SEP-17','DD-MON-RR'),to_date('02-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1115,515,'Karlee','Dreigher','kdreigher36@ezinearticles.com','28-May-1998','(290) 4421132','763-95-5773','Y','Y','N',to_date('26-JUN-16','DD-MON-RR'),to_date('22-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1116,516,'Novelia','Ibarra','nibarra37@amazon.co.uk','12-Jan-1992','(421) 6801143','580-58-2163','Y','Y','N',to_date('02-NOV-16','DD-MON-RR'),to_date('02-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1117,517,'Beverly','Queripel','bqueripel38@storify.com','24-Jun-1986','(964) 1168303','228-71-2360','N','N','Y',to_date('20-NOV-17','DD-MON-RR'),to_date('03-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1118,518,'Lucius','Shory','lshory39@1und1.de','09-Jul-1994','(452) 6985270','181-71-9177','N','Y','N',to_date('31-AUG-17','DD-MON-RR'),to_date('27-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1119,519,'Chastity','Sarvar','csarvar3a@npr.org','30-Jul-1998','(946) 6168264','326-81-8971','Y','Y','Y',to_date('12-OCT-17','DD-MON-RR'),to_date('18-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1120,520,'Titus','Chatelain','tchatelain3b@cdc.gov','09-Dec-1984','(229) 3036140','325-42-1052','Y','N','Y',to_date('30-AUG-17','DD-MON-RR'),to_date('04-OCT-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1121,521,'Doe','Montague','dmontague3c@stanford.edu','08-Oct-1992','(711) 7878894','647-18-
7866','N','Y','N',to_date('11-MAR-17','DD-MON-RR'),to_date('15-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1122,522,'Barris','Storrie','bstorrie3d@gravatar.com','27-Mar-1984','(154) 9930739','853-85-
7723','Y','N','N',to_date('18-JUN-17','DD-MON-RR'),to_date('30-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1123,523,'Onfroi','Biagi','obiagi3e@utexas.edu','08-Sep-1980','(949) 4241787','229-02-
9987','Y','N','Y',to_date('16-JUL-16','DD-MON-RR'),to_date('22-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1124,524,'Rafael','Brognot','rbrognot3f@google.com.au','27-Jun-1993','(793) 9046935','141-16-
8454','N','Y','N',to_date('21-AUG-16','DD-MON-RR'),to_date('09-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1125,525,'Yves','Thornally','ythornally3g@google.co.jp','18-Jan-1996','(848) 4778590','840-47-
3754','N','Y','Y',to_date('14-SEP-17','DD-MON-RR'),to_date('21-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1126,526,'Edith','Weekes','eweekes3h@army.mil','23-Nov-1983','(648) 1783404','657-98-
4665','Y','Y','Y',to_date('15-OCT-17','DD-MON-RR'),to_date('16-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1127,527,'Eddy','Sharphurst','esharphurst3i@gravatar.com','27-Jun-1980','(341) 2810508','635-87-
2769','Y','Y','N',to_date('19-APR-17','DD-MON-RR'),to_date('14-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1128,528,'Madeleine','Server','lserver3j@ucoz.com','08-Dec-1994','(351) 9722029','222-05-
6183','Y','N','N',to_date('09-SEP-16','DD-MON-RR'),to_date('05-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1129,529,'Cissiee','Gilbard','cgilbard3k@ucsd.edu','06-Jun-1984','(540) 1767805','210-94-4364','Y','Y','Y',to_date('16-JAN-17','DD-MON-RR'),to_date('04-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1130,530,'Maxie','Bencher','mbencher3l@ucla.edu','18-Feb-1989','(901) 7104980','577-04-9190','N','Y','Y',to_date('11-JUL-16','DD-MON-RR'),to_date('14-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1131,531,'Sarette','Bernholt','sbernholt3m@newsvine.com','19-Jan-1995','(397) 2296937','152-75-4541','N','N','N',to_date('10-JAN-17','DD-MON-RR'),to_date('01-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1132,532,'Suzi','Lapenna','slapenna3n@com.com','11-Aug-1981','(351) 7588493','146-51-9506','Y','Y','Y',to_date('11-DEC-16','DD-MON-RR'),to_date('10-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1133,533,'Rem','Dineges','rdineges3o@parallels.com','03-Apr-1998','(852) 7422614','186-21-0805','Y','N','Y',to_date('07-JUL-16','DD-MON-RR'),to_date('31-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1134,534,'Kassia','Mackneis','kmackneis3p@telegraph.co.uk','18-Feb-1983','(707) 9837155','725-15-5999','N','Y','Y',to_date('20-FEB-17','DD-MON-RR'),to_date('25-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1135,535,'Chanda','Hartless','chartless3q@house.gov','12-Oct-1992','(215) 2347030','144-09-5547','Y','Y','Y',to_date('29-MAR-16','DD-MON-RR'),to_date('01-JAN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1136,536,'Vanni','Pickvance','vpickvance3r@meetup.com','03-Jan-1987','(904) 1505988','379-21-4487','Y','Y','N',to_date('02-NOV-17','DD-MON-RR'),to_date('05-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1137,537,'Ludovika','Bambra','lbambra3s@usnews.com','19-Oct-1986','(983) 1191658','153-69-8333','Y','N','Y',to_date('30-JAN-17','DD-MON-RR'),to_date('10-APR-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1138,538,'Welsh','Ferronet','wferronet3t@fema.gov','20-Sep-1988','(513) 3550877','122-21-
3220','N','Y','Y',to_date('08-MAY-17','DD-MON-RR'),to_date('10-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1139,539,'Ellerey','Brabbins','ebrabbins3u@google.es','11-Sep-1993','(550) 5708786','213-52-
9268','Y','Y','Y',to_date('15-MAY-16','DD-MON-RR'),to_date('28-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1140,540,'Roxane','Szapiro','rszapiro3v@utexas.edu','19-Dec-1991','(189) 6399779','895-31-
2730','N','Y','Y',to_date('08-JUN-17','DD-MON-RR'),to_date('29-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1141,541,'Patrick','Pottage','ppottage3w@disqus.com','08-Oct-1983','(162) 1460858','329-50-
3189','N','Y','N',to_date('16-MAY-17','DD-MON-RR'),to_date('27-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1142,542,'Chet','Beakes','cbeakes3x@wired.com','28-Jan-1981','(613) 2385976','519-40-
2417','N','Y','Y',to_date('12-SEP-17','DD-MON-RR'),to_date('24-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1143,543,'Nealson','Littleton','nlittleton3y@prnewswire.com','14-May-1998','(697) 2079769','817-48-
7794','N','N','Y',to_date('30-NOV-17','DD-MON-RR'),to_date('27-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1144,544,'Cornie','Shillom','cshillom3z@icq.com','02-Jul-1989','(663) 4075891','898-93-
7756','Y','Y','N',to_date('28-AUG-17','DD-MON-RR'),to_date('13-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1145,545,'Magda','Gallimore','mgallimore40@comcast.net','09-Oct-1998','(393) 6788431','812-52-
3126','N','N','Y',to_date('12-MAY-16','DD-MON-RR'),to_date('10-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENT
TSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1146,546,'Ramsay','Pairpoint','rpairpoint41@canalblog.com','14-Mar-1995','(184) 3743792','101-36-6360','Y','Y','Y',to_date('31-JAN-16','DD-MON-RR'),to_date('13-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1147,547,'Erskine','Sproule','esproule42@360.cn','03-Feb-1997','(853) 6129033','504-02-5106','Y','Y','Y',to_date('08-JUN-16','DD-MON-RR'),to_date('30-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1148,548,'Bethena','Burlingham','bburlingham43@google.com.au','29-Jun-1981','(799) 8083613','746-53-3489','N','N','N',to_date('06-MAY-16','DD-MON-RR'),to_date('02-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1149,549,'Carleen','Palliser','cpalliser44@epa.gov','23-Dec-1982','(535) 4891949','129-35-1254','Y','N','Y',to_date('03-MAY-16','DD-MON-RR'),to_date('10-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1150,550,'Derwin','Trenbay','dtrenbay45@un.org','04-May-1992','(962) 5204943','600-30-1699','N','N','N',to_date('08-SEP-17','DD-MON-RR'),to_date('13-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1151,551,'Pascal','Chiommienti','pchiommienti46@constantcontact.com','06-Jan-1984','(874) 4991335','778-30-4317','N','Y','N',to_date('03-DEC-17','DD-MON-RR'),to_date('09-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1152,552,'Herbert','Bywaters','hbywaters47@ox.ac.uk','27-Dec-1981','(354) 8824887','474-55-4071','Y','Y','Y',to_date('24-SEP-16','DD-MON-RR'),to_date('16-JUL-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1153,553,'Prent','Esh','pesh48@state.tx.us','26-Dec-1993','(944) 5170091','328-42-7397','N','N','N',to_date('09-OCT-16','DD-MON-RR'),to_date('06-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1154,554,'Roma','Parkey','rparkey49@apple.com','31-Mar-1988','(196) 9273949','500-53-4576','Y','Y','Y',to_date('02-DEC-16','DD-MON-RR'),to_date('09-NOV-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1155,555,'Koralle','Kewley','kkewley4a@indiegogo.com','06-Jan-1991','(196) 9585427','472-92-1308','Y','Y','N',to_date('23-OCT-16','DD-MON-RR'),to_date('06-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1156,556,'Nell','Vidloc','nvidloc4b@list-manage.com','31-Dec-1995','(353) 9092530','496-22-2785','Y','N','Y',to_date('11-SEP-16','DD-MON-RR'),to_date('13-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1157,557,'Kalina','Sobieski','ksobieski4c@quantcast.com','27-Jul-1990','(188) 5008807','117-93-1250','N','N','Y',to_date('28-MAY-16','DD-MON-RR'),to_date('10-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1158,558,'Ricca','Warmisham','rwarmisham4d@desdev.cn','26-Dec-1994','(158) 8428184','743-12-3329','Y','Y','N',to_date('02-JAN-16','DD-MON-RR'),to_date('27-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1159,559,'Land','Earengey','learengey4e@1und1.de','22-May-1986','(391) 1784809','867-10-8610','Y','Y','Y',to_date('23-NOV-16','DD-MON-RR'),to_date('19-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1160,560,'Brandy','Organer','borganer4f@prweb.com','27-Feb-1996','(289) 4598893','768-35-5608','Y','N','N',to_date('14-OCT-17','DD-MON-RR'),to_date('29-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1161,561,'Deeann','Olander','dolander4g@cdbaby.com','10-Oct-1984','(674) 9073136','188-34-3266','Y','N','Y',to_date('13-JUL-16','DD-MON-RR'),to_date('23-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1162,562,'Saraann','Mains','smains4h@bloglovin.com','29-Jul-1992','(704) 9200446','180-20-3981','N','Y','Y',to_date('21-MAR-17','DD-MON-RR'),to_date('27-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1163,563,'Oralie','McElhinney','omcelhinney4i@alibaba.com','19-Dec-1991','(455) 1241785','181-15-4960','N','Y','Y,to_date('04-NOV-17','DD-MON-RR'),to_date('25-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1164,564,'Rogers','Dunsmore','rdunsmore4j@zimbio.com','08-Jul-1987','(807) 9719101','403-03-9953','Y','N','Y,to_date('26-JAN-16','DD-MON-RR'),to_date('05-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1165,565,'Tirrell','Jouanot','tjouanot4k@sogou.com','27-Dec-1985','(578) 9351928','876-61-8644','N','N','Y,to_date('02-JUL-17','DD-MON-RR'),to_date('21-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1166,566,'Gwyneth','Gartshore','ggartshore4l@mail.ru','29-Sep-1989','(795) 8497242','714-15-3613','Y','N','Y,to_date('06-OCT-17','DD-MON-RR'),to_date('17-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1167,567,'Decca','Bradick','dbradick4m@sciedaily.com','29-Dec-1986','(785) 8468999','882-86-5134','Y','Y','Y,to_date('21-MAY-16','DD-MON-RR'),to_date('08-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1168,568,'Mufinella','Gianinotti','mgianinotti4n@blinklist.com','28-Apr-1990','(634) 8861150','895-60-2006','N','N','Y,to_date('12-JUL-16','DD-MON-RR'),to_date('29-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1169,569,'Gabie','MacCawley','gmaccawley4o@purevolume.com','27-Mar-1996','(748) 4458543','477-46-2703','Y','N','N,to_date('27-NOV-17','DD-MON-RR'),to_date('03-JAN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1170,570,'Maryellen','Muffitt','mmuffitt4p@europa.eu','28-Sep-1988','(899) 9451211','727-35-4691','Y','Y','N,to_date('15-APR-17','DD-MON-RR'),to_date('15-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1171,571,'Fairlie','Isakov','fisakov4q@yelp.com','21-Nov-1998','(370) 1635970','478-65-4048','Y','N','Y,to_date('28-JAN-16','DD-MON-RR'),to_date('09-MAY-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1172,572,'Coralyn','Rawlyns','crawlyns4r@webeden.co.uk','05-Aug-1991','(143) 6815290','364-30-0367','Y','Y','N',to_date('19-APR-16','DD-MON-RR'),to_date('16-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1173,573,'Jerrie','Klimko','jklimko4s@about.me','23-Sep-1987','(154) 7368185','458-41-9435','Y','Y','N',to_date('21-JAN-16','DD-MON-RR'),to_date('15-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1174,574,'Val','Twidale','vtwidale4t@eepurl.com','26-Apr-1990','(442) 7305905','271-97-2112','Y','Y','Y',to_date('18-APR-16','DD-MON-RR'),to_date('22-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1175,575,'Elspeth','Kefford','ekefford4u@google.co.jp','27-Apr-1986','(668) 5313986','847-47-2595','Y','N','N',to_date('11-AUG-16','DD-MON-RR'),to_date('14-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1176,576,'Alfy','Budd','abudd4v@indiegogo.com','03-Nov-1989','(163) 3189971','733-04-8811','N','N','N',to_date('02-JAN-17','DD-MON-RR'),to_date('27-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1177,577,'Katlin','Arrighetti','karrighetti4w@ustream.tv','12-Jan-1987','(540) 9205770','507-24-5603','N','Y','Y',to_date('31-OCT-16','DD-MON-RR'),to_date('14-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1178,578,'Leanora','Parkinson','lparkinson4x@angelfire.com','22-Dec-1997','(788) 3440218','665-41-6924','Y','Y','Y',to_date('31-JUL-17','DD-MON-RR'),to_date('06-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1179,579,'Evangelia','Crumbleholme','ecrumbleholme4y@ask.com','25-Jan-1980','(144) 8824921','370-12-3856','N','Y','N',to_date('22-MAY-17','DD-MON-RR'),to_date('14-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1180,580,'Ertha','Tamsett','etamsett4z@geocities.jp','16-Feb-1990','(692) 5652387','324-67-4881','N','N','N',to_date('29-OCT-17','DD-MON-RR'),to_date('08-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1181,581,'Petra','Hoodless','phoodless50@elpais.com','20-Apr-1982','(508) 1683632','681-41-2432','N','N','N',to_date('16-JUL-16','DD-MON-RR'),to_date('05-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1182,582,'Robby','Ayrton','rayrton51@cbslocal.com','05-Jul-1996','(678) 5219513','715-21-4214','N','N','N',to_date('18-APR-17','DD-MON-RR'),to_date('23-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1183,583,'Jaqith','Ivanyushin','jivanyushin52@cisco.com','10-May-1996','(847) 4716748','776-78-7624','Y','N','N',to_date('27-JUL-17','DD-MON-RR'),to_date('01-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1184,584,'Pate','Aloigi','paloigi53@webs.com','15-Sep-1985','(599) 7011371','598-30-6855','N','Y','N',to_date('08-JUL-16','DD-MON-RR'),to_date('23-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1185,585,'Harp','Cafe','hcafe54@woothemes.com','17-Nov-1994','(825) 3277834','369-74-8497','N','Y','Y',to_date('30-MAY-16','DD-MON-RR'),to_date('03-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1186,586,'Zak','Godber','zgodber55@statcounter.com','08-Nov-1994','(335) 9593294','659-26-2288','Y','Y','Y',to_date('10-DEC-17','DD-MON-RR'),to_date('12-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1187,587,'Steven','Epilet','sepilet56@photobucket.com','22-Oct-1992','(510) 3534440','204-06-9141','Y','N','Y',to_date('15-JUN-16','DD-MON-RR'),to_date('12-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1188,588,'Tammy','Mongeot','tmongeot57@over-blog.com','19-Sep-1987','(572) 1351666','781-28-3847','N','Y','Y',to_date('18-NOV-17','DD-MON-RR'),to_date('06-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1189,589,'Consuela','MacAiline','cmacailine58@mapquest.com','02-Nov-1984','(988) 1987097','859-04-2322','N','Y','N',to_date('05-OCT-17','DD-MON-RR'),to_date('03-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1190,590,'Roslyn','Sawell','rsawell59@dmoz.org','02-Aug-1985','(540) 4263666','251-61-4470','N','Y','N',to_date('19-DEC-16','DD-MON-RR'),to_date('03-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1191,591,'Flinn','Stoeck','fstoeck5a@businessinsider.com','14-Aug-1994','(623) 9584206','641-54-7667','N','N','Y',to_date('04-AUG-16','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1192,592,'Valaree','Adamovsky','vadamovsky5b@vk.com','23-Apr-1986','(960) 4485285','281-72-6802','Y','Y','N',to_date('13-FEB-17','DD-MON-RR'),to_date('11-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1193,593,'Base','Kay','bkay5c@unesco.org','30-Jun-1989','(138) 4849020','392-76-8440','Y','N','N',to_date('06-JUN-16','DD-MON-RR'),to_date('14-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1194,594,'Mair','Timbridge','mtimbridge5d@google.co.jp','16-Nov-1996','(643) 7703990','412-10-5546','N','N','Y',to_date('07-AUG-16','DD-MON-RR'),to_date('05-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1195,595,'Ynes','Canton','ycanton5e@alexa.com','26-Mar-1996','(949) 4815722','719-53-5851','Y','N','N',to_date('21-APR-16','DD-MON-RR'),to_date('05-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1196,596,'Carol-jean','Tyce','ctyce5f@1688.com','04-Jul-1987','(852) 9939622','757-30-6583','Y','N','Y',to_date('27-NOV-17','DD-MON-RR'),to_date('03-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values

(1197,597,'Neils','Gantlett','ngantlett5g@ftc.gov','28-Oct-1982','(869) 8219331','216-09-9162','Y','Y','N,to_date('14-FEB-17','DD-MON-RR'),to_date('29-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1198,598,'Trix','Mellonby','tmellonby5h@amazon.de','13-Sep-1994','(686) 7255627','216-27-6900','N','Y','Y,to_date('02-NOV-17','DD-MON-RR'),to_date('23-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1199,599,'Robina','Vincent','rvincent5i@reddit.com','24-Jan-1984','(260) 6342236','581-87-3353','Y','Y','N,to_date('08-AUG-16','DD-MON-RR'),to_date('04-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1200,600,'Pamela','Musla','pmusla5j@phpbb.com','11-Jan-1994','(676) 1990605','320-60-9209','Y','Y','N,to_date('08-MAY-16','DD-MON-RR'),to_date('14-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1201,601,'Martha','Branscombe','mbranscombe5k@omniture.com','22-Nov-1990','(888) 1768067','487-97-6091','N','Y','Y,to_date('27-DEC-16','DD-MON-RR'),to_date('18-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1202,602,'Melisande','Pautard','mpautard5l@nps.gov','25-Jan-1985','(152) 6927064','836-66-2432','N','N','Y,to_date('17-MAR-16','DD-MON-RR'),to_date('05-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1203,603,'Dore','Landers','dlanders5m@cloudflare.com','22-Sep-1995','(785) 1001227','673-12-5767','Y','N','N,to_date('31-MAR-17','DD-MON-RR'),to_date('12-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1204,604,'Catherine','Gullivan','cgullivan5n@delicious.com','24-Apr-1983','(656) 7399798','294-38-4256','Y','N','Y,to_date('19-SEP-16','DD-MON-RR'),to_date('22-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1205,605,'Dorine','Evans','devans5o@behance.net','07-Mar-1994','(528) 5999956','189-06-0588','N','Y','N,to_date('16-OCT-17','DD-MON-RR'),to_date('23-MAY-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1206,606,'Johanna','Woolforde','jwoolforde5p@indiatimes.com','11-Apr-1987','(167) 1538088','617-80-0388','Y','Y','Y',to_date('29-AUG-16','DD-MON-RR'),to_date('05-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1207,607,'Tommi','Halling','thalling5q@ox.ac.uk','02-Sep-1983','(856) 6307105','476-28-9767','Y','Y','N',to_date('11-MAR-17','DD-MON-RR'),to_date('01-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1208,608,'Lorraine','MacGray','lmacgray5r@fc2.com','14-Sep-1989','(224) 1671468','547-52-3979','Y','Y','N',to_date('15-JAN-16','DD-MON-RR'),to_date('22-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1209,609,'Sarene','Haylor','shaylor5s@mediafire.com','25-May-1994','(410) 6307747','305-40-4965','N','N','Y',to_date('03-DEC-16','DD-MON-RR'),to_date('30-JUN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1210,610,'Stephanus','Hartlebury','shartlebury5t@businessweek.com','28-Dec-1994','(908) 1932795','522-62-4316','N','N','N',to_date('14-OCT-16','DD-MON-RR'),to_date('07-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1211,611,'Dickie','Casbon','dcasbon5u@miibeian.gov.cn','01-Jun-1995','(486) 1524317','811-16-9202','N','Y','Y',to_date('18-SEP-17','DD-MON-RR'),to_date('21-FEB-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1212,612,'Barth','Somerville','bsommerville5v@so-net.ne.jp','05-Jul-1993','(364) 6544645','764-52-9664','Y','Y','Y',to_date('06-SEP-17','DD-MON-RR'),to_date('30-JAN-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1213,613,'Matias','Woolen','mwoolen5w@pen.io','18-Dec-1985','(817) 2546642','299-24-1004','N','N','Y',to_date('28-OCT-17','DD-MON-RR'),to_date('25-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1214,614,'Hollis','Forsyth','hforsyth5x@cbc.ca','14-Nov-1980','(312) 8558831','757-21-9137','N','N','N',to_date('19-OCT-17','DD-MON-RR'),to_date('23-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1215,615,'Wanids','Biskupski','wbiskupski5y@bbb.org','04-Feb-1991','(936) 2101371','301-04-0071','Y','Y','Y',to_date('15-JUN-17','DD-MON-RR'),to_date('11-FEB-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1216,616,'Alyosha','Cordey','acordey5z@bluehost.com','29-Apr-1993','(712) 7990114','253-89-7403','N','Y','Y',to_date('24-OCT-16','DD-MON-RR'),to_date('02-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1217,617,'Katrinka','McMeanma','kmcmeanma60@drupal.org','24-Oct-1984','(591) 6223713','874-76-9989','N','Y','N',to_date('29-OCT-16','DD-MON-RR'),to_date('13-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1218,618,'Rab','Huish','rhuish61@ed.gov','16-May-1997','(585) 7754209','151-15-4902','Y','Y','N',to_date('03-SEP-16','DD-MON-RR'),to_date('06-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1219,619,'Abbe','Connors','aconnors62@ehow.com','06-Jan-1991','(452) 1340623','197-01-5649','Y','N','Y',to_date('15-NOV-16','DD-MON-RR'),to_date('12-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1220,620,'Davine','Stringer','dstringer63@clickbank.net','17-Apr-1980','(414) 7751080','740-72-5030','N','Y','Y',to_date('13-MAR-16','DD-MON-RR'),to_date('07-AUG-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1221,621,'Marcello','Loutheane','mloutheane64@multiply.com','21-Mar-1991','(387) 4460085','511-23-4340','N','Y','Y',to_date('28-SEP-17','DD-MON-RR'),to_date('26-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1222,622,'Horst','Gino','hgino65@feedburner.com','01-Jul-1997','(567) 3356442','126-39-8084','N','Y','N',to_date('13-APR-17','DD-MON-RR'),to_date('28-JAN-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1223,623,'Anton','Lermit','alermit66@tmall.com','02-Mar-1996','(982) 1911392','154-64-3568','Y','N','N',to_date('09-MAY-16','DD-MON-RR'),to_date('16-FEB-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1224,624,'Jeanette','Abrahamsen','jabrahamsen67@squarespace.com','21-Apr-1991','(952) 6309296','728-20-2538','Y','N','N',to_date('12-APR-17','DD-MON-RR'),to_date('28-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1225,625,'Jone','Cansdell','jcansdell68@google.com.br','26-Jan-1980','(581) 4284383','454-21-5980','N','Y','N',to_date('25-AUG-16','DD-MON-RR'),to_date('09-JUL-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1226,626,'Julie','Brower','jbrower69@google.com.au','30-Apr-1983','(854) 3446463','837-40-4034','Y','N','N',to_date('19-MAR-17','DD-MON-RR'),to_date('04-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1227,627,'Hester','Chalcraft','hchalcraft6a@pbs.org','21-May-1982','(663) 8961364','703-87-4120','N','Y','Y',to_date('20-OCT-16','DD-MON-RR'),to_date('01-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1228,628,'Elizabeth','Bottrell','ebottrell6b@51.la','10-Jan-1987','(841) 6883534','616-20-7012','Y','N','N',to_date('17-DEC-16','DD-MON-RR'),to_date('26-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1229,629,'Katlin','Bleiman','kbleiman6c@blogs.com','18-Sep-1982','(769) 9185521','562-50-5247','Y','Y','N',to_date('29-MAR-17','DD-MON-RR'),to_date('13-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1230,630,'Bradly','Bryning','bbryning6d@aol.com','23-Aug-1988','(751) 3737943','596-78-7328','N','Y','N',to_date('18-FEB-16','DD-MON-RR'),to_date('06-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1231,631,'Skippy','Soan','ssoan6e@google.com.hk','25-Jan-1980',null,'717-48-2174','N','Y','N',to_date('04-DEC-16','DD-MON-RR'),to_date('14-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1232,632,'Connor','Dowse','cdowse6f@godaddy.com','16-Sep-1980','(159) 2975536','630-10-2266','N','N','Y',to_date('30-JUN-16','DD-MON-RR'),to_date('11-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1233,633,'Kerwinn','Rigler','krigler6g@t-online.de','26-Dec-1989','(792) 2637621','634-86-0563','Y','Y','Y',to_date('01-MAR-17','DD-MON-RR'),to_date('07-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1234,634,'Ruthann','McCaig','rmccaig6h@phpbb.com','06-Aug-1998','(691) 8443244','504-42-4829','Y','Y','Y',to_date('17-JAN-17','DD-MON-RR'),to_date('18-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1235,635,'Caterina','Common','ccommon6i@cisco.com','10-Jul-1986','(459) 8165343','429-14-7337','Y','Y','N',to_date('18-JUL-16','DD-MON-RR'),to_date('25-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1236,636,'Bret','Teligin','bteligin6j@google.com','20-Jan-1995','(843) 5746969','867-94-8859','Y','Y','N',to_date('08-FEB-17','DD-MON-RR'),to_date('11-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1237,637,'Chelsie','Whightman','cwhightman6k@nymag.com','18-May-1988','(263) 7814730','646-39-3005','Y','Y','N',to_date('11-AUG-17','DD-MON-RR'),to_date('22-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1238,638,'Aila','Ord','aord6l@bigcartel.com','05-Apr-1980','(677) 5934162','541-06-2444','Y','N','Y',to_date('11-APR-16','DD-MON-RR'),to_date('15-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1239,639,'Mervin','Dayly','mdayly6m@istockphoto.com','13-Mar-1984',null,'231-20-4689','N','N','Y',to_date('18-AUG-16','DD-MON-RR'),to_date('19-MAR-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1240,640,'Billi','Simyson','bsimyson6n@wp.com','15-Jun-1981','(521) 6293321','788-24-6151','Y','Y','N',to_date('12-JUN-16','DD-MON-RR'),to_date('21-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1241,641,'Carlyn','Povele','cpovale6o@sitemeter.com','05-Dec-1986','(628) 3473316','591-86-3669','Y','Y','Y',to_date('11-JUL-16','DD-MON-RR'),to_date('11-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1242,642,'Eleanora','Grout','egrout6p@com.com','29-Jul-1989','(890) 7290962','769-27-6279','Y','N','Y',to_date('07-JAN-17','DD-MON-RR'),to_date('04-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1243,643,'Nestor','Latimer','nlatimer6q@noaa.gov','15-Jun-1987','(217) 6460445','623-71-9393','Y','Y','N',to_date('04-JUN-17','DD-MON-RR'),to_date('20-SEP-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1244,644,'Matthus','Griffey','mgriffey6r@mail.ru','17-Dec-1981','(375) 1831580','572-07-3055','N','Y','N',to_date('22-JAN-17','DD-MON-RR'),to_date('17-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1245,645,'Marcellina','McOrkil','mmcorkil6s@tmall.com','14-Jan-1983','(332) 9142609','209-80-0153','Y','Y','Y',to_date('16-MAY-17','DD-MON-RR'),to_date('12-MAR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1246,646,'Ambrosi','Tisor','atisor6t@sohu.com','13-Jul-1982','(491) 3024666','740-26-0346','N','Y','Y',to_date('10-OCT-17','DD-MON-RR'),to_date('18-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1247,647,'Janifer','Connealy','jconnealy6u@digg.com','13-Dec-1997',null,'150-84-1869','Y','Y','Y',to_date('12-JAN-16','DD-MON-RR'),to_date('11-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1248,648,'Rustin','Bollen','rbollen6v@list-manage.com','20-Aug-1995','(955) 5405065','263-12-1089','N','N','Y',to_date('16-NOV-17','DD-MON-RR'),to_date('07-APR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1249,649,'Tomi','Cansfield','tcansfield6w@csmonitor.com','23-Aug-1994','(577) 8631351','714-55-8495','N','Y','N',to_date('20-MAR-16','DD-MON-RR'),to_date('10-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1250,650,'Marietta','Ciubutaro','mcuibutaro6x@diigo.com','10-Jan-1988','(175) 5394029','536-60-3319','Y','N','N',to_date('27-JUN-17','DD-MON-RR'),to_date('19-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1251,651,'Levon','Calabry','lcalabry6y@icio.us','04-Apr-1981','(534) 5187015','612-23-2948','N','Y','N',to_date('31-MAY-16','DD-MON-RR'),to_date('18-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1252,652,'Verene','O''Leary','voleary6z@mediafire.com','04-Oct-1984','(419) 1608565','350-05-7694','N','N','Y',to_date('25-AUG-17','DD-MON-RR'),to_date('25-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1253,653,'Penelope','Doggett','pdoggett70@businessweek.com','06-Mar-1995','(393) 6149866','159-90-7350','Y','N','N',to_date('16-FEB-17','DD-MON-RR'),to_date('31-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1254,654,'Tyrone','Pomphrey','tpomphrey71@odnoklassniki.ru','11-Dec-1986','(547) 3279003','508-22-4445','N','Y','Y',to_date('15-SEP-17','DD-MON-RR'),to_date('11-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1255,655,'Gratia','Fozard','gfozard72@nydailynews.com','18-May-1990','(994) 9003948','720-40-9695','N','N','N',to_date('14-APR-17','DD-MON-RR'),to_date('01-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1256,656,'Iggie','Edis','iedis73@amazon.co.uk','25-Aug-1980','(992) 7342189','116-92-9829','N','N','Y',to_date('09-MAR-16','DD-MON-RR'),to_date('11-JUL-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1257,657,'Jorge','Tocque','jtocque74@prweb.com','06-Nov-1994','(348) 3919051','158-01-4814','Y','Y','N',to_date('11-SEP-16','DD-MON-RR'),to_date('04-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1258,658,'Garfield','Lucchi','glucchi75.sourceforge.net','23-Oct-1980','(488) 3005490','334-43-4429','N','Y','Y',to_date('28-MAR-17','DD-MON-RR'),to_date('13-OCT-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1259,659,'Theo','Dybella','tdybell76@ihg.com','28-Feb-1990','(499) 4023974','739-03-1465','N','N','N',to_date('09-JUN-17','DD-MON-RR'),to_date('14-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1260,660,'Walden','Lepo','wleppo77@narod.ru','06-Jun-1993','(835) 4823676','517-02-8510','Y','Y','Y',to_date('31-MAY-16','DD-MON-RR'),to_date('12-OCT-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1261,661,'Livvie','Warrener','lwarrener78@arizona.edu','19-Oct-1986','(906) 8429730','471-44-0607','N','N','Y',to_date('26-JUL-16','DD-MON-RR'),to_date('10-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1262,662,'Mikey','Ravelus','mravelus79@ovh.net','10-Sep-1997','(517) 2105028','358-71-2081','Y','Y','N',to_date('16-JUL-17','DD-MON-RR'),to_date('01-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1263,663,'Cynthie','Gruszczak','cgruszczak7a@themeforest.net','10-Sep-1994','(748) 1718337','562-13-1367','N','Y','Y',to_date('08-JUL-16','DD-MON-RR'),to_date('25-DEC-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1264,664,'Leonardo','Culshew','lculshew7b@amazon.co.uk','26-Apr-1998','(266) 8230658','594-01-4703','Y','Y','Y',to_date('26-OCT-17','DD-MON-RR'),to_date('21-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1265,665,'Wynnie','Jenyns','wjenyns7c@amazon.co.jp','24-Jan-1996','(963) 5421249','160-92-2482','N','Y','Y',to_date('26-JAN-16','DD-MON-RR'),to_date('18-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1266,666,'Nancy','Kesteven','nkesteven7d@list-manage.com','02-Feb-1980','(879) 4878827','578-10-1400','N','N','N',to_date('17-JAN-17','DD-MON-RR'),to_date('09-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1267,667,'Mathilde','O''Shee','moshee7e@arstechnica.com','26-Jul-1992','(570) 8486399','565-26-8491','N','N','Y',to_date('12-MAR-17','DD-MON-RR'),to_date('19-JAN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1268,668,'Irma','Futter','ifutter7f@tiny.cc','17-Jul-1985','(576) 3163275','125-95-9118','N','Y','N',to_date('07-MAR-17','DD-MON-RR'),to_date('02-NOV-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1269,669,'Antonetta','Sustin','asustin7g@acquirethisname.com','30-Mar-1986','(215) 9888338','603-11-0256','N','N','N',to_date('24-JUL-16','DD-MON-RR'),to_date('28-DEC-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1270,670,'Lefty','Mandifield','lmandifield7h@reference.com','09-Feb-1988','(927) 4112223','583-65-6479','N','Y','Y',to_date('10-JUN-16','DD-MON-RR'),to_date('08-MAY-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1271,671,'Adara','Chazier','achazier7i@wp.com','29-Jun-1980','(469) 7104058','299-93-3979','N','Y','Y',to_date('19-JUL-17','DD-MON-RR'),to_date('26-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1272,672,'Alistir','Preshous','apreshous7j@craigslst.org','07-Dec-1985','(794) 8585879','214-65-6251','Y','Y','Y',to_date('13-MAR-17','DD-MON-RR'),to_date('18-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1273,673,'Robbie','Willavoys','rwillavoys7k@slideshare.net','04-Feb-1981','(701) 4023318','548-26-2388','N','Y','N',to_date('19-MAR-17','DD-MON-RR'),to_date('27-MAY-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1274,674,'Katya','Tilliard','ktilliard7l@angelfire.com','18-Sep-1980','(178) 9842594','238-73-5603','N','N','N',to_date('08-SEP-16','DD-MON-RR'),to_date('20-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1275,675,'Stanislaus','Pechet','spechet7m@woothemes.com','05-Jun-1990','(443) 1528034','872-61-8764','N','Y','Y',to_date('05-OCT-16','DD-MON-RR'),to_date('07-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1276,676,'Felicity','Fairney','ffairney7n@cocolog-nifty.com','26-Mar-1992','(454) 1758946','747-35-2515','N','Y','N',to_date('30-SEP-16','DD-MON-RR'),to_date('20-NOV-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1277,677,'Georgy','Semarke','gsemarke7o@hao123.com','08-Mar-1998',null,'647-85-4309','Y','N','Y',to_date('28-AUG-16','DD-MON-RR'),to_date('05-FEB-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1278,678,'Elifie','Siddle','esiddle7p@infoseek.co.jp','01-Mar-1980','(246) 3052939','299-94-5821','N','N','Y',to_date('04-FEB-16','DD-MON-RR'),to_date('04-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1279,679,'Cherianne','Ladlow','cladlow7q@miibeian.gov.cn','30-Sep-1994','(388) 5104920','163-78-1645','Y','Y','N',to_date('22-SEP-16','DD-MON-RR'),to_date('24-FEB-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1280,680,'Doyle','Brenstuhl','dbrenstuhl7r@google.cn','21-Oct-1982','(607) 5704827','327-34-2869','Y','Y','N',to_date('12-SEP-17','DD-MON-RR'),to_date('30-JAN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1281,681,'Bernetta','Schoroder','bschoroder7s@loc.gov','16-Jun-1981','(961) 8175236','481-34-8110','Y','Y','N',to_date('29-JAN-17','DD-MON-RR'),to_date('07-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1282,682,'Carmen','Beddis','cbeddis7t@people.com.cn','15-Aug-1987','(814) 6442503','140-34-8023','N','N','Y',to_date('25-JAN-17','DD-MON-RR'),to_date('03-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1283,683,'Adeline','Reast','areast7u@imgur.com','02-Mar-1994','(867) 4144414','863-86-8691','Y','N','N',to_date('23-SEP-17','DD-MON-RR'),to_date('20-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1284,684,'Teador','Hessay','thessay7v@google.com.hk','18-Sep-1983','(444) 2290789','550-67-6351','Y','N','N',to_date('07-DEC-16','DD-MON-RR'),to_date('10-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1285,685,'Shaylynn','Egiloff','segiloff7w@freewebs.com','14-Mar-1984','(720) 4574946','687-89-6293','N','Y','Y',to_date('23-JUN-16','DD-MON-RR'),to_date('01-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1286,686,'Kenton','Vogelein','kvogelein7x@disqus.com','08-Jul-1990','(526) 4314688','260-97-2775','Y','N','N',to_date('25-FEB-17','DD-MON-RR'),to_date('13-JUN-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1287,687,'Garv','Bentham3','gbentham7y@example.com','22-Apr-1989','(270) 5724105','639-97-4211','N','N','Y',to_date('17-OCT-17','DD-MON-RR'),to_date('23-MAR-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1288,688,'Tremayne','Adamides','tadamides7z@craigslist.org','16-Jan-1983','(589) 9541917','737-08-0037','N','Y','N',to_date('30-JUN-16','DD-MON-RR'),to_date('10-JUN-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1289,689,'Karry','Axtonne','kaxtonne80@is.gd','31-Aug-1985','(730) 7004744','736-01-4601','N','Y','N',to_date('02-SEP-16','DD-MON-RR'),to_date('30-OCT-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1290,690,'Natalina','Zmitruk','nzmitruk81@thetimes.co.uk','31-Oct-1993','(806) 4720921','285-34-1398','Y','N','Y',to_date('25-MAR-16','DD-MON-RR'),to_date('16-JAN-18','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1291,691,'Pat','Kops','pkops82@cbc.ca','05-Jun-1996','(760) 2388513','730-82-4612','Y','N','N',to_date('06-FEB-16','DD-MON-RR'),to_date('20-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1292,692,'Yale','Blackford','yblackford83@dell.com','21-Aug-1982','(573) 2282393','613-37-9348','Y','Y','N',to_date('24-APR-17','DD-MON-RR'),to_date('08-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1293,693,'Penn','Walding','pwalding84@opera.com','27-Dec-1992','(879) 6542404','211-48-1489','N','Y','N',to_date('16-MAY-16','DD-MON-RR'),to_date('04-AUG-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1294,694,'Irina','Keddy','ikeddy85@cpanel.net','09-Dec-1983','(140) 7282797','633-71-6707','Y','N','Y',to_date('16-APR-16','DD-MON-RR'),to_date('06-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1295,695,'Priscilla','Isakovic','pisakovic86@redcross.org','08-Sep-1982','(108) 9154873','277-84-3112','Y','Y','N',to_date('27-DEC-16','DD-MON-RR'),to_date('30-APR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1296,696,'Kalvin','Coonan','kcoonian87@g.co','27-Nov-1987','(483) 2678870','515-06-7876','N','Y','N',to_date('08-APR-16','DD-MON-RR'),to_date('16-JUL-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1297,697,'Lydon','Alebrooke','lalebrooke88@soundcloud.com','18-Aug-1987','(654) 4557139','582-23-7588','Y','Y','Y',to_date('07-NOV-17','DD-MON-RR'),to_date('23-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1298,698,'Oralia','Cashin','ocashin89@economist.com','07-Jul-1996','(333) 7664938','806-18-7607','Y','N','Y',to_date('06-SEP-17','DD-MON-RR'),to_date('03-AUG-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

(1299,699,'Ron','Blois','rblois8a@youtu.be','06-Jul-1982','(198) 8302693','281-96-7077','N','Y','N',to_date('20-JAN-17','DD-MON-RR'),to_date('21-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1300,700,'Giacobo','Gambles','ggambles8b@weather.com','04-Oct-1988','(100) 2586706','474-07-7226','N','N','Y',to_date('19-OCT-16','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1301,701,'Bathsheba','Hunnaball','bhunnaball8c@nih.gov','29-Nov-1981','(954) 3154765','163-73-0458','N','Y','Y',to_date('30-MAR-16','DD-MON-RR'),to_date('18-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1302,702,'Cathrine','Bleddon','cbleddon8d@t-online.de','04-Jan-1982','(644) 9580024','291-54-9639','N','N','N',to_date('21-FEB-17','DD-MON-RR'),to_date('06-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1303,703,'Tremaine','Krier','tkrier8e@yellowpages.com','12-Jan-1987','(630) 5107974','148-36-6248','Y','Y','Y',to_date('02-JUN-17','DD-MON-RR'),to_date('14-OCT-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1304,704,'Perkin','Gotobed','pgotobed8f@google.fr','20-Dec-1983','(803) 8613267','377-35-1999','N','Y','Y',to_date('06-JAN-17','DD-MON-RR'),to_date('17-AUG-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1305,705,'Stanwood','Gypps','sgypps8g@vistaprint.com','18-Nov-1994','(629) 9079825','710-35-9217','Y','N','Y',to_date('04-OCT-16','DD-MON-RR'),to_date('07-SEP-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1306,706,'Danyelle','Wilcocks','dwilcocks8h@youku.com','21-Oct-1988','(772) 6293919','658-58-1790','N','Y','Y',to_date('12-AUG-17','DD-MON-RR'),to_date('11-NOV-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO

(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1307,707,'Garwin','Symondson','gsymondson8i@ftc.gov','26-Sep-1987','(526) 5900541','375-75-4270','Y','Y','N',to_date('16-MAY-17','DD-MON-RR'),to_date('07-SEP-19','DD-MON-RR'));

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1308,708,'Kathlin','Keynes','kkeynes8j@ustream.tv','19-Feb-1990','(361) 6538314','512-73-7146','N','N','N',to_date('21-AUG-17','DD-MON-RR'),to_date('11-MAY-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1309,709,'Salomon','Buttler','sbuttler8k@digg.com','11-Nov-1983','(501) 1315462','751-59-5825','Y','Y','Y',to_date('12-APR-16','DD-MON-RR'),to_date('08-MAY-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1310,710,'Umeko','Cod','ucod8l@biblegateway.com','05-Sep-1998','(476) 4202169','166-78-8124','N','N','N',to_date('24-JUL-16','DD-MON-RR'),to_date('04-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1311,711,'Cecilia','Farryan','cfarryan8m@scientificamerican.com','14-Feb-1990','(402) 4732484','109-03-8728','N','Y','N',to_date('19-APR-17','DD-MON-RR'),to_date('28-APR-18','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1312,712,'Liz','Esilmon','lesilmon8n@wired.com','10-Apr-1989','(977) 2740380','409-32-1650','Y','Y','Y',to_date('22-MAR-16','DD-MON-RR'),to_date('21-SEP-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1313,713,'Howie','Maulden','hmaulden8o@ucsd.edu','14-May-1982','(114) 2376730','225-57-3258','Y','Y','Y',to_date('14-JUN-16','DD-MON-RR'),to_date('02-MAR-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1314,714,'Janel','Audenis','jaudenis8p@flavors.me','10-Jan-1995','(984) 9054368','663-96-6398','N','N','N',to_date('27-MAR-16','DD-MON-RR'),to_date('19-JUN-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1315,715,'Saunder','Brawson','sbrawson8q@flickr.com','02-Oct-1991','(160) 2712402','207-76-9547','Y','N','N',to_date('21-MAR-17','DD-MON-RR'),to_date('21-NOV-19','DD-MON-RR'));
```

```
Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
```

```

(1316,716,'Felix','Normavell','fnormavell8r@xing.com','19-May-1989','(459) 4590039','117-36-2294','N','Y','N,to_date('03-OCT-16','DD-MON-RR'),to_date('09-MAY-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1317,717,'Katti','Hollyer','khollyer8s@amazon.co.jp','04-Dec-1980','(727) 4613438','865-97-7820','N','Y','N,to_date('14-NOV-16','DD-MON-RR'),to_date('24-SEP-19','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1318,718,'Hillard','Mungham','hmungham8t@mlb.com','02-Nov-1994','(941) 2408793','786-04-5836','N','N','N,to_date('30-JUL-16','DD-MON-RR'),to_date('31-JUL-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1319,719,'Morley','Iddy','middy8u@blinklist.com','06-Apr-1995','(109) 1900847','720-05-4059','Y','N','Y,to_date('11-JAN-17','DD-MON-RR'),to_date('10-FEB-18','DD-MON-RR'));

Insert into C##BANK.SIGNUPINFO
(CUSTOMER_ID,DEVICE_ID,FIRST_NAME,LAST_NAME,EMAIL,DATE_OF_BIRTH,PHONE_NUMBER,SSN,ISAGREEMENTSIGNED,ACTIVESTATUS,SIGNUPSUCCESS,CREATEDON,UPDATEDON) values
(1320,720,'Vanya','Blaschke','vblaschke8v@g.co','09-Feb-1993','(695) 3565081','883-73-1529','N','N','N,to_date('08-NOV-17','DD-MON-RR'),to_date('21-AUG-18','DD-MON-RR'));

REM INSERTING into C##BANK.TRANSACTIONS
SET DEFINE OFF;

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1235,8765433,'Y',1870.24,53.28,10001);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1236,8765434,'N',2854.66,85.01,10002);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1237,8765435,'Y',2038.35,77.01,10003);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1238,8765436,'Y',2452.15,65.52,10004);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1239,8765437,'N',1894.16,56.94,10005);

```

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1240,8765438,'N',677.84,82.3,10006);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1241,8765439,'Y',1286.27,38.89,10007);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1242,8765440,'Y',24.02,34.92,10008);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1243,8765441,'N',9082.54,72.69,10009);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1244,8765442,'Y',7881.7,92.95,10010);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1245,8765443,'Y',5650.45,20.3,10011);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1246,8765444,'N',8640.12,32.44,10012);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1247,8765445,'N',5451.55,95.6,10013);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1248,8765446,'N',4492.26,85.6,10014);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1249,8765447,'Y',1676.62,75.73,10015);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1250,8765448,'Y',4784.45,11.22,10016);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1251,8765449,'N',2669.87,73.26,10017);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1252,8765450,'N',2768.87,16.6,10018);

```
Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1253,8765451,'N',6589.74,77.13,10019);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1254,8765452,'N',5329.14,23.34,10020);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1255,8765453,'Y',9223.42,63.58,10021);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1256,8765454,'N',3419.33,41.54,10022);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1257,8765455,'Y',5754.02,80.17,10023);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1258,8765456,'N',7317.39,76.7,10024);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1259,8765457,'Y',5557.58,60.93,10025);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1260,8765458,'N',6919.41,44.53,10026);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1261,8765459,'N',7271.75,14.23,10027);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1262,8765460,'N',7950.95,22.44,10028);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1263,8765461,'N',3820.65,58.84,10029);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1264,8765462,'N',7014.31,94.33,10030);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1265,8765463,'Y',9846.52,93.95,10031);
```

```
Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1266,8765464,'N',7278.46,19.39,10032);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1267,8765465,'Y',786.14,40.09,10033);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1268,8765466,'Y',1751.16,30.04,10034);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1269,8765467,'N',7739.04,28.21,10035);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1270,8765468,'N',1207.07,84.76,10036);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1271,8765469,'N',5922.61,71.68,10037);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1272,8765470,'Y',4646.43,73.49,10038);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1273,8765471,'N',8486.55,47.12,10039);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1274,8765472,'Y',533.59,65.07,10040);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1275,8765473,'Y',1659.3,53,10041);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1276,8765474,'N',5922.75,13.7,10042);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1277,8765475,'N',4314.32,19.38,10043);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1278,8765476,'Y',2066.07,11.77,10044);
```

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1279,8765477,'N',9081.28,61.21,10045);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1280,8765478,'N',7714.38,38.96,10046);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1281,8765479,'Y',4115.27,18.32,10047);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1282,8765480,'N',3000.64,61.04,10048);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1283,8765481,'N',4635.01,19.04,10049);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1284,8765482,'N',7941.56,90.89,10050);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1285,8765483,'Y',1161.63,10.36,10051);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1286,8765484,'N',1985.01,38.25,10052);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1287,8765485,'Y',3405.92,46.18,10053);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1288,8765486,'N',9244.54,17.02,10054);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1289,8765487,'Y',1294.16,52.48,10055);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1290,8765488,'N',9940.42,79.63,10056);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1291,8765489,'N',5285.93,62.67,10057);

```

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1292,8765490,'N',1343.28,81.92,10058);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1293,8765491,'Y',9921.23,14.72,10059);

Insert into C##BANK.TRANSACTIONS
(TRANSACTION_ID,MERCHANT_ID,TRANSACTION_SUCCESS,AMOUNT,MERCHANT_FEES,CREDITCARD_ID) values
(1294,8765492,'Y',4815.87,85.85,10060);

REM INSERTING into C##BANK.TRANSACTION_RECORD

SET DEFINE OFF;

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(1,450001,'D      ',23234);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(2,540001,'W      ',78352);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(3,540002,'W      ',683);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(4,540002,'D      ',345);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(5,540007,'D      ',1000);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(6,540037,'D      ',5000);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(7,540065,'W      ',200);

Insert into C##BANK.TRANSACTION_RECORD (TID,ACCOUNT_NUMBER,TRANSACTION_TYPE,AMOUNT) values
(1,450001,'D      ',23234);

REM INSERTING into C##BANK.TRAN_RECORD

SET DEFINE OFF;

REM INSERTING into C##BANK.TRAN_RECORD_EXT

SET DEFINE OFF;

REM INSERTING into C##BANK.T_RECORD

SET DEFINE OFF;

-----
-- DDL for Index TRANSACTION_ID_INDEX
-----

```

```
CREATE INDEX "C##BANK"."TRANSACTION_ID_INDEX" ON "C##BANK"."TRANSACTIONS"
("TRANSACTION_SUCCESS")

PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS

STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645

PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1

BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)

TABLESPACE "USERS" ;
```

```
-- DDL for Index ISAUTOPAYMENT_INDEX
```

```
CREATE BITMAP INDEX "C##BANK"."ISAUTOPAYMENT_INDEX" ON "C##BANK"."BILLS" ("ISAUTOPAYMENT")

PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS

STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645

PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1

BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)

TABLESPACE "USERS" ;
```

```
-- DDL for Index CUST_NAME_INDEX
```

```
CREATE INDEX "C##BANK"."CUST_NAME_INDEX" ON "C##BANK"."SIGNUPINFO" ("FIRST_NAME")

PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS

STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645

PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1

BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)

TABLESPACE "USERS" ;
```

```
-- DDL for Index INSTALL_INDEX
```

```
CREATE INDEX "C##BANK"."INSTALL_INDEX" ON "C##BANK"."APPINSTALL" ("IP_ADDRESS") REVERSE  
PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS  
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645  
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1  
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)  
TABLESPACE "USERS";
```

```
-- DDL for Trigger BALANCE
```

```
CREATE OR REPLACE EDITIONABLE TRIGGER "C##BANK"."BALANCE"  
BEFORE INSERT  
ON TRANSACTION_RECORD  
FOR EACH ROW  
BEGIN  
IF :NEW.TRANSACTION_TYPE='D' THEN  
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);  
ELSIF :NEW.TRANSACTION_TYPE='W' then  
pckg_upd_bal.UPDATE_CREDIT_BALANCE(:NEW.ACCOUNT_NUMBER,:NEW.TRANSACTION_TYPE,:NEW.AMOUNT);  
else  
Raise_application_error(-20451,'Balance is low for transaction to complete');  
END IF;  
  
EXCEPTION  
WHEN NO_DATA_FOUND THEN  
DBMS_OUTPUT.PUT_LINE(:NEW.ACCOUNT_NUMBER||'DOES NOT EXIST');  
END;  
/  
ALTER TRIGGER "C##BANK"."BALANCE" ENABLE;
```

```
-- DDL for Trigger UPDATE_BRANCH_ACCOUNT
-----
CREATE OR REPLACE EDITIONABLE TRIGGER "C##BANK"."UPDATE_BRANCH_ACCOUNT"
instead of update on branch_account
begin
update branch
set
swift_code=:new.swift_code,
branch_name=:new.branch_name,
Account_Number=:new.Account_Number
where branch_id=:old.branch_id;
end;
/
ALTER TRIGGER "C##BANK"."UPDATE_BRANCH_ACCOUNT" ENABLE;
```

```
-- DDL for Procedure CURSOR
```

```
-----  
set define off;  
  
CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."CURSOR" is cursor CUST_DETAILS  
is  
SELECT CUSTOMER_ID,FIRST_NAME, LAST_NAME  
FROM SIGNUPINFO  
WHERE CUSTOMER_ID=1322;
```

```
Customer_Id_Variable SIGNUPINFO.CUSTOMER_ID%TYPE;  
First_Name_Variable SIGNUPINFO.FIRST_NAME%TYPE;  
Last_Name_Variable SIGNUPINFO.LAST_NAME%TYPE;
```

```
BEGIN
```

```
OPEN CUST_DETAILS;
LOOP
  FETCH CUST_DETAILS INTO Customer_Id_Variable,First_Name_Variable,Last_Name_Variable;
  exit when CUST_DETAILS%notfound;
  dbms_out.put_line(Customer_Id_Variable||' '|First_Name_Variable||' '|Last_Name_Variable);
END LOOP;
CLOSE CUST_DETAILS;
END;
```

```
/
```

```
-- DDL for Procedure CUSTOMER_STATE
```

```
set define off;
```

```
CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."CUSTOMER_STATE" (
  c_id in number, c_name out SIGNUPINFO.FIRST_NAME%type,c_lname OUT
  SIGNUPINFO.LAST_NAME%TYPE,s_name out ADDRESS.STATE%type) AS
BEGIN
  select Sui.first_name, sui.LAST_NAME,a.state
  into c_name,c_lname,s_name
  from SignUpInfo sui
  inner join Customer c
  on c.customer_id= sui.customer_id
  inner join address a
  on a.address_id=c.ADDRESS_ID
  where sui.CUSTOMER_ID=c_id;
  exception
    when NO_DATA_FOUND then
      c_name :='NULL';
      s_name :='NULL';
```

```
END Customer_State;
```

```
/
```

```
-- DDL for Procedure CUST_ACCOUNTS
```

```
set define off;
```

```
CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."CUST_ACCOUNTS" (
customer_id_in CUSTOMER.CUSTOMER_ID%type) IS
Account_no NUMBER(4);
BEGIN
Account_no :=show_number_OF_ACCOUNTS(customer_id_in);
DBMS_OUTPUT.PUT_LINE('The no of accounts with this customer is: ' || Account_no);
end Cust_Accounts;
```

```
/
```

```
-- DDL for Procedure CUST_TRANSACTIONS
```

```
set define off;
```

```
CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."CUST_TRANSACTIONS" (
customer_id_in IN CUSTOMER.CUSTOMER_ID%type) IS
transaction_number NUMBER(4);
BEGIN
transaction_number:=show_number(customer_id_in);
DBMS_OUTPUT.PUT_LINE('The no of transaction with this customer is' || transaction_number);
end Cust_Transactions;
```

```
/
```

```

-----
-- DDL for Procedure LOGINSP
-----

set define off;

CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."LOGINSP" ( memberidp IN VARCHAR(255), passkeyp
IN VARCHAR(60), phpmsg OUT VARCHAR(60))

BEGIN

    DECLARE loginidp VARCHAR(10);

    DECLARE conditionCheck CHAR DEFAULT 'N';

    SET loginidp = CONCAT(F_randNum(4),F_randChar(2),F_randNum(1),F_randChar(1),F_randNum(2));

    SET @conditionCheck = IF((SELECT passkey FROM loanckr.signupInfo WHERE memberid = memberidp) =
passkeyp, true, false);

    IF(@conditionCheck = true AND F_checkExistence(memberidp)=true)

        THEN

            SET phpmsg = 'CKHome.php';

            INSERT IGNORE INTO loanckr.loginInstances(loginId, memberId, loginSuccess, createdOn, updatedOn)
VALUES (loginidp, memberidp, true, CURRENT_TIMESTAMP, CURRENT_TIMESTAMP);

        ELSE

            SET phpmsg = IF(F_checkExistence(memberidp),'Wrong Password! Go back to','You
were not found. Click on ');

        END IF;

    END

/

-----
-- DDL for Procedure SIGNUP
-----

set define off;

CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."SIGNUP" (

```

```

Last_Name_in IN SIGNUPINFO.LAST_NAME%TYPE,
First_Name_in IN SIGNUPINFO.FIRST_NAME%TYPE,
EMAIL_in IN SIGNUPINFO.EMAIL%TYPE,
DATE_OF_BIRTH_in IN SIGNUPINFO.DATE_OF_BIRTH%TYPE,
PHONE_NUMBER_in IN SIGNUPINFO.PHONE_NUMBER%TYPE,
SSN_in IN SIGNUPINFO.SSN%TYPE
) IS

BEGIN

INSERT INTO SIGNUPINFO
(Customer_ID,Last_Name,First_Name,Email,Date_Of_Birth,Phone_Number,SSN,DEVICE_ID)
VALUES
(seq_customer.NEXTVAL,Last_Name_in,First_Name_in,Email_in,Date_Of_Birth_in,Phone_Number_in,SSN_in,seq_
customer.NEXTVAL);

DBMS_OUTPUT.PUT_LINE('Added Customer:' || First_Name_in || ' ' || Last_Name_in);

EXCEPTION
WHEN OTHERS THEN DBMS_OUTPUT.PUT_LINE('Error adding customer:' || First_Name_in || ' ' || Last_Name_in);
END SignUp;

/
-----+
-- DDL for Procedure UPDATE_CREDIT_BALANCE
-----+
set define off;

CREATE OR REPLACE EDITIONABLE PROCEDURE "C##BANK"."UPDATE_CREDIT_BALANCE"
(I_account_number CUSTOMER.ACOUNT_NUMBER%type,
I_Amount TRANSACTION_RECORD.AMOUNT%type) IS
I_credit_balance CUSTOMER.CREDIT_BALANCE%type;
BEGIN
select CREDIT_BALANCE INTO I_credit_balance

```

```

FROM CUSTOMER
WHERE ACCOUNT_NUMBER=l_account_number;
l_credit_balance := l_credit_balance+l_Amount;
UPDATE CUSTOMER
SET CREDIT_BALANCE=l_credit_balance
WHERE ACCOUNT_NUMBER=l_account_number;
INSERT INTO TRANSACTION_RECORD VALUES(500,l_account_number,'D',l_Amount);
COMMIT;
EXCEPTION
WHEN NO_DATA_FOUND THEN
DBMS_OUTPUT.PUT_LINE(l_account_number||' does not exist');
end update_credit_balance;

```

/

-- DDL for Package PCKG_UPD_BAL

```

CREATE OR REPLACE EDITIONABLE PACKAGE "C##BANK"."PCKG_UPD_BAL"
AS
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
procedure update_credit_balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_transaction_type transaction_record.transaction_type%TYPE,
l_Amount TRANSACTION_record.AMOUNT%type);
Function Check_Balance(l_account_number CUSTOMER.ACCOUNT_NUMBER%type,
l_Amount TRANSACTION_record.AMOUNT%type)
return boolean;
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;
end pckg_upd_bal;

```

/

-- DDL for Function CHECK_BALANCE

```
CREATE OR REPLACE EDITIONABLE FUNCTION "C##BANK"."CHECK_BALANCE"  
(l_account_number CUSTOMER.ACOUNT_NUMBER%type,  
 l_Amount TRANSACTION_RECORD.AMOUNT%type)  
Return Boolean  
IS  
l_credit_balance CUSTOMER.CREDIT_BALANCE%type;  
l_account_type CUSTOMER.ACOUNT_TYPE%TYPE;  
BEGIN  
select CREDIT_BALANCE,ACCOUNT_TYPE INTO l_credit_balance,l_account_type  
FROM CUSTOMER  
WHERE ACCOUNT_NUMBER=l_account_number;  
l_credit_balance :=l_credit_balance-l_Amount;  
IF l_account_type='Savings' AND l_credit_balance<10000 THEN RETURN(FALSE);  
ELSIF l_account_type='Checking' AND l_credit_balance<15000 THEN  
RETURN(FALSE);  
ELSE  
RETURN(TRUE);  
END IF ;  
END Check_Balance;
```

/

-- DDL for Function SHOW_NUMBER_OF_ACCOUNTS

```
CREATE OR REPLACE EDITIONABLE FUNCTION "C##BANK"."SHOW_NUMBER_OF_ACCOUNTS" (
```

```
Customer_id_IN IN CUSTOMER.CUSTOMER_ID%TYPE)
RETURN NUMBER
IS
ACCOUNT_count number (10);
BEGIN
SELECT COUNT(BA.ACCOUNT_NUMBER)
INTO ACCOUNT_count
FROM CUSTOMER C INNER JOIN BANK_ACCOUNT BA ON BA.CUSTOMER_ID=C.CUSTOMER_ID
GROUP BY C.CUSTOMER_ID
having C.Customer_id=Customer_id_IN;
RETURN ACCOUNT_count;
EXCEPTION
WHEN NO_DATA_FOUND THEN RETURN NULL;
END show_number_OF_ACCOUNTS;
```

/

-- Constraints for Table ADDRESS

```
ALTER TABLE "C##BANK"."ADDRESS" MODIFY ("ADDRESS_LINE1" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."ADDRESS" ADD PRIMARY KEY ("ADDRESS_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

-- Constraints for Table CREDIT_CARD

```
ALTER TABLE "C##BANK"."CREDIT_CARD" MODIFY ("CREDITCARD_NUMBER" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."CREDIT_CARD" MODIFY ("EXPIRY_DATE" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."CREDIT_CARD" MODIFY ("CVV" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."CREDIT_CARD" MODIFY ("ACCOUNT_NUMBER" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."CREDIT_CARD" ADD PRIMARY KEY ("CREDITCARD_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

-- Constraints for Table BILLS

```
ALTER TABLE "C##BANK"."BILLS" MODIFY ("MERCHANT_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."BILLS" MODIFY ("CUSTOMER_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."BILLS" ADD PRIMARY KEY ("BILL_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

-- Constraints for Table APPINSTALL

```
ALTER TABLE "C##BANK"."APPINSTALL" MODIFY ("IP_ADDRESS" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."APPINSTALL" ADD PRIMARY KEY ("DEVICE_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table LOGININSTANCES
```

```
ALTER TABLE "C##BANK"."LOGININSTANCES" MODIFY ("CUSTOMER_ID" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."LOGININSTANCES" ADD PRIMARY KEY ("LOGIN_ID")
```

```
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table CUSTOMER
```

```
ALTER TABLE "C##BANK"."CUSTOMER" MODIFY ("ADDRESS_ID" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."CUSTOMER" MODIFY ("ACCOUNT_NUMBER" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."CUSTOMER" ADD PRIMARY KEY ("CUSTOMER_ID")
```

```
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table ORDERS
```

```
ALTER TABLE "C##BANK"."ORDERS" MODIFY ("PRODUCT_ID" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."ORDERS" MODIFY ("CUSTOMER_ID" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."ORDERS" MODIFY ("TRANSACTION_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."ORDERS" ADD PRIMARY KEY ("ORDER_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table TRANSACTION_RECORD
```

```
ALTER TABLE "C##BANK"."TRANSACTION_RECORD" ADD CHECK (transaction_type IN('D','W')) ENABLE;
```

```
-- Constraints for Table TRANSACTIONS
```

```
ALTER TABLE "C##BANK"."TRANSACTIONS" MODIFY ("MERCHANT_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."TRANSACTIONS" MODIFY ("AMOUNT" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."TRANSACTIONS" MODIFY ("CREDITCARD_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."TRANSACTIONS" ADD CHECK (amount> 0) ENABLE;
ALTER TABLE "C##BANK"."TRANSACTIONS" ADD PRIMARY KEY ("TRANSACTION_ID")
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table BRANCH
```

```
ALTER TABLE "C##BANK"."BRANCH" MODIFY ("BRANCH_NAME" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."BRANCH" MODIFY ("SWIFT_CODE" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."BRANCH" MODIFY ("ACCOUNT_NUMBER" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."BRANCH" MODIFY ("ADDRESS_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."BRANCH" ADD PRIMARY KEY ("BRANCH_ID")
  USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table SIGNUPINFO
```

```
ALTER TABLE "C##BANK"."SIGNUPINFO" MODIFY ("DEVICE_ID" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."SIGNUPINFO" MODIFY ("DATE_OF_BIRTH" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."SIGNUPINFO" MODIFY ("SSN" NOT NULL ENABLE);
ALTER TABLE "C##BANK"."SIGNUPINFO" ADD PRIMARY KEY ("CUSTOMER_ID")
  USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
  TABLESPACE "USERS" ENABLE;
```

```
-- Constraints for Table BANK_ACCOUNT
```

```
ALTER TABLE "C##BANK"."BANK_ACCOUNT" ADD PRIMARY KEY ("ACCOUNT_NUMBER")
  USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
  STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
  PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
  BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ENABLE;
```

```
-----  
-- Constraints for Table MERCHANT  
-----
```

```
ALTER TABLE "C##BANK"."MERCHANT" MODIFY ("MERCHANT_NAME" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."MERCHANT" MODIFY ("ACCOUNT_NUMBER" NOT NULL ENABLE);
```

```
ALTER TABLE "C##BANK"."MERCHANT" ADD PRIMARY KEY ("MERCHANT_ID")
```

```
USING INDEX PCTFREE 10 INITTRANS 2 MAXTRANS 255 COMPUTE STATISTICS
```

```
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1 MAXEXTENTS 2147483645
```

```
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
```

```
BUFFER_POOL DEFAULT FLASH_CACHE DEFAULT CELL_FLASH_CACHE DEFAULT)
```

```
TABLESPACE "USERS" ENABLE;
```

```
-----  
-- Ref Constraints for Table CUSTOMER  
-----
```

```
ALTER TABLE "C##BANK"."CUSTOMER" ADD CONSTRAINT "RELATIONSHIP4" FOREIGN KEY  
("ACCOUNT_NUMBER")
```

```
REFERENCES "C##BANK"."BANK_ACCOUNT" ("ACCOUNT_NUMBER") ENABLE;
```

```
ALTER TABLE "C##BANK"."CUSTOMER" ADD CONSTRAINT "RELATIONSHIP3" FOREIGN KEY ("ADDRESS_ID")
```

```
REFERENCES "C##BANK"."ADDRESS" ("ADDRESS_ID") ENABLE;
```