DANNY: BUILD DIRECTION (PLAIN TEXT HANDOFF)
Oct 29, 2026. Written so any developer or coding assistant can pick the project up with no other context.

1. WHAT DANNY IS
A personal AI assistant delivered as an installable app (PWA first, native wrappers later). One continuous chat with one boss. Danny remembers what the user tells him, drafts work, and asks for a tap before anything goes out. Owner and first user: Justin (Ontario, Canada), who will use it to run a web design + Google Business Profile service for local businesses. Possible SaaS later, so build multi-user from the start.

2. WHAT EXISTS TODAY (code)
Repo folder: danny-app (local git repo, 1 commit, branch main, NOT yet on GitHub; waiting on the user to create an empty private repo named "danny").
Stack: Node 20+/22, ES modules, zero npm dependencies. Plain HTML/CSS/JS front end.
Files:
  server.js HTTP server, routes, SSE chat streaming
  lib/config.js env config and startup checks
  lib/store.js JSON-file storage: settings, daily spend, memory, approvals, log
  lib/auth.js single-password login, HMAC-signed cookie, login rate limit
  lib/brain.js Anthropic Messages API (streaming), tool loop with two tools: remember, request_approval; demo mode with no key
  public/ index.html, app.js, style.css, login page, manifest, service worker, icons
  test/ fake Anthropic server + 19 end-to-end checks (npm test, all passing)
  Dockerfile, docker-compose.yml, Caddyfile, setup.sh (one-command VPS setup, optional automatic HTTPS), .env.example, README.md
Working: login, streaming chat, memory (list/forget), approval cards (recorded only), daily spend cap, kill switch, installable PWA.
Not working yet: nothing is executed or sent after an approval; crew (sub-agents) is a placeholder list; push notifications; real Anthropic API and real Docker build were never run (mock and stubs only).
Marketing site code: NONE yet. Only the written direction in section 5.

3. NEXT BUILD: MULTI-USER SERVER
- Accounts: email + password (or magic link), invite-only signup. Every record carries a user id; no cross-user reads.
- Storage: move JSON files to SQLite (one file, still simple). Tables: users, sessions, memory, approvals, log, spend, settings.
- Per-user daily spend cap and per-user kill switch. Server owner can see usage per user.
- No shell or server access for ordinary users. Any sandboxed-shell feature is owner-only and comes later.
- Keep: signed HttpOnly cookies, same-origin check on POST, CSP without unsafe-eval, rate limits, path-traversal guard.
- Keep honesty: approvals stay "recorded, not executed" until a connector is actually built.
- Deploy stays: git clone, ./setup.sh [domain].
- Tests must keep passing and add isolation tests (user A cannot read user B's memory/approvals/log).

4. NATIVE APPS (AFTER THE SITE)
Build the web app once and wrap it. Phones: Capacitor (needs native push and real native features to pass App Store review). Desktop: Tauri or Electron. Mac and iPhone builds need a Mac (his MacBook or a GitHub Actions macOS runner). Costs: Apple Developer about US$99/yr, Google Play US$25 once, Windows code signing a few hundred dollars/yr (optional early). Desktop install via Chrome/Edge already works from the PWA.

5. MARKETING SITE DIRECTION
Goal: take someone from "heard about it" to installed in 60 seconds.
Pages (launch with three): Home, Get the app, How it stays safe. Hosting: Cloudflare Pages (free), plain HTML/CSS, no framework. App lives at app.<domain> on the VPS. Invite requests: a form that saves the email on the VPS; owner approves each person.
Home: hero "One assistant. You're the boss." Sub: "Danny keeps track of the work, drafts what needs doing, and asks before anything goes out." Buttons: Get Danny / How it stays in check. Three blocks: Remembers, Drafts, Asks first.
Get the app: detect the device and show only that device's steps. iPhone (iOS 16.4+): Safari, Share, Add to Home Screen. Android: Install button. Mac/Windows: install from Chrome or Edge. Native installers show "Coming", never a dead link.
How it stays safe: nothing goes out without a tap; daily spend cap; one-tap stop; what is stored and what is not.
Claims rule: only say what is true that day.
  Say now: remembers what you tell it; asks before anything goes out; daily spend cap and stop button; installs from the browser.
  Say after it ships: sends email; posts to Facebook and Google; calendar; a crew of helpers.
  Never say: fully autonomous; replaces your team; never makes mistakes; 100% secure.
Voice: short sentences, direct, a little dry, like a shop foreman. No "supercharge", "unlock", "AI-powered", sparkles, robots, glowing brains.

6. DESIGN SYSTEM
Colors: graphite #0f1211 (background), panel #171b19, line #2a312d, paper #e9ede6 (text), muted #8c968f, chartreuse #cdf03c (running / OK / primary button), orange #ff9a5c (needs the user).
Fonts: Barlow Condensed 500/600/700 (headlines, buttons, numbers, all caps), Barlow 400/500/600 (body), IBM Plex Mono 400/500 (labels, times). Load locally (npm @fontsource packages) or from Google Fonts.
Rules: no chat bubbles, gradients, glows, sparkles or robots. Green means running, orange means needs you, never color alone (always a word too). Tap targets 44 px or larger. Square corners on panels.

7. LOGO (DRAFT, UNPICKED)
Recommended option 1, a D with cut corners. All marks are flat color on graphite, 64x64 viewBox.
Option 1, chamfer D (chartreuse):
<svg viewBox="0 0 64 64"><path fill="#cdf03c" fill-rule="evenodd" d="M10 8H38L56 26V38L38 56H10Z M22 20V44H34L44 34V30L34 20Z"/></svg>
Option 2, status D:
<svg viewBox="0 0 64 64"><path fill="none" stroke="#e9ede6" stroke-width="8" d="M14 8V56H30A24 24 0 0 0 0 30 8Z"/><circle cx="32" cy="32" r="6.5" fill="#cdf03c"/></svg>
Option 3, bracket and dot (reads a bit like an E):
<svg viewBox="0 0 64 64"><path fill="none" stroke="#e9ede6" stroke-width="8" d="M44

10H16V54H44"/><circle cx="39" cy="32" r="8" fill="#cdf03c"/></svg>
Wordmark: DANNY, Barlow Condensed Bold, uppercase, letter-spacing 0.06em, next to the mark.
Still to produce after the user picks: refined geometry, app icons (192, 512, maskable, apple-touch), favicon, one-color version.

8. OPEN DECISIONS AND FLAGS
- Name: "Danny" is a working name, weak as a product name. Check domain, CIPO trademark search and app stores before buying a domain.
- Legal: privacy policy and terms before anyone else signs up (Ontario/PIPEDA). Have a lawyer review once money is involved.
- AI cost: every user costs API money. Per-user caps; a paid plan must cover it. Default model claude-haiku-5-5, prices in .env must be checked against Anthropic's current pricing.
- Unverified: real Anthropic API path, real Docker build, real fonts in the sandbox, domain and handle availability.

9. ORDER OF WORK
1. User picks logo and name; check domain and trademark.
2. User creates empty private GitHub repo "danny"; push existing code.
3. Multi-user server rebuild (section 3).
4. Marketing site (section 5) pointed at the app.
5. Invite 3 to 5 people; see whether they use it twice a week.
6. Only then: native installers, billing, pricing page.