## Python Assignment- 4

Cassandra and typical databases. S.No. CASSANDRA RDBMS

1.Cassandra is a high performance and highly scalable distributed NoSQL database management system.

RDBMS is a Database management system or software which is designed for relational databases.

2.Cassandra is a NoSQL database. RDBMS uses SQL for querying and maintaining the database.

3.It deals with unstructured data.

It deals with structured data.

4.It has a flexible schema.

It has fixed schema.

5.Cassandra has peer-to-peer architecture with no single point of failure.

RDBMS has master-slave core architecture means a single point of failure.

6.Cassandra handles high volume incoming data velocity.RDBMS handles moderate incoming data velocity.

7. InRDBMS there is limited data source means data come from many locations.

In Cassandra there are various data source means data come from one/few location.

- 8. It supports simple transactions. It supports complex and nested transactions.
- In Cassandra the outermost container is Keyspace.
  In RDBMS the outermost container is database.

## 1.) Explain the differences between

10. Cassandra follows decentralized deployments.

RDBMS follows centralized deployments.

11.In Cassandra data written in many locations.

In RDBMS mainly data are written in one location.S.No. CASSANDRA RDBMS

12.In Cassandra row represents a unit of replication.

In RDBMS row represents a single record.

13.In Cassandra column represents a unit of storage.

In RDBMS column represents an attribute.

14. In Cassandra, relationships are represented using collections. In RDBMS relationships are represented using keys and join etc.

- 2.) What exactly is CQLSH?
- cqlsh is a command-line interface for interacting with Cassandra using CQL (the Cassandra Query Language). It is shipped with every Cassandra package, and can be found in the bin/ directory alongside the cassandra executable
- 3.) Explain the Cassandra cluster idea.
- A Cassandra cluster does not have a single point of failure as a result of the peer-to-peer distributed architecture. Nodes in a cluster communicate with each other for various purposes. There are various components used in this process: Seeds: Each node configures a list of seeds which is simply a list of notion.
- Python is an object oriented programming language. Almost everything in Python is an object, with its properties and methods. A Class is like an object constructor, or a

4.) Give an example to demonstrate the class

"blueprint" for creating objects.

**EXAMPLE:-**

• class MyClass:

x = 5

- 5.) Use an example to explain the object.
- Example of class and object For example, Person(Human) can be treated as a class which has properties such as name, age,gender etc. Every individual can be treated as an object of the class human or Person. Each individual will have different values of the properties of class Person.